



ELSEVIER

## Subject Index of Volume 671

- Activation energy  
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101
- Alkoxy ligands  
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101
- Alkynes  
*Trans*-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43
- Alkynyl complexes  
 $\sigma$ -Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27
- Allylic clusters  
Formation of an allylic cluster in the reactions of  $[\text{Ru}_3(\text{CO})_{12}]$  with diethylamino-propyne and trimethylsilyl propargyl alcohol. Crystal structure of  $[(\mu\text{-H})\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^3\text{-C}_3\text{H}_3)]$ , 137
- Arene complexes  
Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via  $[3+2+1]$ -benzannulation and haptotropic rearrangement, 58
- (Arene)ruthenium  
Stereochemistry of mono- and dinuclear complexes of rhodium, iridium and ruthenium bearing bis(diphenylphosphino-methyl)phenylphosphine, 8
- Asymmetric catalysis  
Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by  $[\text{Rh}(\text{cod})\text{Cl}]_2/$  (chiral diphosphine). The quantitative analysis of ligand effects, 13
- Benzannulation  
Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via  $[3+2+1]$ -benzannulation and haptotropic rearrangement, 58
- Bis(diphenylphosphino)acetylene  
Synthesis and reactivity of ditungsten helical complex  $\text{W}_2(\text{CO})_6(\mu\text{-Ph}_2\text{PC}\equiv\text{CPh})_3$ , 145
- Bis(diphenylphosphinomethyl)phenylphosphine  
Stereochemistry of mono- and dinuclear complexes of rhodium, iridium and ruthenium bearing bis(diphenylphosphino-methyl)phenylphosphine, 8
- Camphene  
Rhodium catalyzed hydroformylation of  $\beta$ -pinene and camphene: effect of phosphorous ligands and reaction conditions on diastereoselectivity, 150
- Carbene complexes  
Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via  $[3+2+1]$ -benzannulation and haptotropic rearrangement, 58
- Carbon–hydrogen bond activation  
Thermolysis of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Co}(\text{PPh}_3)(\eta^2\text{-DMAD})]$ , revisited: a solid state analysis reveals the true structure of the triphenylphosphine–alkyne coupling product, 1
- Carboxylates  
Disproportionation reactions of (methoxy/hydroxy)diorganotin(IV) methanesulfonates with carboxylic acids: Synthesis and structure of new diorganotin(IV) carboxylates, 35
- Carbyne complexes  
Synthesis and structure of novel, air-stable carbyne complexes of tungsten, 52
- Cations  
Oxidation of the octa-(ethyl)diphosphaferrocene, 120
- C–CN compound  
Reductive elimination of C–CN compounds from nickel complexes as a reverse reaction for oxidative addition of benzonitriles to nickel, 179
- Chalcogenide  
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91
- $\text{C}_{51}\text{H}_{37}\text{ClCuF}_3\text{N}_4\text{O}_7\text{S}$   
*Trans*-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43
- Chromium  
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91
- Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via  $[3+2+1]$ -benzannulation and haptotropic rearrangement, 58
- Cobalt  
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91
- Cobalt–alkyne  
Thermolysis of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Co}(\text{PPh}_3)(\eta^2\text{-DMAD})]$ , revisited: a solid state analysis reveals the true structure of the triphenylphosphine–alkyne coupling product, 1
- Complexes  
Oxidation of the octa-(ethyl)diphosphaferrocene, 120

## Conformational analysis

Synthesis, NMR spectroscopy, and conformational analysis of  $\alpha$ -dimethylsilyl esters, 126

## Copper

*Trans*-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43

## Crystal structures

The synthesis of the triply bonded tetramethyl complex  $\text{Re}_2(\text{CH}_3)_4(\mu\text{-dppm})_2$  and its reaction with carbon monoxide to afford  $\text{Re}_2(\mu\text{-CH}_2)_2(\text{CO})_4(\mu\text{-dppm})_2$ , 166

## Cycloaddition

Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75

## Cyclopentadienyl complexes

Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}'_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91

## Density functional

Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101

## Density functional calculations

Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75

## Diethylaminopropyne

Formation of an allylic cluster in the reactions of  $[\text{Ru}_3(\text{CO})_{12}]$  with diethylamino-propyne and trimethylsilyl propargyl alcohol. Crystal structure of  $[(\mu\text{-H})\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^3\text{-C}_3\text{H}_3)]$ , 137

## Dimerisation

Catalytic application of a Ru-alkylidene in the nucleophilic addition of several carboxylic acids on terminal alkynes and the homo-coupling of 1-alkynes, 131

 $\alpha$ -Dimethylsilyl esters

Synthesis, NMR spectroscopy, and conformational analysis of  $\alpha$ -dimethylsilyl esters, 126

## Diorganotin

Disproportionation reactions of (methoxy/hydroxy)diorganotin(IV) methanesulfonates with carboxylic acids: Synthesis and structure of new diorganotin(IV) carboxylates, 35

## Dirhenium(II) complexes

The synthesis of the triply bonded tetramethyl complex  $\text{Re}_2(\text{CH}_3)_4(\mu\text{-dppm})_2$  and its reaction with carbon monoxide to afford  $\text{Re}_2(\mu\text{-CH}_2)_2(\text{CO})_4(\mu\text{-dppm})_2$ , 166

## Disproportionation

Disproportionation reactions of (methoxy/hydroxy)diorganotin(IV) methanesulfonates with carboxylic acids: Synthesis and structure of new diorganotin(IV) carboxylates, 35

## Electron density

Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101

## Germanium

Facile introduction of bridging  $\text{MPh}_2$  groups ( $\text{M} = \text{Ge}, \text{Sn}, \text{Pb}$ ) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158

## Haptotropic rearrangement

Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via [3+2+1]-benzannulation and haptotropic rearrangement, 58

## Heterocycles

Oxidation of the octa-(ethyl)diphosphaferrocene, 120

*Trans*-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43

## Hydroformylation

Rhodium catalyzed hydroformylation of  $\beta$ -pinene and camphene: effect of phosphorous ligands and reaction conditions on diastereoselectivity, 150

## Hydrosilylation

Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by  $[\text{Rh}(\text{cod})\text{Cl}]_2/$  (chiral diphosphine). The quantitative analysis of ligand effects, 13

## 2-Hydroxyphenyl-bis(3,5-dimethylpyrazolyl)methane

Synthesis and structure of novel, air-stable carbyne complexes of tungsten, 52

## Iron

Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}'_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91

Oxidation of the octa-(ethyl)diphosphaferrocene, 120

*Trans*-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43

## Ketone

Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by  $[\text{Rh}(\text{cod})\text{Cl}]_2/$  (chiral diphosphine). The quantitative analysis of ligand effects, 13

## Kinetics

Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by  $[\text{Rh}(\text{cod})\text{Cl}]_2/$  (chiral diphosphine). The quantitative analysis of ligand effects, 13

## Lead

Facile introduction of bridging  $\text{MPh}_2$  groups ( $\text{M} = \text{Ge}, \text{Sn}, \text{Pb}$ ) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158

## Ligand effects

Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by  $[\text{Rh}(\text{cod})\text{Cl}]_2/$  (chiral diphosphine). The quantitative analysis of ligand effects, 13

## Linked amido-cyclopentadienyl ligand

Synthesis and characterization of  $\eta^5$ -tetramethylcyclopentadienyl-hydrido- and -chloro-silyl- $\eta^1$ -amido zirconium complexes, 172

## Magnetic properties

Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}'_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91

## Manganese

Antiferromagnetic complexes with metal–metal bonds. Part XXX.

Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}'_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91

 $\text{Me}_3\text{tach}$ 

Synthesis and reactivity of ditungsten helical complex  $\text{W}_2(\text{CO})_6(\mu\text{-Ph}_2\text{PC}\equiv\text{CPh})_3$ , 145

## Metal carbonyls

Antiferromagnetic complexes with metal–metal bonds. Part XXX.

Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}'_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91

## Metallacycles

*Trans*-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43

## Methyl complexes

The synthesis of the triply bonded tetramethyl complex  $\text{Re}_2(\text{CH}_3)_4(\mu\text{-dppm})_2$  and its reaction with carbon monoxide to afford  $\text{Re}_2(\mu\text{-CH}_2)_2(\text{CO})_4(\mu\text{-dppm})_2$ , 166

 $\mu$ -Methylene complexes

The synthesis of the triply bonded tetramethyl complex  $\text{Re}_2(\text{CH}_3)_4(\mu\text{-dppm})_2$  and its reaction with carbon monoxide to afford  $\text{Re}_2(\mu\text{-CH}_2)_2(\text{CO})_4(\mu\text{-dppm})_2$ , 166

## Mixed-metal clusters

Antiferromagnetic complexes with metal–metal bonds. Part XXX.

Synthesis and molecular structures of the antiferromagnetic adducts  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2(\mu_3\text{-Se})\text{ML}]$  ( $\text{Cp}' = \eta^5\text{-CH}_3\text{C}_5\text{H}_4$ ,  $\text{ML} = \text{Fe}_3(\mu_3\text{-S})_2(\text{CO})_8$ ,  $\text{Mn}_2(\text{CO})_9$ ,  $\text{Mn}_2(\text{CO})_8$ ), paramagnetic complexes  $\text{Cp}'\text{Cr}(\mu\text{-SPh})_3\text{Mn}(\text{CO})_3$  and  $[\text{Cp}'\text{Cr}(\mu\text{-SPh})_2\text{Te}]$ , diamagnetic cluster  $\text{Cp}'_2\text{Cr}_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})\text{Co}(\text{CO})_2$ , 91

## Nickel

Reductive elimination of C–CN compounds from nickel complexes as a reverse reaction for oxidative addition of benzonitriles to nickel, 179

*N*-Pincer ligands

*Trans*-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43

## Olefin polymerization

Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101

## Organogermanium compounds

General access to *para*-substituted styrenes, 113

## Ortho-metalation

Thermolysis of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Co}(\text{PPh}_3)(\eta^2\text{-DMAD})]$ , revisited: a solid state analysis reveals the true structure of the triphenylphosphine–alkyne coupling product, 1

## Osmium

$\sigma$ -Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27

## Oxidative addition

Reductive elimination of C–CN compounds from nickel complexes as a reverse reaction for oxidative addition of benzonitriles to nickel, 179

## Pentamethylcyclopentadienyl(rhodium or iridium)

Stereochemistry of mono- and dinuclear complexes of rhodium, iridium and ruthenium bearing bis(diphenylphosphino-methyl)phenylphosphine, 8

## Phosphorous ligands

Rhodium catalyzed hydroformylation of  $\beta$ -pinene and camphene: effect of phosphorous ligands and reaction conditions on diastereoselectivity, 150

## Phosphorus

Oxidation of the octa-(ethyl)diphosphaferrocene, 120

 $\beta$ -Pinene

Rhodium catalyzed hydroformylation of  $\beta$ -pinene and camphene: effect of phosphorous ligands and reaction conditions on diastereoselectivity, 150

## Platinum

Facile introduction of bridging  $\text{MPh}_2$  groups ( $\text{M} = \text{Ge}, \text{Sn}, \text{Pb}$ ) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158

## Quantitative analysis of ligand effects

Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by  $[\text{Rh}(\text{cod})\text{Cl}]_2/$  (chiral diphosphine). The quantitative analysis of ligand effects, 13

## Reductive elimination

Reductive elimination of C–CN compounds from nickel complexes as a reverse reaction for oxidative addition of benzonitriles to nickel, 179

## Ruthenium

$\sigma$ -Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27

Catalytic application of a Ru-alkylidene in the nucleophilic addition of several carboxylic acids on terminal alkynes and the homo-coupling of 1-alkynes, 131

Facile introduction of bridging  $\text{MPh}_2$  groups ( $\text{M} = \text{Ge}, \text{Sn}, \text{Pb}$ ) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158

## Self-assembly

*Trans*-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43

## Silane

$\sigma$ -Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27

## Siloxane

$\sigma$ -Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27

 $^{29}\text{Si}$ -NMR spectroscopy

Synthesis, NMR spectroscopy, and conformational analysis of  $\alpha$ -dimethylsilyl esters, 126

## Sonication

General access to *para*-substituted styrenes, 113

## Stereochemistry

Stereochemistry of mono- and dinuclear complexes of rhodium, iridium and ruthenium bearing bis(diphenylphosphino-methyl)phenylphosphine, 8

## Styrene

General access to *para*-substituted styrenes, 113

## Synthesis

Synthesis and characterization of  $\eta^5$ -tetramethylcyclopentadienyl-hydrido- and -chloro-silyl- $\eta^1$ -amido zirconium complexes, 172

## Thermally stable

Synthesis and structure of novel, air-stable carbyne complexes of tungsten, 52

- Tin**  
Facile introduction of bridging  $MPh_2$  groups ( $M=Ge, Sn, Pb$ ) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158
- Titanacyclobutanes**  
Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75
- Titanacyclobutenes**  
Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75
- Titanocene vinylidene**  
Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75
- Triazol-5-ylidene**  
Catalytic application of a Ru-alkylidene in the nucleophilic addition of several carboxylic acids on terminal alkynes and the homo-coupling of 1-alkynes, 131
- Trimetallic cluster**  
Facile introduction of bridging  $MPh_2$  groups ( $M=Ge, Sn, Pb$ ) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158
- Trimethylsilylpropargyl alcohol**  
Formation of an allylic cluster in the reactions of  $[Ru_3(CO)_{12}]$  with diethylamino-propyne and trimethylsilyl propargyl alcohol. Crystal structure of  $[(\mu-H)Ru_3(CO)_9(\mu_3-\eta^3-C_3H_3)]$ , 137
- 1,3,5-Trimethyl-1,3,5-triazacyclohexane**  
Synthesis and reactivity of ditungsten helical complex  $W_2(CO)_6(\mu-Ph_2PC\equiv CPh)_3$ , 145
- Trinuclear tin**  
Disproportionation reactions of (methoxy/hydroxy)diorganotin(IV) methanesulfonates with carboxylic acids: Synthesis and structure of new diorganotin(IV) carboxylates, 35
- Vinylation**  
Catalytic application of a Ru-alkylidene in the nucleophilic addition of several carboxylic acids on terminal alkynes and the homo-coupling of 1-alkynes, 131
- Vinyl-phosphonium**  
Thermolysis of  $[(\eta^5-C_5H_5)Co(PPh_3)(\eta^2-DMAD)]$ , revisited: a solid state analysis reveals the true structure of the triphenylphosphine–alkyne coupling product, 1
- X-ray analyses**  
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts  $[Cp'Cr(\mu-SPh)]_2(\mu_3-Se)ML$  ( $Cp' = \eta^5-CH_3C_5H_4$ ,  $ML = Fe_3(\mu_3-S)_2(CO)_8$ ,  $Mn_2(CO)_9$ ,  $Mn_2(CO)_8$ ), paramagnetic complexes  $Cp'Cr(\mu-SPh)_3Mn(CO)_3$  and  $[Cp'Cr(\mu-SPh)]_2Te$ , diamagnetic cluster  $Cp_2Cr_2(\mu-SPh)(\mu_3-S)(\mu_3-Te)Co(CO)_2$ , 91
- Ziegler–Natta catalysts**  
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101
- Zirconium**  
Synthesis and characterization of  $\eta^5$ -tetramethylcyclopentadienyl-hydrido- and -chloro-silyl- $\eta^1$ -amido zirconium complexes, 172