



ELSEVIER

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

SCIENCE @ DIRECT®

Journal of Organometallic Chemistry 680 (2003) 337–342

Journal  
of Organo  
metallic  
Chemistry[www.elsevier.com/locate/jorgchem](http://www.elsevier.com/locate/jorgchem)

## Subject Index of Volume 680

## Ab initio computations

Dimesitylborane monomer-dimer equilibrium in solution, and the solid-state structure of the dimer by single crystal neutron and X-ray diffraction, 165

Two-electron homoaromatics with heteroatom bridges, 244

## Addition

Regio- and stereoselective synthesis of boryl-substituted allylsilanes via transition metal-catalyzed silaboration, 43

## Agostic (C–H···Ir) interaction

First agostic *closo*-metallacarboranes with  $\eta^3$ -cyclooctenyl type ligand: synthesis and structural characterization of *closo*-3- $[\eta^3$ -(*endo*-1,5-dimethylcycloocten-1-yl)]-1,2- $\mu$ -(1',2'-xylylene)-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub> and its isomerization to *closo*-3- $[\eta^3$ -(*exo*-1-methylene-5-methylcyclooctene-1-yl)]-1,2- $\mu$ -(1',2'-xylylene)-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub>, 111

## Aldehyde

The use of organoboron chlorides and bromides in organic synthesis, 12

## Alkene

The use of organoboron chlorides and bromides in organic synthesis, 12

## Alkylation

The use of organoboron chlorides and bromides in organic synthesis, 12

## Alkyne

The use of organoboron chlorides and bromides in organic synthesis, 12

## Alkynes

1,3,2-Diazastanna-[3]ferrocenophanes bearing alkyn-1-yl groups at tin and their 1,1-organoboration with triethylborane—molecular structure of a novel spirotin compound, 271

Reactions of *nido*-1,2-(Cp\*RuH)<sub>2</sub>B<sub>3</sub>H<sub>7</sub> with RC≡CR' (R, R' = H, Ph; Me, Me) to yield novel metallacarboranes, 66

## Allylation

Regio- and stereoselective synthesis of boryl-substituted allylsilanes via transition metal-catalyzed silaboration, 43

## Allylic ligand isomerization

First agostic *closo*-metallacarboranes with  $\eta^3$ -cyclooctenyl type ligand: synthesis and structural characterization of *closo*-3- $[\eta^3$ -(*endo*-1,5-dimethylcycloocten-1-yl)]-1,2- $\mu$ -(1',2'-xylylene)-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub> and its isomerization to *closo*-3- $[\eta^3$ -(*exo*-1-methylene-5-methylcyclooctene-1-yl)]-1,2- $\mu$ -(1',2'-xylylene)-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub>, 111

## Amido complexes

*Ansa*-metallocenes with B–N and B–P linkages: the importance of N–H···F–C hydrogen bonding in pentafluorophenyl boron compounds, 193

## Amino acids

Enantioselective rhodium-catalysed addition of boronic acids using C<sub>2</sub>-symmetric aryl diphosphite ligands, 206

## Aminoboron

Catalyzed hydroboration of allyl sulfonamides, 143

*Ansa*-metallocenes

*Ansa*-metallocenes with B–N and B–P linkages: the importance of

N–H···F–C hydrogen bonding in pentafluorophenyl boron compounds, 193

## Antiviral

Synthesis of adenosine containing carborane modification, 124

## Arylamine

Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 1-*N,N*-dimethylamino-8-borononaphthalene derivatives, 257

## Arylboronate

Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 1-*N,N*-dimethylamino-8-borononaphthalene derivatives, 257

## Aryldifluoroborane

Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 1-*N,N*-dimethylamino-8-borononaphthalene derivatives, 257

## Asymmetric synthesis

Bromination of tri(isopropyl)boroxine and asymmetric synthesis of (2-cyano-3,3-dimethylcyclopropyl)boronic esters, 100

## Azanonaborane

The chemistry of the azanonaborane cluster RNH<sub>2</sub>–B<sub>8</sub>H<sub>11</sub>NHR, 23

## 9-BBN

9-BBN activation. Synthesis, crystal structure and theoretical characterization of the ruthenium complex Ru[( $\mu$ -H)<sub>2</sub>BC<sub>8</sub>H<sub>14</sub>]<sub>2</sub>(PCy<sub>3</sub>), 182

B<sub>(cage)</sub>- and C<sub>(cage)</sub>-silylamido-substituted carboranes

Group 4 metallacarboranes of constrained geometries derived from B<sub>(cage)</sub>- and C<sub>(cage)</sub>-silylamido-substituted carborane ligands: a synthetic and structural investigation, 173

## Bis(pinacolato)diboron

Transition metal-catalyzed borylation of alkanes and arenes via C–H activation, 3

## BNCT

Synthesis of adenosine containing carborane modification, 124

## Borane

Dimesitylborane monomer-dimer equilibrium in solution, and the solid-state structure of the dimer by single crystal neutron and X-ray diffraction, 165

## Boranes

9-BBN activation. Synthesis, crystal structure and theoretical characterization of the ruthenium complex Ru[( $\mu$ -H)<sub>2</sub>BC<sub>8</sub>H<sub>14</sub>]<sub>2</sub>(PCy<sub>3</sub>), 182

Functionalization of the macropolyhedral borate anion cluster [B<sub>22</sub>H<sub>22</sub>]<sup>2-</sup>: isolation and characterization of the OH and OEt derivatives, 212

Synthesis, structures and reactivity of macrocyclic imidazolylboranes, 294

## Boron

*Ansa*-metallocenes with B–N and B–P linkages: the importance of N–H···F–C hydrogen bonding in pentafluorophenyl boron compounds, 193

- 1,3,2-Diazastanna-[3]ferrocenophanes bearing alkyn-1-yl groups at tin and their 1,1-organoboration with triethylborane—molecular structure of a novel spirotin compound, 271
- Dimesitylborane monomer-dimer equilibrium in solution, and the solid-state structure of the dimer by single crystal neutron and X-ray diffraction, 165
- Reactions of *nido*-1,2-(Cp\**RuH*)<sub>2</sub>B<sub>3</sub>H<sub>7</sub> with RC≡CR' (R, R' = H, Ph; Me, Me) to yield novel metallacarboranes, 66
- Reactions of the dichloroboryl complex of osmium, Os(BCl<sub>2</sub>)Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, with water, alcohols, and amines: Crystal structures of Os[B(OH)<sub>2</sub>]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, Os[B(OEt)<sub>2</sub>]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, and Os[BN(CH<sub>3</sub>)C<sub>6</sub>H<sub>4</sub>N(CH<sub>3</sub>)]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, 81
- Synthesis and structural characterization of an 11-vertex *nido*-diphosphaborane, 7,9-Ph<sub>2</sub>-*nido*-7,9-P<sub>2</sub>B<sub>9</sub>H<sub>9</sub>, 61
- Synthesis of adenosine containing carborane modification, 124
- Synthesis of enantiomerically pure vinylcyclopropylboronic esters via cross-metathesis, 281
- Synthesis, structural characterization and reactivity of the amino borane 1-(NPh<sub>2</sub>)-2-[B(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>]C<sub>6</sub>H<sub>4</sub>, 218
- The chemistry of [1]borametalocenophanes and related compounds, 31
- Boronated porphyrin**  
Synthesis of ether- and carbon-linked polycarboranyl porphyrin dimers for cancer therapies, 232
- Boronate esters**  
Design of chiral boronate-substituted acrylanilides. Self-activation and boron-transmitted 1,8-stereoselection in [4+2] cycloaddition, 263
- Boron heterocycles**  
Two-electron homoaromatics with heteroatom bridges, 244
- Boron hydrides**  
Functionalization of the macropolyhedral borate anion cluster [B<sub>22</sub>H<sub>22</sub>]<sup>2-</sup>: isolation and characterization of the OH and OEt derivatives, 212
- Boronic acid**  
Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 1-*N,N*-dimethylamino-8-borononaphthalene derivatives, 257
- Boronic acids**  
Enantioselective rhodium-catalysed addition of boronic acids using C<sub>2</sub>-symmetric aryl diphosphite ligands, 206
- Boronic ester**  
Bromination of tri(isopropyl)boroxine and asymmetric synthesis of (2-cyano-3,3-dimethylcyclopropyl)boronic esters, 100
- Boron neutron capture therapy**  
[C<sub>2</sub>B<sub>10</sub>]–[B<sub>12</sub>] double cage boron compounds—a new approach to the synthesis of water-soluble boron-rich compounds for BNCT, 106
- Synthesis of ether- and carbon-linked polycarboranyl porphyrin dimers for cancer therapies, 232
- The chemistry of the azanonaborane cluster RNH<sub>2</sub>–B<sub>8</sub>H<sub>11</sub>NHR, 23
- Boroxine**  
Bromination of tri(isopropyl)boroxine and asymmetric synthesis of (2-cyano-3,3-dimethylcyclopropyl)boronic esters, 100
- Borylation**  
Regio- and stereoselective synthesis of boryl-substituted allylsilanes via transition metal-catalyzed silaboration, 43
- Boryl complexes**  
Reactions of the dichloroboryl complex of osmium, Os(BCl<sub>2</sub>)Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, with water, alcohols, and amines: Crystal structures of Os[B(OH)<sub>2</sub>]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, Os[B(OEt)<sub>2</sub>]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, and Os[BN(CH<sub>3</sub>)C<sub>6</sub>H<sub>4</sub>N(CH<sub>3</sub>)]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, 81
- Butterfly conformation**  
Big macrocyclic assemblies of carboranes (big MACs): synthesis and crystal structure of a macrocyclic assembly of four carboranes containing alternate *ortho*- and *meta*-carborane icosahedra linked by *para*-phenylene units, 155
- Carborane**  
A new strategy for molecular modeling and receptor-based design of carborane containing compounds, 223
- exo*-closo-Rhodacarboranes: synthesis and characterisation of [{*exo*-(R<sub>3</sub>P)<sub>2</sub>Rh}(closo-CB<sub>11</sub>H<sub>12</sub>)] [R<sub>3</sub>P = P(OMe)<sub>3</sub>, PCy<sub>3</sub>, 1/2dppf], 127
- Platination of [3-X-7,8-Ph<sub>2</sub>-7,8-*nido*-C<sub>2</sub>B<sub>9</sub>H<sub>8</sub>]<sup>2-</sup> (X = Et, F): Synthesis and characterisation of slipped and 1,2→1,7 isomerised products, 286
- Synthesis of adenosine containing carborane modification, 124
- Synthesis of ether- and carbon-linked polycarboranyl porphyrin dimers for cancer therapies, 232
- Carborane icosahedra**  
Big macrocyclic assemblies of carboranes (big MACs): synthesis and crystal structure of a macrocyclic assembly of four carboranes containing alternate *ortho*- and *meta*-carborane icosahedra linked by *para*-phenylene units, 155
- Carboranes**  
Synthesis of homoleptic Re(I) complexes of isocyano-carboranes and the X-ray structure of hexakis(*p*-carboran-1-yl-isonitrile)Re(I), 323
- Catalysis**  
A versatile rigid binucleating ligand for Rh<sub>2</sub>(μ-Cl)<sub>2</sub> moieties: its application as a catalyst in hydrogenation and cyclopropanation: Crystal structure of [Rh(C<sub>5</sub>Me<sub>5</sub>)Cl{7,8-μ-S(4'-C<sub>6</sub>H<sub>3</sub>(CH<sub>3</sub>))S-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}[7,8-μ-S(4'-C<sub>6</sub>H<sub>3</sub>(CH<sub>3</sub>))S-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>]-THF, 89
- Catalyzed hydroboration of allyl sulfonamides, 143
- exo*-closo-Rhodacarboranes: synthesis and characterisation of [{*exo*-(R<sub>3</sub>P)<sub>2</sub>Rh}(closo-CB<sub>11</sub>H<sub>12</sub>)] [R<sub>3</sub>P = P(OMe)<sub>3</sub>, PCy<sub>3</sub>, 1/2dppf], 127
- Catalyst**  
High yield [<sup>125</sup>I]iodide-labeling of iodinated carboranes by palladium-catalyzed isotopic exchange, 188
- Catecholborane**  
Mechanistic and synthetic aspects of hydroboration with a simple atropisomeric ligand prepared from 1-(1'-(isoquinolyl)-2-naphthol, 329
- C–C coupling**  
Synthesis and reaction of secondary and primary diorganozinc reagents using a boron–zinc exchange reaction: A useful method for the stereo- and regioselective formation of new carbon–carbon bonds, 136
- C–C coupling**  
Enantioselective rhodium-catalysed addition of boronic acids using C<sub>2</sub>-symmetric aryl diphosphite ligands, 206
- C–H borylation**  
Transition metal-catalyzed borylation of alkanes and arenes via C–H activation, 3
- Chiral auxiliaries**  
Design of chiral boronate-substituted acrylanilides. Self-activation and boron-transmitted 1,8-stereoselection in [4+2] cycloaddition, 263
- closo-Metallacarboranes**  
First agostic *closo*-metallacarboranes with η<sup>3</sup>-cyclooctenyl type ligand: synthesis and structural characterization of *closo*-3-[η<sup>3</sup>-(endo-1,5-dimethylcycloocten-1-yl)]-1,2-μ-(1',2'-xylylene)-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub> and its isomerization to *closo*-3-[η<sup>3</sup>-(*exo*-1-methylene-5-methylcyclooctene-1-yl)]-1,2-μ-[η<sup>2</sup>-(1',2'-xylylene)]-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub>, 111
- closo-Undecaborates**  
The chemistry of the undecaborates, 301
- Cluster**  
Reactions of *nido*-1,2-(Cp\**RuH*)<sub>2</sub>B<sub>3</sub>H<sub>7</sub> with RC≡CR' (R, R' = H, Ph; Me, Me) to yield novel metallacarboranes, 66

- Cluster expansion  
The chemistry of the undecaborates, 301
- Cluster rearrangement  
The chemistry of the azanonaborane cluster  $\text{RNH}_2\text{-B}_8\text{H}_{11}\text{NHR}$ , 23
- Cobaltacarborane clusters  
Small cobaltacarborane clusters in synthesis. Peralkylation, perhalogenation, and macrocycle construction, 51
- Computer-aided molecular design  
A new strategy for molecular modeling and receptor-based design of carborane containing compounds, 223
- Conjugate addition  
Enantioselective rhodium-catalysed addition of boronic acids using  $\text{C}_2$ -symmetric aryl diphosphite ligands, 206
- $\pi$ -Conjugated polymers  
Poly(cyclodiborazane)s, 27
- Constrained geometry  
Group 4 metallocarboranes of constrained geometries derived from  $\text{B}_{(\text{cage})}$ - and  $\text{C}_{(\text{cage})}$ -silylamido-substituted carborane ligands: a synthetic and structural investigation, 173
- Crystallographic study  
Platination of  $[\text{3-X-7,8-Ph}_2\text{-7,8-}n\text{-ido-C}_2\text{B}_9\text{H}_8]^{2-}$  (X = Et, F): Synthesis and characterisation of slipped and 1,2  $\rightarrow$  1,7 isomerised products, 286
- Crystal structures  
Group 4 metallocarboranes of constrained geometries derived from  $\text{B}_{(\text{cage})}$ - and  $\text{C}_{(\text{cage})}$ -silylamido-substituted carborane ligands: a synthetic and structural investigation, 173
- Cyclohexane  
Macropolyhedral boron-containing cluster chemistry. Aspects of the  $\text{S}_2\text{B}_{16}\text{H}_{16}$  system. Preparation, structure, NMR spectroscopy and isomerism, 312
- Cyclooligomerizations  
Synthesis, structures and reactivity of macrocyclic imidazolylboranes, 294
- Cyclopropanation  
A versatile rigid binucleating ligand for  $\text{Rh}_2(\mu\text{-Cl})_2$  moieties: its application as a catalyst in hydrogenation and cyclopropanation: Crystal structure of  $[\text{Rh}(\text{C}_5\text{Me}_5)\text{Cl}\{7,8\text{-}\mu\text{-S}(4'\text{-C}_6\text{H}_3(\text{CH}_3))\text{S-C}_2\text{B}_9\text{H}_{10}\}][7,8\text{-}\mu\text{-S}(4'\text{-C}_6\text{H}_3(\text{CH}_3))\text{S-C}_2\text{B}_9\text{H}_{10}\} \cdot \text{THF}$ , 89
- Cyclopropanes  
Synthesis of enantiomerically pure vinylcyclopropylboronic esters via cross-metathesis, 281
- Cyclopropylboronic ester  
Bromination of tri(isopropyl)boroxine and asymmetric synthesis of (2-cyano-3,3-dimethylcyclopropyl)boronic esters, 100
- Density functional theory calculations  
Density functional theory studies on structural isomers and bonding of catecholborane adducts of Group 5 metallocene (Nb, Ta) hydride complexes, 148
- DFT  
9-BBN activation. Synthesis, crystal structure and theoretical characterization of the ruthenium complex  $\text{Ru}[(\mu\text{-H})_2\text{BC}_8\text{H}_{14}]_2\text{-}(\text{PCy}_3)_3$ , 182
- DFT/GIAO  
Synthesis and structural characterization of an 11-vertex *nido*-diphosphaborane, 7,9- $\text{Ph}_2$ -*nido*-7,9- $\text{P}_2\text{B}_9\text{H}_9$ , 61
- Diastereoselective synthesis  
Synthesis and reaction of secondary and primary diorganozinc reagents using a boron–zinc exchange reaction: A useful method for the stereo- and regioselective formation of new carbon–carbon bonds, 136  
Synthesis of enantiomerically pure vinylcyclopropylboronic esters via cross-metathesis, 281
- Diels–Alder reactions  
Design of chiral boronate-substituted acrylanilides. Self-activation and boron-transmitted 1,8-stereoselection in [4+2] cycloaddition, 263
- Diphosphaborane  
Synthesis and structural characterization of an 11-vertex *nido*-diphosphaborane, 7,9- $\text{Ph}_2$ -*nido*-7,9- $\text{P}_2\text{B}_9\text{H}_9$ , 61
- Docking  
A new strategy for molecular modeling and receptor-based design of carborane containing compounds, 223
- Dodecahydro-*closo*-dodecaborate  
 $[\text{C}_2\text{B}_{10}]\text{-}[\text{B}_{12}]$  double cage boron compounds—a new approach to the synthesis of water-soluble boron-rich compounds for BNCT, 106
- Enantiomer  
Mechanistic and synthetic aspects of hydroboration with a simple atropisomeric ligand prepared from 1-(1'-(isoquinoly)-2-naphthol), 329
- Equilibrium  
Dimethylborane monomer-dimer equilibrium in solution, and the solid-state structure of the dimer by single crystal neutron and X-ray diffraction, 165
- Estrogen receptor  
A new strategy for molecular modeling and receptor-based design of carborane containing compounds, 223
- Ferrocene  
1,3,2-Diazastanna-[3]ferrocenophanes bearing alkyl-1-yl groups at tin and their 1,1-organoboration with triethylborane—molecular structure of a novel spirotin compound, 271
- Four-membered rings  
Poly(cyclodiborazane)s, 27
- Group 4 carborane  
Group 4 metallocarboranes of constrained geometries derived from  $\text{B}_{(\text{cage})}$ - and  $\text{C}_{(\text{cage})}$ -silylamido-substituted carborane ligands: a synthetic and structural investigation, 173
- Group 5 metallocene (Nb, Ta) hydride HBCat adducts  
Density functional theory studies on structural isomers and bonding of catecholborane adducts of Group 5 metallocene (Nb, Ta) hydride complexes, 148
- Halides  
The use of organoboron chlorides and bromides in organic synthesis, 12
- Heteroatom bridges  
*Ansa*-metallocenes with B–N and B–P linkages: the importance of N–H...F–C hydrogen bonding in pentafluorophenyl boron compounds, 193
- Heteroborane  
Synthesis and structural characterization of an 11-vertex *nido*-diphosphaborane, 7,9- $\text{Ph}_2$ -*nido*-7,9- $\text{P}_2\text{B}_9\text{H}_9$ , 61
- Homoaromaticity  
Two-electron homoaromatics with heteroatom bridges, 244
- Homoleptic  
Synthesis of homoleptic Re(I) complexes of isocyano-carboranes and the X-ray structure of hexakis(*p*-carboran-1-yl-isonitrile)Re(I), 323
- Hydroboration  
Catalyzed hydroboration of allyl sulfonamides, 143  
Synthesis and reaction of secondary and primary diorganozinc reagents using a boron–zinc exchange reaction: A useful method for the stereo- and regioselective formation of new carbon–carbon bonds, 136
- Hydrocarbon  
Transition metal-catalyzed borylation of alkanes and arenes via C–H activation, 3

## Hydrogenation

A versatile rigid binucleating ligand for  $\text{Rh}_2(\mu\text{-Cl})_2$  moieties: its application as a catalyst in hydrogenation and cyclopropanation: Crystal structure of  $[\text{Rh}(\text{C}_5\text{Me}_5)\text{Cl}\{7,8\text{-}\mu\text{-S}(4'\text{-C}_6\text{H}_3\text{(CH}_3\text{))S-C}_2\text{B}_9\text{H}_{10}\}][7,8\text{-}\mu\text{-S}(4'\text{-C}_6\text{H}_3\text{(CH}_3\text{))S-C}_2\text{B}_9\text{H}_{10}\} \cdot \text{THF}$ , 89

## Hydrogen bonding

*Ansa*-metallocenes with B–N and B–P linkages: the importance of N–H···F–C hydrogen bonding in pentafluorophenyl boron compounds, 193

Synthesis, structural characterization and reactivity of the amino borane 1-(NPh<sub>2</sub>)-2-[B(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>]C<sub>6</sub>H<sub>4</sub>, 218

<sup>125</sup>Iodide

High yield [<sup>125</sup>I]iodide-labeling of iodinated carboranes by palladium-catalyzed isotopic exchange, 188

## Imidazoles

Synthesis, structures and reactivity of macrocyclic imidazolylboranes, 294

## Iodinated carboranes

High yield [<sup>125</sup>I]iodide-labeling of iodinated carboranes by palladium-catalyzed isotopic exchange, 188

## Iridium

First agostic *closo*-metallacarboranes with  $\eta^3$ -cyclooctenyl type ligand: synthesis and structural characterization of *closo*-3- $[\eta^3\text{-}(endo\text{-}1,5\text{-dimethylcycloocten-}1\text{-yl})\text{-}1,2\text{-}\mu\text{-}(1',2'\text{-xylylene})\text{-}3,1,2\text{-IrC}_2\text{B}_9\text{H}_9$  and its isomerization to *closo*-3- $[\eta^3\text{-}(exo\text{-}1\text{-methylene-}5\text{-methylcyclooctene-}1\text{-yl})\text{-}1,2\text{-}\mu\text{-}[\eta^2\text{-}(1',2'\text{-xylylene})\text{-}3,1,2\text{-IrC}_2\text{B}_9\text{H}_9$ , 111

## Iron

The chemistry of [1]borametallocenophanes and related compounds, 31

## Isomerisation

Platination of  $[\text{3-X-}7,8\text{-Ph}_2\text{-}7,8\text{-nido-C}_2\text{B}_9\text{H}_8]^{2-}$  (X = Et, F): Synthesis and characterisation of slipped and 1,2 → 1,7 isomerised products, 286

## Isomerism

Macropolyhedral boron-containing cluster chemistry. Aspects of the S<sub>2</sub>B<sub>16</sub>H<sub>16</sub> system. Preparation, structure, NMR spectroscopy and isomerism, 312

## Isomerization

Catalyzed hydroboration of allyl sulfonamides, 143

## Isonitriles

Synthesis of homoleptic Re(I) complexes of isocyano-carboranes and the X-ray structure of hexakis(*p*-carboran-1-yl-isonitrile)Re(I), 323

## Isotopic exchange

High yield [<sup>125</sup>I]iodide-labeling of iodinated carboranes by palladium-catalyzed isotopic exchange, 188

## Labeling

High yield [<sup>125</sup>I]iodide-labeling of iodinated carboranes by palladium-catalyzed isotopic exchange, 188

## Lewis acid

Synthesis, structural characterization and reactivity of the amino borane 1-(NPh<sub>2</sub>)-2-[B(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>]C<sub>6</sub>H<sub>4</sub>, 218

## Lewis acids

Design of chiral boronate-substituted acrylanilides. Self-activation and boron-transmitted 1,8-stereoselection in [4+2] cycloaddition, 263

## Lewis base

Synthesis, structural characterization and reactivity of the amino borane 1-(NPh<sub>2</sub>)-2-[B(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>]C<sub>6</sub>H<sub>4</sub>, 218

## Ligand precursors

Group 4 metallacarboranes of constrained geometries derived from B<sub>(cage)</sub><sup>-</sup> and C<sub>(cage)</sub>-silylamido-substituted carborane ligands: a synthetic and structural investigation, 173

## Macrocyclic

Big macrocyclic assemblies of carboranes (big MACs): synthesis and crystal structure of a macrocyclic assembly of four carboranes containing alternate *ortho*- and *meta*-carborane icosahedra linked by *para*-phenylene units, 155

## Macrocycles

Synthesis, structures and reactivity of macrocyclic imidazolylboranes, 294

## Macrometallocycles

Small cobaltacarborane clusters in synthesis. Peralkylation, perhalogenation, and macrocycle construction, 51

## Macropolyhedral borane clusters

Functionalization of the macropolyhedral borate anion cluster [B<sub>22</sub>H<sub>22</sub>]<sup>2-</sup>: isolation and characterization of the OH and OEt derivatives, 212

*m*-Carborane

[C<sub>2</sub>B<sub>10</sub>]-[B<sub>12</sub>] double cage boron compounds—a new approach to the synthesis of water-soluble boron-rich compounds for BNCT, 106

## Metallaboranes

Reactions of *nido*-1,2-(Cp\**Ru*H)<sub>2</sub>B<sub>3</sub>H<sub>7</sub> with RC≡CR' (R, R' = H, Ph; Me, Me) to yield novel metallacarboranes, 66

## Metallacarborane

Platination of  $[\text{3-X-}7,8\text{-Ph}_2\text{-}7,8\text{-nido-C}_2\text{B}_9\text{H}_8]^{2-}$  (X = Et, F): Synthesis and characterisation of slipped and 1,2 → 1,7 isomerised products, 286

## Metallacarboranes

A versatile rigid binucleating ligand for  $\text{Rh}_2(\mu\text{-Cl})_2$  moieties: its application as a catalyst in hydrogenation and cyclopropanation: Crystal structure of  $[\text{Rh}(\text{C}_5\text{Me}_5)\text{Cl}\{7,8\text{-}\mu\text{-S}(4'\text{-C}_6\text{H}_3\text{(CH}_3\text{))S-C}_2\text{B}_9\text{H}_{10}\}][7,8\text{-}\mu\text{-S}(4'\text{-C}_6\text{H}_3\text{(CH}_3\text{))S-C}_2\text{B}_9\text{H}_{10}\} \cdot \text{THF}$ , 89

Group 4 metallacarboranes of constrained geometries derived from B<sub>(cage)</sub><sup>-</sup> and C<sub>(cage)</sub>-silylamido-substituted carborane ligands: a synthetic and structural investigation, 173

Reactions of *nido*-1,2-(Cp\**Ru*H)<sub>2</sub>B<sub>3</sub>H<sub>7</sub> with RC≡CR' (R, R' = H, Ph; Me, Me) to yield novel metallacarboranes, 66

## Metallation

Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 1-*N,N*-dimethylamino-8-borononaphthalene derivatives, 257

## Metallocenophanes

The chemistry of [1]borametallocenophanes and related compounds, 31

## Metathesis

Synthesis of enantiomerically pure vinylcyclopropylboronic esters via cross-metathesis, 281

## Neutron structure

Dimesitylborane monomer-dimer equilibrium in solution, and the solid-state structure of the dimer by single crystal neutron and X-ray diffraction, 165

*nido*-Undecaborates

The chemistry of the undecaborates, 301

## NMR

*exo*-*closo*-Rhodacarboranes: synthesis and characterisation of  $[\{\text{exo-(R}_3\text{P)}_2\text{Rh}\}\{\text{closo-CB}_{11}\text{H}_{12}\}]$  [R<sub>3</sub>P = P(OMe)<sub>3</sub>, PCy<sub>3</sub>, 1/2dppf], 127

Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 1-*N,N*-dimethylamino-8-borononaphthalene derivatives, 257

## NMR-multinuclear

1,3,2-Diazastanna-[3]ferrocenophanes bearing alkyn-1-yl groups at tin and their 1,1-organoboration with triethylborane—molecular structure of a novel spirotin compound, 271

## NMR spectroscopy

- Dimesitylborane monomer-dimer equilibrium in solution, and the solid-state structure of the dimer by single crystal neutron and X-ray diffraction, 165
- First agostic *closo*-metallacarboranes with  $\eta^3$ -cyclooctenyl type ligand: synthesis and structural characterization of *closo*-3- $[\eta^3$ -(*endo*-1,5-dimethylcycloocten-1-yl)]-1,2- $\mu$ -(1',2'-xylylene)-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub> and its isomerization to *closo*-3- $[\eta^3$ -(*exo*-1-methylene-5-methylcyclooctene-1-yl)]-1,2- $\mu$ -(1',2'-xylylene)-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub>, 111
- Functionalization of the macropolyhedral borate anion cluster [B<sub>22</sub>H<sub>22</sub>]<sup>2-</sup>: isolation and characterization of the OH and OEt derivatives, 212
- Macropolyhedral boron-containing cluster chemistry. Aspects of the S<sub>2</sub>B<sub>16</sub>H<sub>16</sub> system. Preparation, structure, NMR spectroscopy and isomerism, 312
- Nucleosides  
Synthesis of adenosine containing carborane modification, 124
- o*-Carborane  
[C<sub>2</sub>B<sub>10</sub>]-[B<sub>12</sub>] double cage boron compounds—a new approach to the synthesis of water-soluble boron-rich compounds for BNCT, 106
- Organoboration  
1,3,2-Diazastanna-[3]ferrocenophanes bearing alkyn-1-yl groups at tin and their 1,1-organoboration with triethylborane—molecular structure of a novel spirotin compound, 271
- Organoboron  
Poly(cyclodiborazane)s, 27  
The use of organoboron chlorides and bromides in organic synthesis, 12
- Organoboron compound  
Transition metal-catalyzed borylation of alkanes and arenes via C–H activation, 3
- Osmium  
Reactions of the dichloroboryl complex of osmium, Os(BCl<sub>2</sub>)Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, with water, alcohols, and amines: Crystal structures of Os[B(OH)<sub>2</sub>]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, Os[B(OEt)<sub>2</sub>]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, and Os[BN(CH<sub>3</sub>)<sub>2</sub>C<sub>6</sub>H<sub>4</sub>N(CH<sub>3</sub>)]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, 81
- Palladium  
High yield [<sup>125</sup>I]iodide-labeling of iodinated carboranes by palladium-catalyzed isotopic exchange, 188
- p*-Carborane  
[C<sub>2</sub>B<sub>10</sub>]-[B<sub>12</sub>] double cage boron compounds—a new approach to the synthesis of water-soluble boron-rich compounds for BNCT, 106
- Peralkylation  
Small cobaltacarborane clusters in synthesis. Peralkylation, perhalogenation, and macrocycle construction, 51
- Perhalogenation  
Small cobaltacarborane clusters in synthesis. Peralkylation, perhalogenation, and macrocycle construction, 51
- Phosphido complexes  
*Ansa*-metallocenes with B–N and B–P linkages: the importance of N–H...F–C hydrogen bonding in pentafluorophenyl boron compounds, 193
- Photodynamic therapy  
Synthesis of ether- and carbon-linked polycarboranyl porphyrin dimers for cancer therapies, 232
- Pinacolborane  
Transition metal-catalyzed borylation of alkanes and arenes via C–H activation, 3
- Pinanediol  
Bromination of tri(isopropyl)boroxine and asymmetric synthesis of (2-cyano-3,3-dimethylcyclopropyl)boronic esters, 100
- Polyhydrides  
9-BBN activation. Synthesis, crystal structure and theoretical characterization of the ruthenium complex Ru[( $\mu$ -H)<sub>2</sub>BC<sub>8</sub>H<sub>14</sub>]<sub>2</sub>(PCy<sub>3</sub>), 182
- Polymers  
Poly(cyclodiborazane)s, 27
- Porphyrin  
Synthesis of ether- and carbon-linked polycarboranyl porphyrin dimers for cancer therapies, 232
- Porphyrin dimer  
Synthesis of ether- and carbon-linked polycarboranyl porphyrin dimers for cancer therapies, 232
- Remote stereoinduction  
Design of chiral boronate-substituted acrylanilides. Self-activation and boron-transmitted 1,8-stereoinduction in [4+2] cycloaddition, 263
- Retinoic acid receptor  
A new strategy for molecular modeling and receptor-based design of carborane containing compounds, 223
- Rhenium  
Synthesis of homoleptic Re(I) complexes of isocyano-carboranes and the X-ray structure of hexakis(*p*-carboran-1-yl-isonitrile)Re(I), 323
- Rhodium  
Catalyzed hydroboration of allyl sulfonamides, 143  
Enantioselective rhodium-catalysed addition of boronic acids using C<sub>2</sub>-symmetric aryl diphosphite ligands, 206  
*exo*-*closo*-Rhodacarboranes: synthesis and characterisation of [{*exo*-(R<sub>3</sub>P)<sub>2</sub>Rh}(closo-CB<sub>11</sub>H<sub>12</sub>)] [R<sub>3</sub>P = P(OMe)<sub>3</sub>, PCy<sub>3</sub>, 1/2dppe], 127
- Rhodium compounds  
A versatile rigid binucleating ligand for Rh<sub>2</sub>( $\mu$ -Cl)<sub>2</sub> moieties: its application as a catalyst in hydrogenation and cyclopropanation: Crystal structure of [Rh(C<sub>3</sub>Me<sub>5</sub>)Cl{7,8- $\mu$ -S(4'-C<sub>6</sub>H<sub>3</sub>(CH<sub>3</sub>))S-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}] [7,8- $\mu$ -S(4'-C<sub>6</sub>H<sub>3</sub>(CH<sub>3</sub>))S-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>]. THF, 89
- Ruthenium  
9-BBN activation. Synthesis, crystal structure and theoretical characterization of the ruthenium complex Ru[( $\mu$ -H)<sub>2</sub>BC<sub>8</sub>H<sub>14</sub>]<sub>2</sub>(PCy<sub>3</sub>), 182
- Scoring function  
A new strategy for molecular modeling and receptor-based design of carborane containing compounds, 223
- Sigma-bonded ansa ligand  
Group 4 metallacarboranes of constrained geometries derived from B<sub>(cage)-</sub> and C<sub>(cage)-</sub>silylamido-substituted carborane ligands: a synthetic and structural investigation, 173
- Silylation  
Regio- and stereoselective synthesis of boryl-substituted allylsilanes via transition metal-catalyzed silaboration, 43
- Skeletal fluctuation  
The chemistry of the undecaborates, 301
- Spectroscopy  
Platination of [3-X-7,8-Ph<sub>2</sub>-7,8-*nido*-C<sub>2</sub>B<sub>9</sub>H<sub>8</sub>]<sup>2-</sup> (X = Et, F): Synthesis and characterisation of slipped and 1,2 → 1,7 isomerised products, 286
- Stereoselective synthesis  
Design of chiral boronate-substituted acrylanilides. Self-activation and boron-transmitted 1,8-stereoinduction in [4+2] cycloaddition, 263
- Structural isomers  
Density functional theory studies on structural isomers and bonding of catecholborane adducts of Group 5 metallocene (Nb, Ta) hydride complexes, 148

## Styrene

Mechanistic and synthetic aspects of hydroboration with a simple atropisomeric ligand prepared from 1-(1'-(isoquinoly)-2-naphthol, 329

## Substituent effects

Design of chiral boronate-substituted acrylanilides. Self-activation and boron-transmitted 1,8-stereinduction in [4+2] cycloaddition, 263

## Sulfonamides

Catalyzed hydroboration of allyl sulfonamides, 143

## Synthesis

Platination of [3-X-7,8-Ph<sub>2</sub>-7,8-*nido*-C<sub>2</sub>B<sub>9</sub>H<sub>8</sub>]<sup>2-</sup> (X = Et, F): Synthesis and characterisation of slipped and 1,2→1,7 isomerised products, 286

## Technetium

Synthesis of homoleptic Re(I) complexes of isocyano-carboranes and the X-ray structure of hexakis(*p*-carboran-1-yl-isonitrile)Re(I), 323

## Three-center two-electron bonds

Two-electron homoaromatics with heteroatom bridges, 244

## Tin

1,3,2-Diazastanna-[3]ferrocenophanes bearing alkyn-1-yl groups at tin and their 1,1-organoboration with triethylborane—molecular structure of a novel spirotin compound, 271

## Titanium

The chemistry of [1]borametallocenophanes and related compounds, 31

## Transition metal complexes

Transition metal-catalyzed borylation of alkanes and arenes via C–H activation, 3

## Transmetallation

Synthesis and reaction of secondary and primary diorganozinc reagents using a boron–zinc exchange reaction: A useful method for the stereo- and regioselective formation of new carbon–carbon bonds, 136

## Vertex labelling

Platination of [3-X-7,8-Ph<sub>2</sub>-7,8-*nido*-C<sub>2</sub>B<sub>9</sub>H<sub>8</sub>]<sup>2-</sup> (X = Et, F): Synthesis and characterisation of slipped and 1,2→1,7 isomerised products, 286

## X-ray

1,3,2-Diazastanna-[3]ferrocenophanes bearing alkyn-1-yl groups at tin and their 1,1-organoboration with triethylborane—molecular structure of a novel spirotin compound, 271

Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 1-*N,N*-dimethylamino-8-borononaphthalene derivatives, 257

## X-ray crystal structures

Reactions of the dichloroboryl complex of osmium, Os(BCl<sub>2</sub>)Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, with water, alcohols, and amines: Crystal structures of Os[B(OH)<sub>2</sub>]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, Os[B(OEt)<sub>2</sub>]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, and Os[BN(CH<sub>3</sub>)C<sub>6</sub>H<sub>4</sub>N(CH<sub>3</sub>)]Cl(CO)(PPh<sub>3</sub>)<sub>2</sub>, 81

## X-ray diffraction

First agostic *closo*-metallacarboranes with η<sup>3</sup>-cyclooctenyl type ligand: synthesis and structural characterization of *closo*-3-[η<sup>3</sup>-(*endo*-1,5-dimethylcycloocten-1-yl)]-1,2-μ-(1',2'-xylylene)-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub> and its isomerization to *closo*-3-[η<sup>3</sup>-(*exo*-1-methylene-5-methylcyclooctene-1-yl)]-1,2-μ-[η<sup>2</sup>-(1',2'-xylylene)]-3,1,2-IrC<sub>2</sub>B<sub>9</sub>H<sub>9</sub>, 111

Functionalization of the macropolyhedral borate anion cluster [B<sub>22</sub>H<sub>22</sub>]<sup>2-</sup>: isolation and characterization of the OH and OEt derivatives, 212

Synthesis, structural characterization and reactivity of the amino borane 1-(NPh<sub>2</sub>)-2-[B(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>]C<sub>6</sub>H<sub>4</sub>, 218

## X-ray structure

Dimesitylborane monomer-dimer equilibrium in solution, and the solid-state structure of the dimer by single crystal neutron and X-ray diffraction, 165

## Zinc organometallics

Synthesis and reaction of secondary and primary diorganozinc reagents using a boron–zinc exchange reaction: A useful method for the stereo- and regioselective formation of new carbon–carbon bonds, 136

## Zinc reagents

Synthesis of enantiomerically pure vinylcyclopropylboronic esters via cross-metathesis, 281

## Zirconium

The chemistry of [1]borametallocenophanes and related compounds, 31

## Zwitterions

Two-electron homoaromatics with heteroatom bridges, 244