ADDITIONS AND CORRECTIONS

1999, Vol. 103A

M. M. G. Krishna: Excited-State Kinetics of the Hydrophobic Probe Nile Red in Membranes and Micelles

Page 3592. The δ character should not be in the equations for $k_{\rm B}+k_{\rm BA}$. The correct expressions are as follows.

$$k_{\rm B} + k_{\rm BA} = \frac{{\rm SAS_A}(\lambda)\tau_{\rm ave}(\lambda)}{(\alpha_{\rm 1}(\lambda) + \alpha_{\rm 2}(\lambda))\tau_{\rm 1}\tau_{\rm 2}I_{\rm ss}(\lambda)}$$

$$k_{\mathrm{B}} + k_{\mathrm{BA}} \cong \frac{\tau_{\mathrm{ave}}(\lambda)}{(\alpha_{\mathrm{1}}(\lambda) + \alpha_{\mathrm{2}}(\lambda))\tau_{\mathrm{1}}\tau_{\mathrm{2}}}$$

10.1021/jp991429j Published on Web 05/20/1999

1999, Volume 103A

Shawn T. Brown, Jonathan C. Rienstra-Kiracofe, and Henry F. Schaefer, III*: A Systematic Application of Density Functional Theory to Some Carbon-Containing Molecules and Their Anions

Page 4065.

Supporting Information Available: Tables of harmonic vibrational frequencies for all applied functionals. This information is available free of charge via the Internet at http://pubs.acs.org.

10.1021/jp991541h Published on Web 05/20/1999