

1100 nm. The EPR spectra show the existence of the radical cation with an unpaired electron per molecule, also there can be seen a dependence of the bandwidth on the R_2 substituents. Measurements of electrical conductivity show a semiconductor behavior in the studied temperature range, the values show as well a dependence of conductivity on R_3 . The estimation of the drift mobility of charge carriers seems to indicate a hopping mechanism for the charge conduction.

Paramagnetic Defects in α - $W_xV_2O_5$. JACQUES LIVAGE, CHAKIB R'KHA, DOMINIQUE BALLUTAUD, AND JEAN-CLAUDE GRENET, Spectrochimie du Solide, Université Paris VI 4, place Jussieu, Paris 5e, France. Paramagnetic defects in α - $W_xV_2O_5$ have been studied by ESR. A model is proposed where the unpaired electron arising from a valence induction effect remains localized on a single vanadium ion near the W^{6+} along the b direction. Introducing W^{6+} leads to a lattice distortion which is more important than in the case of Mo^{6+} . A slight displacement of vanadium along the a direction is observed in the defect, V^{4+} showing a stronger tendency toward octahedral coordination than V^{5+} .

Investigation of the Surface Composition of NiO-MgO Solid Solutions by X-Ray Photoelectron Spectroscopy. A. CIMINO, B. A. DE ANGELIS, G. MINELLI, T. PERSINI, AND P. SCARPINO, Laboratori Ricerche di Base, Assoreni, 00015 Monterotondo, Roma, Italy. The surface composition of NiO-MgO solid solutions has been investigated by XPS. It has been found that no appreciable deviation from bulk composition is present, or, if present, it goes in the direction of a slight depletion in Ni^{2+} ions at the surface. The approximations involved and the problems encountered in the determination of the surface composition of air-exposed oxide samples are discussed.

The Structure of Orthorhombic $Na_2Ti_9O_{19}$, A Unit Cell Twinning of Monoclinic $Na_2Ti_9O_{19}$, Determined by 1-MV High-Resolution Electron Microscopy. YOSHIO BANDO, MAMORU WATANABE, AND YOSHIZO SEKIKAWA, National Institute for Researches in Inorganic Materials, Sakura-mura, Niihari-gun, Ibaraki 300-31, Japan. The crystal structure of the orthorhombic disodium nonatitanate, $Na_2Ti_9O_{19}$, has been determined on the basis of 1-MV high-resolution structure images, in which each site of the titanium and sodium atoms is clearly resolved. The crystal has an orthorhombic symmetry with lattice parameters $a = 12.2$, $b = 3.78$, and $c = 30.1$ Å. The space group of the crystal is either $Ccmm$ or $Cc2m$. The crystal structure of the orthorhombic nonatitanate is closely related to that of the monoclinic nonatitanate reported previously in which the structure contains the sodium titanium dioxide bronze-type units connected by the bridging TiO_6 octahedra. The orthorhombic crystal can be described in terms of a unit cell twinning of the monoclinic crystal. It is shown that migrations of sodium ions occur by electron beam irradiation.

Metal Telluromolybdates of the Type $MTeMoO_6$. P. FORZATTI AND P. TITTARELLI, Stazione Sperimentale per i Combustibili, 20097 S. Donato Milanese (Milano), Italy. The solid-state reactions of $M\text{MoO}_4$ ($M = \text{Mg}^{2+}$, Fe^{2+} , and Ni^{2+}) and orthorhombic TeO_2 were investigated. A new metal telluromolybdate MgTeMoO_6 was obtained in the case of Mg; its structure belongs to the orthorhombic system with unit cell dimensions $a = 5.262$ Å, $b = 5.028$ Å, $c = 8.880$ Å. $\text{Fe}_2(\text{MoO}_4)_3$ and a new compound were formed in the case of Fe. The new compound is made up with Fe^{3+} ions and its chemical formula cannot be recognized as FeTeMoO_6 . In the case of Ni a complex reaction mixture is obtained. An explanation is given of the ability of M^{2+} ions to form the metal telluromolybdates. The catalytic properties of MgTeMoO_6 are discussed and compared to those of the other metal telluromolybdates.

$Ba_3WFe_2O_9$ ($P6_3/mmc$) and $Ba_3WFe_2O_{8.42(5)}$ ($Fm3m$): Comparative Study of the Crystallographic and Magnetic Properties. G. MATZEN AND P. POIX, Département Science des Matériaux, 1, rue Blaise Pascal, B.P. 296/R8, 67008 Strasbourg Cedex, France. $Ba_3WFe_2O_9$ has a hexagonal structure which belongs to space group $P6_3/mmc$. Heated at 1350°C under a stream of helium, this compound gives an oxygen-deficient phase whose structure is an ordered cubic one (space group $Fm3m$). This passage from a hexagonal structure to a cubic one is consistent with the decrease of the Goldschmidt tolerance factor resulting from the Fe^{3+} partial reduction. $Ba_3WFe_2O_{8.42(5)}$ (cubic) was compared with $Ba_3WFe_2O_9$ (hexagonal) and $\text{Sr}_3WFe_2O_{8.85(3)}$ (cubic) as to the crystallographical and magnetic properties. The study of the thermal stability in air for $Ba_3WFe_2O_{8.42(5)}$ revealed a reoxidation in several steps and the existence of a new cubic compound, stable in air over a broad range of temperature, and whose formula may be written $Ba_3WFe_2O_{8.71(5)}$.