

INDEX TO VOLUME 199

AFOLABI, D., Stability of a translating beam with fixed and moving viscous damping (sv950601) (letter)	(4)701
AL-OHALY, A. A. See EL-KADY, M. A.	(3)463
ALLAM, M. M. See RAMBABU, K. V. (letter)	(5)816
AMABILI, M., Shell-plate interaction in the free vibrations of circular cylindrical tanks partially filled with a liquid: the artificial spring method (sv960650)	(3)431
ANDERSSON, L.-E. See NYGREN, T.	(2)323
AUCIELLO, N. M. and MAURIZI, M. J., On the natural vibrations of tapered beams with attached inertia elements (sv960636) (letter)	(3)522
BAMBILL, D. V. See LAURA, P. A. A. (letter)	(5)813
BANKS, H. T., SMITH, R. C., BROWN, D. E., METCALF, V. L. and SILCOX, R. J., The estimation of material and patch parameters in a PDE-based circular plate model (sv960649)	(5)777
BEDAIR, O. K., Fundamental frequency determination of stiffened plates using sequential quadratic programming (sv960606)	(1)87
BOUAZZOUNI, A., LALLEMENT, G. and COGAN, S., Selecting a Ritz basis for the reanalysis of the frequency response functions of modified structures (sv960617)	(2)309
BOYACI, H. See PAKDEMRLI M. (letter)	(5)825
BROWN, D. E. See BANKS, H. T.	(5)777
CHAI, G. B. See LOW, K. H.	(2)285
CHEN, H.-H. See FUNG, R.-F.	(2)237
CHEN, S. C. See KANG, Y.	(3)381
CHUNG, J. H. See LEE, J. M.	(1)71
CHUNG, T. Y. See LEE, J. M.	(1)71
COGAN, S. See BOUAZZOUNI, A.	(2)309
CROSSLAND, J. A. and DICKINSON, S. M., The free vibration of thin rectangular planform shallow shells with slits (sv960638) (letter)	(3)513
DHATT, G. See HENCHI, K.	(1)33
DICKINSON, S. M. See CROSSLAND, J. A. (letter)	(3)513
DUBOWSKY, S. See OPPENHEIMER, C. H.	(3)473
D'CRUZ, J., Global attenuation of random vibrations in a tapered and swept panel (sv960651)	(5)751
EL-KADY, M. A. and AL-OHALY, A. A., Fast eigenvalue sensitivity calculations for special structures of system matrix derivatives (sv960647)	(3)463
ESMAILZADEH, E. and GHORASHI, M., Vibration analysis of a Timoshenko beam subjected to a travelling mass (sv960624)	(4)615
FAFARD, M. See HENCHI, K.	(1)33
FINNVEDEN, S., Spectral finite element analysis of the vibration of straight fluid-filled pipes with flanges (sv960602)	(1)125
FORYŚ, A. S., Two-parameter optimization of an axially loaded beam on a foundation (sv960664)	(5)801
FREDÖ, C. R., A SEA-like approach for the derivation of energy flow coefficients with a finite element model (sv960634)	(4)645
FUNG, R.-F. and CHEN, H.-H., Steady-state response of the flexible connecting rod of a slider-crank mechanism with time-dependent boundary condition (sv960612)	(2)237
FUNG, R.-F. and SHIEH, J.-S., Vibration analysis of a non-linear coupled textile-rotor system with synchronous whirling (sv960623)	(2)207
FUNG, R.-F., Vibration and variable structure control with integral compensation in a non-constant rotating disk system (sv960611)	(2)223
GE, Z.-M. and LEE, S.-C., A modified interpolated cell mapping method (sv960619)	(2)189
GHORASHI, M. See ESMAILZADEH, E.	(4)615

GLADWELL, G. M. L., Author's Reply (sv960639) (letter)	(5)815
GONTIER, C. See GRY, L.	(4)531
GOTTLIEB, H. P. W., Isodynamical tracks and potentials (sv960659)	(4)667
GRY, L. and GONTIER, C., Dynamic modelling of railway track: a periodic model based on a generalized beam formulation (sv950671)	(4)531
GUTIERREZ, R. H. See LAURA, P. A. A. (letter)	(4)704
HAMDAN, M. N. and SHABANEH, N. H., On the large amplitude free vibrations of a restrained uniform beam carrying an intermediate lumped mass (sv960672)	(5)711
HAMDAN, M. N. and SHABANEH, N. H., On the period of large amplitude free vibration of conservative autonomous oscillators with static and inertia type cubic non-linearities (sv960673)	(5)737
HANSEN, C. H. See TSO, Y. K.	(4)629
HAWWA, M. A., Reflection of flexural waves in geometrically periodic beams (sv960608)	(3)453
HENCHI, K., FAFARD, M., DHATT, G. and TALBOT, M., Dynamic behaviour of multi-span beams under moving loads (sv960628)	(1)33
HODGES, D. H., Improved approximations via Rayleigh's quotient (sv960641) (letter)	(1)155
HSIAO, F.-B., JIH, J.-J. and SHYU, R.-N., The effect of acoustics on flow passing a high-AOA airfoil (sv960618)	(2)177
HU, H. Y., An adaptive control scheme for recovering periodic motion of chaotic systems (sv960630)	(2)269
HUANG, J. H. See KUO, W.-S.	(1)51
HUANG, S.-J. and SHU, B.-T., Adaptive control for a mechanical system with oscillation disturbance (sv960646)	(1)107
IDELSOHN, S. See LAURA, P. A. A. (letter)	(4)704
INMAN, D. J. See SLATER, J. C.	(3)417
JEDERLINIC, V. See LAURA, P. A. A. (letter)	(5)813
JIH, J.-J. See HSIAO, F.-B.	(2)177
KANG, Y., LEE, Y.-G. and CHEN, S. C., Instability analysis of unsymmetrical rotor-bearing systems using the transfer matrix method (sv960655)	(3)381
KANG, Y., SHEEN, G.-J. and WANG, S.-M., Development and modification of a unified balancing method for unsymmetrical rotor-bearing systems (sv960652)	(3)349
KARUNASENA, W. and KITIPORNCHAI, S., Free vibration of shear-deformable general triangular plates (sv960613)	(4)595
KITIPORNCHAI, S. See KARUNASENA, W.	(4)595
KOSER, K. and PASN, F., Torsional vibrations of the drive shafts of mechanisms (sv950657)	(4)559
KUO, W.-S. and HUANG, J. H., Stability and vibration of initially stressed plates composed of spatially distributed fiber composites (sv960629)	(1)51
LALLEMENT, G. See BOUAZZOUNI, A.	(2)309
LAURA, P. A. A., BAMBILL, D. V. and JEDERLINIC, V., Comments on "On the mode shapes of the Helmholtz equation" (sv960639) (letter)	(5)813
LAURA, P. A. A., GUTIERREZ, R. H., SONZOGNI, V. and IDELSON, S., Transverse vibrations of rectangular plates of non-uniform thickness with a free, concentric circular hole (sv950645) (letter)	(4)704
LEE, H. P., TAN, T. H. and LENG, G. S. B., Dynamic stability of spinning Timoshenko shafts with a time-dependent spin rate (sv960656)	(3)401
LEE, J. M., CHUNG, J. H. and CHUNG, T. Y., Free vibration analysis of symmetrically laminated composite rectangular plates (sv960653)	(1)71
LEE, S.-C. See GE, Z.-M.	(2)189
LEE, Y.-G. See KANG, Y.	(3)381
LENG, G. S. B. See LEE, H. P.	(3)401
LESIEUTRE, G. A. See ZAPFE, J. A.	(2)275
LIN, Y.-H., Comments on "Vibration analysis of beams traversed by uniform partially distributed moving masses" (sv950675) (letter)	(4)697
LOW, K. H., CHAI, G. B. and TAN, G. S., A comparative study of vibrating loaded plates between the Rayleigh-Ritz and experimental methods (sv960633)	(2)285
LUNDBERG, B. See NYGREN, T.	(2)323
MACE, B. R., Wave coherence, coupling power and statistical energy analysis (sv960654)	(3)369
MAURIZI, M. J. See AUCIELLO, N. M. (letter)	(3)522
METCALF, V. L. See BANKS, H. T.	(5)777

MLADENOV, K. A. and SUGIYAMA, Y., Stability of a jointed free-free beam under end rocket thrust (sv960625)	(1)1
MURAVYOV, A., Analytical solutions in the time domain for vibration problems of discrete viscoelastic systems (sv960603) (letter)	(2)337
NYGREN, T., LUNDBERG, B. and ANDERSSON, L.-E., Dissipation of wave energy in a viscoelastic junction between elastic bars: dependence on transmission direction (sv960616)	(2)323
ÖZ, H. R. See ÖZKAYA, E.	(4)679
ÖZKAYA, E., PAKDEMRLİ M. and Öz, H. R., Non-linear vibrations of a beam-masssystem under different boundary conditions (sv960663)	(4)679
OPPENHEIMER, C. H. and DUBOWSKY, S., A radiation efficiency for unbaffled plates with experimental validation (sv960609)	(3)473
PAKDEMRLİ M. See ÖZKAYA, E.	(4)679
PAKDEMRLİ M. and BOYACI, H., The direct-perturbation method versus the discretization-perturbation method: linear systems (sv960643) (letter)	(5)825
PASN, F. See KOSER, K.	(4)559
POMFRET, M. J. See XING, J. T.	(3)491
PRICE, W. G. See XING, J. T.	(3)491
QAISI, M. I., A power series solution for the non-linear vibration of beams (sv960696)	(4)587
RAMBABU, K. V. and ALLAM, M. M., The adequacy of a shear building for modelling open-plane frames under seismic excitation (sv960604) (letter)	(5)816
REN, G. X. See ZHENG, Z. C.	(2)253
ROSSIKHIN, YU. A. and SHITIKOVA, M. V., Application of fractional operators to the analysis of damped vibrations of viscoelastic single-mass systems (sv950622)	(4)567
RUDOWSKI, J. See SZEMPLIŃSKA-STUPNICKA, W. (letter)	(2)165
SHABANEH, N. H. See HAMDAN, M. N.	(5)711
SHABANEH, N. H. See HAMDAN, M. N.	(5)737
SHEEN, G.-J. See KANG, Y.	(3)349
SHEN, Y. See YIN, L.	(1)17
SHIEH, J.-S. See FUNG, R.-F.	(2)207
SHITIKOVA, M. V. See ROSSIKHIN, YU. A.	(4)567
SHU, B.-T. See HUANG, S.-J.	(1)107
SHYU, R.-N. See HSIAO, F.-B.	(2)177
SILCOX, R. J. See BANKS, H. T.	(5)777
SLATER, J. C. and INMAN, D. J., On the effect of weak non-linearities on linear controllability and observability norms, an invariant manifold approach (sv960607)	(3)417
SMITH, R. C. See BANKS, H. T.	(5)777
SONZOGNI, V. See LAURA, P. A. A. (letter)	(4)704
SUGIYAMA, Y. See MLADENOV, K. A.	(1)1
SZEMPLIŃSKA-STUPNICKA, W. and RUDOWSKI, J., The coexistence of periodic, almost-periodic and chaotic attractors in the van der Pol-Duffing oscillator (sv960648) (letter)	(2)165
TALBOT, M. See HENCHI, K.	(1)33
TAN, G. S. See LOW, K. H.	(2)285
TAN, T. H. See LEE, H. P.	(3)401
Tso, Y. K. and HANSEN, C. H., An investigation of the coupling loss factor for a cylinder/plate structure (sv960632)	(4)629
WANG, S.-M. See KANG, Y.	(3)349
WANG, W. J. See ZHENG, Z. C.	(2)253
XING, J. T., PRICE, W. G., POMFRET, M. J. and YAM, L. H., Natural vibration of a beam-water interaction system (sv960662)	(3)491
YAM, L. H. See XING, J. T.	(3)491
YANG, Y.-R., Effects of geometrical asymmetries of structure on dynamical characteristics of two coupled control surfaces (sv960615)	(2)299
YIN, L. and SHEN, Y., Strain sensing of composite plates subjected to low velocity impact with distributed piezoelectric sensors: a mixed finite element approach (sv960627)	(1)17
ZAPFE, J. A. and LESIEUTRE, G. A., Vibration analysis of laminated beams using an iterative smeared laminate model (sv960631)	(2)275
ZHENG, Z. C., REN, G. X. and WANG, W. J., A reduction method for large scale unsymmetric eigenvalue problems in structural dynamics (sv960621)	(2)253