

INDEX TO VOLUME 200

ANNOUNCEMENTS (sv960848)	(5)743
AVALOS, D. R. See LAURA, P. A. A. (letter)	(4)531
AWANO, H. See WATANABE, K.	(5)621
AYVAZ, Y. and DALOGLU, A., Earthquake analysis of beams resting on elastic foundations by using a modified Vlasov model (sv960721)	(3)315
BAMBILL, D. V. See LAURA, P. A. A. (letter)	(4)557
BEN-ARI, R. and ROSEN, A., Mathematical modelling of a helicopter rotor track and balance: results (sv960670)	(5)605
BEN-ARI, R. See ROSEN, A.	(5)589
BERGER, B. S., MINIS, I., ROKNI M., PAPADOPOULOS, M., DENG, K. and CHAVALLI, A., Cutting state identification (sv960666)	(1)15
BESLIN, O. and GUYADER, J. L., The use of "ectoplasm" to predict radiation and transmission loss of a holed plate in a cavity (sv960711)	(4)441
DE BILLY, M. See HLADKY-HENNION, A.-C.	(4)519
BISHOP, S. R. and CLIFFORD, M. J., Authors' reply (sv960677) (letter)	(1)109
BOOK REVIEWS (sv960849)	(5)759
BYRNE, K. P. See KANAPATHIPILLAI, S.	(5)579
CHAI, G. B. See LOW, K. H. (letter)	(2)235
CHAN, H. S. Y., CHUNG, K. W. and XU, Z., Authors' reply (sv960729) (letter)	(2)241
CHEN, H.-H. See GE, Z.-M.	(2)121
CHEN, L.-W. and SHEU, H.-C., The stability behavior of a non-conservative spinning Timoshenko shaft with an overhung disk (sv960719)	(1)41
CHEN, S.-H., WANG, Z.-D. and LIU, X.-H., Active vibration control and suppression for intelligent structures (sv960694)	(2)167
CHONDROS, T. G., DIMAROGONAS, A. D. and YAO, J., A consistent cracked bar vibration theory (sv960718)	(3)303
CHUNG, K. W. See CHAN, H. S. Y. (letter)	(2)241
CLIFFORD, M. J. See BISHOP, S. R. (letter)	(1)109
COLLINS, H. J. See DAVIES, P. O. A. L.	(2)195
DAHL, M. D. and MORRIS, P. J., Noise from supersonic coaxial jets, part 1: mean flow predictions (sv960723)	(5)643
DAHL, M. D. and MORRIS, P. J., Noise from supersonic coaxial jets, part 2: normal velocity profile (sv960724)	(5)665
DAHL, M. D. and MORRIS, P. J., Noise from supersonic coaxial jets, part 3: inverted velocity profile (sv960725)	(5)701
DALOGLU, A. See AYVAZ, Y.	(3)315
DAVIES, P. O. A. L., HARRISON, M. F. and COLLINS, H. J., Acoustic modelling of multiple path silencers with experimental validations (sv960716)	(2)195
DECHEUNG, D., Comments on "A perturbation-iterative method for determining limit cycles of strongly non-linear oscillators" (sv960729) (letter)	(2)240
DÍAZ, P. See LAURA, P. A. A. (letter)	(4)557
DIMAROGONAS, A. D. See CHONDROS, T. G.	(3)303
EDITOR-IN-CHIEF'S PREFACE (sv960851)	(1)1
FARASSAT, F. and MYERS, M. K., A graphical approach to wave propagation in a rigid duct (sv960691) (letter)	(5)729
FATICA, M. See VERZICCO, R.	(3)347
FULLER, C. R. See HUANG, Y. M.	(4)401
GANESAN, N. See RAMALINGESWARA RAO, S.	(5)563
GARCIA, E. See STOCKTON, R. (letter)	(3)371

- GAWRONSKI, W. and SAWICKI, J. T., Response errors of non-proportionally lightly damped structures (sv960682) (letter) (4)543
- GBADEYAN, J. A. , Author's reply (sv950728) (letter) (5)725
- GE, Z.-M. and CHEN, H.-H., Bifurcations and chaotic motions in a rate gyro with a sinusoidal velocity about the spin axis (sv960695) (2)121
- GENNARETTI, M., LUCERI, L. and MORINO, L., A unified boundary integral methodology for aerodynamics and aeroacoustics of rotors (sv960713) (4)467
- GRiffin, M. J. See KITAZAKI, S. (1)83
- GUYADER, J. L. See BESLIN, O. (4)441
- HARRISON, M. F. See DAVIES, P. O. A. L. (2)195
- HASSAN, A., The KBM derivative expansion method is equivalent to the multiple-time-scales method (sv960710) (4)433
- HIRAMI, N., An active maximum power absorber for the reduction of noise and vibration (sv960661) (3)261
- HIRAMI, N., Optimal energy absorption as an active noise and vibration control strategy (sv960660) (3)243
- HLADKY-HENNION, A.-C., LANGLET, P. and DE BILLY, M., Finite element analysis of the propagation of acoustic waves along waveguides immersed in water (sv960749) (4)519
- HONG, S.-W. and PARK, J.-H., An efficient method for the unbalance response analysis of rotor-bearing systems (sv960773) (4)491
- HU, W.-B. and ZHAO, L.-C., Semiactive flutter control of wing/store system with electromagnetic friction damper (sv960700) (letter) (5)736
- HUANG, Y. M. and FULLER, C. R., The effects of dynamic absorbers on the forced vibration of a cylindrical shell and its coupled interior sound field (sv960708) (4)401
- HUMAN RESPONSE TO VIBRATION (sv960850) (5)767
- HUNG, K. C. See LIEW, K. M. (4)505
- IAFRATI, A. See VERZICCO, R. (3)347
- IWANKIEWICZ, R. See KULISIEWICZ, M. (1)31
- JEDERLINIC, V. A. See LAURA, P. A. A. (letter) (4)557
- KANAPATHIPILLAI, S. and BYRNE, K. P., A model for calculating the insertion losses of pipe lagging (sv960626) (5)579
- KITAZAKI, S. and GRIFFIN, M. J., A modal analysis of whole-body vertical vibration, using a finite element model of the human body (sv960674) (1)83
- KRISHNAN, A. See SIVASUBRAMONIAN, B. (letter) (2)227
- KUKLA, S. and SKALMIERSKI, B., Authors' reply (sv960683) (letter) (4)532
- KULISIEWICZ, M., IWANKIEWICZ, R. and PIESIAK, S., An identification technique for non-linear dynamical systems under stochastic excitations (sv960668) (1)31
- KULKARNI, A. M. See SIVASUBRAMONIAN, B. (letter) (2)227
- LANGLET, P. See HLADKY-HENNION, A.-C. (4)519
- LARRONDO, H. A. See LAURA, P. A. A. (letter) (4)531
- LAURA, P. A. A., Comments on "Natural frequencies of rectangular plates using a set of static beam functions in Rayleigh-Ritz method" (sv960685) (letter) (4)540
- LAURA, P. A. A., AVALOS, D. R. and LARRONDO, H. A., Comments on "Free vibration of a rectangular plate loaded by a non-uniform in-plane force" (sv960683) (letter) (4)531
- LAURA, P. A. A., BAMBILL, D. V., JEDERLINIC, V. A., RODRÍGUEZ, K. and DÍAZ, P., Rayleigh's optimization concept and the use of sinusoidal co-ordinate functions (sv960690) (letter) (4)557
- LEE, D.-J. See RYU, K.-W. (3)281
- LIEW, K. M., HUNG, K. C. and LIM, M. K., Three-dimensional vibration analysis of solid cylinders of polygonal cross-section using the p-Ritz method (sv960715) (4)505
- LIM, M. K. See LIEW, K. M. (4)505
- LIN, Y.-H., Comments on "Dynamic behavior of beams and rectangular plates under moving loads" (sv950728) (letter) (5)721
- LIU, X.-H. See CHEN, S.-H. (2)167
- LOW, K. H. and CHAI, G. B., An improved model for predicting fundamental frequencies of plates carrying multiple masses (sv960680) (letter) (2)235
- LUCERI, L. See GENNARETTI, M. (4)467
- LUO, S.-S. See WU, J.-S. (2)179
- MADANSHETTY, S. I. See NAGEM, R. J. (letter) (4)551

- MASTRODDI, F. See PELLICANO, F. (1)3
 MEDHI, G. See NAGEM, R. J. (letter) (4)551
 MINIS, I. See BRGER, B. S. (1)15
 MOON, J. and WICKERT, J. A., Non-linear vibration of power transmission belts (sv960709) (4)419
 MORINO, L. See GENNARETTI, M. (4)467
 MORRIS, P. J. See DAHL, M. D. (5)643
 MORRIS, P. J. See DAHL, M. D. (5)665
 MORRIS, P. J. See DAHL, M. D. (5)701
 MUKHERJEE, S. and PARTHAN, S., Further observations on wave propagation in one-dimensional multi-bay periodic panels under supersonic fluid flow (sv950676) (letter) (3)359
 MYERS, M. K. See FARASSAT, F. (letter) (5)729
 NAGEM, R. J., MADANSHETTY, S. I. and MEDHI, G., An electromechanical vibration absorber (sv960681) (letter) (4)551
 NAGESWARA RAO, B. See RADHAKRISHNAN, G. (letter) (3)367
 NAGULESWARAN, S., Out-of-plane vibration of a uniform Euler–Bernoulli beam attached to the inside of a rotating rim (sv960667) (1)63
 NIHOUX, G. C., On the continuity of the boundary value problem for vibrating free-free straight beams under axial loads (sv960642) (letter) (1)110
 NISHINARI, K. See WATANABE, K. (5)621
 NISHIYAMA, K., TAODA, K., YAMASHITA, H. and WATANABE, S., The temporary threshold shift of vibratory sensation induced by hand-arm vibration composed of four one-third octave band vibrations (sv960772) (5)631
 OLIVETO, G., SANTINI, A. and TRIPODI, E., Complex modal analysis of a flexural vibrating beam with viscous end conditions (sv960717) (3)327
 PARK, J.-H. See HONG, S.-W. (4)491
 PARTHAN, S. See MUKHERJEE, S. (letter) (3)359
 PELLICANO, F. and MASTRODDI, F., Applicability conditions of a non-linear superposition technique (sv960665) (1)3
 PIESIAK, S. See KULISIEWICZ, M. (1)31
 RADHAKRISHNAN, G., NAGESWARA RAO, B. and SARMA, M. S., On the uniqueness of angular frequency using harmonic balance from the equation of motion and the energy relation (sv950679) (letter) (3)367
 RAMALINGESWARA RAO, S. and GANESAN, N., Dynamic response of non-uniform composite beams (sv950620) (5)563
 RICCARDI, G. See VERZICCO, R. (3)347
 RODRÍGUEZ, K. See LAURA, P. A. A. (letter) (4)557
 ROKNI M. See BRGER, B. S. (1)15
 ROSEN, A. and BEN-ARI, R., Mathematical modelling of a helicopter rotor track and balance: theory (sv960669) (5)589
 ROSEN, A. See BEN-ARI, R. (5)605
 RYU, K.-W. and LEE, D.-J., Sound radiation from elliptic vortex rings: evolution and interaction (sv960693) (3)281
 SANTINI, A. See OLIVETO, G. (3)327
 SARMA, M. S. See RADHAKRISHNAN, G. (letter) (3)367
 SAWICKI, J. T. See GAWRONSKI, W. (letter) (4)543
 SHAH, H. S. See WU, S. F. (4)379
 SHAN, J.-M. and STOCKTON, R., Vibration analysis of rotating machinery using a bispectrum (sv960635) (letter) (4)533
 SHEU, H.-C. See CHEN, L.-W. (1)41
 SIVASUBRAMONIAN, B., KULKARNI, A. M., VENKATESWARA RAO, G. and KRISHNAN, A., Free vibration of curved panels with cutouts (sv960637) (letter) (2)227
 SKALMIERSKI, B. See KUKLA, S. (letter) (4)532
 STEPHEN, D. B. and STEVEN, G. P., Error measures for the finite strip vibration analysis method (sv960614) (2)139
 STEPHEN, D. B. and STEVEN, G. P., Natural frequency error estimation using a patch recovery technique (sv960658) (2)151
 STEVEN, G. P. See STEPHEN, D. B. (2)139
 STEVEN, G. P. See STEPHEN, D. B. (2)151

- | | |
|--|--------|
| STOCKTON, R. and GARCIA, E., Analysis and comparison of the density functions in a chaotic, slewing link (sv960644) (letter) | (3)371 |
| STOCKTON, R. See SHAN, J.-M. (letter) | (4)533 |
| SU, S. G. See WU, S. F. | (4)379 |
| TAODA, K. See NISHIYAMA, K. | (5)631 |
| TRIPODI, E. See OLIVETO, G. | (3)327 |
| VAN DOOREN, R., Comments on "Zones of chaotic behaviour in the parametrically excited pendulum" (sv960677) (letter) | (1)105 |
| VENKATESWARA RAO, G. See SIVASUBRAMONIAN, B. (letter) | (2)227 |
| VERZICCO, R., IAFRATI, A., RICCARDI, G. and FATICA, M., Analysis of the sound generated by the pairing of two axisymmetric co-rotating vortex rings (sv960714) | (3)347 |
| WANG, Z.-D. See CHEN, S.-H. | (2)167 |
| WATANABE, K., AWANO, H. and NISHINARI, K., The resonant frequency of a reciprocating load on an elastic beam (sv960771) | (5)621 |
| WATANABE, S. See NISHIYAMA, K. | (5)631 |
| WICKERT, J. A. See MOON, J. | (4)419 |
| WU, J.-S. and LUO, S.-S., Use of the analytical-and-numerical-combined method in the free vibration analysis of a rectangular plate with any number of point masses and translational springs (sv960697) | (2)179 |
| WU, S. F., SU, S. G. and SHAH, H. S., Modelling of the noise spectra of axial flow fans in a free field (sv960705) | (4)379 |
| XU, Z. See CHAN, H. S. Y. (letter) | (2)241 |
| YAMASHITA, H. See NISHIYAMA, K. | (5)631 |
| YAO, J. See CHONDROS, T. G. | (3)303 |
| ZHAO, L.-C. See HU, W.-B. (letter) | (5)736 |
| ZHOU, D., Author's reply (sv960685) (letter) | (4)541 |