

INDEX TO VOLUME 202

ÅBOM, M. See GLAV, R. (letter)	(5)739
DE BEDOUT, J. M., FRANCHEK, M. A., BERNHARD, R. J. and MONGEAU, L., Adaptive-passive noise control with self-tuning Helmholtz resonators (sv960796)	(1)109
DE LACERDA, L. A., WROBEL, L. C. and MANSUR, W. J., A dual boundary element formulation for sound propagation around barriers over an impedance plane (sv960860)	(2)235
DI FRANCESCATONIO, P., A new boundary integral formulation for the prediction of sound radiation (sv960843)	(4)491
AFLABI, D. See PIDAPARTI, R. M. V. (letter)	(5)738
ALDEMIR, T. See TOMBUSSES, B.	(3)395
ALLARD, J.-F. See TIZIANEL, J. (letter)	(4)600
ANNOUNCEMENTS (sv960941) (sv970941)	(5)757
AVALOS, D. R., LARRONDO, H. A., LAURA, P. A. A. and ROSSI, R. E., Transverse vibrations of simply supported rectangular plates with rectangular cutouts carrying an elastically mounted concentrated mass (sv960811) (letter)	(4)585
ÁVALOS, D. R. See TOPALÍAN, V. (letter)	(1)125
BATY, R. S., VAUGHN, M. R. and FARASSAT, F., A nonstandard analysis of a simple discontinuous force equation modelling continuous motion (sv960740) (letter)	(2)288
BERNHARD, R. J. See DE BEDOUT, J. M.	(1)109
BERT, C. W. See STRIZ, A. G.	(5)689
BESLIN, O. and NICOLAS, J., A hierarchical functions set for predicting very high order plate bending modes with any boundary conditions (sv960797)	(5)633
BLAIR, K. B., KROUSGRILL, C. M. and FARRIS, T. N., Harmonic balance and continuation techniques in the dynamic analysis of Duffing's equation (sv960863)	(5)717
BOOK REVIEWS (sv970942)	(5)773
BROWNJOHN, J. M. W., Vibration characteristics of a suspension footbridge (sv960789)	(1)29
CHAI, G. B. See LOW, K. H. (letter)	(3)446
CHANG, K.-K. See HUANG, Y.-M. (letter)	(3)427
CHEN, C.-C. See FUNG, R.-F.	(2)161
CHEN, W.-L. See STRIZ, A. G.	(5)689
CHIBA, M., The influence of elastic bottom plate motion on the resonant response of a liquid free surface in a cylindrical container: a linear analysis (sv960855)	(3)417
DAVIES, P. O. A. L. and HARRISON, M. F., Predictive acoustic modelling applied to the control of intake/exhaust noise of internal combustion engines (sv960842)	(2)249
DUBEY, R. N. See LOW, K. H. (letter)	(1)134
DUBEY, R. N. See LOW, K. H. (letter)	(3)446
DUNNE, R. C. and HOWE, M. S., Wall-bounded blade-tip vortex interaction noise (sv960791)	(5)605
DUPONT, P., KASTURI, P. and STOKES, A., Semi-active control of friction dampers (sv960798)	(2)203
FARASSAT, F. See BATY, R. S. (letter)	(2)288
FARRIS, T. N. See BLAIR, K. B.	(5)717
FRANCHEK, M. A. See DE BEDOUT, J. M.	(1)109
FUNG, R.-F. and CHEN, C.-C., Free and forced vibration of a cantilever beam contacting with a rigid cylindrical foundation (sv960831)	(2)161
FUNG, R.-F. and LEE, F.-Y., Dynamic analysis of the flexible rod of a quick-return mechanism with time-dependent coefficients by the finite element method (sv960832)	(2)187
GAWRONSKI, W., Almost-balanced structural dynamics (sv960847)	(5)669

- GE, T. See LEUNG, A. Y. T.
 GLAV, R. and ÅBOM, M., A general formalism for analyzing acoustic 2-port networks (sv960808) (letter)
 GU, H. Z. and WANG, X. W., On the free vibration analysis of circular plates with stepped thickness over a concentric region by the differential quadrature element method (sv960813) (letter)
 GÜRGÖZE, M. See MERMERTAŞ, V. (letter)
 HARRISON, M. F. See DAVIES, P. O. A. L.
 HOWE, M. S. See DUNNE, R. C.
 HUANG, Y.-M. and CHANG, K.-K., Stability analysis of a rotating beam under a moving motion-dependent force (sv960741) (letter)
 HUMAN RESPONSE TO VIBRATION (sv970943)
 IH, K.-D. and LEE, D.-J., Development of the direct boundary element method for thin bodies with general boundary conditions (sv960829)
 JANGID, R. S. See JOSHI, A. S.
 JOSHI, A. S. and JANGID, R. S., Optimum parameters of multiple tuned mass dampers for base-excited damped systems (sv960859)
 KANG, J., Scale modelling of train noise propagation in an underground station (sv960755) (letter)
 KASTURI, P. See DUPONT, P.
 KEANE, A. J. See McMILLAN, A. J.
 KELDERS, L. See TIZIANEL, J. (letter)
 KIM, S. J. and YOON, K. W., Active control of sound fields from a composite plate using the anisotropy and shape of distributed PVDF actuators (sv960857)
 KO, N. W. M. See LEUNG, R. C. K.
 KROUSGRILL, C. M. See BLAIR, K. B.
 LAKIS, A. A. See SELMANE, A.
 LARRONDO, H. A. See AVALOS, D. R. (letter)
 LARRONDO, H. A. See TOPALÍAN, V. (letter)
 LAURA, A. A. and RODRÍGUEZ, K., Comments on "Vibration frequencies of simply supported polygonal sandwich plates via Kirchoff solutions" (sv960760) (letter)
 LAURA, P. A. A. See AVALOS, D. R. (letter)
 LAURA, P. A. A. See TOPALÍAN, V. (letter)
 LAURA, P. A. A., ROMANELLI, E. and ROSSI, R. E., Transverse vibrations of simply supported rectangular plates with rectangular cutouts (sv960703) (letter)
 LAURIKS, W. See TIZIANEL, J. (letter)
 LEE, C. L. and LEE, C.-T., A higher order method of multiple scales (sv960736) (letter)
 LEE, C.-T. See LEE, C. L. (letter)
 LEE, D.-J. See IH, K.-D.
 LEE, F.-Y. See FUNG, R.-F.
 LEUNG, A. Y. T. and GE, T., Normal multi-modes of non-linear Euler beams (sv960830)
 LEUNG, R. C. K. and Ko, N. W. M., The interaction of perturbed vortex rings and its sound generation (sv960828)
 LI, T. Y., ZHANG, X. M., ZUO, Y. T. and XU, M. B., Structural power flow analysis for a floating raft isolation system consisting of constrained damped beams (sv960788)
 LIN, Y.-H. and TSAI, Y.-K., Non-linear active vibration control of a cantilever pipe conveying fluid (sv960858)
 LOW, K. H. and DUBEY, R. N., A note on the fundamental shape function and frequency for beams under off-center load (sv960734) (letter)
 LOW, K. H., DUBEY, R. N. and CHAI, G. B., Experimental investigations and shape functions for lateral vibration of axially constrained beams with a concentrated mass at the centre (sv960803) (letter)
 MANSUR, W. J. See DE LACERDA, L. A.
 MARSH, E. R. and YANTEK, D. S., Experimental measurement of precision bearing dynamic stiffness (sv960793)
 McMILLAN, A. J. and KEANE, A. J., Vibration isolation in a thin rectangular plate using a large number of optimally positioned point masses (sv960861)
 (2)145
 (5)739
 (3)452
 (5)748
 (2)249
 (5)605
 (3)427
 (5)775
 (3)361
 (5)657
 (5)657
 (2)298
 (2)203
 (2)219
 (4)600
 (4)461
 (1)1
 (5)717
 (1)67
 (4)585
 (1)125
 (5)733
 (4)585
 (1)125
 (2)275
 (4)600
 (2)284
 (2)284
 (3)361
 (2)187
 (2)145
 (1)1
 (1)47
 (4)477
 (1)134
 (3)446
 (2)235
 (1)55
 (2)219

MERMERTAŞ, V. and GÜRGÖZE, M., Longitudinal vibrations of rods coupled by a double spring-mass system (sv960824) (letter)	(5)748
MONGEAU, L. See DE BEDOUT, J. M.	(1)109
NELSON, P. A. See THOMAS, D. R. (letter)	(3)438
NICOLAS, J. See BESLIN, O.	(5)633
NORWOOD, C., WILLIAMSON, H. M. and ZHAO, J. Y., Surface mobility of a circular contact area on an infinite plate (sv960785)	(1)95
PETERSSON, B. A. T., Geometrical and spatial effects on effective mobilities of annular interfaces (sv960841)	(4)511
PETYT, M. See WEI, J.	(4)555
PETYT, M. See WEI, J.	(4)571
PIDAPARTI, R. M. V. and AFLABI, D., Authors Reply (sv960819) (letter)	(5)738
PLAUT, R. H., Comments on "The role of eigenvectors in aeroelastic analysis" (sv960819) (letter)	(5)736
RODRÍGUEZ, K. See LAURA, A. A. (letter)	(5)733
ROMANELLI, E. See LAURA, P. A. A. (letter)	(2)275
ROSSI, R. E. See AVALOS, D. R. (letter)	(4)585
ROSSI, R. E. See LAURA, P. A. A. (letter)	(2)275
SELMANE, A. and LAKIS, A. A., Non-linear dynamic analysis of orthotropic open cylindrical shells subjected to a flowing fluid (sv960794)	(1)67
SILVERMAN, I. K., Oscillations of a Timoshenko sandwich cantilever beam (sv960735) (letter)	(1)139
SMITH, M. J., A hybrid energy method for predicting high frequency vibrational response of point-loaded plates (sv960833)	(3)375
STEIGMANN, D. J. See WANG, M.-P.	(5)619
STEPHEN, N. G., Mindlin plate theory: best shear coefficient and higher spectra validity (sv960885)	(4)539
STOKES, A. See DUPONT, P.	(2)203
STRIZ, A. G., CHEN, W.-L. and BERT, C. W., Free vibration of plates by the high accuracy quadrature element method (sv960846)	(5)689
THOMAS, D. R. and NELSON, P. A., Experiments on the active control of broadband sound radiation from a lightweight partition (sv960801) (letter)	(3)438
TIZIANEL, J., ALLARD, J.-F., LAURIKS, W. and KELDERS, L., Experimental localization of a pole of the reflection coefficient of a porous layer (sv960805) (letter)	(4)600
TOMBUYSES, B. and ALDEMIR, T., Continuous cell-to-cell mapping (sv960835)	(3)395
TOPALIÁN, V., LARRONDO, H. A., ÁVALOS, D. R. and LAURA, P. A. A., Free vibrations of circular plates of varying thickness partially embedded in an elastic foundation (sv950804) (letter)	(1)125
TSAI, Y.-K. See LIN, Y.-H.	(4)477
VAUGHN, M. R. See BATY, R. S. (letter)	(2)288
VUKSANOVIC, B. See WRIGHT, S. E.	(3)313
WANG, H. and WILLIAMS, K., Effects of laminations on the vibrational behaviour of electrical machine stators (sv960845)	(5)703
WANG, J., Generalized power series solutions of the vibration of classical circular plates with variable thickness (sv960810) (letter)	(4)593
WANG, M.-P. and STEIGMANN, D. J., Small oscillations of finitely deformed elastic networks (sv960795)	(5)619
WANG, X. W. See GU, H. Z. (letter)	(3)452
WANG, C. M., Authors Reply (sv960760) (letter)	(5)734
WEI, J. and PETYT, M., A method of analyzing finite periodic structures, part 1: theory and examples (sv960887)	(4)555
WEI, J. and PETYT, M., A method of analyzing finite periodic structures, part 2: comparison with infinite periodic structure theory (sv960888)	(4)571
WILLIAMS, K. See WANG, H.	(5)703
WILLIAMSON, H. M. See NORWOOD, C.	(1)95
WRIGHT, S. E. and VUKSANOVIC, B., Active control of environmental noise, II: non-compact acoustic sources (sv960768)	(3)313

- | | |
|--|--------|
| WROBEL, L. C. See DE LACERDA, L. A. | (2)235 |
| XU, M. B. See LI, T. Y. | (1)47 |
| YANTEK, D. S. See MARSH, E. R. | (1)55 |
| YE, Z. M., The non-linear vibration and dynamic instability of thin shallow shells
(sv960827) | (3)303 |
| YOON, K. W. See KIM, S. J. | (4)461 |
| ZHANG, X. M. See LI, T. Y. | (1)47 |
| ZHAO, J. Y. See NORWOOD, C. | (1)95 |
| ZUO, Y. T. See LI, T. Y. | (1)47 |