

INDEX TO VOLUME 203

ACHONG, A. and SINANAN-SINGH, K. A., The steelpan as a system of non-linear mode-localized oscillators, Part II: coupled sub-systems, simulations and experiments (sv960873)	(4)547
ALONSO MORAL, J. See BRETOS, J.	(1)1
AVALOS, D. R. See CORTÁZAR, D. (letter)	(3)536
BAMBILL, D. V., GUTIERREZ, R. H., LAURA, P. A. A. and JEDERLINIC, V., Vibrations of composite, doubly connected square membranes (sv960818) (letter)	(3)542
BAMBILL, D. V., SONZOGNI, V. and LAURA, P. A. A., Transverse vibrations of polygonal plates of discontinuously varying thickness with a free, concentric circular edge (sv960816) (letter)	(2)352
BERESNEVICH, V. I. See TSYFANSKY, S. L.	(3)495
BESHARA, M. and KEANE, A. J., Vibrational energy flows in beam networks with compliant and dissipative joints (sv960889)	(2)321
BHAT, R. B. See RAJALINGHAM, C. (letter)	(1)169
BHAT, R. B. See RAO, C. (letter)	(4)707
BHAT, R. B., Nature of stationarity of the natural frequencies at the natural modes in the Rayleigh–Ritz method (sv960874)	(2)251
BRANDON, J., A critique of location criteria in modal methods for structural damage identification (sv960883)	(4)728
BRENTNER, K. S., An efficient and robust method for predicting helicopter high-speed impulsive noise (sv960834)	(1)87
BRETOS, J., SANTAMARÍA, C. and ALONSO MORAL, J., Frequencies, input admittances and bandwidths of the natural bending eigenmodes in xylophone bars (sv950886)	(1)1
BURKE, S. E. See SULLIVAN, J. M.	(3)473
CARVALHO, J. A. Jr. See FERREIRA, M. A. (letter)	(5)889
CASTANIER, M. P. and PIERRE, C., Predicting localization via Lyapunov exponent statistics (sv960806) (letter)	(1)151
CHA, P. D. and DYM, C. L., Identifying nodes and anti-nodes of an axially vibrating bar with lumped mass (sv960823) (letter)	(3)533
CHA, P. D. and PIERRE, C., A statistical investigation of the forced response of finite, nearly periodic assemblies (sv960809) (letter)	(1)158
CHANG, D. See POPPLEWELL, N. (letter)	(4)717
CHEN, F. H. K. See LIU, S. P.	(1)41
CHEN, G. and DU, H., The Galerkin method for initial value problems based on the principle of total virtual action (sv960852)	(3)457
CHEN, W.-P. See FUNG, R.-F. (letter)	(3)523
CORTÁZAR, D., LARRONDO, H. A. and AVALOS, D. R., Fiber-optic technology and structural condition monitoring of mechanical cables (sv960825) (letter)	(3)536
DIETERMAN, H. A. See WOLFERT, A. R. M.	(4)597
DIMENTBERG, M. F. See ZHOU, Y. S.	(4)607
DU, H. See CHEN, G.	(3)457
DUHAMEL, D. See SERGENT, P.	(1)127
DYM, C. L. See CHA, P. D. (letter)	(3)533
FAHY, F. J. and RUIVO, H. M., Determination of statistical energy analysis loss factors by means of an input power modulation technique (sv960892)	(5)763
FAHY, F. J. See JAMES, P. P.	(2)265
FAVRETTO-ANRES, N. and RABAU, G., Excitation of the Stoneley–Scholte wave at the boundary between an ideal fluid and a viscoelastic solid (sv960884)	(2)193

- FERREIRA, M. A. and CARVALHO, J. A. Jr. A simple derivation of the Rayleigh criterion in integral form (sv960881) (letter) (5)889
- VON FLOTOW, A. H. See FULLER, C. R. (5)745
- FRIPP, M. L. R. and HAGOOD, N. W., Distributed structural actuation with electrostrictors (sv960610) (1)11
- FULLER, C. R., MAILLARD, J. P., MERCADAL, M. and VON FLOTOW, A. H., Control of aircraft interior noise using globally detuned vibration absorbers (sv960867) (5)745
- FUNG, R.-F. See HWANG, C.-C. (3)363
- FUNG, R.-F., The effect of non-linear inertia on the steady state response of a beam system subjected to combined excitations (sv960924) (3)373
- FUNG, R.-F., HWANG, C.-C. and CHEN, W.-P., On the non-linear dynamic modelling of the flexible connecting rod of a slider-crank mechanism with input torque (sv960837) (letter) (3)523
- FURSTOSS, M., THENAIL, D. and GALLAND, M. A., Surface impedance control for sound absorption: direct and hybrid passive/active strategies (sv960905) (2)219
- GALLAND, M. A. See FURSTOSS, M. (2)219
- GORMAN, D. J. See SINGHAL, R. K. (2)181
- GORMAN, D. J., Accurate free vibration analysis of shear-deformable plates with torsional elastic edge support (sv960876) (2)209
- GRIFFIN, M. J. See WU, X. (5)781
- GUO, B. Z. and ZHU, W. D., On the energy decay of two coupled strings through a joint damper (sv960853) (3)447
- GUPTA, A. P. and SHARMA, N., Forced motion of a stepped semi-infinite plate (sv960912) (4)697
- GUTIERREZ, R. H. See BAMBILL, D. V. (letter) (3)542
- GUYADER, J. L. See LOYAU, T. (letter) (5)894
- HAGOOD, N. W. See FRIPP, M. L. R. (1)11
- HALKYARD, C. R. and MACE, B. R., A Fourier series approach to the measurement of flexural wave intensity in plates (sv960854) (1)101
- HANSEN, C. H. See PAN, X. (3)409
- HAYEK, S. I. See LIU, S. P. (1)41
- HJELMSTAD, K. D. See ZUO, Q. H. (letter) (5)899
- HOLSTE, F. and NEISE, W., Noise source identification in a propfan model by means of acoustical near field measurements (sv960890) (4)641
- HOLSTE, F., An equivalent source method for calculation of the sound radiated from aircraft engines (sv960891) (4)667
- HORÁČEK, J. and KRUNTČEVA, M., Finite element modelling of the damping of cylindrical shells vibrating in contact with an annular fluid region (sv960826) (letter) (4)723
- HOU, Z. K. See ZHOU, Y. S. (4)607
- HUBBARD, J. E., JR. See SULLIVAN, J. M. (3)473
- HUGIN, C. T., A physical description of the response of coupled beams (sv960844) (4)563
- HWANG, C.-C. See FUNG, R.-F. (letter) (3)523
- HWANG, C.-C., FUNG, R.-F. and LIN, J.-S., Strong non-linear dynamics of cutting processes (sv960923) (3)363
- JAMES, P. P. and FAHY, F. J., A technique for the assessment of strength of coupling between SEA subsystems: experiments with two coupled plates and two coupled rooms (sv960871) (2)265
- JEDERLINIC, V. See BAMBILL, D. V. (letter) (3)542
- JONES, D. V., LAGHROUCHE, O., LEHOUEDEC, D. and PETYT, M., Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation (sv960899) (2)307
- KAGAWA, Y., OHTANI, Y. and SHIMOYAMA, R., Vocal tract shape identification from formant frequency spectra—a simulation using three-dimensional boundary element models (sv960865) (4)581
- KAMEIER, F. and NEISE, W., Rotating blade flow instability as a source of noise in axial turbomachines (sv970902) (5)833
- KEANE, A. J. See BESHARA, M. (2)321
- KIM, J. See WANG, C. (2)237

KRUNTCHEVA, M. See HORÁČEK, J. (letter)	(4)723
LAGHROUCHE, O. See JONES, D. V.	(2)307
LARRONDO, H. A. See CORTÁZAR, D. (letter)	(3)536
LAURA, P. A. A. and JEDERLINIC, V. See BAMBILL, D. V. (letter)	(3)542
LAURA, P. A. A. See BAMBILL, D. V. (letter)	(2)352
LAURA, P. A. A. See SONZOGNI, V. (letter)	(2)358
LAZUTKIN, G. V. See ULANOV, A. M. (letter)	(5)903
LE HOUEDEC, D. See JONES, D. V.	(2)307
LEE, C.-T. and SHAW, S. W., The non-linear dynamic response of paired centrifugal pendulum vibration absorbers (sv960707)	(5)731
LIN, J.-S. See HWANG, C.-C.	(3)363
LIU, S. P., WANG, K. W., HAYEK, S. I., TRETHERWEY, M. W. and CHEN, F. H. K., A global-local integrated study of roller chain meshing dynamics (sv960792)	(1)41
LOYAU, T., WEINACHTER, P., REBILLARD, E. and GUYADER, J. L., Experimental study of vibration response dispersion between structures (sv960880) (letter)	(5)894
MACE, B. R. See HALKYARD, C. R.	(1)101
MAILLARD, J. P. See FULLER, C. R.	(5)745
MAITI, S. K. See NANDWANNA, B. P.	(3)435
MATSUDA, H. See SAKIYAMA, T.	(3)505
MERCADAL, M. See FULLER, C. R.	(5)745
METRIKINE, A. V. See WOLFERT, A. R. M.	(4)597
MILLER, K. C. and NG, W. F., Effects of choking on the aeroacoustics of an axisymmetric supersonic inlet (sv960762)	(1)63
MORITA, C. See SAKIYAMA, T.	(3)505
NANDWANNA, B. P. and MAITI, S. K., Detection of the location and size of a crack in stepped cantilever beams based on measurements of natural frequencies (sv960856)	(3)435
NEISE, W. See HOLSTE, F.	(4)641
NEISE, W. See KAMEIER, F.	(5)833
NG, W. F. See MILLER, K. C.	(1)63
NG, W. F. See YAMAMOTO, K.	(1)75
NOORI, M. N. See ZHOU, Y. S.	(4)607
OHTANI, Y. See KAGAWA, Y.	(4)581
PAKDEMIRLI, M. and ULSOY, A. G., Stability analysis of an axially accelerating string (sv960935)	(5)815
PAN, X. and HANSEN, C. H., Active control of vibration transmission in a cylindrical shell (sv960787)	(3)409
PEAT, K. S., Convected acoustic wave motion along a capillary duct with an axial temperature gradient (sv970917)	(5)855
PETYT, M. See JONES, D. V.	(2)307
PIERRE, C. See CASTANIER, M. P. (letter)	(1)151
PIERRE, C. See CHA, P. D. (letter)	(1)158
POPPELWELL, N. and CHANG, D., Free vibrations of a stepped, spinning Timoshenko beam (sv960822) (letter)	(4)717
PUN, J. and SEMERCIGIL, S. E., Joint stiffness control of a one-link flexible arm (sv950605) (letter)	(2)341
RABAU, G. See FAVRETTO-ANRES, N.	(2)193
RAJALINGHAM, C., BHAT, R. B. and XISTRIS, G. D., Vibration of rectangular plates by reduction of the plate partial differential equation into simultaneous ordinary differential equations (sv960814) (letter)	(1)169
RAO, C., BHAT, R. B. and XISTRIS, G. D., Simultaneous forward and backward whirling in a Jeffcott rotor supported on dissimilar hydrodynamic bearings (sv960815) (letter)	(4)707
REBILLARD, E. See LOYAU, T. (letter)	(5)894
ROGERS, R. J. See ZHOU, T.	(4)621
RUIVO, H. M. See FAHY, F. J.	(5)763
SAKIYAMA, T., MATSUDA, H. and MORITA, C., Free vibration analysis of sandwich arches with elastic or viscoelastic core and various kinds of axis-shape and boundary conditions (sv960900)	(3)505

SANTAMARÍA, C. See BRETOS, J.	(1)1
SEMERCIĞIL, S. E. See PUN, J. (letter)	(2)341
SERGEANT, P. and DUHAMEL, D., The effects of sampling rate and length of an adaptive filter on the active control of a plane sound wave in a lossy semi-infinite waveguide (sv960879)	(1)127
SHARMA, N. See GUPTA, A. P.	(4)697
SHAW, S. W. See LEE, C.-T.	(5)731
SHIMOYAMA, R. See KAGAWA, Y.	(4)581
SINANAN-SINGH, K. A. See ACHONG, A.	(4)547
SINGHAL, R. K. and GORMAN, D. J., Free vibration of partially clamped rectangular plates with and without rigid point supports (sv960878)	(2)181
SONZOGNI, V. and LAURA, P. A. A., An attempt to model the effect of a stress concentration field on the lower natural frequencies of structural elements (sv960817) (letter)	(2)358
SONZOGNI, V. See BAMBILL, D. V. (letter)	(2)352
STASZEWSKI, W. J., Identification of damping in MDOF systems using time-scale decomposition (sv960864)	(2)283
SULLIVAN, J. M., HUBBARD, J. E., JR. and BURKE, S. E., Distributed sensor/actuator design for plates: spatial shape and shading as design parameters (sv960877)	(3)473
THENAIL, D. See FURSTOSS, M.	(2)219
THOMPSON, D. J., Experimental analysis of wave propagation in railway tracks (sv970903)	(5)867
TIWARI, R. and VYAS, N. S., Non-linear bearing stiffness parameter extraction from random response in flexible rotor-blade systems (sv960786)	(3)389
TRETHERWEY, M. W. See LIU, S. P.	(1)41
TSYFANSKY, S. L. and BERESNEVICH, V. I., The control of the operating condition of a subharmonic vibromachine (sv960872)	(3)495
ULANOV, A. M. and LAZUTKIN, G. V., Description of an arbitrary multi-axial loading process for non-linear vibration isolators (sv960908) (letter)	(5)903
ULSOY, A. G. See PAKDEMIRLI, M.	(5)815
VYAS, N. S. See TIWARI, R.	(3)389
WANG, K. W. See LIU, S. P.	(1)41
WANG, C. and KIM, J., The dynamic analysis of a thin beam impacting against a stop of general three-dimensional geometry (sv960875)	(2)237
WEINACHTER, P. See LOYAU, T. (letter)	(5)894
WOLFERT, A. R. M., DIETERMAN, H. A. and METRIKINE, A. V., Passing through the “elastic wave barrier” by a load moving along a waveguide (sv960866)	(4)597
WU, X. and GRIFFIN, M. J., A semi-active control policy to reduce the occurrence and severity of end-stop impacts in a suspension seat with an electrorheological fluid damper (sv960901)	(5)781
XISTRIS, G. D. See RAJALINGHAM, C. (letter)	(1)169
XISTRIS, G. D. See RAO, C. (letter)	(4)707
YAMAMOTO, K. and NG, W. F., The development of flow distortions at the fan face for an axisymmetric supersonic inlet (sv960763)	(1)75
YANG, Y.-R. and ZHANG, J.-Y., Frequency analysis of a parallel flat plate-type structure in still water, part I: a multi-span beam (sv960914)	(5)795
YANG, Y.-R. and ZHANG, J.-Y., Frequency analysis of a parallel flat plate-type structure in still water, part II: a complex structure (sv960915)	(5)805
ZHANG, J.-Y. See YANG, Y.-R.	(5)795
ZHANG, J.-Y. See YANG, Y.-R.	(5)805
ZHOU, T. and ROGERS, R. J., Simulation of two-dimensional squeeze film and solid contact forces acting on a heat exchanger tube (sv960870)	(4)621
ZHOU, Y. S., HOU, Z. K., DIMENTBERG, M. F. and NOORI, M. N., A model for general periodic excitation with random disturbance and its application (sv960869)	(4)607
ZHU, W. D. See GUO, B. Z.	(3)447
ZUO, Q. H. and HELMSTAD, K. D., Conditions for bifurcation of a cantilever beam subjected to generalized follower loads: geometrically exact approach (sv960882) (letter)	(5)899