

## INDEX TO VOLUME 207

ADAMS, G. P. and QIN, Z. H., Compression load transmission in screw compressors (sv971172)	(5)671
AMABILI, M., Comments on "Free vibration analysis of cylindrical tanks partially filled with liquid" (sv971132) (letter)	(5)768
AVALOS, D. R. and LARRONDO, H. A., Comments on "Use of the analytical and numerical combined method in the free vibration analysis of a rectangular plate with any number of point masses and translational springs" (sv971157) (letter)	(4)591
BANSAL, A. S., Free waves in periodically disordered systems: natural and bounding frequencies of unsymmetric systems and normal mode localization (sv971094)	(3)365
BARDELL, N. S. See LANGLEY, R. S.	(4)521
BARDELL, N. S. See LANGLEY, R. S.	(5)627
BARDELL, N. S., DUNSDON, J. M. and LANGLEY, R. S., On the free vibration of completely free, open, cylindrically curved, isotropic shell panels (sv971115)	(5)647
BERCIN, A. N. and TANAKA, M., Coupled flexural-torsional vibrations of Timoshenko beams (sv971110)	(1)47
CHA, P. D., Free vibration of a rectangular plate carrying a concentrated mass (sv971163) (letter)	(4)593
CHATI, M., RAND, R. and MUKHERJEE, S., Modal analysis of a cracked beam (sv971099)	(2)249
CHEN, L.-W. and PENG, W.-K., Stability analyses of a Timoshenko shaft with dissimilar lateral moments of inertia (sv971111)	(1)33
CHUN, S.-B. See LEE, C.-W.	(4)435
DUHAMEL, D. See SERGENT, P.	(4)537
DUNSDON, J. M. See BARDELL, N. S.	(5)647
EL-ABSY, H. and SHABANA, A. A., Geometric stiffness and stability of rigid body modes (sv971051)	(4)465
ELLIOTT, S. J. See GARDONIO, P.	(1)61
ELLIOTT, S. J. See GARDONIO, P.	(1)95
ELLIOTT, S. J. See JOHNSON, M. E.	(5)743
ERGIN, A., An approximate method for the free vibration analysis of partially filled and submerged, horizontal cylindrical shells (sv971133) (letter)	(5)761
FERRI, A. A. See WHITEMAN, W. E.	(3)403
GAN, C. B., LU, Q. S. and XU, J., Transient analysis of a coupled non-linear slow-variant system (sv971179) (letter)	(5)770
GANAPATHI, M. See PATEL, B. P. (letter)	(1)123
GARDONIO, P., ELLIOTT, S. J. and PINNINGTON, R. J., Active isolation of structural vibration on a multiple-degree-of-freedom system, part II: effectiveness of active control strategies (sv971153)	(1)95
GARDONIO, P., ELLIOTT, S. J. and PINNINGTON, R. J., Active isolation of structural vibration on a multiple-degree-of-freedom system, part I: the dynamics of the system (sv971152)	(1)61
GENTA, G. and TONOLI, A., A harmonic finite element for the analysis of flexural, torsional and axial rotordynamic behavior of blade arrays (sv971147)	(5)693
GHOSAL, A. See NAGARAJ, B. P.	(4)567
GORMAN D. J., Free vibration analysis of Mindlin plates with uniform elastic edge support by the superposition method (sv971107)	(3)335
GROSSI, R. O. and NALLIM, L., On the approximate determination of the fundamental frequency of vibration of rectangular, anisotropic plates carrying a concentrated mass (sv971090) (letter)	(2)276
GUPTA, U. S. See LAL, R.	(1)1

GUTIERREZ, R. H. and LAURA, P. A. A., Vibrations of a beam of non-uniform cross-section traversed by a time varying concentrated force (sv971164) (letter)	(3)419
HAMPO, R. See ZAREMBA, A.	(3)351
HOWE, M. S., Influence of cross-sectional shape on the conductivity of a wall aperture in mean flow (sv971103)	(5)601
HROVAT, D. See ZAREMBA, A.	(3)351
HU, H. Y., Primary resonance of a harmonically forced oscillator with a pair of symmetric set-up elastic stops (sv971139)	(3)393
HUANG, C. S. See TSENG, Y.-P.	(1)15
ISOM, M. P. See LEE, S.	(4)453
JAN, J. T. See SUNG, C.-C.	(3)301
JIA, H. S. See LEE, C.-W.	(4)435
JOHNSON, M. E. and ELLIOTT, S. J., Active control of sound radiation from vibrating surfaces using arrays of discrete actuators (sv971166)	(5)743
KAMLE, S. See YADAV, D.	(2)151
KATHNELSON, A. N., An asymptotic edge effect in thin rectangular vibrating plates (sv970968) (letter)	(2)271
KHADER, N., Stability analysis for the dynamic design of rotors (sv971104)	(3)287
KIM, C.-S. See LEE, C.-W.	(4)435
KIM, J. See LEE, S.	(4)453
KUMAR, B. M. and SUJITH, R. I., Exact solutions for the longitudinal vibration of non-uniform rods (sv971146)	(5)721
LAKIS, A. A. and NEAGU, S., Free surface effects on the dynamics of cylindrical shells partially filled with liquid (sv971074)	(2)175
LAL, R., GUPTA, U. S. and REENA, Quintic splines in the study of transverse vibrations of non-uniform orthotropic rectangular plates (sv961138)	(1)1
LAM, K. Y. and NG, T. Y., Dynamic stability of cylindrical shells subjected to conservative periodic axial loads using different shell theories (sv971186)	(4)497
LANGLEY, R. S. See BARDELL, N. S.	(5)647
LANGLEY, R. S., BARDELL, N. S. and LOASBY, P. M., The optimal design of near-periodic structures to minimize vibration transmission and stress levels (sv971116)	(5)627
LANGLEY, R. S., BARDELL, N. S. and RUIRO, H. M., The response of two-dimensional periodic structures to harmonic point loading: a theoretical and experimental study of a beam grillage (sv971154)	(4)521
LARRONDO, H. A. See AVALOS, D. R. (letter)	(4)591
LAURA, P. A. A. and ROSSIT, C. A., Dynamic displacements and stress resultants in beams and slabs suddenly subjected to their own weight (sv971156) (letter)	(2)280
LAURA, P. A. A. See GUTIERREZ, R. H. (letter)	(3)419
LEE, C.-W., JIA, H. S., KIM, C.-S. and CHUN, S.-B., Tuning of simulated natural frequencies for a flexible shaft-multiple flexible disk system (sv971199)	(4)435
LEE, S., KIM, J., YU, Y. H. and ISOM, M. P., Prediction of rotor high-speed impulsive noise with a combined CFD-Kirchoff method (sv971069)	(4)453
LIAO, W. H. and WANG, K. W., On the analysis of viscoelastic materials for active constrained layer damping treatments (sv971106)	(3)319
LIN, C.-J. See TSENG, Y.-P.	(1)15
LOASBY, P. M. See LANGLEY, R. S.	(5)627
LOW, K. H., A further note on closed-form formulas for fundamental vibration frequency of beams under off-centre load (sv971161) (letter)	(1)132
LOW, K. H., Comments on "Non-linear vibrations of a beam-mass system under different boundary conditions" (sv971135) (letter)	(2)284
LU, Q. S. See GAN, C. B. (letter)	(5)770
LUO, S.-S. See WU, J.-S. (letter)	(4)591
MICKENS, R. E., Exact finite difference schemes for two-dimensional advection equations (sv971160) (letter)	(3)426
MUKHERJEE, S. See CHATI, M.	(2)249

NAGARAJ, B. P., NATARAJU, B. S. and GHOSAL, A., Dynamics of a two-link flexible system undergoing locking: mathematical modelling and comparison with experiments (sv971194)	(4)567
NAGEM, R. J., VELJKOVIC, I. and SANDRI, G., Vibration damping by a continuous distribution of undamped oscillators (sv971162) (letter)	(3)429
NAGESWARA RAO, B. See SARMA, M. S. (letter)	(4)597
NALLIM, L. See GROSSI, R. O. (letter)	(2)276
NATARAJU, B. S. See NAGARAJ, B. P.	(4)567
NAYFEH, A. H. See SANCHEZ, N. E.	(2)137
NEAGU, S. See LAKIS, A. A.	(2)175
NG, T. Y. See LAM, K. Y.	(4)497
ÖZKAYA, E., PAKDEMİRLİ, M. and ÖZ, H. R., Authors' reply (sv971135) (letter)	(2)286
PACHECO, P. M. C. L. See SAVI, M. A.	(2)207
PATEL, B. P., GANAPATHI, M. and TOURATIER, M., A study on non-linear free vibration of cantilever beams (sv971086) (letter)	(1)123
PENG, W.-K. See CHEN, L.-W.	(1)33
PINNINGTON, R. J. See GARDONIO, P.	(1)61
PINNINGTON, R. J. See GARDONIO, P.	(1)95
PLAUT, R. H. See SUHERMAN, S.	(5)617
QIN, Z. H. See ADAMS, G. P.	(5)671
RAMAN, G. and TAGHAVI, R., Aeroacoustic characteristics of a rectangular multi-element supersonic jet mixer-ejector nozzle (sv971100)	(2)227
RAND, R. See CHATI, M.	(2)249
REENA, Quintic splines in the study of transverse vibrations of non-uniform orthotropic rectangular plates (sv961138)	(1)1
REENA, See LAL, R.	(1)1
ROSSIT, C. A. See LAURA, P. A. A. (letter)	(2)280
RUIRO, H. M. See LANGLEY, R. S.	(4)521
SANCHEZ, N. E. and NAYFEH, A. H., Global behavior of a biased non-linear oscillator under external and parametric excitations (sv970995)	(2)137
SANDRI, G. See NAGEM, R. J. (letter)	(3)429
SARMA, M. S. and NAGESWARA RAO, B., A rational harmonic balance approximation for the duffing equation of mixed parity (sv971178) (letter)	(4)597
SAVI, M. A. and PACHECO, P. M. C. L., Non-linear dynamics of an elasto-plastic oscillator with kinematic and isotropic hardening (sv971078)	(2)207
SERGEANT, P. and DUHAMEL, D., Optimal placement of sources and sensors with the minimax criterion for active control of a one-dimensional sound field (sv971155)	(4)537
SHABANA, A. A. See EL-ABSY, H.	(4)465
SOLIMAN, M. S., Non-linear vibrations of hardening systems: chaotic dynamics and unpredictable jumps to and from resonance (sv971095)	(3)383
SUHERMAN, S., PLAUT, R. H., WATSON, L. T. and THOMPSON, S., Effect of human response time on rocking instability of a two-wheeled suitcase (sv971141)	(5)617
SUJITH, R. I. See KUMAR, B. M.	(5)721
SUNG, C.-C. and JAN, J. T., The response of and sound power radiated by a clamped rectangular plate (sv971125)	(3)301
TAGHAVI, R. See RAMAN, G.	(2)227
TALUKDAR, S. See YADAV, D.	(2)151
TANAKA, M. See BERCIN, A. N.	(1)47
THOMPSON, S. See SUHERMAN, S.	(5)617
TONOLI, A. See GENTA, G.	(5)693
TOURATIER, M. See PATEL, B. P. (letter)	(1)123
TSENG, Y.-P., HUANG, C. S. and LIN, C.-J., Dynamic stiffness analysis for in-plane vibrations of arches with variable curvature (sv971112)	(1)15
VELJKOVIC, I. See NAGEM, R. J. (letter)	(3)429
WANG, C. Y., Vibration frequencies of a membrane strip with wavy boundaries (sv971137) (letter)	(1)128
WANG, K. W. See LIAO, W. H.	(3)319

WANG, R.-T., Vibration of multi-span Timoshenko beams to a moving force (sv971188)	(5)731
WATSON, L. T. See SUHERMAN, S.	(5)617
WHITEMAN, W. E. and FERRI, A. A., Multi-mode analysis of beam-like structures subjected to displacement-dependent dry friction damping (sv971140)	(3)403
WU, J.-S. and LUO, S.-S., Authors' reply (sv971157) (letter)	(4)591
XU, J. See GAN, C. B. (letter)	(5)770
YADAV, D., KAMLE, S. and TALUKDAR, S., Transverse vibration of multi mass loaded variable section beams under random excitation (sv971071)	(2)151
YU, Y. H. See LEE, S.	(4)453
ZAREMBA, A., HAMPO, R. and HROVAT, D., Optimal active suspension design using constrained optimization (sv971117)	(3)351