

INDEX TO VOLUME 208

AMMAR, S. See FAFARD, M.	(1)73
ANDERSON, J. S., BRATOS-ANDERSON, M. and DOANY, P., The acoustics of a large space with a repetitive pattern of coupled rooms (sv971219)	(2)313
BAE, S. S. See LEE, W. K.	(4)567
BALAJI PRASAD, P. See SEKHAR, A. S.	(3)457
BARDOU, O., GARDONIO, P., ELLIOTT, S. J. and PINNINGTON, R. J., Active power minimization and power absorption in a plate with force and moment excitation (sv971183)	(1)111
BARHORST, A. A., Symbolic equation processing utilizing vector/dyad notation (sv971204)	(5)823
BAZ, A. See RAY, M. C.	(3)391
BEHDINAN, K. and TABARROK, B., Dynamics of flexible sliding beams—non-linear analysis part II: transient response (sv971168)	(4)541
BEHDINAN, K., STYLIANOU, M. C. and TABARROK, B., Dynamics of flexible sliding beams—non-linear analysis part I: formulation (sv971167)	(4)517
BERNHARD, R. J. See HAN, F.	(5)841
BHATTACHARYYA, S. K. See VENDHAN, C. P.	(4)587
BLEVINS, R. D., Probability density of finite Fourier series with random phases (sv971207)	(4)617
BRATOS-ANDERSON, M. See ANDERSON, J. S.	(2)313
CARPENTER, P. W. and GREEN, P. N., The aeroacoustics and aerodynamics of high-speed coanda devices, part 1: conventional arrangement of exit nozzle and surface (sv971202)	(5)777
CARPENTER, P. W. and SMITH, C., The aeroacoustics and aerodynamics of high-speed Coanda devices, part 2: effects of modifications for flow control and noise reduction (sv971203)	(5)803
CHEN, P.-T., Vibrations of submerged structures in a heavy acoustic medium using radiation modes (sv971193)	(1)55
CHOI, S.-K. See KIM, Y. B.	(5)745
CHUN, S. B. See JIA, H. S.	(2)175
CLARK, W. W. See KIM, J. H.	(2)225
DAI, D. C., Comments on “detection of grazing orbits and incident bifurcations of a forced continuous, piecewise-linear oscillator” (sv971208) (letter)	(5)861
DICKINSON, S. M. See HAN, W.	(3)367
DIETERMAN, H. A. and KONONOV, A. V., Uniform motion of a constant load along a string on an elastically supported membrane (sv971181)	(4)575
DOANY, P. See ANDERSON, J. S.	(2)313
DOHRMANN, C. R. and SEGALMAN, D. J., Use of quadratic components for buckling calculations (sv971180) (letter)	(2)339
DOKUMACI, E., A note on transmission of sound in a wide pipe with mean flow and viscothermal attenuation (sv971043) (letter)	(4)653
ELLIOTT, S. J. See BARDOU, O.	(1)111
EVERETT, L. J., Optimal two-plane balance of rigid rotors (sv971211) (letter)	(4)656
FAFARD, M., HENCHI, K., GENDRON, G. and AMMAR, S., Application of an asymptotic method to transient dynamic problems (sv971169)	(1)73
FAHY, F. J. See LANGLEY, R. S.	(3)407
FELDMAN, M., Non-linear free vibration identification via the Hilbert transform (sv971182)	(3)475
FINNVEDEN, S., Formulas for modal density and for input power from mechanical and fluid point sources in fluid filled pipes (sv971258)	(5)705
FINNVEDEN, S., Simplified equations of motion for the radial–axial vibrations of fluid filled pipes (sv971248)	(5)685
FRISWELL, M. I. See LEES, A. W.	(5)671

GARDONIO, P. See BARDOU, O.	(1)111
GAWRONSKI, W., Actuator and sensor placement for structural testing and control (sv971190)	(1)101 (1)73 (4)664 (1)15 (5)777
GENDRON, G. See FAFARD, M.	
GOLNARAGHI, M. F. See LIN, D. C. (letter)	
GOLNARAGHI, M. F. See SALEM, P.	
GREEN, P. N. See CARPENTER, P. W.	
GÜRGÖZE, M., On the eigenvalues of viscously damped beams, carrying heavy masses and restrained by linear and torsional springs (sv971165) (letter)	(1)153
GÜRGÖZE, M., Alternative formulations of the frequency equation of longitudinally vibrating rods coupled by a double spring-mass system (sv971108) (letter)	(2)331
HALLIWELL, N. A., HOCKNELL, A. and ROTHBERG, S. J., On the measurement of angular vibration displacements: a laser tiltmeter (sv971216) (letter)	(3)497
HAN, F., BERNHARD, R. J. and MONGEAU, L. G., Energy flow analysis of vibrating beams and plates for discrete random excitations (sv971205)	(5)841
HAN, W. and DICKINSON, S. M., Free vibration of symmetrically laminated skew plates (sv971198)	(3)367 (1)73 (1)15 (5)729 (3)497 (5)862 (4)501 (4)664
HENCHI, K. See FAFARD, M.	
HEPPLER, G. R. See SALEM, P.	
HIRAYAMA, Y. See YAMAGUCHI, H.	
HOCKNELL, A. See HALLIWELL, N. A. (letter)	
HU, H. Y., Author's reply (sv971208) (letter)	
HUANG, F. See WANG, H. Q.	
ISMAIL, F. See LIN, D. C. (letter)	
JAYACHANDRAN, V. and SUN, J. Q., Unconditional stability domains of structural control systems using dual actuator-sensor pairs (sv971177) (letter)	(1)159
JIA, H. S., CHUN, S. B. and LEE, C. W., Evaluation of the longitudinal coupled vibrations in rotating, flexible disks/spindle systems (sv971127)	(2)175
JIN, J.-D., Stability and chaotic motions of a restrained pipe conveying fluid (sv971195)	(3)427
JONES, D. I. G., LEWIS, T. and MICHAEL C., Partial coverage air film damping of cantilever plates (sv971236) (letter)	(5)869
KACZMARCZYK, S., The passage through resonance in a catenary-vertical cable hoisting system with slowly varying length (sv971220)	(2)243
KANG, Y., SHEEN, G.-J. and TANG, P.-H., The principle and applications of multi-plane separation for balancing machines (sv971123)	(2)167
KAWANO, S. See SAITO, T.	(2)271
KIM, J. H., CLARK, W. W. and MARANGONI, R. D., A comparison of reaction force suppression to displacement suppression for vibration control in a flexible structure (sv971197)	
KIM, Y. B. and CHOI, S.-K., A multiple harmonic balance method for the internal resonant vibration of a non-linear Jeffcott rotor (sv971221)	(2)225
KONONOV, A. V. See DIETERMAN, H. A.	
KOSUGI, Y. See NAGAYA, K.	
LANGLEY, R. S., SMITH, J. R. D. and FAHY, F. J., Statistical energy analysis of periodically stiffened damped plate structures (sv971150)	(5)745 (4)575 (2)299
LEE, C. W. See JIA, H. S.	
LEE, W. K., YEO, M. H. and BAE, S. S., Validity of the multiple-scale solution for a subharmonic resonance response of a bar with a non-linear boundary condition (sv971187)	(3)407 (2)175
LEE, Y. T. See LIU, C. F.	
LEES, A. W. and FRISWELL, M. I., The evaluation of rotor imbalance in flexibly mounted machines (sv971260)	(4)567 (1)47
LEWIS, T. See JONES, D. I. G. (letter)	(5)671 (5)869
LI, K. M. See TAHERZADEH, S. (letter)	(3)491
LI, L. See NAGAYA, K.	(2)289
LIN, D. C., GOLNARAGHI, M. F. and ISMAIL, F., The dimension of the gearbox signal (sv971212) (letter)	(4)664

LIU, C. F. and LEE, Y. T., Axisymmetric straining modes in the vibration of circular plates (sv971143)	(1)47
LUO, J. H. See WANG, H. Q.	(4)501
MA, S. and SEMERCIGIL, S. E., A modified passive tuned absorber for secondary systems under random excitation (sv971170)	(3)349 (2)225
MARANGONI, R. D. See KIM, J. H.	(2)211
METALLIDIS, P. See NATSIAVAS, S.	(4)501
MIAO, J. C. See WANG, H. Q.	(5)869
MICHAEL C. See JONES, D. I. G. (letter)	
MICKENS, R. E., Regulation of singular ordinary differential equations modelling oscillating systems (sv971210) (letter)	(2)345
MONGEAU, L. G. See HAN, F.	(5)841
MURAKAMI, M. See NAGAYA, K.	(2)299
NAGAYA, K. and LI, L., Control of sound noise radiated from a plate using dynamic absorbers under the optimization by neural network (sv971201)	(2)289
NAGAYA, K., TSUKAGOSHI, M., KOSUGI, Y. and MURAKAMI, M., Vibration control for a high-T _c superconducting non-linear levitation system (sv971223)	(2)299
NATSIAVAS, S. and METALLIDIS, P., External primary resonance of self-excited oscillators with 1:3 internal resonance (sv971145)	(2)211 (2)271
OKUNO, S. See SAITO, T.	(2)271
PARBERY, R. D. See SAITO, T.	(2)271
PELLEGRINO, S. See TAN, G. E. B.	(1)33
PINNINGTON, R. J. See BARDOU, O.	(1)111
RAY, M. C. and BAZ, A., Optimization of energy dissipation of active constrained layer damping treatments of plates (sv971171)	(3)391
ROSSI, R. E., A note on a finite element for vibrating thin, orthotropic rectangular plates (sv971213) (letter)	(5)864 (3)497
ROTHBERG, S. J. See HALLIWELL, N. A. (letter)	
SAITO, T., PARBERY, R. D., OKUNO, S. and KAWANO, S., Parameter identification for aluminum honeycomb sandwich panels based on orthotropic Timoshenko beam theory (sv971189)	(2)271
SALEMI, P., GOLNARAGHI, M. F. and HEPPLER, G. R., Active control of forced and unforced structural vibration (sv971142)	(1)15
SEGALMAN, D. J. See DOHRMANN, C. R. (letter)	(2)339
SEKHAR, A. S. and BALAJI PRASAD, P., Dynamic analysis of a rotor system considering a slant crack in the shaft (sv971222)	(3)457 (3)349
SEMERCIGIL, S. E. See MA, S.	(2)167
SHEEN, G.-J. See KANG, Y.	(5)803
SMITH, C. See CARPENTER, P. W.	(3)407
SMITH, J. R. D. See Langley, R. S.	(4)517
STYLIANOU, M. C. See BEHDINAN, K.	
SU, J. HANNSEN and VASUDEVAN, R., On the radiation efficiency of infinite plates subject to a point load in water (sv971184)	(3)441
SUDARSHAN, K. See VENDHAN, C. P.	(4)587
SUN, J. Q. See JAYACHANDRAN, V. (letter)	(1)159
TABARROK, B. See BEHDINAN, K.	(4)517
TABARROK, B. See BEHDINAN, K.	(4)541
TAHERZADEH, S. and LI, K. M., On the turbulent jet noise near an impedance surface (sv971215) (letter)	(3)491
TAN, G. E. B. and PELLEGRINO, S., Non-linear dynamic identification: an application to prestressed cable structures (sv971130)	(1)33
TANG, P.-H. See KANG, Y.	(2)167
TANG, S. K., A distribution function applicable to office noise study (sv971191)	(4)603
TIWARI, R. and VYAS, N. S., Parameter estimation in imbalanced non-linear rotor-bearing systems from random response (sv971083)	(1)1
TSUKAGOSHI, M. See NAGAYA, K.	(2)299
VASUDEVAN, R. See SU, J. HANNSEN	(3)441

- VENDHAN, C. P., BHATTACHARYYA, S. K. and SUDARSHAN, K., Stability characteristics of slender flexible cylinders in axial flow by the finite element method (sv971192) (4)587
- VYAS, N. S. See TIWARI, R. (1)1
- WANG, H. Q., MIAO, J. C., LUO, J. H., HUANG, F. and WANG, L. G., The free vibration of long-span transmission line conductors with dampers (sv971196) (4)501
- WANG, L. G. See WANG, H. Q. (4)501
- WU, X. See YANG, B. (5)763
- YAMAGUCHI, H., YASHIMA, M. and HIRAYAMA, Y., Vibration reduction and isolation performance for on-off control of a friction force at a spring support (sv971224) (5)729
- YANG, B. and WU, X., Transient response of one-dimensional distributed systems: a closed form eigenfunction expansion realization (sv971206) (5)763
- YASHIMA, M. See YAMAGUCHI, H. (5)729
- YEO, M. H. See LEE, W. K. (4)567
- YU, X. See ZADOKS, R. I. (2)189
- ZADOKS, R. I. and YU, X., An investigation of the self-loosening behavior of bolts under transverse vibration (sv971173) (2)189