

INDEX TO VOLUME 211

ALLEMANG, R. J. and BROWN, D. L., A unified matrix polynomial approach to modal identification (sv971321)	(3)301
ASHER, M. S. See SPALL, J. C. (letter)	(1)133
AZENE, M. See HAPPAWANA, G. S.	(5)761
BAJAJ, A. K. See HAPPAWANA, G. S.	(5)761
BAZ, A., Robust control of active constrained layer damping (sv971315)	(3)467
BEGLEY, C. J. and VIRGIN, L. N., Impact response and the influence of friction (sv971389)	(5)801
BERNHARD, R. J. See CHO, P. E.	(4)593
BESLIN, O. See NELISSE, H.	(2)207
BHAT, R. B. See RAJALINGHAM, C.	(5)819
BOLTEZAR, M., STRANCAR, B. and KUHELJ, A., Identification of transverse crack location in flexural vibrations of free-free beams (sv971410)	(5)729
BOTTEGA, W. J. See LANGE, K. A.	(1)39
BRANDON, J. A. and SUDRAUD, C., An experimental investigation into the topological stability of a cracked cantilever beam (sv971379)	(4)555
BROWN, D. L. See ALLEMANG, R. J.	(3)301
CHA, P. D. and PIERRE, C., Free vibrations of uniform Timoshenko beams with lumped attachments (sv971371) (letter)	(2)273
CHA, P. D., DYM, C. L. and WONG, W. C., Identifying nodes and anti-nodes of complex structures with virtual elements (sv971388)	(2)249
CHO, P. E. and BERNHARD, R. J., Energy flow analysis of coupled beams (sv971350)	(4)593
CHRISTENSEN, C. F. and ROBERTS, J. B., Parametric identification of vortex-induced vibration of a circular cylinder from measured data (sv971393)	(4)617
CHU, C.-H. and TRETHERWEY, M. W., Rapid structural design change evaluation with an experiment based FEM (sv971345)	(3)335
CHU, J.-J. See FUNG, R.-F. (letter)	(4)689
DICKEY, N. S., SELAMET, A. and NOVAK, J. M., Multi-pass perforated tube silencers: a computational approach (sv971318)	(3)435
DIETERMAN, H. A. See WOLFERT, A. R. M.	(5)829
DYM, C. L. See CHA, P. D.	(2)249
FANG, H. and YANG, B., Modelling, synthesis and dynamic analysis of complex flexible rotor systems (sv971346)	(4)571
FEENY, B. F. and KAPPAGANTU, R., On the physical interpretation of proper orthogonal modes in vibrations (sv971386)	(4)607
FLATAU, A. B. See HALL, D. L.	(3)481
FRANCIOSI, C. and TOMASIELLO, S., The use of Mathematica for the analysis of strongly nonlinear two-degree-of-freedom systems by means of the modified Lindstedt-Poincaré method (sv971390)	(2)145
FRISWELL, M. I., GARVEY, S. D. and PENNY, J. E. T., The convergence of the iterated IRS method (sv971368)	(1)123
FUNG, R.-F., HUANG, J.-S. and CHU, J.-J., Dynamic stability of an axially travelling string/slider coupling system with moving boundary (sv971415) (letter)	(4)689
GARVEY, S. D. See FRISWELL, M. I.	(1)123
GÜRGÖZE, M., On the dynamic analysis of a flexible L-shaped structure (sv971375) (letter)	(4)683
GUPTA, K. and SINGH, S. P., Damping measurements in fiber reinforced composite rotors (sv971320) (letter)	(3)513
HALL, D. L. and FLATAU, A. B., On analog feedback control for magnetostrictive transducer linearization (sv971322)	(3)481

- HAMMOND, J. K. See SHIN, K. (letter) (5)918
- HAPPAWANA, G. S., NWOKAH, O. D. I., BAJAJ, A. K. and AZENE, M., Free and forced response of mistuned linear cyclic systems: a singular perturbation approach (sv971349) (5)761
- HARTMANN, B. See LEE, G. F. (2)265
- HONMA, T. See KATO, Y. (2)195
- HUANG, J.-S. See FUNG, R.-F. (letter) (4)689
- IYENGAR, R. N. and ROY, D., Extensions of the space linearization (PSL) technique for non-linear oscillators (sv971430) (5)877
- IYENGAR, R. N. and ROY, D., New approaches for the study of non-linear oscillators (sv971429) (5)843
- JAYACHANDRAN, V. and SUN, J. Q., Impedance characteristics of active interior noise control systems (sv971381) (letter) (4)716
- JEZEQUEL, L. See VIKTOROVITCH, M. (letter) (5)910
- KAPPAGANTU, R. See FEENY, B. F. (4)607
- KATO, Y. and HONMA, T., The Rayleigh–Ritz solution to estimate vibration characteristics of building floors (sv971362) (2)195
- KLEPP, H. J., Interactive aspects in the numerical simulation of the kinetic state of a multi-body system with friction (sv971382) (letter) (4)702
- KUHELJ, A. See BOLTEZAR, M. (5)729
- KUNDRU, T. K. See RAVI, S. S. A. (3)355
- KUNDRU, T. K. See SRIVASTAVA, R. K. (letter) (3)527
- LANGE, K. A. and BOTTEGA, W. J., On the elastodynamic response of thick multilayered plates subjected to impact loads (sv971351) (1)39
- LE BOT, A., A vibroacoustic model for high frequency analysis (sv971378) (4)537
- LEE, C. L. See MURPHY, K. D. (2)179
- LEE, G. F. and HARTMANN, B., Specific damping capacity for arbitrary loss angle (sv971387) (2)265
- LI, K. M. and WANG, Q., A BEM approach to assess the acoustic performance of noise barriers in a refracting atmosphere (sv971427) (4)663
- LOW, K. H., Comments on “Joint stiffness control of a one-link flexible arm” (sv971413) (letter) (5)907
- MALLIK, A. K. See RAVINDRA, B. (letter) (4)709
- MANIK, D. N., A new method for determining coupling loss factors for SEA (sv971313) (letter) (3)521
- MARYAK, J. L. See SPALL, J. C. (letter) (1)133
- MATSUNAGA, H., Free vibration of thick circular cylindrical shells subjected to axial stresses (sv971352) (1)1
- METRIKINE, A. V. See WOLFERT, A. R. M. (5)829
- MITCHELL, L. D., WEST, R. L. and WICKS, A. L., An emerging trend in experimental dynamics: merging of laser-based three-dimensional structural imaging and modal analysis (sv971310) (3)323
- MOTE, C. D. JR. See PARKER, R. G. (3)389
- MUGGLETON, J. M. and PINNINGTON, R. J., A rearrangement of the modal expansion for a damped two-dimensional vibratory system (sv971395) (4)637
- MUNJAL, M. L., Analysis and design of mufflers—an overview of research at the Indian Institute of Science (sv971309) (3)425
- MURPHY, K. D. and LEE, C. L., The 1:1 internally resonant response of a cantilever beam attached to a rotating body (sv971341) (2)179
- NAKRA, B. C. See RAVI, S. S. A. (3)355
- NAKRA, B. C. See SINGH, R. (3)295
- NAKRA, B. C., Vibration control in machines and structures using viscoelastic damping (sv971317) (3)449
- NARAYANAN, S. and SEKAR, P., A frequency domain based numeric–analytical method for non-linear dynamical systems (sv971319) (3)409
- NARAYANAN, S. and SENTHIL, S., Stochastic optimal active control of a 2-dof quarter car model with non-linear passive suspension elements (sv971396) (3)495

NELISSE, H., BESLIN, O. and NICOLAS, J., A generalized approach for the acoustic radiation from a baffled or unbaffled plate with arbitrary boundary conditions, immersed in a light or heavy fluid (sv971359)	(2)207
NICOLAS, J. See NELISSE, H.	(2)207
NIJMAN, E. J. M. See PETERSSON, B. A. T.	(1)95
NOVAK, J. M. See DICKEY, N. S.	(3)435
NWOKAH, O. D. I. See HAPPAWANA, G. S.	(5)761
ONG, C. J. See TEO, C. L.	(2)157
PARKER, R. G. and MOTE, C. D., JR., Exact boundary condition perturbation for eigensolutions of the wave equation (sv971312)	(3)389
PENNY, J. E. T. See FRISWELL, M. I.	(1)123
PETERSSON, B. A. T. and NIJMAN, E. J. M., The one-dimensional bending wave counterpart to the acoustic horn and the semi-infinite wedge (sv971365)	(1)95
PIERRE, C. See CHA, P. D. (letter)	(2)273
PINNINGTON, R. J. See MUGGLETON, J. M.	(4)637
QIAN, Z. W., Dynamical viscosity in porous media (sv971363)	(5)791
RAJALINGHAM, C. and BHAT, R. B., Influence of an electric field on diaphragm stability and vibration in a condenser microphone (sv971385)	(5)819
RAMAMURTI, V. and RAO, M. H., Studies on model updating using finite elements (sv971311) (letter)	(3)507
RAO, M. H. See RAMAMURTI, V. (letter)	(3)507
RAVI, S. S. A., KUNDRA, T. K. and NAKRA, B. C., Reanalysis of damped structures using the single step perturbation method (sv971316)	(3)355
RAVINDRA, B. and MALLIK, A. K., Dissipative control of chaos in non-linear vibrating systems (sv971421) (letter)	(4)709
ROBERTS, J. B. See CHRISTENSEN, C. F.	(4)617
ROGERSON, G. A. See ROXBURGH, D. G.	(2)227
ROOK, T. E. and SINGH, R., Structural intensity calculations for compliant plate-beam structures connected by bearings (sv961314)	(3)365
ROXBURGH, D. G. and ROGERSON, G. A., Small amplitude vibrations of an internally constrained elastic layer (sv971366)	(2)227
ROY, D. See IYENGAR, R. N.	(5)843
ROY, D. See IYENGAR, R. N.	(5)877
SEKAR, P. See NARAYANAN, S.	(3)409
SELAMET, A. See DICKEY, N. S.	(3)435
SENTHIL, S. See NARAYANAN, S.	(3)495
SHIN, K. and HAMMOND, J. K., Pseudo force-state mapping method: incorporation of the embedding and force-state mapping methods (sv971450) (letter)	(5)918
SINGH, R. and NAKRA, B. C., Report on the proceedings of 1996 India-U.S.A. symposium on emerging trends in vibration and noise engineering (sv971398)	(3)295
SINGH, R. See ROOK, T. E.	(3)365
SINGH, S. P. See GUPTA, K. (letter)	(3)513
SOEDEL, W., Foreword (sv971397)	(3)293
SPALL, J. C., MARYAK, J. L. and ASHER, M. S., Neural network approach to locating acoustic emission sources in non-destructive evaluation (sv971355) (letter)	(1)133
SRIVASTAVA, R. K. and KUNDRA, T. K., Natural frequency constrained optimal structural modification using a sensitivity derivative of dynamically constrained mass and stiffness matrices (sv971399) (letter)	(3)527
STASZEWSKI, W. J., Wavelet based compression and feature selection for vibration analysis (sv971380)	(5)735
STRANCAR, B. See BOLTEZAR, M.	(5)729
SUDRAUD, C. See BRANDON, J. A.	(4)555
SUN, J. Q. See JAYACHANDRAN, V. (letter)	(4)716
TEO, C. L., ONG, C. J. and XU, M., Pulse input sequences for residual vibration reduction (sv971360)	(2)157
THOUVEREZ F. See VIKTOROVITCH, M. (letter)	(5)910

To, C. W. S. and WANG, B., Hybrid strain-based three-node flat triangular laminated composite shell elements for vibration analysis (sv971373) (letter)	(2)277
TOMASIELLO, S. See FRANCIOSI, C.	(2)145
TRETHERWEY, M. W. See CHU, C.-H.	(3)335
VIKTOROVITCH, M., THOUVEREZ F. and JEZEQUEL, L., A stochastic reformulation of the power flow equations for membranes and plates (sv971374) (letter)	(5)910
VIRGIN, L. N. See BEGLEY, C. J.	(5)801
WANG, B. See To, C. W. S. (letter)	(2)277
WANG, Q. See LI, K. M.	(4)663
WEST, R. L. See MITCHELL, L. D.	(3)323
WICKS, A. L. See MITCHELL, L. D.	(3)323
WOLFERT, A. R. M., DIETERMAN, H. A. and METRIKINE, A. V., Stability of vibrations of two oscillators moving uniformly along a beam on a viscoelastic foundation (sv971392)	(5)829
WONG, W. C. See CHA, P. D.	(2)249
XU, M. See TEO, C. L.	(2)157
YANG, B. See FANG, H.	(4)571
YU, P., Computation of normal forms via a perturbation technique (sv971347)	(1)19