

INDEX TO VOLUME 213

- AMABILI, M., PAÏDOUSSIS, M. P. and LAKIS, A. A., Vibrations of partially filled cylindrical tanks with ring-stiffeners and flexible bottom (2)259
- ANSARI, A. H. See GUPTA, U. S. (3)429
- AVDEEVA, H. V. See KORENBAUM, V. I. (letter) (2)377
- BALENDRA, T. See YAN, N. (2)301
- BERESNEVICH, V. I. See TSYFANSKY, S. L. (1)159
- BERGER, B. S., MINIS, I., HARLEY, J., ROKNI, M. and PAPADOPOULOS, M., Wavelet based cutting state identification (5)813
- BESHARA, M. and KEANE, A. J., Vibrational energy flows between plates with compliant and dissipative couplings (3)511
- BIEDRON, R. T. See RUMSEY, C. L. (4)643
- CAI, C. W. See CHAN, H. C. (1)89
- CAO, D. Q. See PUN, D. (3)447
- CEN, Y. See SUN, L. (1)1
- CHAN, H. C. and CAI, C. W., Dynamics of nearly periodic structures (1)89
- CHANCE, J. E., WORDEN, K. and TOMLINSON, G. R., Frequency domain analysis of NARX neural networks (5)915
- CHEN, Y. S. See ZHANG, W. Y. (4)739
- CHOU, H.-M. See WU, J.-S. (2)317
- CONVERTI, J. See SCHEBLE, M. (letter) (1)193
- DOWELL, E. H. and TANG, D., The high-frequency response of a plate carrying a concentrated mass/spring system (5)843
- EVERSMAN, W. and OKUNBOR, D., AFT fan duct acoustic radiation (2)235
- FAN, S. C. See FUNG, T. C. (3)409
- FARASSAT, F. See RUMSEY, C. L. (4)643
- FILIPPI, P. J. T. See HABAULT, D. (2)333
- FRISWELL, M. I., GARVEY, S. D., PENNY, J. E. T. and SMART, M. G., Computing critical speeds for rotating machines with speed dependent bearing properties (1)139
- FUNG, T. C., FAN, S. C. and SHENG, G., Mixed time finite elements for vibration response analysis (3)409
- GAO, J.-X., SHEN, Y.-P. and WANG, J., Three dimensional analysis for free vibration of rectangular composite laminates with piezoelectric layers (letter) (2)383
- GARVEY, S. D. See FRISWELL, M. I. (1)139
- GAUTIER, F. and TAHANI, N., Vibroacoustic behaviour of a simplified musical wind instrument (1)107
- GOROG, S. and MICHEAU, P., Filter banks implementation of numerical models for vibroacoustic analysis in the medium frequency range (1)35
- GUPTA, U. S. and ANSARI, A. H., Free vibration of polar orthotropic circular plates of variable thickness with elastically restrained edge (3)429
- HABAULT, D. and FILIPPI, P. J. T., Light fluid approximation for sound radiation and diffraction by thin elastic plates (2)333
- HANSEN, J. S. See OGUMANAM, D. C. D. (5)889
- HARLEY, J. See BERGER, B. S. (5)813
- HEPPLER, G. R. See OGUMANAM, D. C. D. (5)889
- HUSEYIN, K. See ZHANG, W. Y. (4)739
- JI, B. H., ZHANG, G. H., WANG, L. T., YUAN, Q., MENG, Q. J., and LIU, D. Y., Experimental investigation of the dynamic characteristics of the damped blade (2)223
- JI, Z. L. See SELAMET, A. (4)601
- JI, Z. L. See SELAMET, A. (4)619

- JONASSON, H. J. and SIMMONS, C., Comments on Dr Parmanen's Letter to the Editor, "Comments and conclusions based on 'Alternative reference curves for evaluation of the impact sound insulation between dwellings'" (letter) (4)774
- KANG, B. and TAN, C. A., Elastic wave motions in an axially strained, infinitely long rotating Timoshenko shaft (3)467
- KANG, B. See TAN, C. A. (3)483
- KEANE, A. J. See BESHARA, M. (3)511
- KEANE, A. J. See MOSHREFI-TORBATI, M. (5)865
- KILIN, A. S. See KORENBAUM, V. I. (letter) (2)377
- KIM D.-O. and LEE, I. W., Mode localization in simply supported two-span beams of arbitrary span lengths (letter) (5)952
- KOCATÜRK, T., Determination of the steady state response of viscoelastically point-supported rectangular anisotropic (orthotropic) plates (4)665
- KORENBAUM, V. I., TAGILTSEV, A. A., KULAKOV, J. V., KILIN, A. S., AVDEEVA, H. V. and POCHEKUTOVA, I. A., An acoustic model of noise production in the human bronchial tree under forced expiration (letter) (2)377
- KRODKIEWSKI, J. M. See SUN, L. (1)1
- KULAKOV, J. V. See KORENBAUM, V. I. (letter) (2)377
- LAKIS, A. A. See AMABILI, M. (2)259
- LAU, S. L. See PUN, D. (3)447
- LAURA, P. A. A. and URQUIZA, J., Comments on "Hierarchical finite element analysis of the vibration of membranes" (letter) (2)375
- LAURA, P. A. A. See VERA, S. A. (letter) (4)757
- LAURSEN, T. A. See OANCEA, V. G. (4)577
- LAW, S. S. See PUN, D. (3)447
- LEE, I. W. See KIM D.-O. (letter) (5)952
- LEE, Y. S. See YIM, J. S. (1)75
- LEUNG, A. Y. T. and ZHANG, Q. C., Complex normal form for strongly non-linear vibration systems exemplified by Duffing-van der Pol equation (5)907
- LEUNG, R. C. N., Vibration transmission from deck to hull via a bulkhead (3)551
- LIN, T.-Y. See WANG, R.-T. (1)127
- LIU, D. Y. See JI, B. H. (2)223
- LIU, Y. See TJAVARAS, A. A. (4)709
- LUO, G.-W. and XIE, J.-H., HOPF bifurcation of a two-degree-of-freedom vibro-impact system (3)391
- LUO, Y., Frequency analysis of infinite continuous beam under axial loads (5)791
- MAHAVAMANA, P. A. See SHAHRUZ, S. M. (letter) (5)943
- MENG, Q. J. See JI, B. H. (2)223
- MICHEAU, P. See GOROG, S. (1)35
- MINIS, I. See BERGER, B. S. (5)813
- MOORTHY, R. I. K. and SRIRANGARAJAN, H. R., Chaos in rocking oscillations of a rigid body (letter) (1)189
- MOSHREFI-TORBATI, M., SIMONIS DE CLOKE, C. and KEANE, A. J., Vibrational optimization of a mass-loaded stepped plate (5)865
- OANCEA, V. G. and LAURSEN, T. A., Investigations of low frequency stick-slip motion: experiments and numerical modelling (4)577
- OGUAMANAM, D. C. D., HANSEN, J. S. and HEPPLER, G. R., Dynamic response of an overhead crane system (5)889
- OKUNBOR, D. See EVERSMAN, W. (2)235
- PAÏDOUSSIS, M. P. See AMABILI, M. (2)259
- PAPADOPOULOS, M. See BERGER, B. S. (5)813
- PARK, Y.-S. See WON, K.-M. (5)801
- PARMANEN, J., Comments and conclusions based on "Alternative reference curves for evaluation of the impact sound insulation between dwellings" (letter) (4)763
- PENNY, J. E. T. See FRISWELL, M. I. (1)139
- POCHEKUTOVA, I. A. See KORENBAUM, V. I. (letter) (2)377

- PUN, D., LAU, S. L., LAW, S. S. and CAO, D. Q., Forced vibration analysis of a multidegree impact vibrator (3)447
 RADAVICH, P. M. See SELAMET, A. (4)619
 RICHARDS, C. M. and SINGH, R., Identification of multi-degree-of-freedom non-linear systems under random excitations by the "reverse path" spectral method (4)673
 ROBERTS, J. B. See VASTA, M. (2)201
 ROKNI, M. See BERGER, B. S. (5)813
 RUMSEY, C. L., BIEDRON, R. T., FARASSAT, F. and SPENCE, P. L., Ducted-fan engine acoustic predictions using a Navier-Stokes code (4)643
 SÁNCHEZ, M. D. See VERA, S. A. (letter) (4)757
 SAEED, H. M. and VESTRONI, F., Simulation of combined systems by periodic structures: the wave transfer matrix approach (1)55
 SATO, T. See YANG, J. (letter) (3)561
 SCHEBLE, M., STRIZZOLO, C. N. and CONVERTI, J., A Rayleigh-Ritz substructure synthesis method in physical co-ordinates for dynamic analysis of structures (letter) (1)193
 SELAMET, A. and JI, Z. L., Acoustic attenuation performance of circular expansion chambers with offset inlet/outlet: I. Analytical approach (4)601
 SELAMET, A., JI, Z. L. and RADAVICH, P. M., Acoustic attenuation performance of circular expansion chambers with offset inlet/outlet: II. Comparison with experimental and computational studies (4)619
 SETOLA, R., A spline-based state reconstructor for active vibration control of a flexible beam (5)777
 SHAHRUZ, S. M. and MAHAVAMANA, P. A., An upper bound on displacements of damped linear systems (letter) (5)943
 SHEN, Y.-P. See GAO, J.-X. (letter) (2)383
 SHENG, G. See FUNG, T. C. (3)409
 SIMMONS, C. See JONASSON, H. J. (letter) (4)774
 SIMONIS DE CLOKE, C. See MOSHREFI-TORBATI, M. (5)865
 SINGH, R. See RICHARDS, C. M. (4)673
 SMART, M. G. See FRISWELL, M. I. (1)139
 SOHN, D. S. See YIM, J. S. (1)75
 SPENCE, P. L. See RUMSEY, C. L. (4)643
 SRIRANGARAJAN, H. R. See MOORTHY, R. I. K. (letter) (1)189
 STRIZZOLO, C. N. See SCHEBLE, M. (letter) (1)193
 SUN, L., KRODKIEWSKI, J. M. and CEN, Y., Self-tuning adaptive control of forced vibration in rotor systems using an active journal bearing (1)1
 TAGILTSEV, A. A. See KORENBAUM, V. I. (letter) (2)377
 TAHANI, N. See GAUTIER, F. (1)107
 TAKABATAKE, H., Dynamic analysis of rectangular plates with stepped thickness subjected to moving loads including additional mass (5)829
 TAN, C. A. and KANG, B., Wave reflection and transmission in an axially strained, rotating Timoshenko shaft (3)483
 TAN, C. A. See KANG, B. (3)467
 TAN, D.-Y., Free vibration analysis of shells of revolution (1)15
 TANG, D. See DOWELL, E. H. (5)843
 THOMPSON, D. J., VAN VLIET, W. J. and VERHEIJ, J. W., Developments of the indirect method for measuring the high frequency dynamic stiffness of resilient elements (1)169
 TJAVARAS, A. A., ZHU, Q., LIU, Y., TRIANTAFYLLOU, M. S. and YUE, D. K. P., The mechanics of highly-extensible cables (4)709
 TOMLINSON, G. R. See CHANCE, J. E. (5)915
 TRIANTAFYLLOU, M. S. See TJAVARAS, A. A. (4)709
 TSYFANSKY, S. L. and BERESNEVICH, V. I., Detection of fatigue cracks in flexible geometrically non-linear bars by vibration monitoring (1)159
 URQUIZA, J. See LAURA, P. A. A. (letter) (2)375
 VAN VLIET, W. J. See THOMPSON, D. J. (1)169
 VASTA, M. and ROBERTS, J. B., Stochastic parameter estimation of non-linear systems using only higher order spectra of the measured response (2)201

- VEGA, D. A. See VERA, S. A. (letter) (4)757
VERA, S. A., SÁNCHEZ, M. D., LAURA, P. A. A. and VEGA, D. A., Transverse vibrations of circular, annular plates with several combinations of boundary conditions (letter) (4)757
VERHEIJ, J. W. See THOMPSON, D. J. (1)169
VESTRONI, F. See SAEED, H. M. (1)55
WANG, C. M. See YAN, N. (2)301
WANG, J. See GAO, J.-X. (letter) (2)383
WANG, L. T. See JI, B. H. (2)223
WANG, P. K. C., Feedback control of vibrations in a micromachined cantilever beam with electrostatic actuators (3)537
WANG, R.-T. and LIN, T.-Y., Random vibration of multi-span Timoshenko beam due to a moving load (1)127
WANG, Y. and WANG, Z., A temporal finite element method for the dynamic analysis of flexible mechanisms (letter) (3)569
WANG, Z. See WANG, Y. (letter) (3)569
WON, K.-M. and PARK, Y.-S., Optimal support positions for a structure to maximize its fundamental natural frequency (5)801
WORDEN, K. See CHANCE, J. E. (5)915
WU, J.-S. and CHOU, H.-M., Free vibration analysis of a cantilever beam carrying any number of elastically mounted point masses with the analytical-and-numerical-combined method (2)317
XIE, J.-H. See LUO, G.-W. (3)391
YAN, N., WANG, C. M. and BALENDRA, T., Composite mass dampers for vibration control of wind-excited towers (2)301
YANG, J. and SATO, T., On the vibration of saturated layered half-space due to low frequency excitation (letter) (3)561
YIM, J. S., SOHN, D. S. and LEE, Y. S., Free vibration of clamped-free circular cylindrical shell with a plate attached at an arbitrary axial position (1)75
YUAN, Q. See JI, B. H. (2)223
YUE, D. K. P. See TJAVARAS, A. A. (4)709
ZHANG, G. H. See JI, B. H. (2)223
ZHANG, Q. C. See LEUNG, A. Y. T. (5)907
ZHANG, W. Y., HUSEYIN, K. and CHEN, Y. S., On the analysis of certain high dimensional systems with inner resonances (4)739
ZHU, Q. See TJAVARAS, A. A. (4)709