

## INDEX TO VOLUME 218

AIDA, T., Aso, T., NAKAMOTO, K. and KAWAZOE, K., Vibration control of shallow shell structures using a shell-type dynamic vibration absorber . . . . .	(2)245
ASO, T. See AIDA, T. . . . .	(2)245
ATAY, F. M., Van Der Pol's oscillator under delayed feedback . . . . .	(2)333
AURÉGAN, Y., PACHEBAT, M. and PAGNEUX, V., Hydrodynamic modes in pipes with superimposed uniform mean flow and viscothermal effects (letter) . . . . .	(4)735
BABITSKY, V. I. and VEPRIK, A. M., Universal bumpered vibration isolator for severe environment . . . . .	(2)269
BENT, P. H. See QUINLAN, D. A. . . . .	(2)177
BRENTNER, K. S. See FARASSAT, F. . . . .	(3)481
BUCHER, I., Exact adjustment of dynamic forces in presence of non-linear feedback and singularity—theory and algorithm . . . . .	(1)1
CAI, C. W. See CHAN, H. C. . . . .	(1)29
CALLENAERE, J. See COUDERC, Ph. . . . .	(1)133
CHALHOUB, N. G. and CHEN, L., A structural flexibility transformation matrix for modelling open-kinematic chains with revolute and prismatic joints . . . . .	(1)45
CHAN, H. C., CHEUNG, Y. K. and CAI, C. W., Exact solution for vibration analysis of rectangular cable networks with periodically distributed supports . . . . .	(1)29
CHEN, L. See CHALHOUB, N. G. . . . .	(1)45
CHEN, W. Q., XU, R. Q. and DING, H. J., On free vibration of a piezoelectric composite rectangular plate (letter) . . . . .	(4)741
CHEUNG, Y. K. See CHAN, H. C. . . . .	(1)29
CHIU, C.-Y. See SUNG, C.-C. . . . .	(4)605
CHOU, T.-H. See WANG, R.-T. . . . .	(1)117
CHOY, Y. S. See TANG, S. K. . . . .	(4)599
CHUN, C. K. and DONG, S. B., Finite element analysis of shear deformation in laminated anisotropic shells of revolution (letter) . . . . .	(1)164
COUDERC, Ph., CALLENAERE, J., DER HAGOPIAN, J., FERRARIS, G., KASSAI, A., BORJESSON, Y., VERDILLON, L. and GAIMARD, S., Vehicle driveline dynamic behaviour: experimentation and simulation . . . . .	(1)133
COUET, C. See DRON, J. P. . . . .	(3)501
DENG M. X., Propagation of finite amplitude acoustic waves in a two-dimensional rectangular duct . . . . .	(5)791
DER HAGOPIAN, J. See COUDERC, Ph. . . . .	(1)133
DING, H. J. See CHEN, W. Q. (letter) . . . . .	(4)741
DJAFARI-ROUHANI, B. See KUSHWAHA, M. S. . . . .	(4)697
DONG, S. B. See CHUN, C. K. (letter) . . . . .	(1)164
DRON, J. P., RASOLOFONDRAIBE, L., COUET, C. and PAVAN, A., Fault detection and monitoring of a ball bearing benchtest and a production machine via autoregressive spectrum analysis . . . . .	(3)501
DUHAMEL, D. and SERGENT, P., Sound propagation over noise barriers with absorbing ground . . . . .	(5)799
EATOCK TAYLOR, R. See PRICE, N. M. . . . .	(3)361
ERIN, C., WILSON, B. and ZAPFE, J., An improved model of a pneumatic vibration isolator: theory and experiment . . . . .	(1)181
FARASSAT, F. and BRENTNER, K. S., Supersonic quadrupole noise theory for high-speed helicopter rotors . . . . .	(3)481
FERRARIS, G. See COUDERC, Ph. . . . .	(1)133

FLOWERS, G. T., MARGITHU, D. B. and SZASZ, G., The application of Floquet methods in the analyses of rotordynamic systems (letter) . . . . .	(2)350
FUJII, B. See KAGAWA, Y. . . . .	(3)419
FUJIOKA, K. See KAGAWA, Y. . . . .	(3)419
FUKUSHIMA, T. See NAGAYA, K. . . . .	(3)445
FUNG, R.-F., LU, P.-Y. and TSENG, C.-C., Non-linearly dynamic modelling of an axially moving beam with a tip mass . . . . .	(4)559
GAIMARD, S. See COUDERC, Ph. . . . .	(1)133
GÜLER, K., Free vibrations and modes of chimneys on an elastic foundation (letter) . . . . .	(3)541
HAMMOND, J. K. See SHIN, K. . . . .	(3)389
HAMMOND, J. K. See SHIN, K. . . . .	(3)405
HASSIS, H., An integral representation formulation of some one-dimensional problems . . . . .	(5)845
HODGSON, M. See LI, K. . . . .	(3)463
HUANG, Z. L. See ZHU, W. Q. . . . .	(5)769
JALILI, N. See OLGAC, N. . . . .	(2)307
JI, Z. and ZU, J. W., Method of multiple scales for vibration analysis of rotor-shaft systems with non-linear bearing pedestal model . . . . .	(2)293
JUDGE, J. and PRATAP, R., Asymptotic states of a bilinear hysteretic oscillator in a fully dissipative phase space (letter) . . . . .	(3)548
KAGAWA, Y., TSUCHIYA, T., FUJII, B. and FUJIOKA, K., Discrete Huygens' model approach to sound wave propagation . . . . .	(3)419
KASSAI, A. See COUDERC, Ph. . . . .	(1)133
KAWAZOE, K. See AIDA, T. . . . .	(2)245
KEANE, A. J. See PRICE, N. M. . . . .	(3)361
KIM, H. R. and RENSHAW, A. A., Asymmetric, speed dependent tensioning of circular rotating disks . . . . .	(1)65
KRUSE, H., POPP, K. and METRIKINE, A. V., Eigenfrequencies of a two-mass oscillator uniformly moving along a string on a visco-elastic foundation . . . . .	(1)103
KUSHWAHA, M. S. and DJAFARI-ROUHANI, B., Sonic stop-bands for periodic arrays of metallic rods: honeycomb structure . . . . .	(4)697
LAURA, P. A. A., Comments on "The response of and sound power radiated by a clamped rectangular plate" (letter) . . . . .	(2)341
LAURA, P. A. A., ROSSI, R. E., VEGA, D. A., VERA, S. A. and SÁNCHEZ, M. D., Vibrations of orthotropic, circular annular plates of non-uniform thickness and a free inner edge (letter) . . . . .	(1)159
LAW, S. S. See SHI, Z. Y. . . . .	(5)825
LI, K. and HODGSON, M., Improved methods for estimating fitting density in industrial workrooms . . . . .	(3)463
LIN, S. Y., Coupled vibration analysis of piezoelectric ceramic disk resonators . . . . .	(2)205
LIU, M. See PRICE, N. M. . . . .	(3)361
LU, P.-Y. See FUNG, R.-F. . . . .	(4)559
LUCERO, J. C., Subcritical Hopf bifurcation at phonation onset (letter) . . . . .	(2)344
LUONGO, A. and PAOLONE, A., Multiple scale analysis for divergence-Hopf bifurcation of imperfect symmetric systems . . . . .	(3)527
MAHAVAMANA, P. A. See SHAHRUZ, S. M. (letter) . . . . .	(5)883
MAIA, N. M. M., SILVA, J. M. M. and RIBEIRO, A. M. R., On a general model for damping . . . . .	(5)749
MARGITHU, D. B. See FLOWERS, G. T. (letter) . . . . .	(2)350
MESSINA, A. See SOLDATOS, K. P. . . . .	(2)219
METRIKINE, A. V. See KRUSE, H. . . . .	(1)103
MURAVYOV, A., Forced vibration responses of a viscoelastic structure (letter) . . . . .	(5)892
NAGAYA, K. and FUKUSHIMA, T., Intelligent beam transforming earthquake force into vibration control force and its optimal design . . . . .	(3)445
NAKAMOTO, K. See AIDA, T. . . . .	(2)245
NORMAN, K. R., SELAMET, A. and NOVAK, J. M., Perforated muffler manifold catalyst . . . . .	(4)711
NOVAK, J. M. See NORMAN, K. R. . . . .	(4)711
OLGAC, N. and JALILI, N., Modal analysis of flexible beams with delayed resonator vibration absorber: theory and experiments . . . . .	(2)307

- PACHEBAT, M. See AURÉGAN, Y. (letter) . . . . . (4)735
- PAGNEUX, V. See AURÉGAN, Y. (letter) . . . . . (4)735
- PAOLONE, A. See LUONGO, A. . . . . (3)527
- PAVAN, A. See DRON, J. P. . . . . (3)501
- POPP, K. See KRUSE, H. . . . . (1)103
- PRATAP, R. See JUDGE, J. (letter) . . . . . (3)548
- PRICE, N. M., LIU, M., EATOCK TAYLOR, R. and KEANE, A. J., Vibrations of cylindrical pipes and open shells . . . . . (3)361
- QUINLAN, D. A. and BENT, P. H., High frequency noise generation in small axial flow fans . . . . . (2)177
- RASOLOFONDRAIBE, L. See DRON, J. P. . . . . (3)501
- RENSHAW, A. A. See KIM, H. R. . . . . (1)65
- RIBEIRO, A. M. R. See MAIA, N. M. M. . . . . (5)749
- ROSSI, R. E. See LAURA, P. A. A. (letter) . . . . . (1)159
- SÁNCHEZ, M. D. See LAURA, P. A. A. (letter) . . . . . (1)159
- SELAMET, A. See NORMAN, K. R. . . . . (4)711
- SERGENT, P. See DUHAMEL, D. . . . . (5)799
- SHAHRUZ, S. M. and MAHAVAMANA, P. A., An upper bound on responses of non-classically damped linear systems (letter) . . . . . (5)883
- SHI, Z. Y., LAW, S. S. and ZHANG, L. M., Structural damage localization from modal strain energy change . . . . . (5)825
- SHIN, K. and HAMMOND, J. K., Force-state mapping method of a chaotic dynamical system . . . . . (3)405
- SHIN, K. and HAMMOND, J. K., The instantaneous Lyapunov exponent and its application to chaotic dynamical systems . . . . . (3)389
- SILVA, J. M. M. See MAIA, N. M. M. . . . . (5)749
- SOLDATOS, K. P. and MESSINA, A., Vibration studies of cross-ply laminated shear deformable circular cylinders on the basis of orthogonal polynomials . . . . . (2)219
- STAVRIDIS, L. T., Dynamic analysis of shallow shells of rectangular base . . . . . (5)861
- SUNG, C. C., Author's reply (letter) . . . . . (2)342
- SUNG, C.-C. and CHIU, C.-Y., Control of sound transmission through thin plate . . . . . (4)605
- SZASZ, G. See FLOWERS, G. T. (letter) . . . . . (2)350
- TANG, S. K. and CHOY, Y. S., Further investigation on noise distribution function . . . . . (4)599
- TOMASIENNO, S., Differential quadrature method: application to initial-boundary-value problems . . . . . (4)573
- TEENG, C.-C. See FUNG, R.-F. . . . . (4)559
- TSUCHIYA, T. See KAGAWA, Y. . . . . (3)419
- VEGA, D. A. See LAURA, P. A. A. (letter) . . . . . (1)159
- VEPRIK, A. M. See BABITSKY, V. I. . . . . (2)269
- VERA, S. A. See LAURA, P. A. A. (letter) . . . . . (1)159
- VERDILLON, L. See COUDERC, Ph. . . . . (1)133
- WANG, R.-T. and CHOU, T.-H., Non-linear vibration of Timoshenko beam due to a moving force and the weight of beam . . . . . (1)117
- WILSON, B. See ERIN, C. . . . . (1)81
- XU, M. B. and ZHANG, X. M., Vibration power flow in a fluid-filled cylindrical shell . . . . . (4)587
- XU, R. Q. See CHEN, W. Q. (letter) . . . . . (4)741
- ZAPFE, J. See ERIN, C. . . . . (1)81
- ZENG, P., Composite element method for vibration analysis of structure, Part I: principle and  $C^0$  element (bar) . . . . . (4)619
- ZENG, P., Composite element method for vibration analysis of structure, Part II:  $C^1$  element (beam) . . . . . (4)659
- ZHANG, L. M. See SHI, Z. Y. . . . . (5)825
- ZHANG, X. M. See XU, M. B. . . . . (4)587
- ZHU, W. Q. and HUANG, Z. L., Stochastic stability of quasi-non-integrable-Hamiltonian systems . . . . . (5)769
- ZU, J. W. See JI, Z. . . . . (2)293
- BORJESSON, Y. See COUDERC, Ph. . . . . (1)133