

INDEX TO VOLUME 228

ABDEL WAHAB, M. M., DE ROECK, G. and PEETERS, B., Parameterization of damage in reinforced concrete structures using model updating	(4)717
ADACHI, H. See HIKIHARA, T.	(4)871
AFZAL, M. See NAZEEER, M. M.	(4)889
AHMED, N. See NAZEEER, M. M.	(4)889
ALSUWAIYAN, A. S. and SHAW, S. W., Localization of free vibration modes in systems of nearly identical vibration absorbers (letter)	(3)703
AMABILI, M. and GARZIERA, R., Comments and additions to "transverse vibrations of circular, annular plates with several combinations of boundary conditions" (letter)	(2)443
AMABILI, M., PELLICANO, F. and PAÏDOUSSIS, M. P., Non-linear dynamics and stability of circular cylindrical shells containing flowing fluid, part II: Large-amplitude vibrations without flow	(5)1103
ANNOUNCEMENTS	(5)1205
ANTHONIS, J. See KENNES, P.	(2)421
ASWATHA NARAYANA, P. A. See VARAPRASAD PATNAIK, B. S.	(3)459
AU, F. T. K. See CHEUNG, Y. K.	(3)611
BAJŠIĆ, I. See KUTIN, J.	(2)227
BALACHANDRAN, B., LI, Y.-Y. and FANG, C.-C., A mechanical filter concept for control of non-linear crane-load oscillations	(3)651
BELOTSERKOVSKIY, P. M., Periodic string response to an impact and a suddenly applied concentrated stationary force	(1)51
BENAMAR, R. See EL KADIRI, M.	(2)333
BISHOP, S. R., See WAGG, D. J.	(2)243
BOOK REVIEWS	(5)1211
CHAN, H. C. See LIU, J. K.	(2)265
CHANG, M.-Y. and LIBRESCU, L., Vibration control of shear deformable laminated plates—modeling implications	(4)731
CHAO, S.-C. See LIN, J.-Y.	(3)629
CHEN, X. Z. See ZHANG, S. Y.	(4)761
CHEN, Y.-S. See JI, J.-C.	(5)1125
CHENG, Y. S. See CHEUNG, Y. K.	(3)611
CHEUNG, Y. K., AU, F. T. K., ZHENG, D. Y. and CHENG, Y. S., Vibration of multi-span non-uniform bridges under moving vehicles and trains by using modified beam vibration functions	(3)611
CHIEN, C. F. and WATERHOUSE, R. V., Singular points of intensity streamlines in axisymmetric sound fields (letter)	(4)931
CHUNG, J. and RO, D.-S., Dynamic analysis of an automatic dynamic balancer for rotating mechanisms	(5)1035
CLARK, R. L. See SMITH, G. C. (letter)	(5)1182
CLIJMANS, L. See KENNES, P.	(2)421
COŞKUN, İ., ENGIN H. and ERGÜVEN, M. E., Non-linear forced vibrations of an inhomogeneous layer	(1)91
CUDNEY, H. H. See NIEZRECKI, C.	(5)961
DAHLBERG, T., The effect of modal coupling in random vibration analysis	(1)157
DE HOOG, F. R. See TARNOPOLSKAYA, T.	(2)305
DE ROECK, G. See ABDEL WAHAB, M. M.	(4)717
DENISOV, K. P. and KHITRIK, V. L., A note on the stability and chaotic motions of a restrained pipe conveying fluid (letter)	(2)448
DE HOOG, F. R. See TARNOPOLSKAYA, T.	(1)69
DIAZ VALDES, S. H. and SOUTIS, C., Delamination detection in composite laminates from variations of their modal characteristics	(1)1

- EL KADIRI, M., BENAMAR, R. and WHITE, R. G., The non-linear free vibration of fully clamped rectangular plates: Second non-linear mode for various plate aspect ratios (2)333
- EL-MOUSLY, M., Fundamental frequencies of Timoshenko beams mounted on Pasternak foundation (letter) (2)452
- ELEY, R., FOX, C. H. J. and MCWILLIAM, S., Anisotropy effects on the vibration of circular rings made from crystalline silicon (1)11
- ENGIN, H. See COŞKUN, İ. (1)91
- ENVIA, E. and NALLASAMY, M., Design selection and analysis of a swept and leaned stator concept (4)793
- ERGÜVEN, M. E. See COSKUN, İ. (1)91
- FANG, C.-C. See BALACHANDRAN, B. (3)651
- FLETCHER, N. H. See TARNOPOLSKAYA, T. (1)69
- FLETCHER, N. H. See TARNOPOLSKAYA, T. (2)305
- FOX, C. H. J. See HWANG, R.S. (3)683
- FOX, C.H. See ELEY, R. (1)11
- GARZIERA, R. See AMABILI, M. (letter) (2)443
- GAWRONSKI, W., Simultaneous placement of actuators and sensors (letter) (4)915
- GHORASHI, M., Comments on "Non-stationary responses of a non-linearly coupled pitch-roll ship model under modulated excitation (letter) (3)701
- HEERTJES, M. F., VAN DE MOLENGRAFT, M. J. G. and NIJMEIJER, H., Partial feedback linearization on a harmonically excited beam with one-sided spring (5)939
- HIKIHARA, T., ADACHI, H., MOON, F. C. and UEDA, Y., Dynamical behavior of flywheel rotor suspended by hysteretic force of HTSC magnetic bearing (4)871
- HOVER, F. S. and TRIANTAFYLLOU, M. S., Linear dynamics of curved tensioned elastic beams (letter) (4)923
- HSIEH, M. See WU, J.-S. (2)275
- HUMAN RESPONSE TO VIBRATION
- HUMBERT, L., THOUVEREZ, F. and JEZEQUEL, L., Finite element dynamic model updating using modal thermoelastic fields (2)397
- HWANG, R. S., FOX, C. H. J. and MCWILLIAM, S., Free vibrations of elliptical rings with circumferentially variable thickness (3)683
- HYUN, S. H. and YOO, H. H., Dynamic modelling and stability analysis of axially oscillating cantilever beams (3)543
- IKAI, S. See NAGAYA, K. (4)773
- JEBARAJ, C. See LAKSHMI NARAYANA, K. (5)977
- JEZEQUEL, L. See HUMBERT, L. (2)397
- JI, J.-C., YU, L. and CHEN, Y.-S., Bifurcation and amplitude modulated motions in a parameterically excited two-degree-of-freedom non-linear system (5)1125
- JIANG, J. S. and TONG, W. H., How many modes are acceptable and how do people improve the modes? (3)559
- JONES, C. J. C. See SHENG, X. (1)129
- KARPODINIS, G. See WAGG, D. J. (2)243
- KENNES, P., ANTHONIS, J., CLIJMANS, L. and RAMON, H., Construction of a portable test rig to perform experimental modal analysis on mobile agricultural machinery (2)421
- KHAN, A. F. See NAZEEER, M. M. (4)889
- KHITRIK, V. L. See DENISOV, K. P. (letter) (2)448
- KIM, J.-H. See PARK, J.-H. (5)1017
- KIM, K.-J. See LEE, B.-C. (4)845
- KO, N. W. M., LEUNG, R. C. K. and TANG, C. C. K., The interaction of perturbed vortex rings and its sound generation. Part II (3)511
- KO, J. M. See SUN, D. K. (3)569
- KURUSU, A. See NAGAYA, K. (4)773
- KUTIN, J. and BAJSIĆ, I., Characteristics of the shell-type Coriolis flowmeter (2)227
- KYPRIANOУ, A. and STASZEWSKI, W. J., On the cross wavelet analysis of Duffing oscillator (letter) (1)199
- LAKSHMI NARAYANA, K. and JEBARAJ, C., Sensitivity analysis of local/global modal parameters for identification of a crack in a beam (5)977
- LARRONDO, H. A. See TOMASEL, F. G. (letter) (5)1195
- LAURA, P. A. A., Author's reply (letter) (2)447

LAURA, P. A. A. See PISTONESI, C. (letter)	(3)712
LAURA, P. A. A. See TOMASEL, F. G.	(5)1195
LAW, S.S. See ZHU, X. Q.	(2)377
LEE, B.-C. and KIM, K.-J., Shear and normal strain effects of core layers in vibration of square sandwich plates under clamped boundary conditions	(4)845
LEUNG, R. C. K. See KO, N. W. M.	(3)511
LI, Y.-Y. See BALACHANDRAN, B.	(3)651
LI, P.-L. See LIANG, C.-C. (letter)	(5)1167
LIANG, C.-C., TAI, Y.-S. and LI, P.-L., Natural frequencies of annular plates having contact with fluid (letter)	(5)1167
LIBRESCU, L. See CHANG, M.-Y.	(4)731
LIN, J. and PARKER, R. G., Sensitivity of planetary gear natural frequencies and vibration modes to model parameters	(1)109
LIN, J.-Y., SHEU, H.-Y. and CHAO, S.-C., LQG/GA design of active noise controllers for a collocated acoustic duct system	(3)629
LIN, C.-L. See WU, J.-S.	(2)275
LIN, J. H. See SUN, D. K.	(3)569
LIU, J. K. and CHAN, H. C., A universal matrix perturbation technique for structural dynamic modification using singular value decomposition	(2)265
MARTIN, V., Active control of moving sound source radiation—numerical modelling in the space-frequency and space-time domains	(3)477
MATSUNAGA, H., Vibration and buckling of deep beam-columns on two-parameter elastic foundations	(2)359
MC LAUGHLIN, D. K. See RAMAN, G.	(3)589
MC WILLIAM, S. See HWANG, R.S.	(3)683
MC WILLIAM, S. See ELEY, R.	(1)11
MOON, F. C. See HIKIHARA, T.	(4)871
NAGAYA, K., KURUSU, A., IKAI, S. and SHITANI, Y., Vibration control of a structure by using a tunable absorber and an optimal vibration absorber under auto-tuning control	(4)773
NALLASAMY, M. See ENVIA, E.	(4)793
NAZEEER, M. M., KHAN, A. F., AFZAL M. and AHMED, N., Mathematical modeling and simulation of vibration control response of intermediate support parameters in a hanging cantilever	(4)889
NIEZRECKI, C. and CUDNEY, H. H., Creating and verifying a research-grade simply supported cylinder with PZT actuation	(5)961
NIJMEIJER, H. See HEERTJES, M. F.	(5)939
PAÏDOUSSIS, M. P. See AMABILI, M.	(5)1103
PARK, J.-H. and KIM, J.-H., Dynamic analysis of rotating curved beam with a tip mass	(5)1017
PARKER, R. G. See LIN, J.	(1)109
PEETERS, B. See ABDEL WAHAB, M. M.	(4)717
PEI, C.-M. see TAN, Y.-H. (letter)	(1)211
PELLICANO, F. See AMABILI, M.	(5)1103
PERKINS, N. C. See SCHOLAR, C.	(5)1057
PETYT, M. See SHENG, X.	(1)129
PISTONESI, C. and LAURA, P. A. A., Forced vibrations of a clamped, circular plate of rectangular orthotropy (letter)	(3)712
PRITZ, T., Verification of local Kramers-Kronig relations for complex modulus by means of fractional derivative model	(5)1145
RAMAN, G. and MC LAUGHLIN, D. K., Highlights of aeroacoustics research in the U.S.—1998	(3)589
RAMON, H. See KENNES, P.	(2)421
RAO, J. S., YU, Y. D. and SHIAU, T. N., Transient response of rotating laminated plates with interfacial friction under accelerating conditions	(1)37
RO, D.-S. See CHUNG, J.	(5)1035
SAEED, H. M., Disturbance propagation paths in a constrained axially moving string (letter)	(1)218
SARIGÜL, A. S., Sound attenuation characteristics of right-angle pipe bends	(4)837
SCHOLAR, C. and PERKINS, N. C., Efficient vibration modelling of elastic vehicle track systems	(5)1057
SEETHARAMU, K. N. See VARAPRASAD PATNAIK, B. S.	(3)459

SHAW, S. W. See ALSUWAIYAN, A.S. (letter)	(3)703
SHENG, X., JONES, C. J. C. and PETTY, M., Ground vibration generated by a load moving along a railway track	(1)129
SHEU, H.-Y. See LIN, J.-Y.	(3)629
SHIAU, T. N. See RAO, J. S.	(1)37
SHITANI, Y. See NAGAYA, K.	(4)773
SMITH, G. C. and CLARK, R. L., Tradeoffs in design complexity—temporal versus spatial compensation (letter)	(5)1182
SOUTIS, C. See DIAZ VALDES, S. H.	(1)1
STASZEWSKI, W. J. See KYPRIANOU, A. (letter)	(1)199
SUN, D. K., XU, Y. L., KO, J. M. and LIN, J. H., Fully coupled buffeting analysis of long-span cable-supported bridges: Formulation	(3)569
TAI, Y.-S. See LIANG, C.-C. (letter)	(5)1167
TAKAHASHI, I., Identification for critical flutter load and boundary conditions of a beam using neural networks	(4)857
TAN, Y.-H., PEI, C.-M. and ZHAO, L.-C., Subspace signal retrieve method for flutter test (letter)	(1)211
TANG, C. C. K. See KO, N. W. M.	(3)511
TARNOPOLSKAYA, T., DE HOOG, F. R., TARNOPOLSKY, A. and FLETCHER, N. H., Vibrations of beams and helices with arbitrarily large uniform curvature	(2)305
TARNOPOLSKAYA, T., DE HOOG, F. R. and FLETCHER, N. H., Low-frequency mode transition in the free in-plane vibration of curved beams	(1)69
TARNOPOLSKY, A. See TARNOPOLSKAYA, T.	(2)305
THOMSEN, J. J., Using fast vibrations to quench friction-induced oscillations	(5)1079
THOUVEREZ, F. See HUMBERT, L.	(2)397
TOMASEL, F. G., LARRONDO, H. A. and LAURA, P. A. A., Detection of cracks in cantilever beams: Experimental set-up using optical techniques and theoretical modelling (letter)	(5)1195
TONG, W. H. See JIANG, J. S.	(3)559
TRIANTAFYLLOU, M. S. See HOVER, F. S. (letter)	(4)923
UEDA, Y. See HIKIHARA, T.	(4)871
VARAPRASAD PATNAIK, B. S., ASWATHA NARAYANA, P. A. and SEETHARAMU, K. N., Numerical simulation of laminar flow past a transversely vibrating circular cylinder	(3)459
VAN DE MOLENGRAFT, M. J. G. See HEERTJES, M. F.	(5)939
WAGG, D. J., KARPODINIS, G. and BISHOP, S. R., An experimental study of the impulse response of a vibro-impacting cantilever beam	(2)243
WANG, L. G. See YIN, X. C.	(5)995
WANG, L. S. See ZHENG, M.	(1)177
WATERHOUSE, R. V. See CHIEN, C. F. (letter)	(4)931
WHITE, R. G. See EL KADIRI, M.	(2)333
WU, J.-S., HSIEH, M. and LIN, C.-L., A lumped-mass model for the dynamic analysis of the spatial beam-like lattice girders	(2)275
XU, Y. L. See SUN, D. K.	(3)569
YIN, X. C. and WANG, L. G., The effect of multiple impacts on the dynamics of an impact system	(5)995
YOO, H. H. See HYUN, S. H.	(3)543
YU, L. See JI, J.-C.	(5)1125
YU, Y. D. See RAO, J. S.	(1)37
ZHANG, S. Y. and CHEN, X. Z., The boundary point method for the calculation of exterior acoustic radiation problem	(4)761
ZHAO, L.-C. see TAN, Y.-H. (letter)	(1)211
ZHENG, D. Y. See CHEUNG, Y. K.	(3)611
ZHENG, M. and WANG L. S., The angular response of parametric arrays—general numerical solution	(1)177
ZHU, X. Q. and LAW, S. S., Moving forces identification on a multi-span continuous bridge	(2)377