

INDEX TO VOLUME 231

| | |
|--|---------|
| ABRAMS, R. M., GERHARDT, K. J., HUANG, X., PETERS, A. J. M. and LANGFORD, R. G., Musical experiences of the unborn baby (letter) | (1)253 |
| AL-JUMAILY, A. See DING, J. J. | (1)125 |
| AMABILI, M., Eigenvalue problems for vibrating structures coupled with quiescent fluids with free surface | (1)79 |
| ANANTHKRISHNAN, N., SUDERSHAN, S., SUDHAKAR, K. and VERMA, A., Large-amplitude limit cycles in resonantly coupled oscillators (letter) | (5)1377 |
| BALASHOV, D. B. See IRRETTIER, H | (5)1271 |
| BOUVET, P., VINCENT, N., COBLENTZ, A. and DEMILLY, F., Optimization of resilient wheels for rolling noise control | (3)765 |
| BRACCIALI, A. and CASCINI, G., Measurement of the lateral noise emission of an UIC 60 rail with a custom device | (3)653 |
| BRIOST, J. J. See SEMBLAT, J. F. (letter) | (2)460 |
| BRÜHL, S. and RÖDER, A., Acoustic noise source modelling based on microphone array measurements | (3)611 |
| BULAVIN, L. A., SENCHUROV, S. P. and ZABASHTA, YU. F., Propagation of axisymmetric normal waves in infinite optical fiber with thin boundary layer | (5)1179 |
| CAMPANAC, P., NONAMI, K. and DUHAMEL, D., Application of the vibration analysis of linear systems with time-periodic coefficients to the dynamics of a rolling tyre | (1)37 |
| CARACCIOLI, R., GASPARRETTO, A. and GIOVAGNONI, M., Measurement of the isotropic dynamic Young's modulus in a seismically excited cantilever beam using a laser sensor | (5)1339 |
| CASCINI, G. See BRACCIALI, A. | (3)653 |
| CETINKAYA, C., WU, C. and LI, C., Laser-based transient surface acceleration of thermoelastic layers | (1)195 |
| CHAKRABORTY, S. and MUKHOPADHYAY, M., Estimation of in-plane elastic parameters and stiffener geometry of stiffened plates | (1)99 |
| CHANG, Y.-F. See KANG, Y. | (2)343 |
| CHANG, Y.-P. See KANG, Y. | (2)343 |
| CHANUT, J. See VILLOT, M. | (3)711 |
| CHAO, C.-P. and SHAW, S. W., The dynamic response of multiple pairs of subharmonic torsional vibration absorbers | (2)411 |
| CHOI, S.-B. and HWANG, J.-H., Structural vibration control using shape memory actuators | (4)1168 |
| CHUNG, J., OH, J.-E. and YOO, H. H., Non-linear vibration of a flexible spinning disc with angular acceleration | (2)375 |
| CLARK, R. L. See WILSON, J. F. | (5)1311 |
| CLEON, L.-M. and WILLAIME, A., Aero-acoustic optimization of the fans and cooling circuit on SNCF's X 72500 railcar | (3)925 |
| COBLENTZ, A. See BOUVET, P. | (3)765 |
| CORDIER, J.-F. and FODIMAN, P., Experimental characterization of wheel and rail surface roughness | (3)667 |
| COX, S. J. See WANG, A. | (3)907 |
| CRAIG, C., NEILSON, R. D. and PENMAN, J., The use of correlation dimension in condition monitoring of systems with clearance | (1)1 |
| CROCKETT, A. R. and PYKE, J. R., Viaduct design for minimization of direct and structure-radiated train noise | (3)883 |
| DE VOS, P. See JANSEN, G. | (3)951 |
| DE ROSA, M. A. and MAURIZI, M. J., Three approaches for the axial vibrations of bars on modified Winkler soil with nonclassical boundary conditions | (5)1257 |
| DE BEER, F. G. and VERHEIJ, J. W., Experimental determination of pass-by noise contributions from the bogies and superstructure of a freight wagon | (3)639 |
| DEMILLY, F. See BOUVET, P. | (3)765 |

| | |
|--|---------|
| HRNJAK, P. See RODARTE, E. | (5)1221 |
| HÜBNER, P., The action programme of UIC, CER and UIP "Abatement of railway noise emissions on goods trains" | (3)511 |
| HUANG, X. See ABRAMS, R. M. (letter) | (1)253 |
| HWANG, J.-H. See CHOI, S.-B. | (4)1168 |
| IKAI, S., OHSAWA, K., NAGAYA, K. and KASHIMOTO, H., Electromagnetic actuator and stacked piezoelectric sensors for controlling vibrations of a motor on a flexible structure | (2)393 |
| IRRETIER, H. and BALASHOV, D. B., Transient resonance oscillations of a slow-variant system with small non-linear damping—modelling and prediction | (5)1271 |
| JÄCKER, M. and FRIEDRICH, A., Legal and economic instruments for activating the noise reduction potential of railway vehicles | (3)491 |
| JACOB, M. See FRÉMION, N. | (3)577 |
| JANSSEN, G. and DE VOS, P., On influencing noise legislation and noise-abatement policy | (3)951 |
| JANSSENS, M. H. A. See DITTRICH, M. G. | (3)595 |
| JEAN, P. and GABILLET, Y., Using a boundary element approach to study small screens close to rails | (3)673 |
| JEAN, P. and VILLOT, M., Study of the vibrational power injected to a wall excited by a ground surface wave | (3)721 |
| JI, Z. L. See SEALMET, A. (letter) | (4)1159 |
| JIN, S. See PAI, P. F. | (4)1079 |
| JOLLY, M. R. See HIRSCH, S. M. | (4)1007 |
| JONES, C. J. C., SHENG, X. and PETYT, M., Simulations of ground vibration from a moving harmonic load on a railway track | (3)739 |
| JONES, C. J. C. See THOMPSON, D. J. | (3)519 |
| JONES, C. J. C. and THOMPSON, D. J., Rolling noise generated by railway wheels with visco-elastic layers | (3)779 |
| KANG, Y., CHANG, Y.-P., TSAI, J.-W., MU, L.-H. and CHANG, Y.-F., An investigation in stiffness effects on dynamics of rotor-bearing-foundation systems | (2)343 |
| KAO, I. See WEI, S. (letter) | (5)1383 |
| KASHIMOTO, H. See IKAI, S. | (2)393 |
| KAYNIA, A. M. See MADSHUS, C. | (3)689 |
| KIM, J.-H. See PARK, S.-H. | (4)989 |
| KING, P. See HIRSCH, S. M. | (4)1023 |
| KITAGAWA, T. and NAGAKURA, K., Aerodynamic noise generated by Shinkansen cars | (3)913 |
| KOOTWIJK-DAMMAN, C. See DINGS, P. | (3)941 |
| KURZE, U. J., DIEHL, R. J. and WEIBENBERGER, W., Sound emission limits for rail vehicles | (3)497 |
| LANGFORD, R. G. See ABRAMS, R. M. (letter) | (1)253 |
| LAURA, P. A. A. See GUTIÉRREZ, R. H. | (4)1175 |
| LAURA, P. A. A., GUTIÉRREZ, R. H. and ROSSI, R. E., Vibrations of circular annular plates of cylindrical anisotropy and non-uniform thickness (letter) | (1)246 |
| LE HOUÉDEC, D. See LEFEUVE-MESGOUEZ, G. | (5)1289 |
| LÉTOURNEAUX, F., GUERRAND, S. and POISSON, F., Assessment of the acoustical comfort in high-speed trains at the SNCF: integration of subjective parameters | (3)839 |
| LÉTOURNEAUX, F., GUERRAND, S. and POISSON, F., Low-frequency acoustic transmission of high-speed trains: simplified vibroacoustic model | (3)847 |
| LEFEUVE-MESGOUEZ, G., LE HOUÉDEC, D. and PEPLOW, A. T., Ground vibration in the vicinity of a high-speed moving harmonic strip load | (5)1289 |
| LEUNG, A. Y. T. See ZHANG, Q. C. | (4)1057 |
| LI, F. J. See HIRSCH, S. M. | (4)1023 |
| LI, T. See MOTTERSHEAD, J. E. | (1)219 |
| LI, D. B. and YAM, L. H., Modal synthesis method for vibration isolation design of massive rotating machines resiliently supported by an elastic structure (letter) | (1)233 |
| LI, J. See LIM, T. C. | (4)1135 |
| LI, C. See CETINKAYA, C. | (1)195 |
| LIBRESCU, L. See NA, S. | (4)1039 |
| LIEPERT, M. See MOEHLER, U. | (3)853 |

- LIM, T. C. and LI, J., A theoretical and computational study of the FRF-based substructuring technique applying enhanced least square and TSVD approaches (4)1135
- LOBKIS, O. I. See WEAVER, R. L. (4)1111
- LOUISOT, A. See FRÉMION, N. (3)577
- MADSHUS, C. and KAYNIA, A. M., High-speed railway lines on soft ground: dynamic behaviour at critical train speed (3)689
- MAURIZI, M. J. See DE ROSA, M. A. (5)1257
- MCDANIEL, J. G., DUPONT, P. and SALVINO, L., A wave approach to estimating frequency-dependent damping under transient loading (2)433
- MEYER, N. E. See HIRSCH, S. M. (4)1023
- MILLER, N. R. See RODARTE, E. (5)1221
- MOEHLER, U., LIEPERT, M., SCHUEMER, R. and GRIEFNAH, B., Differences between railway and road traffic noise (3)853
- MOTTERSHEAD, J. E., LI, T. and HE, J., Pole-zero cancellation in structures: repeated roots (1)219
- MUKHOPADHYAY, M. See CHAKRABORTY, S. (1)99
- MU, L.-H. See KANG, Y. (2)343
- NA, S. and LIBRESCU, L., Dynamic response of adaptive cantilevers carrying external stores and subjected to blast loading (4)1039
- NAGAKURA, K. See KITAGAWA, T. (3)913
- NAGAYA, K. See IKAI, S. (2)393
- NEILSON, R. D. See CRAIG, C. (1)1
- NELSON, J. T., Prediction of ground vibration from trains using seismic reflectivity methods for a porous soil (3)727
- NIELSEN, J. C. O., Acoustic optimization of railway sleepers (3)753
- NOGER, C., PATRAT, J. C., PEUBE, J. and PEUBE, J. L., Aeroacoustical study of the TGV pantograph recess (3)563
- NONAMI, K. See CAMPANAC, P. (1)37
- NOWACK, R. See DIEHL, R. J. (3)899
- ÖZ, H. and RAMSEY, J. K., Time modes and linear systems (5)1189
- OERTLI, J., Cost-benefit analysis in railway noise control (3)505
- OH, J.-E. See CHUNG, J. (2)375
- OH, S.-H. and PARK, Y., Active noise control algorithm using IIR-based filter (letter) (5)1396
- OHSAWA, K. See IKAI, S. (2)393
- PAI, P. F. and JIN, S., Locating structural damage by detecting boundary effects (4)1079
- PARK, Y. See OH, S.-H. (letter) (5)1396
- PARK, S.-H. and KIM, J.-H., Dynamic stability of a completely free circular cylindrical shell subjected to a follower force (4)989
- PATRAT, J. C. See NOGER, C. (3)563
- PENMAN, J. See CRAIG, C. (1)1
- PEPLOW, A. T. See LEFEUVE-MESGOUËZ, G. (5)1289
- PETERS, A. J. M. See ABRAMS, R. M. (letter) (1)253
- PETROVA, M. V. See HIRSCH, S. M. (4)1023
- PETSOUNIS, K. A. and FASSOIS, S. D., Non-stationary functional series TARMA vibration modelling and analysis in a planar manipulator (5)1355
- PETYT, M. See JONES, C. J. C. (3)739
- PEUBE, J. L. See NOGER, C. (3)563
- PEUBE, J. See NOGER, C. (3)563
- POISSON, F. See LÉTOURNEAUX, F. (3)839
- POISSON, F. See LÉTOURNEAUX, F. (3)847
- PRUDHOE, J. E. W. See WANG, A. (3)907
- PRZYBYLSKI, J., The role of prestressing in establishing regions of instability for a compound column under conservative or non-conservative load (2)291
- PYKE, J. R. See CROCKETT, A. R. (3)883
- QU, Z.-Q., Hybrid expansion method for frequency responses and their sensitivities, Part I: Undamped systems (1)175
- RANSEY, J. K. See Öz, H. (5)1189

- | | |
|---|---------|
| REMINGTON, P. J. See THOMPSON, D. J. | (3)537 |
| RÖDER, A. See BRÜHL, S. | (3)611 |
| ROBERT, G. See FRÉMION, N. | (3)577 |
| RODARTE, E., SINGH, G., MILLER, N. R. and HRNIJAK, P., Sound attenuation in tubes due to visco-thermal effects | (5)1221 |
| ROSSI, R. E. See LAURA, P. A. A. (letter) | (1)246 |
| ROY, D., Phase-space linearization for non-linear oscillators: deterministic and stochastic systems | (2)307 |
| SALVINO, L. See McDANIEL, J. G. | (2)433 |
| SCHUEMER, R. See MOEHLER, U. | (3)853 |
| SELAMET, A. and JI, Z. L., Acoustic attenuation performance of expansion chambers with two end-inlets/one side-outslet (letter) | (4)1159 |
| SEMBLAT, J. F. and BARIOIS, J. J., Efficiency of higher order finite elements for the analysis of seismic wave propagation (letter) | (2)460 |
| SENCHUROV, S. P. See BULAVIN, L. A. | (5)1179 |
| SHAW, S. W. See CHAO, C.-P. | (2)411 |
| SHENG, X. See JONES, C. J. C. | (3)739 |
| SHUYU, L., Analysis of the equivalent circuit of piezoelectric ceramic disk resonators in coupled vibration | (2)277 |
| SIMONETT, J. and ZACH, A., Noise impact simulation of rolling stock improvement: specific case studies in Switzerland | (3)935 |
| SINGH, G. See RODARTE, E. | (5)1221 |
| SOBIECHOWSKI, C. and SOCHA, L., Statistical linearization of the Duffing oscillator under non-Gaussian external excitation | (1)19 |
| SOCHA, L. See SOBIECHOWSKI, C. | (1)19 |
| SOL, H. See HONGXING, H. | (4)1071 |
| SUDERSHAN, S. See ANANTHKRISHNAN, N. (letter) | (5)1377 |
| SUDHAKAR, K. See ANANTHKRISHNAN, N. (letter) | (5)1377 |
| SUN, J. Q. See HIRSCH, S. M. | (4)1007 |
| SUN, J. Q. See HIRSCH, S. M. | (4)1023 |
| TALLOTTE, C., Aerodynamic noise: a critical survey | (3)549 |
| THOMPSON, D. J. See JONES, C. J. C. | (3)779 |
| THOMPSON, D. J. and REMINGTON, P. J., The effects of transverse profile on the excitation of wheel/rail noise | (3)537 |
| THOMPSON, D. J. and JONES, C. J. C., A review of the modelling of wheel/rail noise generation | (3)519 |
| TSAI, J.-W. See KANG, Y. | (2)343 |
| TZOU, H. S. See YE, R. | (5)1321 |
| VAN TOL, P. H. See VAN HARREN, E. | (3)681 |
| VAN HARREN, E. and VAN TOL, P. H., Validation of ray acoustics applied for the modelling of noise barriers | (3)681 |
| VAN LIER, S., The vibro-acoustic modelling of slab track with embedded rails | (3)805 |
| VAN LEEUWEN, H. J. A., Railway noise prediction models: a comparison | (3)975 |
| VERHEIJ, J. W. See DE BEER, F. G. | (3)639 |
| VERHEIJEN, E. See DINGS, P. | (3)941 |
| VERMA, A. See ANANTHKRISHNAN, N. (letter) | (5)1377 |
| VILLOT, M. and CHANUT, J., Vibrational energy analysis of ground/structure interaction in terms of wave type | (3)711 |
| VILLOT, M. See JEAN, P. | (3)721 |
| VINCENT, N. See FRÉMION, N. | (3)577 |
| VINCENT, N. See BOUVET, P. | (3)765 |
| VINCENT, N., Rolling noise control at source: state-of-the-art survey | (3)865 |
| WALKER, J. G. See GAUTIER, P.-E. | (3)469 |
| WANG, A., COX, S. J., GOSLING, D. and PRUDHOE, J. E. W., Railway bridge noise control with resilient baseplates | (3)907 |
| WEAVER, R. L. and LOBKIS, O. I., Anderson localization in coupled reverberation rooms | (4)1111 |
| WEIBENBERGER, W. See KURZE, U. J. | (3)497 |
| WEI, S. and KAO, I., Vibration analysis of wire and frequency response in the modern wiresaw manufacturing process (letter) | (5)1383 |

