

INDEX TO VOLUME 233

ALEYAASIN, M., EBRAHIMI, M. and WHALLEY, R., Multivariable hybrid models for rotor-bearing systems	(5)835
ALLALI, M. See MALIK, M. (letter)	(2)359
ALTINSOY, M. E. See İNCEOĞLU, S. (letter)	(4)739
ASOKANTHAN, S. F. and MEEHAN, P. A., Non-linear vibration of a torsional system driven by a Hooke's joint	(2)297
AVALOS, D. R. See LAURA, P. A. A. (letter)	(3)545
BANAIT, P. J. See SRIRANGARAJAN, H. R.	(3)435
BANERJEE, J. R., Free vibration of centrifugally stiffened uniform and tapered beams using the dynamic stiffness method	(5)857
BELHAQ, M. and LAKRAD, F., On the elliptic harmonic balance method for mixed parity non-linear oscillators (letter)	(5)935
BERRY, A. See MASSON, P.	(4)707
BI, Q. and DAI, H. H., Analysis of non-linear dynamics and bifurcations of a shallow arch subjected to periodic excitation with internal resonance	(4)557
BILLINGS, S. A. and LI, L. M., Reconstruction of linear and non-linear continuous-time system models from input/output data using the kernel invariance algorithm	(5)877
BOLTON, J. S. See KOOK, H.	(1)137
CARLEY, M., Propeller noise fields	(2)255
CHA, K.-C. See CHEN, P.-T.	(3)407
CHA, P. D. and GU, W., Model updating using an incomplete set of experimental modes	(4)587
CHALLAMEL, N., Rock destruction effect on the stability of a drilling structure	(2)235
CHAPMAN, C. J., Similarity variables for sound radiation in a uniform flow	(1)157
CHEN, C. K. See HO, S. H. (letter)	(3)547
CHEN, P.-T., JU, S.-H. and CHA, K.-C., A symmetric formulation of coupled BEM/FEM in solving responses of submerged elastic structures for large degrees of freedom	(3)407
CHIANG, C.-H. See HSIAO, F.-B.	(1)41
CHU, C. K. See THAM, L. G.	(1)1
COFFIGNAL, G. See FRIKHA, S.	(3)495
DAI, H. H. See BI, Q.	(4)557
DAVIES, P. See KOOK, H.	(1)137
DIKEN, H., Frequency-response characteristics of a single-link flexible joint manipulator and possible trajectory tracking	(2)179
DIMENTBERG, M. F. and IOURTCHENKO, D. V., Instability of planar oscillations in a certain non-linear system under random excitation (letter).....	(1)175
DING, Q., LEE, P. K. K. and LO, S. H., Time domain buffeting analysis of suspension bridges subjected to turbulent wind with effective attack angle	(2)311
EBRAHIMI, M. See ALEYAASIN, M.	(5)835
ELISHAKOFF, I., Axisymmetric vibration of inhomogeneous clamped circular plates: an unusual closed-form solution (letter)	(4)727
ELISHAKOFF, I., Corrigendum	(2)367
ER, G.-K. and IU, V. P., Stochastic response of base-excited Coulomb oscillator	(1)81
FILIPPI, P. J. T. See GOUBEL-LENOËL, A.	(2)329
FRIEND, R. D. and KINRA, V. K., Particle impact damping.....	(1)93
FRIKHA, S., COFFIGNAL, G. and TROLLE, J. L., Boundary condition identification using condensation and inversion — application to operating piping network	(3)495
FULLER, C. R. See TU, Y.	(5)745

FULLER, C. R. See TU, Y.	(5)761
GOTTLIEB, H. P. W., Exact solutions for vibrations of some annular membranes with inhomogeneous radial densities (letter).....	(1)165
GOUBEL-LENOËL, A., FILIPPI, P. J. T. and LHUILLIER, C., Use of a torsional wave sensor to measure the level of a compressible fluid	(2)329
GRAVES, K. E., TONCICH, D. and IOVENITTI, P. G., Theoretical comparison of motional and transformer EMF device damping efficiency	(3)441
GU, W. See CHA, P. D.	(4)587
GUILLOT, F. M. and JARZYNSKI, J., A new method for measuring the bulk modulus of compliant acoustic materials (letter)	(5)929
HAN, J. H. See OH, I. K.	(1)19
HANSEN, C. H. See HOWARD, C. Q.	(4)573
HO, S. H. and CHEN, C. K., Free vibration analysis of non-homogeneous rectangular membranes using a hybrid method (letter)	(3)547
HOWARD, C. Q., SNYDER, S. D. and HANSEN, C. H., Calculation of vibratory power transmission for use in active vibration control	(4)573
HSIAO, F.-B. and CHIANG, C.-H., Spanwise coupling of cellular structures in 2-D and tapered circular cylinder wake under acoustic excitation.....	(1)41
HU, H. Y. See WANG, Z. H.	(2)215
İNCEOĞLU, S. and ALTINSOY, M. E., Approximate Rayleigh formulas for the fundamental frequency of bar-point mass systems (letter)	(4)739
IH, J.-G. See KANG, S.-C. (letter)	(2)353
IOURTCHEKNO, D. V. See DIMENTBERG, M. F. (letter)	(1)175
IOVENITTI, P. G. See GRAVES, K. E.	(1)441
IU, V. P. See ER, G.-K.	(1)81
JARZYNSKI, J. See GUILLOT, F. M. (letter)	(5)929
JU, S.-H. See CHEN, P.-T.	(3)407
KANG, S.-C. and IH, J.-G., On the accuracy of nearfield pressure predicted by the acoustic boundary element method (letter)	(2)353
KILANI, A. W. See QAISI, M. I.	(3)489
KIM, J.-H. See KIM, K.-H.	(1)119
KIM, K.-H. and KIM, J.-H., Effect of a crack on the dynamic stability of a free-free beam subjected to a follower force.....	(1)119
KINRA, V. K. See FRIEND, R. D.	(1)93
KOOK, H., MOEBS, G. B., DAVIES, P. and BOLTON, J. S., An efficient procedure for visualizing the sound field radiated by vehicles during standardized passby tests.....	(1)137
LAI, P. C.-C., A study of the acoustical termination on practical gas pulsation measurement	(4)617
LAKRAD, F. See BELHAQ, M. (letter)	(5)935
LALLEMAND, B. See PLESSIS, G.	(5)797
LARRONDO, H. A. See LAURA, P. A. A. (letter)	(3)545
LAURA, P. A. A. See VEGA, D. A. (letter)	(1)171
LAURA, P. A. A., ROSSIT, C. A., AVALOS, D. R. and LARRONDO, H. A., Comments on “application of the strain energy damage detection method to plate-like structures” (letter)	(3)545
LEE, I. See OH, I. K.	(1)19
LEE, P. K. K. See DING, Q.	(2)311
LEE, Y.-T. See LIU, C.-F.	(1)63
LEVEL P. See PLESSIS, G.	(5)797
LHUILLIER, C. See GOUBEL-LENOËL, A.	(2)329
LI, L. M. See BILLINGS, S. A.	(5)877
LIM, S., Finite element analysis of flexural vibrations in hard disk drive spindle systems	(4)601
LIN, J. and PARKER, R. G., Structured vibration characteristics of planetary gears with unequally spaced planets (letter)	(5)921
LIU G. R., WANG, X. J. and XI, Z. C., Elastodynamic responses of an immersed composite laminate to a Gaussian beam pressure	(5)813

LIU, C.-F. and LEE, Y.-T., Finite element analysis of three-dimensional vibrations of thick circular and annular plates.....	(1)63
LIU, D.-C., A normal mode expansion method for the undamped forced vibration of linear piezoelectric solid	(3)423
LIU, G. R. See WU, T. Y.	(2)195
LO, S. H. See DING, Q.	(2)311
MACE, B. R. and SHORTER, P. J., Energy flow models from finite element analysis	(3)369
MALIK, M. and ALLALI, M., Characteristic equations of rectangular plates by differential transformation (letter)	(2)359
MASSON, P. and BERRY, A., Comparison of several strategies in the active structural acoustic control using structural strain measurements	(4)707
MEEHAN, P. A. See ASOKANTHAN, S. F.	(2)297
MOEBS, G. B. See KOOK, H.	(1)137
NATSIAVAS, S. See VERROS, G.	(2)279
NELSON, P. A. See YOON, S. H.	(4)669
NELSON, P. A. See YOON, S. H.	(5)897
NELSON, P. A. and YOON, S. H., Estimation of acoustic source strength by inverse methods: Part I, Conditioning of the inverse problem	(4)643
OH, I. K., HAN, J. H. and LEE, I., Postbuckling and vibration characteristics of piezolaminated composite plate subject to thermo-piezoelectric loads.....	(1)19
ONUU, M. U., Road traffic noise in Nigeria: measurements, analysis and evaluation of nuisance .	(3)391
PARKER, R. G. See LIN, J. (letter)	(5)921
PLESSIS, G., LALLEMAND, B., TISON, T. and LEVEL P., Fuzzy modal parameters	(5)797
QAISI, M. I. and KILANI, A. W., A power-series solution for a strongly non-linear two-degree-of-freedom system	(3)489
ROSSIT, C. A. See LAURA, P. A. A. (letter)	(3)545
SHORTER, P. J. See MACE, B. R.	(3)369
SMITH, T. A., Numerical analysis of rotationally symmetric shells by the modal superposition method	(3)515
SNYDER, S. D. See HOWARD, C. Q.	(4)573
SRIRANGARAJAN, H. R. and BANAIT, P. J., Analysis of Duffing's oscillator equation with time-dependent parameters	(3)435
THAM, L. G. and CHU, C. K., Some experiences on programming of time domain boundary element in parallel processing environment	(1)1
TISON, T. See PLESSIS, G.	(5)797
TONCICH, D. See GRAVES, K. E.	(1)441
TROLLE, J. L. See FRIKHA, S.	(3)495
TU, Y. and FULLER, C. R., Multiple reference feedforward active noise control Part I: Analysis and simulation of behavior	(5)745
TU, Y. and FULLER, C. R., Multiple reference feedforward active noise control Part II: Reference preprocessing and experimental results	(5)761
VEGA, D. A., LAURA, P. A. A. and VERA, S. A., Vibrations of an annular isotropic plate with one edge clamped or simply supported and an intermediate concentric circular support (letter).....	(1)171
VERA, S. A. See VEGA, D. A. (letter)	(1)171
VERROS, G. and NATSIAVAS, S., Forcing induced asymmetry on dynamical systems with cubic non-linearities	(2)279
WALSH, S. J. and WHITE, R. G., Vibrational power transmission in curved beams	(3)455
WANG, X. J. See LIU G. R.	(5)813
WANG, Z. H. and HU, H. Y., Stability switches of time-delayed dynamic systems with unknown parameters	(2)215
WHALLEY, R. See ALEYAASIN, M.	(5)835
WHITE, R. G. See WALSH, S. J.	(3)455
WU, T. Y. and LIU, G. R., The generalized differential quadrature rule for initial-value differential equations.....	(2)195

XI, Z. C. See LIU G. R.	(5)813
XU, Y. L. See ZHANG, W. S.	(5)775
YOON, S. H. See NELSON, P. A.	(4)643
YOON, S. H. and NELSON, P. A., A method for the efficient construction of acoustic pressure cross-spectral matrices	(5)897
YOON, S. H. and NELSON, P. A., Estimation of acoustic source strength by inverse methods: Part II, Experimental investigation of methods for choosing regularization parameters	(4)669
ZHANG, W. S. and XU, Y. L., Vibration analysis of two buildings linked by Maxwell model-defined fluid dampers	(5)775