

INDEX TO VOLUME 235

ABOUDI, J. See GILAT, R.	(4)627
ANDERSON, J. G., SEMERCIGIL, S. E. and TURAN, Ö. F., An improved standing-wave-type sloshing absorber (letter)	(4)702
ANG, K. K. See WANG, C. M.	(2)317
ARIARATNAM, S. T. See ASOKANTHAN, S. F.	(5)801
ASHOK KUMAR, C. R. See GHOSHAL, A.	(2)261
ASOKANTHAN, S. F. and ARIARATNAM, S. T., Almost-sure stability of a gyropendulum subjected to white-noise random support motion	(5)801
BAE, J. C. and WICKERT, J. A., Free vibration of coupled disk-hat structures	(1)117
BAI, M. R. and CHEN, H., Active cancellation of noise in a car cabin using the zero spillover controller	(5)787
BAILLIET, H. See GUSEV, V.	(5)711
BAMBILL, D. V., ROSSIT, C. A., LAURA, P. A. A. and ROSSI, R. E., Transverse vibrations of an orthotropic rectangular plate of linearly varying thickness and with a free edge (letter) ...	(3)530
BARRETTE, M., BERRY, A. and BESLIN, O., Vibration of stiffened plates using hierarchical trigonometric functions	(5)727
BARRON, J. T., VAN MOORHEM, W. K. and MAJDALANI, J., A novel investigation of the oscillatory field over a transpiring surface	(2)281
BAUMGARTNER, D. See WILLINGER, R.	(4)611
BERRY, A. See BARRETTE, M.	(5)727
BERZERI, M. and SHABANA, A. A., Development of simple models for the elastic forces in the absolute nodal co-ordinate formulation	(4)539
BESLIN, O. See BARRETTE, M.	(5)727
BOERTJENS, G. J. and VAN HORSSSEN, W. T., On interactions of oscillation modes for a weakly non-linear undamped elastic beam with an external force	(2)201
BOUTIN, C. See HANS, S.	(3)375
BOVSUNOVSKY, A. P. and MATEEV, V. V., Analytical approach to the determination of dynamic characteristics of a beam with a closing crack	(3)415
BRUNEAU, M. See GUSEV, V.	(5)711
BRYANT, M. D. See PHOLSIRI, C.	(5)763
CARABELLI, S. and TONOLI, A., System properties of flexible structures with self-sensing piezoelectric transducers	(1)1
CHAN, T. H. T., YU, L. and LAW, S. S., Comparative studies on moving force identification from bridge strains in laboratory	(1)87
CHEN, H. See BAI, M. R.	(5)787
CHEN, K. H. See CHEN, J. T. (letter)	(1)156
CHEN, J. T., KUO, S. R., CHEN, K. H. and CHENG, Y. C., Comments on "Vibration analysis of arbitrary shaped membranes using non-dimensional dynamic influence function" (letter) .	(1)156
CHENG, Y. C. See CHEN, J. T. (letter)	(1)156
CRASTER, R. V. and WILLIAMS, D. P., A reciprocity relation for fluid-loaded elastic plates that contain rigid defects	(4)655
CUER, A. See LAMARQUE, C.-H.	(3)361
FAHY, F. J. See JAMES, P. P.	(3)451
FIDLIN, A., On asymptotic properties of systems with strong and very strong high-frequency excitation	(2)219
FRIED, I., The advantage of an implicit corrector at bifurcation (letter)	(1)153
FUNG, R. F., Author's reply (letter)	(5)878
GHOSHAL, A., WHEATER, E. A., ASHOK KUMAR, C. R., SUNDARESAN, M. J., SCHULZ, M. J., HUMAN, M. and PAI, P. F., Vibration suppression using a laser vibrometer and piezoceramic patches	(2)261
GILAT, R. and ABOUDI, J., Parametric stability of non-linearly elastic composite plates by Lyapunov exponents	(4)627

GOLDSTEIN, M. E. and LEIB, S. J., Emission of sound from turbulence convected by a parallel mean flow in the presence of a confining duct	(1)25
GÜRGÖZE, M. and INCEOĞLU, S., Preserving the fundamental frequencies of beams despite mass attachments (letter)	(2)345
GUIMBERTEAU, T. See WILLINGER, R.	(4)611
GUSEV, V., LOTTON, P., BAILLIET, H., JOB, S. and BRUNEAU, M., Relaxation-time approximation for analytical evaluation of temperature field in thermoacoustic stack	(5)711
GUTIÉRREZ, R. H. See LAURA, P. A. A. (letter)	(2)341
GUTIÉRREZ, R. H., LAURA, P. A. A. and ROSSIT, C. A., Fundamental frequency of transverse vibration of a clamped rectangular orthotropic plate with a free-edge hole (letter)	(4)697
HANS, S., IBRAIM, E., PERNOT, S., BOUTIN, C. and LAMARQUE, C.-H., Damping identification in multi-degree-of-freedom system via a wavelet-logarithmic decrement—Part 2: Study of a civil engineering building	(3)375
HASSIS, H., A higher order theory for static–dynamic analysis of laminated plates using a warping model	(2)247
HAYASHI, E. See OHTA, H.	(5)847
HUMAN, M. See GHOSHAL, A.	(2)261
INCEOĞLU, S. See GÜRGÖZE, M. (letter)	(2)345
JAMES, P. P. and FAHY, F. J., A modal interaction indicator for qualifying Cs as an indicator of strength of coupling between sea subsystems	(3)451
JANIN, O. See LAMARQUE, C. H.	(4)567
Ji, J. C., YU, L. and LEUNG, A. Y. T., Bifurcation behavior of a rotor supported by active magnetic bearings	(1)133
JOB, S. See GUSEV, V.	(5)711
KANG, S. W. and LEE, J. M., Authors' reply (letter)	(1)170
KASCAK, A. See LEI, S.	(3)435
KO, J. M. See XUE, S. D.	(4)639
KUANG, J., TAN, S. H. and LEUNG, A. Y. T., Chaotic attitude motion of satellites under small perturbation torques	(2)175
KUO, S. R. See CHEN, J. T. (letter)	(1)156
KUO, S. R., YEIH, W. and WU, Y. C., Applications of the generalized singular-value decomposition method on the eigenproblem using the incomplete boundary element formulation	(5)813
LACARBONARA, W., Author's reply (letter)	(5)875
LAM, K. Y. See TAO, J. S.	(3)477
LAMARQUE, C.-H., PERNOT, S. and CUER, A., Damping identification in multi-degree-of-freedom systems via a wavelet-logarithmic decrement—Part 1: Theory	(3)361
LAMARQUE, C.-H. See HANS, S.	(3)375
LAMARQUE, C. H. and JANIN, O., Modal analysis of mechanical systems with impact nonlinearities: limitations to a modal superposition	(4)567
LAURA, P. A. A. and ROMANELLI, E., Vibrations of an annular circular plate of polar anisotropy with one edge supported, the other one free and an intermediate concentric circular support (letter)	(3)521
LAURA, P. A. A. See BAMBILL, D. V. (letter)	(3)530
LAURA, P. A. A. See GUTIÉRREZ, R. H. (letter)	(4)697
LAURA, P. A. A., GUTIÉRREZ, R. H. and ROSSIT, C. A., A simplified model of a damaged, vibrating structural element based on the strain energy method (letter)	(2)341
LAW, S. S. See CHAN, T. H. T.	(1)87
LEE, J. M. See KANG, S. W. (Authors' reply)	(1)170
LEI, S., PALAZZOLO, A., NA, U. and KASCAK, A., Non-linear fuzzy logic control for forced large motions of spinning shafts	(3)435
LEIB, S. J. See GOLDSTEIN, M. E.	(1)25
LEITCH, T. A., SAUNDERS, C. A. and NG, W. F., Reduction of unsteady stator-rotor interaction using trailing edge blowing	(2)235
LEO, D. J. and LIMPET, D., A self-sensing technique for active acoustic attenuation (letter)	(5)863
LEUNG, A. Y. T. See Ji, J. C.	(1)133
LEUNG, A. Y. T. See KUANG, J.	(2)175
LEUNG, A. Y. T., Comment on "Non-linear vibration analysis of a travelling string with time-dependent length by new hybrid Laplace transform/finite element method" (letter)	(5)877

LI, Q. S., Free vibration of elastically restrained flexural-shear plates with varying cross-section .	(1)63
LIEUWEN, T. and ZINN, B. T., Application of multipole expansions to sound generation from ducted unsteady combustion processes	(3)405
LIMPERT, D. See LEO, D. J. (letter)	(5)863
LIU, G. R. See TAO, J. S.	(3)477
LLOYD, G. M., WANG, M. L. and SATPATHI, D., The role of eigenparameter gradients in the detection of perturbations in discrete linear systems	(2)299
LOTTON, P. See GUSEV, V.	(5)711
LU, L. Y. and LU, Z. H., The periodicity of chaotic impact oscillators in Hausdorff phase spaces	(1)105
LU, Z. H. See LU, L. Y.	(1)105
MACCARI, A., The response of a forced oscillator under the effect of a pair of set-up elastic stops (letter)	(5)879
MAIDALANI, J. See BARRON, J. T.	(2)281
MATEEV, V. V. See BOVSUNOVSKY, A. P.	(3)415
NA, U. See LEI, S.	(3)435
NG, W. F. See LEITCH, T. A.	(2)235
OHTA, H. and HAYASHI, E., Vibration of linear guideway type recirculating linear ball bearings .	(5)847
PAI, P. F. See GHOSHAL, A.	(2)261
PAKDEMIRLI, M., Comments on "Direct treatment and discretizations of non-linear spatially continuous systems" (letter)	(5)874
PALAZZOLO, A. See LEI, S.	(3)435
PERNOT, E. See HANS, S.	(3)375
PERNOT, S. See LAMARQUE, C.-H.	(3)361
PHOLSIRI, C. and BRYANT, M. D., Vibrations of a four-degree-of-freedom rigid body sliding against a wavy surface	(5)763
PUGNO, N. and SURACE, C., Evaluation of the non-linear dynamic response to harmonic excitation of a beam with several breathing cracks	(5)749
ROMANELLI, E. See LAURA, P. A. A. (letter)	(3)521
ROSSI, R. E. See BAMBILL, D. V. (letter)	(3)530
ROSSIT, C. A. See BAMBILL, D. V. (letter)	(3)530
ROSSIT, C. A. See GUTIÉRREZ, R. H. (letter)	(4)697
ROSSIT, C. A. See LAURA, P. A. A. (letter)	(2)341
SATPATHI, D. See LLOYD, G. M.	(2)299
SAUNDERS, C. A. See LEITCH, T. A.	(2)235
SCHULZ, M. J. See GHOSHAL, A.	(2)261
SEMERCIGIL, S. E. See ANDERSON, J. G. (letter)	(4)702
SHABANA, A. A. See BERZERI, M.	(4)539
SHAW, J., Adaptive control for sound and vibration attenuation: a comparative study	(4)671
SINGH, B., Reflection of plane sound wave from a micropolar generalized thermoelastic solid half-space	(4)685
SUNDARESAN, M. J. See GHOSHAL, A.	(2)261
SURACE, C. See PUGNO, N.	(5)749
SZE, K. Y. and YAO, L. Q., Modelling smart structures with segmented piezoelectric sensors and actuators	(3)495
TAN, S. H. See KUANG, J.	(2)175
TAO, J. S., LIU, G. R. and LAM, K. Y., Design optimization of marine engine-mount system	(3)477
TONOLI, A. See CARABELLI, S.	(1)1
TURAN, Ö. F. See ANDERSON, J. G. (letter)	(4)702
VAN HORSSSEN, W. T. See BOERTJENS, G. J.	(2)201
VAN MOORHEM, W. K. See BARRON, J. T.	(2)281
WANG, C. M., ANG, K. K., YANG, L. and WATANABE, E., Free vibration of skew sandwich plates with laminated facings	(2)317
WANG, M. L. See LLOYD, G. M.	(2)299
WATANABE, E. See WANG, C. M.	(2)317
WHEATER, E. A. See GHOSHAL, A.	(2)261
WICKERT, J. A. See BAE, J. C.	(1)117
WILLIAMS, D. P. and CRASTER, R. V.	(4)655
WILLINGER, R., BAUMGARTNER, D. and GUIMBERTEAU, T., Dynamic characterization of motor cycle helmets: modelling and coupling with the human head	(4)611

WU, J. J. See ZHENG, X. J.	(1)43
WU, Y. C. See KUO, S. R.	(5)813
XU, Y. L. See XUE, S. D.	(4)639
XUE, S. D., KO, J. M. and XU, Y. L., Optimum parameters of tuned liquid column damper for suppressing pitching vibration of an undamped structure	(4)639
YANG, L. See WANG, C. M.	(2)317
YAO, L. Q. See SZE, K. Y.	(3)495
YEIH, W. See KUO, S. R.	(5)813
YU, L. See CHAN, T. H. T.	(1)87
YU, L. See Ji, J. C.	(1)133
ZHENG, X. J., WU, J. J. and ZHOU, Y.-H., Numerical analyses on dynamic control of five-degree-of-freedom maglev vehicle moving on flexible guideways	(1)43
ZHOU, X. J. See ZHENG, X. J.	(1)43
ZINN, B. T. See LIEUWEN, T.	(3)405