



Index to Volume 262

Adams, D.E. see Brown, R.L. (3) 591
Agarwal, V.P. see Singh, S.P. (3) 563
Allemand, R.J. see Fladung, W.A. (3) 677
Allemand, R.J. see Phillips, A.W. (3) 651
Amabili, M., Theory and experiments for large-amplitude vibrations of empty and fluid-filled circular cylindrical shells with imperfections. (4) 921
Anderson, G.L. see Garg, D.P. (Letter) (3) 739
Andrianov, I. and Awrejcewicz, J., Simplified formula for the vibration frequency of circular cylinders (Letter). (1) 198
Anthoine, J., Mettenleiter, M., Repellin, O., Buchlin, J.-M. and Candel, S., Influence of adaptive control on vortex-driven instabilities in a scaled model of solid propellant motors. (5) 1009
Awrejcewicz, J. see Andrianov, I. (Letter). (1) 198
Bajaj, A.K. see Deng, R. (3) 391
Balamurugan, V. see Narayanan, S. (3) 529
Bayly, P.V. see Insperger, T. (2) 333
Bishop, J. see Ivansson, S. (Letter). (5) 1223
Blough, J.R., A survey of DSP methods for rotating machinery analysis, what is needed, what is available (Letter). (3) 707
Boltežar, M. see Slavič, J. (2) 291
Brown, R.L. and Adams, D.E., Equilibrium point damage prognosis models for structural health monitoring. (3) 591
Buchlin, J.-M. see Anthoine, J. (5) 1009
Cai, C.W., Liu, J.K. and Chan, H.C., Exact analysis of localized modes in bi-periodic mono-coupled mass-spring systems with a single disorder. (5) 1133
Cai, G. and Huang, J., Instantaneous optimal method for vibration control of linear sampled-data systems with time delay in control. (5) 1057
Candel, S. see Anthoine, J. (5) 1009
Casalino, D. and Jacob, M., Prediction of aerodynamic sound from circular rods via spanwise statistical modelling. (4) 815
Chan, H.C. see Cai, C.W. (5) 1133
Chandra, R., Singh, S.P. and Gupta, K., A study of damping in fiber-reinforced composites. (3) 475
Chao, P.C.-P. and Lai, C.-L., Boundary control of an axially moving string via fuzzy sliding-mode control and fuzzy neural network methods. (4) 795
Chen, D.-W. see Wu, J.-S. (5) 1073
Chen, G. see Zhu, S.-J. (1) 1
Chen, I.L. see Chen, J.T. (Letter). (2) 370
Chen, J. see Zou, J. (Letter). (2) 365
Chen, J.T., Chen, I.L., Chen, K.H. and Lee, Y.T., Comments on "Free vibration analysis of arbitrarily shaped plates with clamped edges using wave-type function" (Letter). (2) 370
Chen, J.-X. see Pan, M.-C. (1) 117
Chen, K.H. see Chen, J.T. (Letter). (2) 370
Cheng, L., Li, Y.Y. and Yam, L.H., Vibration analysis of annular-like plates. (5) 1153
Choi, K. see Heo, J.W. (1) 25
Chung, J. see Heo, J.W. (1) 25
Datta, P.K. see Srivastava, A.K.L. (5) 1171

Davies, P. see Deng, R.	(3) 391
Degrande, G. see Lombaert, G.	(2) 309
Deng, R., Davies, P. and Bajaj, A.K., Flexible polyurethane foam modelling and identification of viscoelastic parameters for automotive seating applications	(3) 391
Di Fabio, F. see Gattulli, V.	(2) 201
Dutt, J.K. and Toi, T., Rotor vibration reduction with polymeric sectors	(4) 769
Fladung, W.A., Phillips, A.W. and Allemang, R.J., Application of a generalized residual model to frequency domain modal parameter estimation.	(3) 677
Gallina, P., About the stability of non-conservative undamped systems (Letter).	(4) 977
Ganapathi, M., Patel, B.P., Patel, H.G. and Pawargi, D.S., Vibration analysis of laminated cross-ply oval cylindrical shells	(1) 65
Ganesan, N. see Kochupillai, J.	(3) 633
Ganesan, N. see Kumar, J.S.	(3) 577
García-Pérez, M.A. and Peli, E., Simple non-invasive measurement of rapid eye vibration	(4) 877
Garg, D.P. and Anderson, G.L., Structural vibration suppression via active/passive techniques (Letter).	(3) 739
Gattulli, V., Di Fabio, F. and Luongo, A., One to one resonant double Hopf bifurcation in aeroelastic oscillators with tuned mass dampers	(2) 201
Ge, Z.-M. and Lee, C.-I., Non-linear dynamics and control of chaos for a rotational machine with a hexagonal centrifugal governor with a spring	(4) 845
Geng, Z.M. see Zou, J. (Letter).	(2) 365
Golinval, J.-C. see Kerschen, G.	(4) 889
Golinval, J.-C. see Lenaerts, V.	(4) 907
Guillaume, P. see Parloo, E.	(1) 161
Gupta, K. see Chandra, R.	(3) 475
Heo, J.W., Chung, J. and Choi, K., Dynamic time responses of a flexible spinning disk misaligned with the axis of rotation	(1) 25
Huang, J. see Cai, G.	(5) 1057
Huff, N.T. see Selamet, A.	(3) 509
Hull, A.J. and Hurdis, D.A., A parameter estimation method for the flexural wave properties of a beam (Letter).	(1) 187
Hurdis, D.A. see Hull, A.J. (Letter).	(1) 187
Hwang, Y., Lee, J.M. and Kim, S.-J., New active muffler system utilizing destructive interference by difference of transmission paths (Letter)	(1) 175
Ihlárova, I. and Jacobsen, F., An approximate method of modelling scattering by composite bodies (Letter)	(5) 1235
Inspurger, T., Stépán, G., Bayly, P.V. and Mann, B.P., Multiple chatter frequencies in milling processes	(2) 333
Ivansson, S. and Bishop, J., Travelling-wave representations of diffraction using leaky-mode Green function expansions (Letter)	(5) 1223
Iwata, Y., Sato, H. and Komatsuzaki, T., Analytical method for steady state vibration of system with localized non-linearities using convolution integral and Galerkin method	(1) 11
Jacob, M. see Casalino, D.	(4) 815
Jacobsen, F. see Ihlárova, I. (Letter)	(5) 1235
Jeong, M., Suzuki, K. and Yim, S.C.S., Chaotic rocking behavior of freestanding objects with sliding motion	(5) 1091
Kaczmarczyk, S. and Ostachowicz, W., Transient vibration phenomena in deep mine hoisting cables. Part 1: Mathematical model	(2) 219
Kaczmarczyk, S. and Ostachowicz, W., Transient vibration phenomena in deep mine hoisting cables. Part 2: Numerical simulation of the dynamic response	(2) 245
Kahraman, A., Kharazi, A.A. and Umrani, M., A deformable body dynamic analysis of planetary gears with thin rims (Letter)	(3) 752
Kang, S.W. and Lee, J.M., Authors' reply (Letter)	(2) 379
Kerschen, G., Lenaerts, V. and Golinval, J.-C., Identification of a continuous structure with a geometrical non-linearity. Part I: Conditioned reverse path method	(4) 889
Kerschen, G. see Lenaerts, V.	(4) 907
Kharazi, A.A. see Kahraman, A. (Letter).	(3) 752

Kidawa-Kukla, J., Application of the Green functions to the problem of the thermally induced vibration of a beam	(4)	865
Kim, S. see Singh, R.	(3)	419
Kim, S.-J. see Hwang, Y. (Letter)	(1)	175
Ko, N.W.M. see Tang, S.K.	(1)	87
Kochupillai, J., Ganesan, N. and Padmanabhan, C., Model reduction for parametric instability analysis in shells conveying fluid	(3)	633
Komatsuzaki, T. see Iwata, Y.	(1)	11
Kumar, J.S., Ganesan, N., Swarnamani, S. and Padmanabhan, C., Active control of cylindrical shell with magnetostrictive layer	(3)	577
Lai, C.-L. see Chao, P.C.-P.	(4)	795
Lee, C.-I. see Ge, Z.-M.	(4)	845
Lee, I.J. see Selamet, A.	(3)	509
Lee, J.M. see Hwang, Y. (Letter)	(1)	175
Lee, J.M. see Kang, S.W. (Letter)	(2)	379
Lee, Y.T. see Chen, J.T. (Letter)	(2)	370
Lenaerts, V., Kerschen, G. and Golinval, J.-C., Identification of a continuous structure with a geometrical non-linearity. Part II: Proper orthogonal decomposition	(4)	907
Lenaerts, V. see Kerschen, G.	(4)	889
Li, Y.Y. see Cheng, L.	(5)	1153
Lin, H.P. and Ro, J., Vibration analysis of planar serial-frame structures	(5)	1113
Liu, B., Adaptive harmonic wavelet transform with applications in vibration analysis	(1)	45
Liu, J.K. see Cai, C.W.	(5)	1133
Lombaert, G. and Degrande, G., The experimental validation of a numerical model for the prediction of the vibrations in the free field produced by road traffic	(2)	309
Luongo, A. see Gattulli, V.	(2)	201
Mann, B.P. see Insperger, T.	(2)	333
Meng, G. see Wang, J. (Letter)	(4)	999
Mettenleiter, M. see Anthoine, J.	(5)	1009
Munjal, M.L., Analysis and design of pod silencers.	(3)	497
Nakra, B.C. see Singh, R.	(3)	383
Narayanan, S. and Balamurugan, V., Finite element modelling of piezolaminated smart structures for active vibration control with distributed sensors and actuators	(3)	529
Niu, J.C. see Zou, J. (Letter)	(2)	365
Ostachowicz, W. see Kaczmarczyk, S.	(2)	219
Ostachowicz, W. see Kaczmarczyk, S.	(2)	245
Ouis, D., Noise attenuation by a hard wedge-shaped barrier	(2)	347
Padmanabhan, C. see Kochupillai, J.	(3)	633
Padmanabhan, C. see Kumar, J.S.	(3)	577
Pakdemirli, M., Comparison of higher order versions of the method of multiple scales for an odd non-linearity problem (Letter)	(4)	989
Pan, M.-C. and Chen, J.-X., Transmission noise identification using two-dimensional dynamic signal analysis.	(1)	117
Parloo, E., Verboven, P., Guillaume, P. and Van Overmeire, M., Force identification by means of in-operation modal models	(1)	161
Patel, B.P. see Ganapathi, M.	(1)	65
Patel, H.G. see Ganapathi, M.	(1)	65
Pawargi, D.S. see Ganapathi, M.	(1)	65
Peli, E. see García-Pérez, M.A.	(4)	877
Phillips, A.W. and Allemang, R.J., An overview of MIMO-FRF excitation/averaging/processing techniques	(3)	651
Phillips, A.W. see Fladung, W.A.	(3)	677
Pruthi, H.S. see Singh, S.P.	(3)	563
Ramakrishnan, N. see Sri Namachchivaya, N.	(3)	613

Rao, J.S. and Saldanha, A., Turbomachine blade damping (Letter)	(3)	731
Rao, M.D., Recent applications of viscoelastic damping for noise control in automobiles and commercial airplanes	(3)	457
Repellin, O. see Anthoine, J.	(5)	1009
Ro, J. see Lin, H.P.	(5)	1113
Roberts, M.J., Western, A.W. and Webber, M.J., A theory of patterns of passby noise	(5)	1047
Royer-Carfagni, G.F., Parametric-resonance-induced cable vibrations in network cable-stayed bridges. A continuum approach	(5)	1191
Saldanha, A. see Rao, J.S. (Letter)	(3)	731
Sato, H. see Iwata, Y.	(1)	11
Schmitz, T.L., Chatter recognition by a statistical evaluation of the synchronously sampled audio signal (Letter)	(3)	721
Selamet, A., Lee, I.J. and Huff, N.T., Acoustic attenuation of hybrid silencers	(3)	509
Selamet, A. see Singh, R.	(3)	383
Sheikh, A.H. see Srivastava, A.K.L.	(5)	1171
Shim, M.-B. and Suh, M.-W., Crack identification using evolutionary algorithms in parallel computing environment	(1)	141
Simonovski, I. see Slavič, J.	(2)	291
Singh, R. and Kim, S., Examination of multi-dimensional vibration isolation measures and their correlation to sound radiation over a broad frequency range	(3)	419
Singh, R., Selamet, A. and Nakra, B.C., Report on the Proceedings of the 2001 India–USA Symposium on Emerging Trends in Vibration and Noise Engineering.	(3)	383
Singh, S.P., Pruthi, H.S. and Agarwal, V.P., Efficient modal control strategies for active control of vibrations	(3)	563
Singh, S.P. see Chandra, R.	(3)	475
Slavič, J., Simonovski, I. and Boltežar, M., Damping identification using a continuous wavelet transform: application to real data	(2)	291
Sri Namachchivaya, N. and Ramakrishnan, N., Stochastic dynamics of parametrically excited two d.o.f. systems with symmetry.	(3)	613
Srivastava, A.K.L., Datta, P.K. and Sheikh, A.H., Dynamic instability of stiffened plates subjected to non-uniform harmonic in-plane edge loading	(5)	1171
Stépán, G. see Insuperger, T.	(2)	333
Suh, M.-W. see Shim, M.-B.	(1)	141
Suzuki, K. see Jeong, M.	(5)	1091
Swarnamani, S. see Kumar, J.S.	(3)	577
Tang, S.K. and Ko, N.W.M., Basic sound generation mechanisms in inviscid vortex interactions at low Mach number	(1)	87
Toi, T. see Dutt, J.K.	(4)	769
Trochidis, A., Book review	(5)	1243
Umrani, M. see Kahraman, A. (Letter)	(3)	752
Van Overmeire, M. see Parloo, E.	(1)	161
Verboven, P. see Parloo, E.	(1)	161
Wang, J. and Meng, G., Experimental study on stability of an MR fluid damper-rotor-journal bearing system (Letter)	(4)	999
Webber, M.J. see Roberts, M.J.	(5)	1047
Weng, X.-T. see Zhu, S.-J.	(1)	1
Western, A.W. see Roberts, M.J.	(5)	1047
Wu, J.-S. and Chen, D.-W., Bending vibrations of wedge beams with any number of point masses	(5)	1073
Yam, L.H. see Cheng, L.	(5)	1153
Yim, S.C.S. see Jeong, M.	(5)	1091
Zhu, S.-J., Weng, X.-T. and Chen, G., Modelling of the stiffness of elastic body	(1)	1
Zou, J., Chen, J., Niu, J.C. and Geng, Z.M., Discussion on the local flexibility due to the crack in a cracked rotor system (Letter)	(2)	365