



ACADEMIC
PRESS

Journal of Sound and Vibration 270 (2004) 1097–1101

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 270

Ahuja, V. see Özyörük, Y.	(4–5)	933
Aksogan, O. see Sofiyev, A.H.	(4–5)	903
Al Majid, A. and Dufour, R., Energy and damping in an SDOF system subjected to a variable forcing frequency	(4–5)	833
Alpman, E. see Özyörük, Y.	(4–5)	933
AL-Qassab, M. and Nair, S., Wavelet-Galerkin method for the free vibrations of an elastic cable carrying an attached mass.	(1–2)	191
Amabili, M., The Theory and Practice of Hydrodynamics by and Vibration by S.K. Chakrabarti, World Scientific, Singapore, 2002, pp. xviii + 464, price £46, hardback ISBN 981-02-4921-7, £26 paperback ISBN 981-02-4922-5.	(4–5)	1091
Arenas, R.P. see Harrison, M.F.	(1–2)	111
Avital, E.J., On the computation of sound in free and wall-bounded domains	(3)	483
Avital, E.J. see Jiang, X.	(3)	525
Bai, M.R. and Elliott, S.J., Preconditioning multichannel adaptive filtering algorithms using EVD- and SVD-based signal prewhitening and system decoupling	(4–5)	639
Banerjee, J.R., Development of an exact dynamic stiffness matrix for free vibration analysis of a twisted Timoshenko beam	(1–2)	379
Batra, R.C., Qian, L.F. and Chen, L.M., Natural frequencies of thick square plates made of orthotropic, trigonal, monoclinic, hexagonal and triclinic materials (Letter)	(4–5)	1074
Belova, M.A. see Gulyayev, V.I.	(1–2)	323
Berger, S. see Fellah, Z.E.A.	(4–5)	865
Beskos, D.E., The Scaled Boundary Finite Element Method by J.P. Wolf, Wiley, Chichester, 2003, pp. xv + 361, price US\$70.00 hardback, ISBN 0-471-48682-5	(4–5)	1095
Bhutani, N., Lauffer, J.P. and Gilbert-O’Neil, R., Dynamic characteristics of artillery shells (Letter)	(4–5)	1069
Billah, K.Y., On the definition of parametric excitation for vibration problems (Letter)	(1–2)	450
Bjelovučić-Kopilović, S. see Wolf, H.	(4–5)	917
Bloor, C.D. see Kinns, R.	(4–5)	951
Bolaers, F. see Dron, J.P.	(1–2)	61
Bouhaddi, N. see Raynaud, J.L.	(1–2)	403
Brennan, M.J. see Muggleton, J.M.	(1–2)	171
Brown, J.M.B. see Vardy, A.E.	(1–2)	233
Bucher, I., Estimating the ratio between travelling and standing vibration waves under non-stationary conditions.	(1–2)	341
Buhler, W. and Frendi, A., Effect of fluid wall shear stress on non-linear beam vibration.	(4–5)	793
Campos, L.M.B.C. see Lau, F.J.P.	(1–2)	361
Carneal, J.P., Charette, F. and Fuller, C.R., Minimization of sound radiation from plates using adaptive tuned vibration absorbers.	(4–5)	781
Cerri, M.N. and Ruta, G.C., Detection of localised damage in plane circular arches by frequency data	(1–2)	39
Chaos, M. see Chen, R.-H. (Letter)	(1–2)	473
Chapman, C.J., Some benchmark problems for computational aeroacoustics.	(3)	495
Charette, F. see Carneal, J.P.	(4–5)	781
Chembo Kouomou, Y. and Wofo, P., Triple resonant states and chaos control in an electrostatic transducer with two outputs.	(1–2)	75
Chen, L.M. see Batra, R.C. (Letter)	(4–5)	1074

- Chen, R.-H., Chaos, M., Haddad, G.F. and Mills, T.E., Effects of vortex shedding by particles in acoustical transducers (Letter) (1-2) 473
- Chen, T. see Xu, Z. (Letter) (4-5) 1033
- Chen, X.X., Zhang, X., Morfey, C.L. and Nelson, P.A., A numerical method for computation of sound radiation from an unflanged duct (3) 573
- Chen, X.X. see Richards, S.K. (3) 539
- Courtois, T. and Martin, V., Spectral quality of acoustic predictions obtained by the ray method in coupled two-dimensional damped cavities (1-2) 259
- Cveticanin, L., Vibrations of a free two-mass system with quadratic non-linearity and a constant excitation force (Letter). (1-2) 441
- Depollier, C. see Fellah, Z.E.A. (4-5) 865
- Douka, E., Loutridis, S. and Trochidis, A., Crack identification in plates using wavelet analysis (1-2) 279
- Dron, J.P., Bolaers, F. and Rasolofondraibe, L., Improvement of the sensitivity of the scalar indicators (crest factor, kurtosis) using a de-noising method by spectral subtraction: application to the detection of defects in ball bearings. (1-2) 61
- Dufour, R. see Al Majid, A. (4-5) 833
- Elliott, S.J. see Bai, M.R. (4-5) 639
- Ewert, R. and Schröder, W., On the simulation of trailing edge noise with a hybrid LES/APE method (3) 509
- Fellah, Z.E.A., Berger, S., Lauriks, W. and Depollier, C., Verification of Kramers-Kronig relationship in porous materials having a rigid frame (4-5) 865
- Ferro, M.A.C. see Mansur, W.J. (4-5) 767
- Filippi, P.J.T. see Habault, D. (1-2) 207
- Frendi, A. see Buhler, W. (4-5) 793
- Fuller, C.R. see Carneal, J.P. (4-5) 781
- Gan, W.-S. see Zhang, Q.-Z. (Letter) (4-5) 1056
- Ganguli, R. see Thakkar, D. (4-5) 729
- Gardonio, P., Smart Technologies by K. Worden, W.A. Bullough and J. Haywood (Eds.), World Scientific, Singapore, 2003, pp. xi + 271, price £39, ISBN 981-02-4776-1 (4-5) 1089
- Ge, Z.-M. and Wu, H.-W., Chaos synchronization and chaos anticontrol of a suspended track with moving loads (4-5) 685
- Gilbert-O'Neil, R. see Bhutani, N. (Letter) (4-5) 1069
- Golnaraghi, F. see Wang, W. (4-5) 755
- Guillaume, P. see Parloo, E. (4-5) 813
- Gulyayev, V.I., Solovjov, I.L. and Belova, M.A., Critical states of thin ellipsoidal shells in simple and compound rotations. (1-2) 323
- Habault, D. and Filippi, P.J.T., A numerical method for the computation of the resonance frequencies and modes of a fluid-loaded plate: application to the transient response of the system (1-2) 207
- Haddad, G.F. see Chen, R.-H. (Letter) (1-2) 473
- Harrison, M.F. and Arenas, R.P., A hybrid boundary for the prediction of intake wave dynamics in IC engines (1-2) 111
- Herpe, F.V. see Raynaud, J.L. (1-2) 403
- Hirata, Y., A method for monitoring invisible changes in a structure using its non-stationary vibration (Letter). (4-5) 1041
- Hwang, H.Y. and Kim, C., Damage detection in structures using a few frequency response measurements (1-2) 1
- Ismail, F. see Wang, W. (4-5) 755
- Jiang, X., Avital, E.J. and Luo, K.H., Direct computation and aeroacoustic modelling of a subsonic axisymmetric jet (3) 525
- Katsikadelis, J.T. and Tsiatas, G.C., Non-linear dynamic analysis of beams with variable stiffness (4-5) 847
- Kim, C. see Hwang, H.Y. (1-2) 1
- Kinns, R. and Bloor, C.D., Hull vibration excitation due to monopole and dipole propeller sources (4-5) 951
- Kodvanj, J. see Wolf, H. (4-5) 917
- Krenk, S., Complex modes and frequencies in damped structural vibrations (4-5) 981
- Lai, C.-H., Nelson, P.A. and Zhang, X., Preface. (3) 481

- Latheswary, S., Valsarajan, K.V. and Sadasiva Rao, Y.V.K., Dynamic response of moderately thick composite plates (Letter) (1-2) 417
- Lau, F.J.P. and Campos, L.M.B.C., On the effect of wall undulations on the acoustics of ducts with flow (1-2) 361
- Lauffer, J.P. see Bhutani, N. (Letter) (4-5) 1069
- Laura, P.A.A. see Vera, S.A. (Letter) (4-5) 1067
- Lauriks, W. see Fellah, Z.E.A. (4-5) 865
- Li, Q.S., Liu, D.K., Tang, J., Zhang, N. and Tam, C.M., Combinatorial optimal design of number and positions of actuators in actively controlled structures using genetic algorithms. (4-5) 611
- Lin, J.H. see Zhai, W.M. (4-5) 673
- Lin, R. see Xia, Y. (4-5) 713
- Linford, P.W. see Muggleton, J.M. (1-2) 171
- Liu, D.K. see Li, Q.S. (4-5) 611
- Long, L.N. see Özyörük, Y. (4-5) 933
- Loutridis, S. see Douka, E. (1-2) 279
- Luo, K.H. see Jiang, X. (3) 525
- Maiti, S.K. see Murigendrappa, S.M. (4-5) 1013
- Mansur, W.J., Soares Jr., D. and Ferro, M.A.C., Initial conditions in frequency-domain analysis: the FEM applied to the scalar wave equation. (4-5) 767
- Martin, V. see Courtois, T. (1-2) 259
- Mickens, R.E., Quadratic non-linear oscillators (Letter). (1-2) 427
- Mills, T.E. see Chen, R.-H. (Letter) (1-2) 473
- Mohanty, P. and Rixen, D.J., Operational modal analysis in the presence of harmonic excitation (1-2) 93
- Mongeau, L. see Park, J. (Letter) (4-5) 1068
- Morfey, C.L. see Chen, X.X. (3) 573
- Muggleton, J.M., Brennan, M.J. and Linford, P.W., Axisymmetric wave propagation in fluid-filled pipes: wavenumber measurements in in vacuo and buried pipes (1-2) 171
- Murigendrappa, S.M., Maiti, S.K. and Srirangarajan, H.R., Experimental and theoretical study on crack detection in pipes filled with fluid (4-5) 1013
- Naguleswaran, S., Transverse vibration and stability of an Euler-Bernoulli beam with step change in cross-section and in axial force (Letter) (4-5) 1045
- Nair, S. see AL-Qassab, M. (1-2) 191
- Nam, D.H. see Saigo, M. (4-5) 657
- Nelson, P.A. see Chen, X.X. (3) 573
- Nelson, P.A. see Lai, C.-H. (3) 481
- Nelson, P.A. see Richards, S.K. (3) 539
- Nelson, P.A. see Takeda, K. (3) 559
- Oniszcuk, Z., Forced transverse vibrations of an elastically connected complex rectangular simply supported double-plate system (4-5) 997
- Özyörük, Y., Alpman, E., Ahuja, V. and Long, L.N., Frequency-domain prediction of turbofan noise radiation. (4-5) 933
- Pal, M. see Sharma, J.N. (4-5) 587
- Park, J., Mongeau, L. and Siegmund, T., Authors' reply (4-5) 1068
- Parker, R.G., Efficient eigensolution, dynamic response, and eigensensitivity of serpentine belt drives (1-2) 15
- Parloo, E., Vanlanduit, S., Guillaume, P. and Verboven, P., Increased reliability of reference-based damage identification techniques by using output-only data. (4-5) 813
- Perriot, A. see Raynaud, J.L. (1-2) 403
- Pilipchuk, V.N., Oscillators with a generalized power-form elastic term (Letter). (1-2) 470
- Qian, L.F. see Batra, R.C. (Letter) (4-5) 1074
- Rasolofondraibe, L. see Dron, J.P. (1-2) 61
- Raynaud, J.L., Bouhaddi, N., Perriot, A. and Herpe, F.V., Updating complex structures by a robust multilevel condensation approach (1-2) 403
- Ren, G. see Wu, S. (4-5) 625

- Richards, S.K., Zhang, X., Chen, X.X. and Nelson, P.A., The evaluation of non-reflecting boundary conditions for duct acoustic computation. (3) 539
- Rixen, D.J. see Mohanty, P. (1-2) 93
- Rona, A. and Zhang, X., Time accurate numerical study of turbulent supersonic jets. (1-2) 297
- Ruotolo, R., A spectral element for laminated composite beams: theory and application to pyroshock analysis. (1-2) 149
- Ruta, G.C. see Cerri, M.N. (1-2) 39
- Sadasiva Rao, Y.V.K. see Latheswary, S. (Letter) (1-2) 417
- Saigo, M., Tanaka, N. and Nam, D.H., Torsional vibration suppression by wave-absorption control with imaginary system. (4-5) 657
- Schröder, W. see Ewert, R. (3) 509
- Sekhar, A.S., Crack identification in a rotor system: a model-based approach (4-5) 887
- Sharma, J.N. and Pal, M., Propagation of Lamb waves in a transversely isotropic piezothermoelastic plate (4-5) 587
- Shi, J. see Zhou, S. (Letter) (1-2) 455
- Siegmund, T. see Park, J. (Letter) (4-5) 1068
- Singh, R., Nonlinearity in Structural Dynamics: Detection, Identification and Modelling by K. Worden and G.R. Tomlinson, Institute of Physics Publishing, UK, 2001, pp xix + 659, price £ 85.00, ISBN 0-7503-0356-5. (4-5) 1087
- Soares Jr., D. see Mansur, W.J. (4-5) 767
- Sofiyev, A.H. and Aksogan, O., Buckling of a conical thin shell with variable thickness under a dynamic loading. (4-5) 903
- Solovjov, I.L. see Gulyayev, V.I. (1-2) 323
- Sorokin, S.V., A note on the effect of compressibility on the propagation of free waves in sandwich plates with heavy fluid loading (Letter) (1-2) 433
- Srirangarajan, H.R. see Murigendrappa, S.M. (4-5) 1013
- Takeda, K., Zhang, X. and Nelson, P.A., Computational aeroacoustic simulations of leading-edge slat flow (3) 559
- Tam, C.M. see Li, Q.S. (4-5) 611
- Tanaka, N. see Saigo, M. (4-5) 657
- Tang, J. see Li, Q.S. (4-5) 611
- Thakkar, D. and Ganguli, R., Dynamic response of rotating beams with piezoceramic actuation (4-5) 729
- To, C.W.S., Finite Element Methods for Structures with Large Stochastic Variations by I. Elishakoff, and Y.J. Ren, Oxford University Press, Oxford, 2003, pp. ix + 260, price £45, ISBN 0 19 852631 8. (4-5) 1092
- Trochidis, A. see Douka, E. (1-2) 279
- Tsiatas, G.C. see Katsikadelis, J.T. (4-5) 847
- Valsarajan, K.V. see Latheswary, S. (Letter) (1-2) 417
- Vanlanduit, S. see Parloo, E. (4-5) 813
- Vardy, A.E. and Brown, J.M.B., Transient turbulent friction in fully rough pipe flows. (1-2) 233
- Vera, S.A. and Laura, P.A.A., Comments on "Sound transmission through elastomeric bulb seals" (Letter) (4-5) 1067
- Verboven, P. see Parloo, E. (4-5) 813
- Wang, K.Y. see Zhai, W.M. (4-5) 673
- Wang, M.Y. see Xu, Z. (Letter) (4-5) 1033
- Wang, W., Golnaraghi, F. and Ismail, F., Condition monitoring of multistage printing presses. (4-5) 755
- Weise, W., Investigation of the anisotropy of hemi-dodecahedron noise source radiation (1-2) 137
- Wofo, P. see Chembo Kouomou, Y. (1-2) 75
- Wolf, H., Kodvanj, J. and Bjelovučić-Kopilović, S., Effect of smoothing piecewise-linear oscillators on their stability predictions (4-5) 917
- Wu, H.-W. see Ge, Z.-M. (4-5) 685
- Wu, S. and Ren, G., Delay-independent stability criteria for a class of retarded dynamical systems with two delays. (4-5) 625
- Xia, Y. and Lin, R., Improvement on the iterated IRS method for structural eigensolutions. (4-5) 713
- Xu, Z., Wang, M.Y. and Chen, T., A particle damper for vibration and noise reduction (Letter) (4-5) 1033
- Zhai, W.M., Wang, K.Y. and Lin, J.H., Modelling and experiment of railway ballast vibrations. (4-5) 673
- Zhang, N. see Li, Q.S. (4-5) 611

Zhang, Q.-Z. and Gan, W.-S., A model predictive algorithm for active noise control with online secondary path modelling (Letter) (4-5) 1056

Zhang, X. see Chen, X.X. (3) 573

Zhang, X. see Lai, C.-H. (3) 481

Zhang, X. see Richards, S.K. (3) 539

Zhang, X. see Rona, A. (1-2) 297

Zhang, X. see Takeda, K. (3) 559

Zhou, S. and Shi, J., Identification of non-linear effects in rotor systems using recursive QR factorization method (Letter) (1-2) 455