



ACADEMIC  
PRESS

Journal of Sound and Vibration 271 (2004) 1181–1185

---

---

JOURNAL OF  
SOUND AND  
VIBRATION

---

[www.elsevier.com/locate/jsvi](http://www.elsevier.com/locate/jsvi)

## Index to Volume 271

- Albarracín, C.M., Zannier, L. and Grossi, R.O., Some observations in the dynamics of beams with intermediate supports (Letter) . . . . . (1–2) 475
- Amabili, M., Comments on “Free vibration of two identical circular plates coupled with bounded fluid” (Letter) . . . . . (1–2) 469
- Argoul, P. see Yin, H.P. . . . . (3–5) 999
- Azrar, L. see Daya, E.M. . . . . (3–5) 789
- Babitsky, V.I. see Batako, A.D. . . . . (1–2) 209
- Bakirtas, I. see Hayir, A. . . . . (1–2) 241
- Bambill, D.V. and Rossit, C.A., Comments on “Prediction of fundamental frequency of initially in-plane-loaded moderately thick circular plates” (Letter) . . . . . (1–2) 472
- Batako, A.D., Babitsky, V.I. and Halliwell, N.A., Modelling of vibro-impact penetration of self-exciting percussive-rotary drill bit . . . . . (1–2) 209
- Benassi, L. see Elliott, S.J. . . . . (1–2) 297
- Branco, F.J.G. see Godinho, L. . . . . (1–2) 257
- Brennan, M.J. see Elliott, S.J. . . . . (1–2) 297
- Buchanan, G.R. see Liu, Y.J. (Letter) . . . . . (3–5) 1083
- Calim, F.F. see Temel, B. . . . . (3–5) 921
- Cao, H., Chi, X. and Chen, G., Suppressing or inducing chaos in a model of robot arms and mechanical manipulators . . . . . (3–5) 705
- Cao, Z.-Y. see Luo, S.-N. . . . . (3–5) 535
- Carcaterra, A. and Ciappi, E., Hydrodynamic shock of elastic structures impacting on the water: theory and experiments . . . . . (1–2) 411
- Casper, J. and Farassat, F., Broadband trailing edge noise predictions in the time domain . . . . . (1–2) 159
- Chen, G. see Cao, H. . . . . (3–5) 705
- Chen, L.-W. see Wang, H.-J. . . . . (1–2) 25
- Cheng, Y., Ren, G. and Dai, S., The multi-body system modelling of the Gough–Stewart platform for vibration control . . . . . (3–5) 599
- Cheon, J.W. see Choi, S.B. (Letter) . . . . . (3–5) 1147
- Chi, X. see Cao, H. . . . . (3–5) 705
- Choi, S.B. and Cheon, J.W., Vibration control of a single-link flexible arm subjected to disturbances (Letter) . . . . . (3–5) 1147
- Chu, C.-L. see Lin, Y.-H. . . . . (3–5) 577
- Ciappi, E. see Carcaterra, A. . . . . (1–2) 411
- Dai, S. see Cheng, Y. . . . . (3–5) 599
- Dalmont, J.-P. see Nederveen, C.J. . . . . (1–2) 227
- Davies, P.O.A.L. and Holland, K.R., The measurement and prediction of sound waves of arbitrary amplitude in practical flow ducts . . . . . (3–5) 849
- Daya, E.M., Azrar, L. and Potier-Ferry, M., An amplitude equation for the non-linear vibration of viscoelastically damped sandwich beams . . . . . (3–5) 789
- Ditzel, A. and Herman, G.C., The influence of a rail embankment on the vibrations generated by moving trains . . . . . (3–5) 937
- Dong, J. see Zhao, Y. . . . . (3–5) 615
- Duffour, P. and Woodhouse, J., Instability of systems with a frictional point contact. Part 1: basic modelling (1–2) 365

- Duffour, P. and Woodhouse, J., Instability of systems with a frictional point contact. Part 2: model extensions (1-2) 391  
 Duhamel, D. see Yin, H.P. . . . . (3-5) 999  
 Dunkley, A. see Harrison, M.F. . . . . (3-5) 959  
 Eiland, J. see Santos, I.F. . . . . (3-5) 883  
 El-Sinawi, A.H., Active vibration isolation of a flexible structure mounted on a vibrating elastic base . . . (1-2) 323  
 Elliott, S.J., Benassi, L., Brennan, M.J., Gardonio, P. and Huang, X., Mobility analysis of active isolation systems . . . . . (1-2) 297  
 Esmailzadeh, E. and Jalili, N., Author's reply (Letter) . . . . . (3-5) 1099  
 Fahy, F.J., Comments on "Sound absorption characteristics of air-gap systems in enclosed cavities" (Letter) . . (3-5) 1157  
 Fahy, F.J., A note on the subdivision of a volume of air in a vehicle enclosure into sea subsystems (Letter) (3-5) 1170  
 Farassat, F. see Casper, J. . . . . (1-2) 159  
 Fu, Y.-M. see Luo, S.-N. . . . . (3-5) 535  
 Fu, Y.M. see Zhu, S.J. . . . . (1-2) 15  
 Ganesan, N. see Kadoli, R. . . . . (1-2) 103  
 Gardonio, P. see Elliott, S.J. . . . . (1-2) 297  
 Godinho, L., Tadeu, A. and Branco, F.J.G., Dynamic analysis of submerged fluid-filled pipelines subjected to a point pressure load . . . . . (1-2) 257  
 Gottlieb, H.P.W., Harmonic balance approach to periodic solutions of non-linear jerk equations . . . . . (3-5) 671  
 Gürgöze, M., Non-proportionally damped systems subjected to damping modifications by several viscous dampers (Letter) . . . . . (1-2) 441  
 Grishina, S.V. see Sorokin, S.V. . . . . (3-5) 1063  
 Grossi, R.O. see Albarracín, C.M. (Letter) . . . . . (1-2) 475  
 Halliwell, N.A. see Batako, A.D. . . . . (1-2) 209  
 Harrison, M.F. and Dunkley, A., The acoustics of racing engine intake systems . . . . . (3-5) 959  
 Hayir, A. and Bakirtas, I., A note on a plate having a circular cavity excited by plane harmonic SH waves (1-2) 241  
 Herman, G.C. see Ditzel, A. . . . . (3-5) 937  
 Holland, K.R. see Davies, P.O.A.L. . . . . (3-5) 849  
 Hu, H., A classical perturbation technique that works even when the linear part of restoring force is zero (Letter) . . . . . (3-5) 1175  
 Hu, X.X., Sakiyama, T., Matsuda, H. and Morita, C., Fundamental vibration of rotating cantilever blades with pre-twist . . . . . (1-2) 47  
 Huang, C.-H. see Ma, C.-C. . . . . (3-5) 493  
 Huang, D.T. and Ting, E.C., Vibration of plates with sub-structural deduction: a reverse receptance approach . . . . . (1-2) 177  
 Huang, R.-C. see Lin, Y.-H. . . . . (3-5) 577  
 Huang, X. see Elliott, S.J. . . . . (1-2) 297  
 Jalili, N. see Esmailzadeh, E. (Letter) . . . . . (3-5) 1099  
 Jeong, K.-H., Author's reply (Letter) . . . . . (1-2) 470  
 Ji, J.C., Dynamics of a piecewise linear system subjected to a saturation constraint . . . . . (3-5) 905  
 Kadoli, R. and Ganesan, N., Studies on dynamic behavior of composite and isotropic cylindrical shells with PZT layers under axisymmetric temperature variation. . . . . (1-2) 103  
 Kang, S.W. and Lee, J.M., Author's reply (Letter) . . . . . (3-5) 1158  
 Keir, J., Kessissoglou, N.J. and Norwood, C.J., An analytical investigation of single actuator and error sensor control in connected plates . . . . . (3-5) 635  
 Kessissoglou, N.J. see Keir, J. . . . . (3-5) 635  
 Kim, J. see Lee, U. . . . . (3-5) 685  
 Kovacic, I., A field method in the study of weakly non-linear two-degree-of-freedom oscillatory systems (Letter) (1-2) 464  
 Lacagnina, M. see Petrone, F. . . . . (1-2) 339  
 Landini, G. see Lea, S.C. (Letter) . . . . . (3-5) 1113  
 Lea, S.C., Landini, G. and Walmsley, A.D., Assessing the vibrations of dental ultrasonic scalers (Letter) (3-5) 1113  
 Lee, J.M. see Kang, S.W. (Letter) . . . . . (3-5) 1158  
 Lee, U., Kim, J. and Oh, H., Spectral analysis for the transverse vibration of an axially moving Timoshenko beam . . . . . (3-5) 685

- Lei, X. and Mao, L., Dynamic response analyses of vehicle and track coupled system on track transition of conventional high speed railway (Letter) . . . . . (3-5) 1133
- Leung, A.Y.T., Zhu, B., Zheng, J. and Yang, H., Analytic trapezoidal Fourier  $p$ -element for vibrating plane problems. . . . . (1-2) 67  
(3-5) 507
- Li, S. see Wan, F. . . . . (3-5) 507
- Lin, Y.-H., Huang, R.-C. and Chu, C.-L., Optimal modal vibration suppression of a fluid-conveying pipe with a divergent mode . . . . . (3-5) 577
- Liu, K. and Liu, Y., Propagation characteristic of Rayleigh waves in orthotropic fluid-saturated porous media . . . . . (1-2) 1
- Liu, Y. see Liu, K. . . . . (1-2) 1
- Liu, Y.J. and Buchanan, G.R., Free vibration of stepped cantilever Mindlin plates (Letter) . . . . . (3-5) 1083
- Luo, S.-N., Fu, Y.-M. and Cao, Z.-Y., Non-linear vibration of composite beams with an arbitrary delamination . . . . . (3-5) 535
- Ma, C.-C. and Huang, C.-H., Experimental whole-field interferometry for transverse vibration of plates . . . . . (3-5) 493
- Mantegazza, P. see Quaranta, G. . . . . (3-5) 1015
- Mao, L. see Lei, X. (Letter) . . . . . (3-5) 1133
- Masarati, P. see Quaranta, G. . . . . (3-5) 1015
- Matsuda, H. see Hu, X.X. . . . . (1-2) 47
- Matsunaga, H., Free vibration and stability of laminated composite circular arches subjected to initial axial stress . . . . . (3-5) 651
- Morita, C. see Hu, X.X. . . . . (1-2) 47
- Mozuras, A. and Podzharov, E., Measurement of large harmonic vibration amplitudes . . . . . (3-5) 985
- Naguleswaran, S., Vibration of an Euler–Bernoulli stepped beam carrying a non-symmetrical rigid body at the step (Letter) . . . . . (3-5) 1121
- Nakamura, S. see Wu, Q. (Letter) . . . . . (1-2) 453
- Nederveen, C.J. and Dalmont, J.-P., Pitch and level changes in organ pipes due to wall resonances. . . . . (1-2) 227
- Neetha, R. see Venkateswara Rao, G. (Letter) . . . . . (1-2) 474
- Nielsen, J.B. see Sorokin, S.V. . . . . (3-5) 815
- Norwood, C.J. see Keir, J. . . . . (3-5) 635
- Oh, H. see Lee, U. . . . . (3-5) 685
- Öhrström, E. and Skånberg, A., Sleep disturbances from road traffic and ventilation noise—laboratory and field experiments . . . . . (1-2) 279  
(3-5) 815
- Olhoff, N. see Sorokin, S.V. . . . . (3-5) 815
- Pany, C. and Venkateswara Rao, G., Large amplitude free vibrations of a uniform spring-hinged beam (Letter) . . . . . (3-5) 1163
- Pesterev, A.V., Comments on “Vehicle–passenger–structure interaction of uniform bridges traversed by moving vehicles” (Letter) . . . . . (3-5) 1093
- Petrone, F., Lacagnina, M. and Scionti, M., Dynamic characterization of elastomers and identification with rheological models . . . . . (1-2) 339
- Podzharov, E. see Mozuras, A. . . . . (3-5) 985
- Potier-Ferry, M. see Daya, E.M. . . . . (3-5) 789
- Price, W.G. see Wang, Z.H. . . . . (3-5) 863
- Quaranta, G., Mantegazza, P. and Maserati, P., Assessing the local stability of periodic motions for large multibody non-linear systems using proper orthogonal decomposition . . . . . (3-5) 1015
- Ren, G. see Cheng, Y. . . . . (3-5) 599
- Rossit, C.A. see Bambill, D.V. (Letter) . . . . . (1-2) 472
- Saeki, T. see Tamesue, T. . . . . (3-5) 519
- Sakiyama, T. see Hu, X.X. . . . . (1-2) 47
- Santos, I.F., Saracho, C.M., Smith, J.T. and Eiland, J., Contribution to experimental validation of linear and non-linear dynamic models for representing rotor–blade parametric coupled vibrations . . . . . (3-5) 883
- Saracho, C.M. see Santos, I.F. . . . . (3-5) 883
- Scarton, H.A. see Seok, J. . . . . (1-2) 131
- Scarton, H.A. see Seok, J. . . . . (1-2) 147

- Scionti, M. see Petrone, F. . . . . (1-2) 339  
 Seok, J. and Tiersten, H.F., Free vibrations of annular sector cantilever plates. Part 1: out-of-plane motion (3-5) 757  
 Seok, J. and Tiersten, H.F., Free vibrations of annular sector cantilever plates. Part 2: in-plane motion. . (3-5) 773  
 Seok, J., Tiersten, H.F. and Scarton, H.A., Free vibrations of rectangular cantilever plates. Part 1: out-of-plane motion. . . . . (1-2) 131  
 Seok, J., Tiersten, H.F. and Scarton, H.A., Free vibrations of rectangular cantilever plates. Part 2: in-plane motion . . . . . (1-2) 147  
 Shahruz, S.M. and Siva, L.R., Suppression of chaos in a class of non-linear systems by disturbance observers (Letter) . . . . . (1-2) 481  
 Shen, I.Y. see Shen, J.-Y. . . . . (3-5) 725  
 Shen, J.-Y., Tseng, C.-W. and Shen, I.Y., Vibration of rotating disk/spindle systems with flexible housing/stator assemblies . . . . . (3-5) 725  
 Siva, L.R. see Shahruz, S.M. (Letter) . . . . . (1-2) 481  
 Skånberg, A. see Öhrström, E. . . . . (1-2) 279  
 Smith, J.T. see Santos, I.F. . . . . (3-5) 883  
 Sorokin, S.V., Analysis of wave propagation in sandwich plates with and without heavy fluid loading. . . (3-5) 1039  
 Sorokin, S.V. and Grishina, S.V., Analysis of wave propagation in sandwich beams with parametric stiffness modulations . . . . . (3-5) 1063  
 Sorokin, S.V., Nielsen, J.B. and Olhoff, N., Green's matrix and the boundary integral equation method for the analysis of vibration and energy flow in cylindrical shells with and without internal fluid loading (3-5) 815  
 Tadeu, A. see Godinho, L. . . . . (1-2) 257  
 Takahashi, K. see Wu, Q. (Letter) . . . . . (1-2) 453  
 Tamesue, T., Yamaguchi, S. and Saeki, T., Psychological impressions and listening score when listening to audio signals composed of monosyllables and words, while subject to meaningless steady noise—introduction of weighted-mean spectral distance. . . . . (3-5) 519  
 Temel, B., Çalim, F.F. and Tütüncü, N., Quasi-static and dynamic response of viscoelastic helical rods. . (3-5) 921  
 Tiersten, H.F. see Seok, J. . . . . (1-2) 131  
 Tiersten, H.F. see Seok, J. . . . . (1-2) 147  
 Tiersten, H.F. see Seok, J. . . . . (3-5) 757  
 Tiersten, H.F. see Seok, J. . . . . (3-5) 773  
 Ting, E.C. see Huang, D.T. . . . . (1-2) 177  
 Tsai, G.-C., Rotating vibration behavior of the turbine blades with different groups of blades . . . . . (3-5) 547  
 Tseng, C.-W. see Shen, J.-Y. . . . . (3-5) 725  
 Tütüncü, N. see Temel, B. . . . . (3-5) 921  
 Venkateswara Rao, G. and Neetha, R., Authors' reply (Letter) . . . . . (1-2) 474  
 Venkateswara Rao, G. see Pany, C. (Letter) . . . . . (3-5) 1163  
 Walmsley, A.D. see Lea, S.C. (Letter) . . . . . (3-5) 1113  
 Wan, F., Xu, Q. and Li, S., Vibration analysis of cracked rotor sliding bearing system with rotor-stator rubbing by harmonic wavelet transform . . . . . (3-5) 507  
 Wang, H.-J. and Chen, L.-W., Axisymmetric vibration and damping analysis of rotating annular plates with constrained damping layer treatments . . . . . (1-2) 25  
 Wang, Z.H., Xing, J.T. and Price, W.G., A study of power flow in a coupled plate-cylindrical shell system (3-5) 863  
 Woodhouse, J. see Duffour, P. . . . . (1-2) 365  
 Woodhouse, J. see Duffour, P. . . . . (1-2) 391  
 Wu, Q., Takahashi, K. and Nakamura, S., Non-linear response of cables subjected to periodic support excitation considering cable loosening (Letter) . . . . . (1-2) 453  
 Wu, Y.J. see Zhu, W.Q. . . . . (1-2) 83  
 Xiao, T. see Zhao, Y. . . . . (3-5) 615  
 Xing, J.T. see Wang, Z.H. . . . . (3-5) 863  
 Xu, Q. see Wan, F. . . . . (3-5) 507  
 Xue, S. see Zhao, Y. . . . . (3-5) 615  
 Yamaguchi, S. see Tamesue, T. . . . . (3-5) 519  
 Yang, H. see Leung, A.Y.T. . . . . (1-2) 67

- Yin, H.P., Duhamel, D. and Argoul, P., Natural frequencies and damping estimation using wavelet transform of a frequency response function . . . . . (3-5) 999
- Zannier, L. see Albarracín, C.M. (Letter) . . . . . (1-2) 475
- Zhao, Y., Xiao, T., Xue, S. and Dong, J., Experiments and simulated calculations on the resistance to low-velocity impact of layered plates with a sandwiched ERM. . . . . (3-5) 615
- Zheng, J. see Leung, A.Y.T. . . . . (1-2) 67
- Zheng, Y.F. see Zhu, S.J. . . . . (1-2) 15
- Zhu, B. see Leung, A.Y.T. . . . . (1-2) 67
- Zhu, S.J., Zheng, Y.F. and Fu, Y.M., Analysis of non-linear dynamics of a two-degree-of-freedom vibration system with non-linear damping and non-linear spring . . . . . (1-2) 15
- Zhu, W.Q. and Wu, Y.J., Optimal bounded control of first-passage failure of strongly non-linear oscillators under combined harmonic and white-noise excitations . . . . . (1-2) 83