



ELSEVIER

Journal of Sound and Vibration 274 (2004) 1139–1142

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 274

- Atmoko, H. see Wright, S.E. (1–2) 323
Au, F.T.K. see Jiang, R.J. (3–5) 1045
Babitsky, V.I. see Golysheva, E.V. (1–2) 351
Bahai, H. see Farahani, K. (3–5) 481
Bahai, H. see Farahani, K. (3–5) 507
Bastami, A.R. see Behzad, M. (3–5) 985
Basu, B. see Ghosh, A. (Letter) (3–5) 1079
Bauer, H.F. and Chiba, M., Oscillations of captured spherical drop of frictionless liquid (3–5) 725
Bazán, F.S.V., Eigensystem realization algorithm (ERA): reformulation and system pole perturbation analysis (Letter) (1–2) 433
Behzad, M. and Bastami, A.R., Effect of centrifugal force on natural frequency of lateral vibration of rotating shafts (3–5) 985
Berg, M., Hagedorn, P. and Gutschmidt, S., On the dynamics of piezoelectric cylindrical shells (1–2) 91
Bergman, L.A. see Bilello, C. (3–5) 567
Bhattacharya, K., Dutta, S.C. and Dasgupta, S., Effect of soil-flexibility on dynamic behaviour of building frames on raft foundation (1–2) 111
Bhattacharyya, S.K. see Biswal, K.C. (1–2) 13
Bianchi, E., Gardonio, P. and Elliott, S.J., Smart panel with multiple decentralized units for the control of sound transmission. Part III: control system implementation (1–2) 215
Bianchi, E. see Gardonio, P. (1–2) 163
Bianchi, E. see Gardonio, P. (1–2) 193
Bilello, C. and Bergman, L.A., Vibration of damaged beams under a moving mass: theory and experimental validation (3–5) 567
Biswal, K.C., Bhattacharyya, S.K. and Sinha, P.K., Dynamic response analysis of a liquid-filled cylindrical tank with annular baffle (1–2) 13
Brennan, M.J. see Waters, T.P. (1–2) 137
Cai, C.S. and Chen, S.R., Wind vibration mitigation of long-span bridges in hurricanes (Letter) (1–2) 421
Carman, G.P. see Liberatore, S. (3–5) 761
Ceravolo, R., Use of instantaneous estimators for the evaluation of structural damping (1–2) 385
Chatterjee, S., Singha, T.K. and Karmakar, S.K., Effect of high-frequency low-amplitude vibration on the performance of a class of semi-active base isolation systems with on-off damping (3–5) 893
Chattopadhyay, A. see Thornburgh, R.P. (1–2) 53
Chen, C.-S. and Fung, C.-P., Non-linear vibration of initially stressed hybrid composite plates (3–5) 1013
Chen, D.C. see Yang, J.B. (3–5) 863
Chen, R.-J. see Wu, J.-D. (3–5) 939
Chen, S.R. see Cai, C.S. (Letter) (1–2) 421
Cheung, Y.K. see Jiang, R.J. (3–5) 1045
Chiba, M. see Bauer, H.F. (3–5) 725
Choi, K.-M., Jo, H.-K., Kim, W.-H. and Lee, I.-W., Sensitivity analysis of non-conservative eigensystems (3–5) 997
Chung, J. see Heo, J.W. (3–5) 821
Coleman, M.P. and McSweeney, L.A., Analysis and computation of the vibration spectrum of the cartesian flexible manipulator (Letter) (1–2) 445
Cummings, A. see Martin, V. (3–5) 583
Dasgupta, S. see Bhattacharya, K. (1–2) 111

- de Diego, M., Gonzalez, A., Ferrer, M. and Piñero, G., Multichannel active noise control system for local spectral reshaping of multifrequency noise (1-2) 249
- Deng, M.L. see Zhu, W.Q. (Letter) (3-5) 1110
- Doki, H. see Hiramoto, K. (3-5) 685
- Dutta, S.C. see Bhattacharya, K. (1-2) 111
- Elliott, S.J. see Bianchi, E. (1-2) 215
- Elliott, S.J. see Gardonio, P. (1-2) 163
- Elliott, S.J. see Gardonio, P. (1-2) 193
- Farahani, K. and Bahai, H., An inverse strategy for relocation of eigenfrequencies in structural design. Part I: first order approximate solutions (3-5) 481
- Farahani, K. and Bahai, H., An inverse strategy for relocation of eigenfrequencies in structural design. Part II: second order approximate solutions (3-5) 507
- Ferrer, M. see de Diego, M. (1-2) 249
- Fung, C.-P. see Chen, C.-S. (3-5) 1013
- Ganesan, N. and Kadoli, R., A study on the dynamic stability of a cylindrical shell conveying a pulsatile flow of hot fluid (3-5) 953
- Gardonio, P., Bianchi, E. and Elliott, S.J., Smart panel with multiple decentralized units for the control of sound transmission. Part I: theoretical predictions (1-2) 163
- Gardonio, P., Bianchi, E. and Elliott, S.J., Smart panel with multiple decentralized units for the control of sound transmission. Part II: design of the decentralized control units. (1-2) 193
- Gardonio, P. see Bianchi, E. (1-2) 215
- Garland, P. see Rogers, R.J. (1-2) 73
- Ghosh, A. and Basu, B., Effect of soil interaction on the performance of tuned mass dampers for seismic applications (Letter). (3-5) 1079
- Ghoshal, A. see Thornburgh, R.P. (1-2) 53
- Golinval, J.-C. see Kerschen, G. (Letter) (3-5) 1091
- Golysheva, E.V., Babitsky, V.I. and Veprik, A.M., Vibration protection for an operator of a hand-held percussion machine (1-2) 351
- Gonzalez, A. see de Diego, M. (1-2) 249
- Griffin, M.J. see Qiu, Y. (1-2) 297
- Gronier, C. see Martin, V. (3-5) 583
- Guillaume, P. see Vanlanduit, S. (1-2) 369
- Gulyayev, V.I. and Tolbatov, E.Yu., Dynamics of spiral tubes containing internal moving masses of boiling liquid (1-2) 233
- Gutschmidt, S. see Berg, M. (1-2) 91
- Hagedorn, P. see Berg, M. (1-2) 91
- He, C. and Jha, R., Experimental evaluation of augmented UD identification based vibration control of smart structures (Letter). (3-5) 1065
- Heo, J.W. and Chung, J., Vibration analysis of a flexible rotating disk with angular misalignment (3-5) 821
- Heylen, W. see Lauwagie, T. (3-5) 529
- Hiramoto, K. and Doki, H., Simultaneous optimal design of structural and control systems for cantilevered pipes conveying fluid (3-5) 685
- Hua, H. see Li, J. (3-5) 915
- Huang, Z.L. see Zhu, W.Q. (3-5) 701
- Jha, R. see He, C. (Letter) (3-5) 1065
- Ji, L., Mace, B.R. and Pinnington, R.J., A hybrid mode/Fourier-transform approach for estimating the vibrations of beam-stiffened plate systems (3-5) 547
- Jiang, L.J. see Yang, J.B. (3-5) 863
- Jiang, R.J., Au, F.T.K. and Cheung, Y.K., Identification of vehicles moving on continuous bridges with rough surface (3-5) 1045
- Jin, X. see Li, J. (3-5) 915
- Jing, J., Meng, G., Sun, Y. and Xia, S., On the non-linear dynamic behavior of a rotor-bearing system (3-5) 1031
- Jo, H.-K. see Choi, K.-M. (3-5) 997
- Jones, C.J.C. see Xie, G. (3-5) 621
- Kadoli, R. see Ganesan, N. (3-5) 953

- Kandagal, S.B. and Venkatraman, K., Form factors for vibration control of beams using resistively shunted piezoceramics (Letter) (3-5) 1123
- Karami, G. and Malekzadeh, P., In-plane free vibration analysis of circular arches with varying cross-sections using differential quadrature method (3-5) 777
- Karmakar, S.K. see Chatterjee, S. (3-5) 893
- Kerschen, G. and Golinval, J.-C., Comments on "Interpreting proper orthogonal modes of randomly excited linear vibration systems" (Letter) (3-5) 1091
- Kim, W.-H. see Choi, K.-M. (3-5) 997
- Ko, J.M. see Ying, Z.G. (3-5) 843
- Ko, J.M. see Zhu, W.Q. (3-5) 701
- Kozić, P. and Pavlović, R., Stochastic stability of torsion oscillations in moving thin elastic bands (Letter) (3-5) 1103
- Krylov, V.V. and Tilman, F.J.B.S., Acoustic 'black holes' for flexural waves as effective vibration dampers (3-5) 605
- Kumar, R. see Sharma, J.N. (3-5) 747
- Lauwagie, T., Sol, H., Heylen, W. and Roebben, G., Determination of the in-plane elastic properties of the different layers of laminated plates by means of vibration testing and model updating (3-5) 529
- Leclercq, D.J.J., Authors' reply (Letter) (1-2) 407
- Lee, I.-W. see Choi, K.-M. (3-5) 997
- Li, J., Hua, H., Shen, R. and Jin, X., Stochastic vibration of axially loaded monosymmetric Timoshenko thin-walled beam (3-5) 915
- Liberatore, S. and Carman, G.P., Power spectral density analysis for damage identification and location (3-5) 761
- Mace, B.R. see Ji, L. (3-5) 547
- Malekzadeh, P. see Karami, G. (3-5) 777
- Martin, V., Cummings, A. and Gronier, C., Discrimination of coupled structural/acoustic duct modes by active control: principles and experimental results (3-5) 583
- McSweeney, L.A. see Coleman, M.P. (Letter) (1-2) 445
- Meng, G. see Jing, J. (3-5) 1031
- Morgan, P.A. see Watts, G.R. (3-5) 669
- Muravskii, G.B., On frequency independent damping (3-5) 653
- Ni, Y.Q. see Ying, Z.G. (3-5) 843
- Ni, Y.Q. see Zhu, W.Q. (3-5) 701
- Oliver, M. see Rogers, R.J. (1-2) 73
- Pavic, A. see Sachse, R. (3-5) 461
- Pavlović, R. see Kozić, P. (Letter) (3-5) 1103
- Pennacchi, P. and Vania, A., Accuracy in the identification of a generator thermal bow (1-2) 273
- Piñero, G. see de Diego, M. (1-2) 249
- Pinnington, R.J. see Ji, L. (3-5) 547
- Qian, B. see Sheng, M.P. (3-5) 877
- Qiu, Y. and Griffin, M.J., Transmission of vibration to the backrest of a car seat evaluated with multi-input models (1-2) 297
- Reynolds, P. see Sachse, R. (3-5) 461
- Ribeiro, P., Vibrations and Stability: Advanced Theory, Analysis, and Tools (2nd Edition) by J.J. Thomsen, Springer, Berlin, 2003, pp. xxii + 404, price £46, €59.95, US\$89.95, ISBN 3-540-40140-7. (3-5) 1137
- Roebben, G. see Lauwagie, T. (3-5) 529
- Rogers, R.J., Garland, P. and Oliver, M., Dynamic modelling of mechanical systems with opposing restrained preloaded stiffnesses (1-2) 73
- Sachse, R., Pavic, A. and Reynolds, P., Parametric study of modal properties of damped two-degree-of-freedom crowd-structure dynamic systems (3-5) 461
- Sasananan, S. see Waters, T.P. (1-2) 137
- Schoukens, J. see Vanlanduit, S. (1-2) 369
- Sharma, J.N. and Kumar, R., Asymptotics of wave motion in transversely isotropic plates (3-5) 747
- Sheikh, P.A. and Uhl, C., Airplane noise: a pervasive disturbance in Pennsylvania Parks, USA (Letter) (1-2) 411
- Shen, R. see Li, J. (3-5) 915
- Sheng, M.P., Wang, M.Q., Sun, J.C. and Qian, B., Statistical energy analysis for complicated coupled system and its application in engineering (3-5) 877
- Singha, T.K. see Chatterjee, S. (3-5) 893

- Sinha, P.K. see Biswal, K.C. (1–2) 13
- Smol'yakov, A.V. and Tkachenko, V.M., A note on “Investigation and modelling of the wall pressure field beneath a turbulent boundary layer at low and medium frequencies” (Letter) (1–2) 403
- Sol, H. see Lauwagie, T. (3–5) 529
- Sun, J.C. see Sheng, M.P. (3–5) 877
- Sun, Y. see Jing, J. (3–5) 1031
- Surgand, M. see Watts, G.R. (3–5) 669
- Tang, S.K. and Wong, M.Y., On noise indices for domestic air conditioners (1–2) 1
- Thompson, D.J. see Xie, G. (3–5) 621
- Thornburgh, R.P., Chattopadhyay, A. and Ghoshal, A., Transient vibration of smart structures using a coupled piezoelectric-mechanical theory (1–2) 53
- Tilman, F.J.B.S. see Krylov, V.V. (3–5) 605
- Tkachenko, V.M. see Smol'yakov, A.V. (Letter) (1–2) 403
- Tolbatov, E.Yu. see Gulyayev, V.I. (1–2) 233
- Uhl, C. see Sheikh, P.A. (1–2) 411
- Vania, A. see Pennacchi, P. (1–2) 273
- Vanlanduit, S., Guillaume, P. and Schoukens, J., Robust data reduction of high spatial resolution optical vibration measurements (1–2) 369
- Venkatraman, K. see Kandagal, S.B. (Letter) (3–5) 1123
- Veprik, A.M. see Golysheva, E.V. (1–2) 351
- Vuksanovic, B. see Wright, S.E. (1–2) 323
- Wang, C.Y., Free vibration of a linked rod (Letter) (1–2) 455
- Wang, M.Q. see Sheng, M.P. (3–5) 877
- Waters, T.P., Brennan, M.J. and Sasanaan, S., Identifying the foundation stiffness of a partially embedded post from vibration measurements (1–2) 137
- Watts, G.R., Morgan, P.A. and Surgand, M., Assessment of the diffraction efficiency of novel barrier profiles using an MLS-based approach (3–5) 669
- Wong, M.Y. see Tang, S.K. (1–2) 1
- Worden, K., The Illustrated Wavelet Transform Handbook by Paul S. Addison, Institute of Physics Publishing, Bristol, 2002, pp. xiii + 353, price £45, US\$65, ISBN 0-7503-0692-0. (3–5) 1135
- Wright, S.E., Atmoko, H. and Vuksanovic, B., Active control of environmental noise, VIII: increasing the response to primary source changes including unpredictable noise (1–2) 323
- Wu, J.-D. and Chen, R.-J., Application of an active controller for reducing small-amplitude vertical vibration in a vehicle seat. (3–5) 939
- Wu, T.X., On initial condition transformation for response calculation using modal analysis method with application to wheel/rail impact (Letter) (3–5) 1093
- Xia, S. see Jing, J. (3–5) 1031
- Xie, G., Thompson, D.J. and Jones, C.J.C., Mode count and modal density of structural systems: relationships with boundary conditions (3–5) 621
- Xu, Q.Y. see Zhang, J.F. (1–2) 39
- Yang, J.B., Jiang, L.J. and Chen, D.C., Dynamic modelling and control of a rotating Euler–Bernoulli beam (3–5) 863
- Ying, Z.G., Ni, Y.Q. and Ko, J.M., Non-linear stochastic optimal control for coupled-structures system of multi-degree-of-freedom (3–5) 843
- Zeng, H. see Zheng, H. (3–5) 801
- Zhang, J.F. and Xu, Q.Y., Research on stability of periodic elastic motion of a flexible four bar crank rocker mechanism (1–2) 39
- Zheng, H. and Zeng, H., Influence of permanent magnets on vibration characteristics of a partially covered sandwich cantilever beam (3–5) 801
- Zhu, W.Q. and Deng, M.L., Equivalent non-linear system method for stochastically excited and dissipated integrable Hamiltonian systems-resonant case (Letter) (3–5) 1110
- Zhu, W.Q., Huang, Z.L., Ko, J.M. and Ni, Y.Q., Optimal feedback control of strongly non-linear systems excited by bounded noise (3–5) 701