



ELSEVIER

Journal of Sound and Vibration 280 (2005) 1161–1165

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 280

Acheson, D.J. see Galán, J.	(1–2)	359
Ailawalia, P. see Kumar, R.	(3–5)	837
Al-Bedoor, B.O. see Al-Qaisia, A.A.	(3–5)	531
Al-Qaisia, A.A. and Al-Bedoor, B.O., Evaluation of different methods for the consideration of the effect of rotation on the stiffening of rotating beams	(3–5)	531
Alsop, S.H. see McLean, R.F.	(1–2)	1
Arruda, J.R.F. see Donadon, L.V.	(1–2)	159
Atalla, N. see Jaouen, L.	(3–5)	681
Avalos, D.R. see Masiá, U. (Short Communication)	(1–2)	433
Bai, M., Huang, J., Hong, M. and Su, F., Fault diagnosis of rotating machinery using an intelligent order tracking system	(3–5)	699
Bambill, D.V. see Rossi, R.E. (Discussion)	(3–5)	1154
Batra, R.C. see Qian, L.F. (Short Communication)	(1–2)	415
Bayly, P.V. see Dilley, D.N.	(3–5)	997
Benamar, R. see Haterbouch, M.	(3–5)	903
Beresnevich, V.I. and Tsyfanskyy, S.L., Characteristic properties of subharmonic oscillations and their application in vibration engineering.	(3–5)	579
Bernhard, R.J. see Williams, K.A.	(1–2)	211
Berry, A. see Mencik, J.-M.	(3–5)	1031
Berthaut, J., Ichchou, M.N. and Jezequel, L., <i>K</i> -space identification of apparent structural behaviour (Short Communication)	(3–5)	1125
Bos, F. and Bos Casagrande, S., Author's reply (Discussion)	(3–5)	1157
Bos Casagrande, S. see Bos, F. (Discussion)	(3–5)	1157
Brennan, M.J. see Liu, Y.	(1–2)	21
Brouard, B. see Jaouen, L.	(3–5)	681
Buchanan, G.R., Vibration of circular membranes with linearly varying density along a diameter (Short Communication)	(1–2)	407
Bulut, G. see Turhan, Ö.	(3–5)	945
Caliò, I. and Elishakoff, I., Closed-form solutions for axially graded beam-columns (Short Communication)	(3–5)	1083
Calvert, S.G. see Dilley, D.N.	(3–5)	997
Cao, Y.M. see Xia, H.	(3–5)	1017
Champneys, A.R. see Galán, J.	(1–2)	359
Chen, D. see Sun, T.	(3–5)	965
Chen, Z. and Xie, W.-C., Vibration localization in plates rib-stiffened in two orthogonal directions	(1–2)	235
Cheng, L. see Li, Y.Y.	(1–2)	379
Chiu, G.T.-C. see Williams, K.A.	(1–2)	211
Choi, D.H., Park, J.H. and Yoo, H.H., Modal analysis of constrained multibody systems undergoing rotational motion	(1–2)	63
Christensen, R.H. and Santos, I.F., Design of active controlled rotor-blade systems based on time-variant modal analysis	(3–5)	863
Dadfarinia, M., Jalili, N. and Esmailzadeh, E., A comparative study of the Galerkin approximation utilized in the Timoshenko beam theory (Short Communication)	(3–5)	1132
Dalenbring, M. see Sehlstedt, N.	(1–2)	41
Dilley, D.N., Bayly, P.V., Whitehead, B.T. and Calvert, S.G., An analytical study of the effect of process damping on reamer vibrations	(3–5)	997

- Djoudi, M.S., Kennedy, D., Williams, F.W., Yuan, S. and Ye, K., Exact substructuring in recursive Newton's method for solving transcendental eigenproblems. (3-5) 883
- Dokumaci, E., Prediction of source characteristics of engine exhaust manifolds. (3-5) 925
- Donadon, L.V. and Arruda, J.R.F., Experimental energetic analyses of an actively controlled one-dimensional acoustic waveguide. (1-2) 159
- Dufva, K.E., Sopenan, J.T. and Mikkola, A.M., A two-dimensional shear deformable beam element based on the absolute nodal coordinate formulation. (3-5) 719
- Elishakoff, I. see Caliò, I. (Short Communication). (3-5) 1083
- Esmailzadeh, E. see Dadfarnia, M. (Short Communication). (3-5) 1132
- Febbo, M. see Vera, S.A. (Discussion). (3-5) 1149
- Ferreira, A.J.M., Martins, P.A.L.S. and Roque, C.M.C., Solving time-dependent engineering problems with multiquadrics. (3-5) 595
- Fleming, J.S. see McLean, R.F. (1-2) 1
- Fox, C.H.J. see Rourke, A.K. (3-5) 495
- Fraser, W.B. see Galán, J. (1-2) 359
- Galán, J., Fraser, W.B., Acheson, D.J. and Champneys, A.R., The parametrically excited upside-down rod: an elastic jointed pendulum model. (1-2) 359
- Gao, J.X. and Liao, W.H., Vibration analysis of simply supported beams with enhanced self-sensing active constrained layer damping treatments. (1-2) 329
- Golinval, J.-C. see Kerschen, G. (Short Communication). (1-2) 443
- Gorman, D.J., Highly accurate free vibration eigenvalues for the completely free orthotropic plate (Short Communication). (3-5) 1095
- Guo, J.Y. see Xu, X.D. (Short Communication). (1-2) 449
- Hasheminejad, S.M. and Safari, N., Acoustic scattering from viscoelastically coated spheres and cylinders in viscous fluids. (1-2) 101
- Haterbouch, M. and Benamar, R., Geometrically nonlinear free vibrations of simply supported isotropic thin circular plates. (3-5) 903
- Ho, P.C. and Melbin, J., Mechanical vibration-induced particulate deposition and ionic mineralization at material boundaries in the fluid media (Short Communication). (3-5) 1143
- Hong, M. see Bai, M. (3-5) 699
- Howe, M.S. see Winslow, A. (3-5) 983
- Huang, J. see Bai, M. (3-5) 699
- Huang, Z. see Sun, T. (3-5) 965
- Ichchou, M.N. see Berthaut, J. (Short Communication). (3-5) 1125
- Ikhouane, F. see Mañosa, V. (3-5) 657
- Jalili, N. see Dadfarnia, M. (Short Communication). (3-5) 1132
- Jaouen, L., Brouard, B., Atalla, N. and Langlois, C., A simplified numerical model for a plate backed by a thin foam layer in the low frequency range. (3-5) 681
- Jezequel, L. see Berthaut, J. (Short Communication). (3-5) 1125
- Jones, C.J.C. see Xie, G. (1-2) 181
- Jung, H.Y. see Lee, J.J. (3-5) 555
- Jung, S.-W., Na, K.-S. and Kim, J.-H., Dynamic stability of liquid-filled projectiles under a thrust. (3-5) 611
- Kennedy, D. see Djoudi, M.S. (3-5) 883
- Kerschen, G., Yan, A.M. and Golinval, J.-C., Distortion function and clustering for local linear models (Short Communication). (1-2) 443
- Khajepour, A. see Li, G. (3-5) 759
- Kim, J.-H. see Jung, S.-W. (3-5) 611
- Kirpitchenko, I. see Zhang, N. (Short Communication). (1-2) 425
- Kong, L. and Parker, R.G., Vibration of an axially moving beam wrapping on fixed pulleys (Short Communication). (3-5) 1066
- Krivtsov, A.M. see Wiercigroch, M. (3-5) 739
- Kuiper, G.L. and Metrikine, A.V., Dynamic stability of a submerged, free-hanging riser conveying fluid (Short Communication). (3-5) 1051
- Kumar, R. and Ailawalia, P., Moving load response of micropolar elastic half-space with voids. (3-5) 837
- Kwon, K.-S. and Lin, R.-M., Robust finite element model updating using Taguchi method. (1-2) 77

- Langlois, C. see Jaouen, L. (3–5) 681
- Laura, P.A.A. see Masiá, U. (Short Communication) (1–2) 433
- Laura, P.A.A. see Rossi, R.E. (Discussion). (3–5) 1154
- Laura, P.A.A. see Vera, S.A. (Discussion) (3–5) 1149
- Lee, H.P. see Xu, X.D. (Short Communication) (1–2) 449
- Lee, J.J., Lee, J.W., Yi, J.H., Yun, C.B. and Jung, H.Y., Neural networks-based damage detection for bridges considering errors in baseline finite element models (3–5) 555
- Lee, J.W. see Lee, J.J. (3–5) 555
- Li, G. and Khajepour, A., Robust control of a hydraulically driven flexible arm using backstepping technique (3–5) 759
- Li, Y.Y. and Cheng, L., Controllability assessment of plate-like structures with uncertainties under piezoelectric actuation (1–2) 379
- Liao, W.H. see Gao, J.X. (1–2) 329
- Lin, R.-S. see Kwon, K.-S. (1–2) 77
- Liu, D.K. see Zhang, N. (Short Communication) (1–2) 425
- Liu, W., Tomlinson, G.R. and Rongong, J.A., The dynamic characterisation of disk geometry particle dampers (3–5) 849
- Liu, Y., Waters, T.P. and Brennan, M.J., A comparison of semi-active damping control strategies for vibration isolation of harmonic disturbances (1–2) 21
- Lou, P., Comments on “Analyses of dynamic response of vehicle and track coupling system with random irregularity of track vertical profile” (Discussion). (3–5) 1158
- Lu, C. see Xu, X.D. (Short Communication) (1–2) 449
- Mañosa, V., Ikhouane, F. and Rodellar, J., Control of uncertain non-linear systems via adaptive backstepping (3–5) 657
- Maretic, R., Transverse vibration and stability of an eccentric rotating circular plate (3–5) 467
- Martins, P.A.L.S. see Ferreira, A.J.M. (3–5) 595
- Masiá, U., Avalos, D.R. and Laura, P.A.A., Displacement amplitudes and flexural moments for a rectangular plate with a rectangular cutout under a uniformly distributed static load (Short Communication) (1–2) 433
- McLean, R.F., Alsop, S.H. and Fleming, J.S., Nyquist—overcoming the limitations (1–2) 1
- McWilliam, S. see Rourke, A.K. (3–5) 495
- Melbin, J. see Ho, P.C. (Short Communication) (3–5) 1143
- Mencik, J.-M. and Berry, A., A theoretical formulation of the dynamical response of a master structure coupled with elastic continuous fuzzy subsystems with discrete attachments (3–5) 1031
- Metrikine, A.V. see Kuiper, G.L. (Short Communication) (3–5) 1051
- Michaltsos, G.T., Sarantithou, E. and Sophianopoulos, D.S., Flexural–torsional vibration of simply supported open cross-section steel beams under moving loads (3–5) 479
- Mikkola, A.M. see Dufva, K.E. (3–5) 719
- Miles, J., On resonant rotation of a weakly damped pendulum (Short Communication). (1–2) 401
- Na, K.-S. see Jung, S.-W. (3–5) 611
- Oshkai, P., Rockwell, D. and Pollack, M., Shallow cavity flow tones: transformation from large- to small-scale modes. (3–5) 777
- Païdoussis, M.P., Sarkar, A. and Semler, C., A horizontal fluid-conveying cantilever: spatial coherent structures, beam modes and jumps in stability diagram. (1–2) 141
- Park, J.H. see Choi, D.H. (1–2) 63
- Parker, R.G. see Kong, L. (Short Communication) (3–5) 1066
- Pollack, M. see Oshkai, P. (3–5) 777
- Qian, L.F. and Batra, R.C., Design of bidirectional functionally graded plate for optimal natural frequencies (Short Communication). (1–2) 415
- Rockwell, D. see Oshkai, P. (3–5) 777
- Rodellar, J. see Mañosa, V. (3–5) 657
- Rongong, J.A. see Liu, W. (3–5) 849
- Roque, C.M.C. see Ferreira, A.J.M. (3–5) 595
- Rossi, R.E., Bambill, D.V. and Laura, P.A.A., Comments on “On-line non-destructive evaluation and control of wood-based panels by vibration analysis” (Discussion) (3–5) 1154

- Rourke, A.K., McWilliam, S. and Fox, C.H.J., Frequency trimming of a vibrating ring-based multi-axis rate sensor (3-5) 495
- Safari, N. see Hasheminejad, S.M. (1-2) 101
- Santos, I.F. see Christensen, R.H. (3-5) 863
- Sarantithou, E. see Michaltsos, G.T. (3-5) 479
- Sarkar, A. see Païdoussis, M.P. (1-2) 141
- Scarton, H.A. see Seok, Jongwon (1-2) 263
- Scarton, H.A. see Seok, Jongwon (1-2) 289
- Sehlstedt, N. and Dalenbring, M., Experimental force estimation in a constrained vibrating structure using modal-based methods (1-2) 41
- Semler, C. see Païdoussis, M.P. (1-2) 141
- Seok, Jongwon, Tiersten, H.F. and Scarton, H.A., An analysis of a vibratory angular-rate gyroscope using polarized piezoceramic bimorph plates. Part 1: derivation of variational equations in the absence of angular velocity. (1-2) 263
- Seok, Jongwon, Tiersten, H.F. and Scarton, H.A., An analysis of a vibratory angular-rate gyroscope using polarized piezoceramic bimorph plates. Part 2: solution procedure for the gyroscope with superposed angular velocity. (1-2) 289
- So, R.M.C. see Wang, X.Q. (1-2) 311
- Sopanen, J.T. see Dufva, K.E. (3-5) 719
- Sophianopoulos, D.S. see Michaltsos, G.T. (3-5) 479
- Su, F. see Bai, M. (3-5) 699
- Sun, J.Q. see Wang, X. (Short Communication) (1-2) 455
- Sun, T., Huang, Z. and Chen, D., Signal frequency-based semi-active fuzzy control for two-stage vibration isolation system. (3-5) 965
- Thompson, D.J. see Xie, G. (1-2) 181
- Tiersten, H.F. see Seok, Jongwon (1-2) 263
- Tiersten, H.F. see Seok, Jongwon (1-2) 289
- Tomlinson, G.R. see Liu, W. (3-5) 849
- Tsyfansky, S.L. see Beresnevich, V.I. (3-5) 579
- Turhan, Ö. and Bulut, G., Dynamic stability of rotating blades (beams) eccentrically clamped to a shaft with fluctuating speed (3-5) 945
- Vera, S.A., Febbo, M. and Laura, P.A.A., Comments on "A variable order approach to improve differential quadrature accuracy in dynamic analysis" (Discussion) (3-5) 1149
- Wang, C.M. see Wang, C.Y. (Short Communication) (3-5) 1116
- Wang, C.Y. and Wang, C.M., Examination of the fundamental frequencies of annular plates with small core (Short Communication) (3-5) 1116
- Wang, C.Y., Vibration of a circular plate with an attached core (Short Communication) (3-5) 1075
- Wang, X. and Sun, J.Q., Multi-stage regression fatigue analysis of non-Gaussian stress processes (Short Communication) (1-2) 455
- Wang, X.Q. and So, R.M.C., Various standing waves in a Timoshenko beam (1-2) 311
- Wang, Y.-M., The dynamics of a slider-crank mechanism with an initially curved coupler under two-component parametric resonance (3-5) 815
- Waters, T.P. see Liu, Y. (1-2) 21
- Whitehead, B.T. see Dilley, D.N. (3-5) 997
- Wiercigroch, M., Wojewoda, J. and Krivtsov, A.M., Dynamics of ultrasonic percussive drilling of hard rocks (3-5) 739
- Williams, F.W. see Djoudi, M.S. (3-5) 883
- Williams, K.A., Chiu, G.T.-C. and Bernhard, R.J., Dynamic modelling of a shape memory alloy adaptive tuned vibration absorber (1-2) 211
- Winslow, A. and Howe, M.S., Stepwise approximation of an optimally flared tunnel portal (3-5) 983
- Wojewoda, J. see Wiercigroch, M. (3-5) 739
- Woodard, S.E., Methods to increase sound fidelity and quality produced from piezoelectric devices (1-2) 127
- Xia, H., Zhang, N. and Cao, Y.M., Experimental study of train-induced vibrations of environments and buildings. (3-5) 1017
- Xiang, Y. and Zhang, L., Free vibration analysis of stepped circular Mindlin plates (3-5) 633

Xie, G., Thompson, D.J. and Jones, C.J.C., The radiation efficiency of baffled plates and strips	(1-2)	181
Xie, W.-C. see Chen, Z.	(1-2)	235
Xu, X.D., Lee, H.P., Lu, C. and Guo, J.Y., Streamline representation for structural intensity fields (Short Communication)	(1-2)	449
Yan, A.M. see Kerschen, G. (Short Communication)	(1-2)	443
Ye, K. see Djoudi, M.S.	(3-5)	883
Yi, J.H. see Lee, J.J.	(3-5)	555
Yoo, H.H. see Choi, D.H.	(1-2)	63
Yuan, S. see Djoudi, M.S.	(3-5)	883
Yun, C.B. see Lee, J.J.	(3-5)	555
Zhang, L. see Xiang, Y.	(3-5)	633
Zhang, N. see Xia, H.	(3-5)	1017
Zhang, N., Kirpitchenko, I. and Liu, D.K., Dynamic model of the grinding process (Short Communication)	(1-2)	425
Zong, Z., Author's reply (Discussion)	(3-5)	1151