



ELSEVIER

Journal of Sound and Vibration 281 (2005) 1241–1245

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 281

- Albarracín, C.M. see Grossi, R.O. (Discussion) (3–5) 1240
- Amabili, M., Nonlinear vibrations of circular cylindrical panels (3–5) 509
- Anthoine, J. see Schram, C. (1–2) 171
- Antoni, J. and Randall, R.B., On the use of the cyclic power spectrum in rolling element bearings diagnostics (Discussion) (1–2) 463
- Au, F.T.K. and Wang, M.F., Sound radiation from forced vibration of rectangular orthotropic plates under moving loads (3–5) 1057
- Bai, M.R. and Ou, K.-Y., Head-related transfer function (HRTF) synthesis based on a three-dimensional array model and singular value decomposition (3–5) 1093
- Bambill, D.V. see Maurizi, M.J. (Discussion) (3–5) 1238
- Bauer, H.F. and Chiba, M., Axisymmetric oscillation of a viscous liquid covered by an elastic structure (3–5) 835
- Bayly, P.V. see Dilley, D.N. (Short Communication) (1–2) 423
- Bayly, P.V. see Sims, N.D. (3–5) 743
- Belegundu, A.D. see Grissom, M.D. (3–5) 869
- Bellés, P.M. see Maurizi, M.J. (Discussion) (3–5) 1238
- Bies, D. see Zinoviev, A. (Discussion) (3–5) 1224
- Biondi, B. and Muscolino, G., New improved series expansion for solving the moving oscillator problem (1–2) 99
- Brennan, M.J. see Muggleton, J.M. (3–5) 849
- Brusa, E. and Zolfini, G., Non-synchronous rotating damping effects in gyroscopic rotating systems (3–5) 815
- Chang, S.C. see Lin, H.-P. (1–2) 155
- Chapman, C.J. and Sorokin, S.V., The forced vibration of an elastic plate under significant fluid loading (3–5) 719
- Chelidze, D. and Liu, M., Dynamical systems approach to fatigue damage identification (3–5) 887
- Chen, J. see Gao, W. (1–2) 311
- Chen, S.H. see Sze, K.Y. (3–5) 611
- Cheng, C.-J. see Li, J.-J. (1–2) 295
- Cheng, Y. see Gao, W. (1–2) 311
- Chiba, M. see Bauer, H.F. (3–5) 835
- Christov, C.I. see Jordan, P.M. (Short Communication) (3–5) 1207
- Chung, K.W. see Lee, B.H.K. (3–5) 699
- Craik, R.J.M. and Galbrun, L., Vibration transmission through a frame typical of timber-framed buildings (3–5) 763
- Cui, M. see Gao, W. (1–2) 311
- Dayou, J. and Kim, S.M., Control of kinetic energy of a one-dimensional structure using multiple vibration neutralizers (1–2) 323
- De Rosa, M.A. see Maurizi, M.J. (Discussion) (3–5) 1238
- Dilley, D.N., Bayly, P.V. and Schaut, A.J., Effects of the chisel edge on the chatter frequency in drilling (Short Communication) (1–2) 423
- Duan, W.H., Quek, S.T. and Wang, Q., Free vibration analysis of piezoelectric coupled thin and thick annular plate (1–2) 119
- El-Sinawi, A.H. see Hamdan, M.N. (1–2) 375
- Elishakoff, I. and Santoro, R., Error in the finite difference based probabilistic dynamic analysis: analytical evaluation (Short Communication) (3–5) 1195
- Essenmacher, S.D. see Kolich, M. (Short Communication) (1–2) 409
- Farassat, F., Comments on the paper by Zinoviev and Bies “On acoustic radiation by a rigid object in a fluid flow” (Discussion) (3–5) 1217

- Febbo, M., Vera, S.A. and Laura, P.A.A., Free, transverse vibrations of thin plates with discontinuous boundary conditions (1-2) 341
 Fung, E.H.K. see Yau, D.T.W. (Short Communication) (3-5) 1163
 Galbrun, L. see Craik, R.J.M. (3-5) 763
 Gao, W., Chen, J., Cui, M. and Cheng, Y., Dynamic response analysis of linear stochastic truss structures under stationary random excitation (1-2) 311
 Gaudet, S., Gauthier, C., Léger, S. and Walker, C., The vibrations of a real 3-string: the timbre of the tritare (1-2) 219
 Gauthier, C. see Gaudet, S. (1-2) 219
 Georgakis, C.T. and Taylor, C.A., Nonlinear dynamics of cable stays. Part 1: sinusoidal cable support excitation (3-5) 537
 Georgakis, C.T. and Taylor, C.A., Nonlinear dynamics of cable stays. Part 2: stochastic cable support excitation (3-5) 565
 Griffin, M.J. see Nawayseh, N. (3-5) 921
 Grissom, M.D., Belegundu, A.D. and Koopmann, G.H., A reduced eigenvalue method for broadband analysis of a structure with vibration absorbers possessing rotatory inertia (3-5) 869
 Grossi, R.O., Albarracín, C.M. and Zannier, L., Authors' reply (Discussion) (3-5) 1240
 Hamdan, M.N. and El-Sinawi, A.H., On the non-linear vibrations of an inextensible rotating arm with setting angle and flexible hub (1-2) 375
 Hay, N.C. see Roberts, D.E. (3-5) 783
 Hirschberg, A. see Schram, C. (1-2) 171
 Houillon, L., Ichchou, M.N. and Jezequel, L., Wave motion in thin-walled structures (3-5) 483
 Hu, C. see Li, F.M. (1-2) 261
 Huang, J.L. see Sze, K.Y. (3-5) 611
 Huang, W.H. see Li, F.M. (1-2) 261
 Ichchou, M.N. see Houillon, L. (3-5) 483
 Illaire, H. and Kropp, W., Quantification of damping mechanisms of active constrained layer treatments (1-2) 189
 Jayaraman, G. and Struthers, A., Divergence and flutter instability of elastic specially orthotropic plates subject to follower forces (1-2) 357
 Jezequel, L. see Houillon, L. (3-5) 483
 Jiang, J.S. see Wang, D. (Short Communication) (3-5) 1186
 Jordan, P.M. and Christov, C.I., A simple finite difference scheme for modeling the finite-time blow-up of acoustic acceleration waves (Short Communication) (3-5) 1207
 Kaplunov, J.D., Nolde, E.V. and Shorr, B.F., A perturbation approach for evaluating natural frequencies of moderately thick elliptic plates (3-5) 905
 Keir, J., Kessissoglou, N.J. and Norwood, C.J., Active control of connected plates using single and multiple actuators and error sensors (1-2) 73
 Kessissoglou, N.J. see Keir, J. (1-2) 73
 Kim, B.O. and Lee, A.S., A transient response analysis in the state-space applying the average velocity concept (3-5) 1023
 Kim, S.-H., Lee, C.-W. and Lee, J.-M., Beat characteristics and beat maps of the King Seong-deok Divine Bell (1-2) 21
 Kim, S.M. see Dayou, J. (1-2) 323
 Kim, T.C., Rook, T.E. and Singh, R., Effect of nonlinear impact damping on the frequency response of a torsional system with clearance (3-5) 995
 Kim, T.C., Rook, T.E. and Singh, R., Super- and sub-harmonic response calculations for a torsional system with clearance nonlinearity using the harmonic balance method (3-5) 965
 Kocatürk, T., Determination of the steady-state response of viscoelastically supported cantilever beam under sinusoidal base excitation (Short Communication) (3-5) 1145
 Kolich, M., Essenmacher, S.D. and McEvoy, J.T., Automotive seating: the effect of foam physical properties on occupied vertical vibration transmissibility (Short Communication) (1-2) 409
 Koopmann, G.H. see Grissom, M.D. (3-5) 869
 Kropp, W. see Illaire, H. (1-2) 189
 Kundra, T.K. see Modak, S.V. (3-5) 943
 Lai, J.C.S. see Wang, C. (Discussion) (1-2) 475

- Lau, C.K. see Tang, S.K. (3-5) 1077
 Laura, P.A.A. see Febbo, M. (1-2) 341
 Lee, A.S. see Kim, B.O. (3-5) 1023
 Lee, B.H.K., Liu, L. and Chung, K.W., Airfoil motion in subsonic flow with strong cubic nonlinear restoring forces (3-5) 699
 Lee, C.-W. see Kim, S.-H. (1-2) 21
 Lee, J.-M. see Kim, S.-H. (1-2) 21
 Léger, S. see Gaudet, S. (1-2) 219
 Lew, J.-S., Optimal controller design for structural damage detection (3-5) 799
 Li, F.M., Wang, Y.S., Hu, C. and Huang, W.H., Localization of elastic waves in periodic rib-stiffened rectangular plates under axial compressive load (1-2) 261
 Li, J.-J. and Cheng, C.J., Differential quadrature method for nonlinear vibration of orthotropic plates with finite deformation and transverse shear effect (1-2) 295
 Li, L. and Qu, L., Authors' reply (Discussion) (1-2) 469
 Liew, K.M., Ng, T.Y. and Zhao, X., Free vibration analysis of conical shells via the element-free kp-Ritz method (3-5) 627
 Lim, C.W. and Wu, B.S., Accurate higher-order approximations to frequencies of nonlinear oscillators with fractional powers (Short Communication) (3-5) 1157
 Lin, H.-P. and Chang, S.C., Free vibration analysis of multi-span beams with intermediate flexible constraints (1-2) 155
 Lin, J.-H. see Wu, J.-D. (3-5) 1037
 Liu, H., Wang, J., Zhang, Z., Yuan, D. and Liu, L., Strain-dependent nonlinear damping and application to dynamic analysis of elastic linkage mechanism (Short Communication) (1-2) 399
 Liu, L. see Lee, B.H.K. (3-5) 699
 Liu, L. see Liu, H. (Short Communication) (1-2) 399
 Liu, M. see Chelidze, D. (3-5) 887
 Maiti, S.K. see Patil, D.P. (Short Communication) (1-2) 439
 Manna, M.C., Free vibration analysis of isotropic rectangular plates using a high-order triangular finite element with shear (1-2) 235
 Maurizi, M.J., Bambill, D.V., Bellés, P.M. and De Rosa, M.A., Free vibrations of Bernoulli–Euler beams with intermediate elastic support: a concise thematic recension (Discussion) (3-5) 1238
 McEvoy, J.T. see Kolich, M. (Short Communication) (1-2) 409
 Min, K.-W. see Park, J.-H. (1-2) 141
 Modak, S.V., Kundra, T.K. and Nakra, B.C., Studies in dynamic design using updated models (3-5) 943
 Muggleton, J.M. and Brennan, M.J., Axisymmetric wave propagation in buried, fluid-filled pipes: effects of wall discontinuities (3-5) 849
 Muscolino, G. see Biondi, B. (1-2) 99
 Nakra, B.C. see Modak, S.V. (3-5) 943
 Nawayseh, N. and Griffin, M.J., Tri-axial forces at the seat and backrest during whole-body fore-and-aft vibration (3-5) 921
 Nayfeh, A.H. see Omar, H.M. (1-2) 1
 Ng, T.Y. see Liew, K.M. (3-5) 627
 Nolde, E.V. see Kaplunov, J.D. (3-5) 905
 Norwood, C.J. see Keir, J. (1-2) 73
 Omar, H.M. and Nayfeh, A.H., Gantry cranes gain scheduling feedback control with friction compensation (1-2) 1
 Ou, K.-Y. see Bai, M.R. (3-5) 1093
 Oyedele, K., An analysis of a nonlinear elastic force van der Pol oscillator equation (Short Communication) (1-2) 417
 Park, J.-H. and Min, K.-W., Bounded nonlinear stochastic control based on the probability distribution for the sdof oscillator (1-2) 141
 Pathania, V. see Sharma, J.N. (3-5) 1117
 Patil, D.P. and Maiti, S.K., Experimental verification of a method of detection of multiple cracks in beams based on frequency measurements (Short Communication) (1-2) 439
 Pavic, G., The role of damping on energy and power in vibrating systems (1-2) 45
 Pellicano, F., On the dynamic properties of axially moving systems (3-5) 593

- Qu, L. see Li, L. (Discussion) (1-2) 469
 Quek, S.T. see Duan, W.H. (1-2) 119
 Randall, R.B. see Antoni, J. (Discussion) (1-2) 463
 Renji, K., Author's reply (Discussion) (1-2) 481
 Roberts, D.E. and Hay, N.C., Dynamic response simulation for a nonlinear system (3-5) 783
 Rook, T.E. see Kim, T.C. (3-5) 965
 Rook, T.E. see Kim, T.C. (3-5) 995
 Saeki, M., Analytical study of multi-particle damping (3-5) 1133
 Santoro, R. see Elishakoff, I. (Short Communication) (3-5) 1195
 Schaut, A.J. see Dilley, D.N. (Short Communication) (1-2) 423
 Schram, C., Taubitz, S., Anthoine, J. and Hirschberg, A., Theoretical/empirical prediction and measurement of the sound produced by vortex pairing in a low Mach number jet (1-2) 171
 Shahruz, S.M., Elimination of vibration localization in mistuned periodic structures (Short Communication) (1-2) 452
 Sharma, J.N. and Pathania, V., Generalized thermoelastic wave propagation in circumferential direction of transversely isotropic cylindrical curved plates (3-5) 1117
 Shorr, B.F. see Kaplunov, J.D. (3-5) 905
 Sims, N.D., Bayly, P.V. and Young, K.A., Piezoelectric sensors and actuators for milling tool stability lobes (3-5) 743
 Singh, R. see Kim, T.C. (3-5) 965
 Singh, R. see Kim, T.C. (3-5) 995
 Sorokin, S.V. see Chapman, C.J. (3-5) 719
 Struthers, A. see Jayaraman, G. (1-2) 357
 Sze, K.Y., Chen, S.H. and Huang, J.L., The incremental harmonic balance method for nonlinear vibration of axially moving beams (3-5) 611
 Tang, S.K. and Lau, C.K., Vortex sound in the presence of a wedge with inhomogeneous surface flow impedance (3-5) 1077
 Taubitz, S. see Schram, C. (1-2) 171
 Taylor, C.A. see Georgakis, C.T. (3-5) 537
 Taylor, C.A. see Georgakis, C.T. (3-5) 565
 Tsukazan, T., The use of a dynamical basis for computing the modes of a beam system with a discontinuous cross-section (Short Communication) (3-5) 1175
 Vera, S.A. see Febbo, M. (1-2) 341
 Walker, C. see Gaudet, S. (1-2) 219
 Wang, C. and Lai, J.C.S., Discussions on "On the number of modes required for statistical energy analysis-based calculations" (Discussion) (1-2) 475
 Wang, D., Zhang, W.H. and Jiang, J.S., What are the repeated frequencies? (Short Communication) (3-5) 1186
 Wang, J. see Liu, H. (Short Communication) (1-2) 399
 Wang, M.F. see Au, F.T.K. (3-5) 1057
 Wang, Q. see Duan, W.H. (1-2) 119
 Wang, Y.S. see Li, F.M. (1-2) 261
 Wu, B.S. see Lim, C.W. (Short Communication) (3-5) 1157
 Wu, J.-D. and Lin, J.-H., Implementation of an active vibration controller for gear-set shaft using μ -analysis (3-5) 1037
 Wu, J.-J., Use of equivalent-damper method for free vibration analysis of a beam carrying multiple two degree-of-freedom spring-damper-mass systems (1-2) 275
 Xu, Y.L. and Zhu, L.D., Buffeting response of long-span cable-supported bridges under skew winds. Part 2: case study (3-5) 675
 Xu, Y.L. see Zhu, L.D. (3-5) 647
 Yau, D.T.W. and Fung, E.H.K., Optimization of a rotating flexible arm with ACLD treatment (Short Communication) (3-5) 1163
 Young, K.A. see Sims, N.D. (3-5) 743
 Yuan, D. see Liu, H. (Short Communication) (1-2) 399
 Zannier, L. see Grossi, R.O. (Discussion) (3-5) 1240
 Zhang, W.H. see Wang, D. (Short Communication) (3-5) 1186
 Zhang, Z. see Liu, H. (Short Communication) (1-2) 399

- Zhao, X. see Liew, K.M. (3-5) 627
Zhu, L.D. and Xu, Y.L., Buffeting response of long-span cable-supported bridges under skew winds.
 Part 1: theory (3-5) 647
Zhu, L.D. see Xu, Y.L. (3-5) 675
Zinoviev, A. and Bies, D., Authors' reply (Discussion) (3-5) 1224
Zolfini, G. see Brusa, E. (3-5) 815