



ELSEVIER

Journal of Sound and Vibration 283 (2005) 1257–1261

JOURNAL OF  
SOUND AND  
VIBRATION

www.elsevier.com/locate/jsvi

## Index to Volume 283

Adams, D.E. see Haroon, M. . . . .	(3–5) 1137
Ailawalia, P. see Kumar, R. . . . .	(3–5) 875
Aldien, Y. see Marcotte, P. . . . .	(3–5) 1071
Al-Hussaini, T.M. see Clouteau, D. . . . .	(1–2) 173
Amore, P. and Aranda, A., Improved Lindstedt–Poincaré method for the solution of nonlinear problems. . . . .	(3–5) 1115
Andrianov, I.V., Danishevs'kyi, V.V. and Awrejcewicz, J., An artificial small perturbation parameter and nonlinear plate vibrations. . . . .	(3–5) 561
Aranda, A. see Amore, P. . . . .	(3–5) 1115
Arnst, M. see Clouteau, D. . . . .	(1–2) 173
Awrejcewicz, J. see Andrianov, I.V. . . . .	(3–5) 561
Ayorinde, E.O. and Yu, L., On the elastic characterization of composite plates with vibration data . . . . .	(1–2) 243
Bai, H. see Eversman, W. . . . .	(1–2) 369
Baumann, W.T. see Chatterjee, P. . . . .	(3–5) 573
Beatty, J. and Mickens, R.E., A qualitative study of the solutions to the differential equation $\ddot{x} + (1 + \dot{x}^2)x = 0$ (Short Communication) . . . . .	(1–2) 475
Benassi, L. and Elliott, S.J., Global control of a vibrating plate using a feedback-controlled inertial actuator . . . . .	(1–2) 69
Benassi, L. and Elliott, S.J., The equivalent impedance of power-minimising vibration controllers on plates . . . . .	(1–2) 47
Berger, E. see Lee, J.-H. . . . .	(3–5) 707
Bert, C.W. see Devarakonda, K.K.V. . . . .	(3–5) 749
Bochard, S. see Gaudiller, L. . . . .	(1–2) 311
Boileau, P.-É. see Marcotte, P. . . . .	(3–5) 1071
Boutin, J. see Marcotte, P. . . . .	(3–5) 1071
Brennan, M.J. see Gao, Y. . . . .	(3–5) 927
Brownjohn, J.M.W. see Zhang, X. . . . .	(3–5) 957
Burns, S. see Eversman, W. . . . .	(1–2) 369
Carcattera, A., Dessi, D. and Mastroddi, F., Hydrofoil vibration induced by a random flow: a stochastic perturbation approach. . . . .	(1–2) 401
Castro, E., García-Hernández, M.T. and Gallego, A., Transversal waves in beams via the network simulation method . . . . .	(3–5) 997
Chatterjee, P., Vandsburger, U., Saunders, W.R., Khanna, V.K. and Baumann, W.T., On the spectral characteristics of a self-excited Rijke tube combustor—numerical simulation and experimental measurements . . . . .	(3–5) 573
Chatterjee, S., Chatterjee, S. and Singha, T.K., On the generation of steady motion using fast-vibration (Short Communication) . . . . .	(3–5) 1187
Chatterjee, S. see Chatterjee, S. (Short Communication) . . . . .	(3–5) 1187
Chaudhuri, R.A. and Kabir, H.R.H., Effect of boundary constraint on the frequency response of moderately thick doubly curved cross-ply panels using mixed fourier solution functions. . . . .	(1–2) 263
Chu, F. and Lu, W., Experimental observation of nonlinear vibrations in a rub-impact rotor system . . . . .	(3–5) 621
Chung, C. see Librescu, L. . . . .	(3–5) 685
Clouteau, D., Arnst, M., Al-Hussaini, T.M. and Degrande, G., Freefield vibrations due to dynamic loading on a tunnel embedded in a stratified medium . . . . .	(1–2) 173
Coleman, M. see Fried, I. (Short Communication) . . . . .	(1–2) 487

- Cupiał, P., Three-dimensional natural vibration analysis and energy considerations for a piezoelectric rectangular plate . . . . . (3–5) 1093
- Danishchev'sky, V.V. see Andrianov, I.V. . . . . (3–5) 561
- DasGupta, A. and Hagedorn, P., Critical speeds of a spinning thin disk with an external ring . . . . (3–5) 765
- De Schutter, J. see Demeulenaere, B. . . . . (1–2) 1
- De Schutter, J. see Demeulenaere, B. . . . . (1–2) 21
- Degrande, G. see Clouteau, D. . . . . (1–2) 173
- Demeulenaere, B., Spaepen, P. and De Schutter, J., Input torque balancing using a cam-based centrifugal pendulum: design procedure and example . . . . . (1–2) 1
- Demeulenaere, B., Spaepen, P. and De Schutter, J., Input torque balancing using a cam-based centrifugal pendulum: design optimization and robustness. . . . . (1–2) 21
- Dessi, D. see Carcaterra, A. . . . . (1–2) 401
- Devarakonda, K.K.V. and Bert, C.W., Flexural vibration of rectangular plates subjected to sinusoidally distributed compressive loading on two opposite sides. . . . . (3–5) 749
- Dokumaci, E., Effect of sheared grazing mean flow on acoustic transmission in perforated pipe mufflers. . . . . (3–5) 645
- Dong, W. see Xun'an, Z. . . . . (3–5) 543
- Du, H., Yim Sze, K. and Lam, J., Semi-active  $H_\infty$  control of vehicle suspension with magneto-rheological dampers . . . . . (3–5) 981
- Elliott, S.J. see Benassi, L. . . . . (1–2) 47
- Elliott, S.J. see Benassi, L. . . . . (1–2) 69
- Eversman, W., Burns, S., Pekarek, S., Bai, H. and Tichenor, J., Noise generation mechanisms in claw pole alternators . . . . . (1–2) 369
- Fang, T. see Rong, H.W. (Short Communication). . . . . (3–5) 1250
- Ferri, A.A. see Haroon, M. . . . . (3–5) 1137
- Fried, I. and Coleman, M., Improvable bounds on the largest eigenvalue of a completely positive finite element flexibility matrix (Short Communication) . . . . . (1–2) 487
- Fung, R.-F. see Ha, J.-L. . . . . (3–5) 943
- Gallego, A. see Castro, E. . . . . (3–5) 997
- Ganguli, R. see Roy, N. . . . . (3–5) 821
- Gao, F. see Lu, Y. . . . . (3–5) 1031
- Gao, Y., Brennan, M.J., Joseph, P.F., Muggleton, J.M. and Hunaidi, O., On the selection of acoustic/vibration sensors for leak detection in plastic water pipes . . . . . (3–5) 927
- García-Hernández, M.T. see Castro, E. . . . . (3–5) 997
- Gaudiller, L. and Bochart, S., Adaptive active control of flexible structures subjected to rigid body displacements . . . . . (1–2) 311
- Godoy, L.A. see Sosa, E.M. . . . . (1–2) 201
- Ha, J.-L., Fung, R.-F. and Yang, C.-S., Hysteresis identification and dynamic responses of the impact drive mechanism . . . . . (3–5) 943
- Ha, J.W. see Lee, A.S. . . . . (3–5) 507
- Hagedorn, P. see DasGupta, A. . . . . (3–5) 765
- Hansen, C.H. see Ji, J.C. (Short Communication). . . . . (1–2) 467
- Haroon, M., Adams, D.E., Luk, Y.W. and Ferri, A.A., A time and frequency domain approach for identifying nonlinear mechanical system models in the absence of an input measurement . . . . . (3–5) 1137
- He, Y. and McPhee, J., Multidisciplinary design optimization of mechatronic vehicles with active suspensions . . . . . (1–2) 217
- Hua, J., Swaddiwudhipong, S., Liu, Z.S. and Xu, Q.Y., Numerical analysis of nonlinear rotor–seal system. . . . . (3–5) 525
- Huang, C.-H., Transverse vibration analysis and measurement for the piezoceramic annular plate with different boundary conditions . . . . . (3–5) 665
- Hunaidi, O. see Gao, Y. . . . . (3–5) 927
- Ih, J.-G. see Jang, S.-H. (Short Communication). . . . . (3–5) 1157
- Jang, S.-H. and Ih, J.-G., A note on the acoustic character of time-variant one-port sources (Short Communication) . . . . . (3–5) 1157

- Jeong, K.-H. and Kim, K.-J., Hydroelastic vibration of a circular plate submerged in a bounded compressible fluid . . . . . (1-2) 153
- Ji, J.C. and Hansen, C.H., On the approximate solution of a piecewise nonlinear oscillator under super-harmonic resonance (Short Communication) . . . . . (1-2) 467
- Ji, Z.L., Acoustic attenuation performance analysis of multi-chamber reactive silencers (Short Communication) . . . . . (1-2) 459
- Ji, Z.L., Acoustic length correction of closed cylindrical side-branched tube (Short Communication) (3-5) 1180
- Jiang, W. see Wei, J. . . . . (3-5) 801
- Jiesheng, J. see Xun'an, Z. . . . . (3-5) 543
- Joseph, P.F. see Gao, Y. . . . . (3-5) 927
- Joseph, P.F. see Zhou, Q. . . . . (3-5) 853
- Kabir, H.R.H. see Chaudhuri, R.A. . . . . (1-2) 263
- Kao, I. see Zhu, L. . . . . (3-5) 589
- Khanna, V.K. see Chatterjee, P. . . . . (3-5) 573
- Kim, B.H., Stubbs, N. and Park, T., Flexural damage index equations of a plate . . . . . (1-2) 341
- Kim, J. and Park, K.-M., Material characterization of MR fluid at high frequencies . . . . . (1-2) 121
- Kim, J.H. see Lee, J.-H. . . . . (3-5) 707
- Kim, K.-J. see Jeong, K.-H. . . . . (1-2) 153
- Kinra, V.K. see Marhadi, K.S. . . . . (1-2) 433
- Kirillov, O.N. and Seyranian, A.P., Stabilization and destabilization of a circulatory system by small velocity-dependent forces . . . . . (3-5) 781
- Kumar, R. and Ailawalia, P., Behavior of micropolar cubic crystal due to various sources. . . . . (3-5) 875
- Kwak, M.K. see Librescu, L. . . . . (3-5) 685
- Lam, J. see Du, H. . . . . (3-5) 981
- Lancaster, P. and Prells, U., Inverse problems for damped vibrating systems. . . . . (3-5) 891
- Le Bot, A., Comparison of vibrational conductivity and radiative energy transfer methods. . . . . (1-2) 135
- Lee, A.S. and Ha, J.W., Prediction of maximum unbalance responses of a gear-coupled two-shaft rotor-bearing system . . . . . (3-5) 507
- Lee, J.-H., Berger, E. and Kim, J.H., Feasibility study of a tunable friction damper. . . . . (3-5) 707
- Li, S., An efficient technique for multi-frequency acoustic analysis by boundary element method . . (3-5) 971
- Librescu, L., Na, S., Marzocca, P., Chung, C. and Kwak, M.K., Active aeroelastic control of 2-D wing-flap systems operating in an incompressible flowfield and impacted by a blast pulse. . . . (3-5) 685
- Liew, H.-V. and Lim, T.C., Analysis of time-varying rolling element bearing characteristics (Short Communication) . . . . . (3-5) 1163
- Lim, T.C. see Liew, H.-V. (Short Communication) . . . . . (3-5) 1163
- Liu, Z.S. see Hua, J. . . . . (3-5) 525
- Lu, W. see Chu, F. . . . . (3-5) 621
- Lu, Y. and Gao, F., A novel time-domain auto-regressive model for structural damage diagnosis. . (3-5) 1031
- Luk, Y.W. see Haroon, M. . . . . (3-5) 1137
- Luo, A.C.J., The mapping dynamics of periodic motions for a three-piecewise linear system under a periodic excitation . . . . . (3-5) 723
- Maksimov, A.O., On the volume oscillations of a tethered bubble . . . . . (3-5) 915
- Marcotte, P., Aldien, Y., Boileau, P.-É., Rakheja, S. and Boutin, J., Effect of handle size and hand-handle contact force on the biodynamic response of the hand-arm system under  $z_H$ -axis vibration. . . . . (3-5) 1071
- Marhadi, K.S. and Kinra, V.K., Particle impact damping: effect of mass ratio, material, and shape (1-2) 433
- Marzocca, P. see Librescu, L. . . . . (3-5) 685
- Mastroddi, F. see Carcaterra, A. . . . . (1-2) 401
- McPhee, J. see He, Y. . . . . (1-2) 217
- Meng, G. see Rong, H.W. (Short Communication) . . . . . (3-5) 1250
- Mickens, R.E. see Beatty, J. (Short Communication). . . . . (1-2) 475
- Mikhlin, Y.V. and Reshetnikova, S.N., Dynamical interaction of an elastic system and essentially nonlinear absorber. . . . . (1-2) 91
- Moniz, L., Nichols, J.M., Nichols, C.J., Seaver, M., Trickey, S.T., Todd, M.D., Pecora, L.M. and Virgin, L.N., A multivariate, attractor-based approach to structural health monitoring . . . . . (1-2) 295

- Morales, C.A., Portal frame inertia and stiffness matrices by substructure synthesis (Short Communication) . . . . . (3–5) 1205
- Mugleton, J.M. see Gao, Y. . . . . (3–5) 927
- Na, S. see Librescu, L. . . . . (3–5) 685
- Nichols, C.J. see Moniz, L. . . . . (1–2) 295
- Nichols, J.M. see Moniz, L. . . . . (1–2) 295
- Ozer, M.B. and Royston, T.J., Application of Sherman–Morrison matrix inversion formula to damped vibration absorbers attached to multi-degree of freedom systems (Short Communication) . . . (3–5) 1235
- Park, K.-M. see Kim, J. . . . . (1–2) 121
- Park, T. see Kim, B.H. . . . . (1–2) 341
- Pecora, L.M. see Moniz, L. . . . . (1–2) 295
- Pekarek, S. see Eversman, W. . . . . (1–2) 369
- Plaut, R.H., Sidbury, J.E. and Virgin, L.N., Analysis of buckled and pre-bent fixed-end columns used as vibration isolators (Short Communication). . . . . (3–5) 1216
- Prells, U. see Lancaster, P. . . . . (3–5) 891
- Raj, A. and Sujith, R.I., Closed-form solutions for the free longitudinal vibration of inhomogeneous rods . . . . . (3–5) 1015
- Rakheja, S. see Marcotte, P. . . . . (3–5) 1071
- Renji, K., Sound transmission loss of unbounded panels in bending vibration considering transverse shear deformation (Short Communication). . . . . (1–2) 478
- Reshetnikova, S.N. see Mikhlin, Y.V. . . . . (1–2) 91
- Rong, H.W., Meng, G., Wang, X.D., Xu, W. and Fang, T., Largest Lyapunov exponent for second-order linear systems under combined harmonic and random parametric excitations (Short Communication) . . . . . (3–5) 1250
- Roy, N. and Ganguli, R., Helicopter rotor blade frequency evolution with damage growth and signal processing . . . . . (3–5) 821
- Royston, T.J. see Ozer, M.B. (Short Communication) . . . . . (3–5) 1235
- Saunders, W.R. see Chatterjee, P. . . . . (3–5) 573
- Seaver, M. see Moniz, L. . . . . (1–2) 295
- Seyranian, A.P. see Kirillov, O.N. . . . . (3–5) 781
- Shahruz, S.M., Elimination of vibration localization: a mathematical justification (Short Communication) . . . . . (1–2) 449
- Sidbury, J.E. see Plaut, R.H. (Short Communication) . . . . . (3–5) 1216
- Singha, T.K. see Chatterjee, S. (Short Communication). . . . . (3–5) 1187
- Sosa, E.M. and Godoy, L.A., Nonlinear dynamics of above-ground thin-walled tanks under fluctuating pressures. . . . . (1–2) 201
- Spaepen, P. see Demeulenaere, B. . . . . (1–2) 1
- Spaepen, P. see Demeulenaere, B. . . . . (1–2) 21
- Stubbs, N. see Kim, B.H. . . . . (1–2) 341
- Sujith, R.I. see Raj, A. . . . . (3–5) 1015
- Swaddiwudhipong, S. see Hua, J. . . . . (3–5) 525
- Tadi, M., On computing periodic orbits (Short Communication) . . . . . (1–2) 495
- Tichenor, J. see Eversman, W. . . . . (1–2) 369
- Todd, M.D. see Moniz, L. . . . . (1–2) 295
- Trickey, S.T. see Moniz, L. . . . . (1–2) 295
- van Horssen, W.T., On oscillations in a system with a piecewise smooth coefficient (Short Communication) . . . . . (3–5) 1229
- Vandsburger, U. see Chatterjee, P. . . . . (3–5) 573
- Virgin, L.N. see Moniz, L. . . . . (1–2) 295
- Virgin, L.N. see Plaut, R.H. (Short Communication). . . . . (3–5) 1216
- Wang, X.D. see Rong, H.W. (Short Communication) . . . . . (3–5) 1250
- Wei, J. and Jiang, W., Stability and bifurcation analysis in Van der Pol's oscillator with delayed feedback . . . . . (3–5) 801
- Xu, Q.Y. see Hua, J. . . . . (3–5) 525
- Xu, W. see Rong, H.W. (Short Communication). . . . . (3–5) 1250

- Xun'an, Z., Dong, W. and Jiesheng, J., The controlling mechanism and the controlling effectiveness of passive mega-sub-controlled frame subjected to random wind loads . . . . . (3-5) 543
- Yang, C.-S. see Ha, J.-L. . . . . (3-5) 943
- Yim Sze, K. see Du, H. . . . . (3-5) 981
- Yu, L. see Ayorinde, E.O. . . . . (1-2) 243
- Zhang, X. and Brownjohn, J.M.W., Some considerations on the effects of the  $\mathbf{P}$ -derivatives on bridge deck flutter . . . . . (3-5) 957
- Zhou, Q. and Joseph, P.F., A numerical method for the calculation of dynamic response and acoustic radiation from an underwater structure . . . . . (3-5) 853
- Zhu, C., A disk-type magneto-rheological fluid damper for rotor system vibration control . . . . . (3-5) 1051
- Zhu, L. and Kao, I., Galerkin-based modal analysis on the vibration of wire-slurry system in wafer slicing using a wiresaw . . . . . (3-5) 589