



ELSEVIER

Journal of Sound and Vibration 284 (2005) 1255–1259

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 284

- Addressi, D., Lacarbonara, W. and Paolone, A., On the linear normal modes of planar pre-stressed curved beams. (3–5) 1075
- Al-Bassiyouni, M. and Balachandran, B., Sound transmission through a flexible panel into an enclosure: structural–acoustics model. (1–2) 467
- Al-shyyab, A. and Kahraman, A., Non-linear dynamic analysis of a multi-mesh gear train using multi-term harmonic balance method: period-one motions. (1–2) 151
- Arkkio, A. see Holopainen, T.P. (3–5) 733
- Auersch, L., The excitation of ground vibration by rail traffic: theory of vehicle–track–soil interaction and measurements on high-speed lines. (1–2) 103
- Awrejcewicz, J. and Dzyubak, L.P., Influence of hysteretic dissipation on chaotic responses (Short Communication) (1–2) 513
- Awruch, A.M. see Braun, A.L. (1–2) 51
- Bae, J.-S., Kwak, M.K. and Inman, D.J., Vibration suppression of a cantilever beam using eddy current damper (3–5) 805
- Balachandran, B. see Al-Bassiyouni, M. (1–2) 467
- Benaroya, H. see Florek, J.R. (1–2) 421
- Botello, S. see Moreles, M.A. (3–5) 1119
- Braun, A.L. and Awruch, A.M., Aerodynamic and aeroelastic analysis of bundled cables by numerical simulation. (1–2) 51
- Butcher, E.A. see Sinha, S.C. (3–5) 985
- Cauberghe, B. see Vanlanduit, S. (3–5) 1033
- Chand, D. see Sharma, J.N. (1–2) 227
- Chang, C. see Wang, J.H. (1–2) 393
- Chapman, C.J. see Sorokin, S.V. (3–5) 1131
- Chatterjee, A., Statistical origins of fractional derivatives in viscoelasticity (Short Communication). (3–5) 1239
- Chen, H.L. see Liang, S. (Short Communication) (1–2) 520
- Chen, L.-Q. and Yang, X.-D., Stability in parametric resonance of axially moving viscoelastic beams with time-dependent speed (3–5) 879
- Chen, Z., Wu, Z.Q. and Yu, P., The critical phenomena in a hysteretic model due to the interaction between hysteretic damping and external force (3–5) 783
- Chillingworth, D.R.J., A.P. Seyranian, A.A. Mailybaev, Multiparameter Stability Theory with Mechanical Applications, World Scientific, Singapore, ISBN 981-238-406-5, 2004 (420pp., US\$86.00, £64.00) (Book Review) (3–5) 1253
- Cleghorn, W.L. see Yu, S.D. (1–2) 189
- Climent, H. see Desantes, J.M. (1–2) 283
- Crowther, A.R. and Zhang, N., Torsional finite elements and nonlinear numerical modelling in vehicle powertrain dynamics (3–5) 825
- Cupiał, P., G.R. Liu, Z.C. Xi, Elastic Waves in Anisotropic Laminates, CRC Press, Boca Raton, FL, ISBN 0849310709, 2002 (472pp., US\$169.95) (Book Review). (3–5) 1247
- Cveticanin, L., Approximate solution of a strongly nonlinear complex differential equation (Short Communication) (1–2) 503
- Del Vescovo, D. and Fregolent, A., Assessment of fresco detachments through a non-invasive acoustic method (3–5) 1015
- Denli, H., Frangakis, S. and Sun, J.Q., Normalizations in acoustic optimization with Rayleigh integral (Short Communication) (3–5) 1229

- Deprez, K., Moshou, D. and Ramon, H., Comfort improvement of a nonlinear suspension using global optimization and in situ measurements. (3-5) 1003
- Desantes, J.M., Torregrosa, A.J., Climent, H. and Moya, D., Acoustic performance of a Herschel-Quincke tube modified with an interconnecting pipe (1-2) 283
- Dokumaci, E., A plane wave approximation to sound transmission in parallel sheared mean flow. . (3-5) 551
- Duan, Z., Yan, G., Ou, J. and Spencer, B.F., Damage localization in ambient vibration by constructing proportional flexibility matrix. (1-2) 455
- Dzyubak, L.P. see Awrejcewicz, J. (Short Communication) (1-2) 513
- Elishakoff, I. and Storch, J.A., An unusual exact, closed-form solution for axisymmetric vibration of inhomogeneous simply supported circular plates (Short Communication) (3-5) 1217
- Elishakoff, I. see Wu, L. (Short Communication) (3-5) 1190
- Elliott, S.J. see Gardonio, P. (1-2) 1
- Ermann, M. and Johnson, M., Exposure and materiality of the secondary room and its impact on the impulse response of coupled-volume concert halls. (3-5) 915
- Farjoodi, J. see Soroushian, A. (3-5) 705
- Farrar, C.R. see Wang, K. (1-2) 23
- Ferreira, J.V. and Serpa, A.L., Application of the arc-length method in nonlinear frequency response (1-2) 133
- Florek, J.R. and Benaroya, H., Pulse-pressure loading effects on aviation and general engineering structures—review (1-2) 421
- Frangakis, S. see Denli, H. (Short Communication) (3-5) 1229
- Fregolent, A. see Del Vescovo, D. (3-5) 1015
- Gardonio, P. and Elliott, S.J., Modal response of a beam with a sensor-actuator pair for the implementation of velocity feedback control. (1-2) 1
- Gibbs, B.M. and Qi, N., Circulation pumps as structure-borne sound sources: emission to finite pipe systems (3-5) 1099
- Giraudeau, A. and Pierron, F., Identification of stiffness and damping properties of thin isotropic vibrating plates using the virtual fields method: theory and simulations (3-5) 757
- Godin, O.A., J.D. Achenbach, Reciprocity in Elastodynamics, Cambridge Monographs on Mechanics, Cambridge University Press, Cambridge, ISBN 0-521-81734-X, 2003 (X + 255pp., £45.00) (Book Review). (3-5) 1249
- Gökdağ, H. and Kopmaz, O., Eigenfrequencies of a combined system including two continua connected by discrete elements (Short Communication). (3-5) 1203
- Gordon, R.W. see Hollkamp, J.J. (3-5) 1145
- Greenberg, J.B. and Lavan, O., Flexural vibrations of composite orthotropic annular plates with edge-damage (3-5) 1165
- Griffin, M.J. see Nawayseh, N. (3-5) 613
- Guillaume, P. see Vanlanduit, S. (3-5) 1033
- Hollkamp, J.J., Gordon, R.W. and Spottswood, S.M., Nonlinear modal models for sonic fatigue response prediction: a comparison of methods (3-5) 1145
- Holopainen, T.P., Tenhunen, A. and Arkkio, A., Electromechanical interaction in rotordynamics of cage induction motors (3-5) 733
- Hong, S.-W. see Suh, J.-H. (3-5) 651
- Hoy, J., Mubarak, N., Nelson, S., Sweerts de Landas, M., Magnusson, M., Okunribido, O. and Pope, M., Whole body vibration and posture as risk factors for low back pain among forklift truck drivers (3-5) 933
- Huang, Z.L. and Zhu, W.Q., Averaging method for quasi-integrable Hamiltonian systems. (1-2) 325
- Ibrahim, R.A. see Ikeda, T. (1-2) 75
- Ikeda, T. and Ibrahim, R.A., Nonlinear random responses of a structure parametrically coupled with liquid sloshing in a cylindrical tank (1-2) 75
- Inman, D.J. see Bae, J.-S. (3-5) 805
- Inman, D.J. see Wang, K. (1-2) 23
- Johnson, M. see Ermann, M. (3-5) 915
- Jones, M.G. see Tam, C.K.W. (3-5) 947
- Ju, H. see Tam, C.K.W. (3-5) 947
- Kahraman, A. see Al-shyyab, A. (1-2) 151

- Kahraman, A. see Ma, Q. (3-5) 893
- Kim, H.-W. and Kim, J.-H., Effect of piezoelectric damping layers on the dynamic stability of plate under a thrust (3-5) 597
- Kim, J.-H. see Kim, H.-W. (3-5) 597
- Kim, K.-I. see Lim, S. (3-5) 685
- Kim, Y.-W., Temperature dependent vibration analysis of functionally graded rectangular plates . . (3-5) 531
- Kopmaz, O. see Gökdağ, H. (Short Communication) (3-5) 1203
- Kurpa, L., Pilgun, G. and Ventsel, E., Application of the R-function method to nonlinear vibrations of thin plates of arbitrary shape (1-2) 379
- Kwak, M.K. see Bae, J.-S. (3-5) 805
- Kyprianou, A. see Mottershead, J.E. (1-2) 249
- Kyprianou, A., Mottershead, J.E. and Ouyang, H., Structural modification. Part 2: assignment of natural frequencies and antiresonances by an added beam. (1-2) 267
- Lacarbonara, W. see Addessi, D. (3-5) 1075
- Lambert, M.F. see Lee, P.J. (3-5) 1051
- Lavan, O. see Greenberg, J.B. (3-5) 1165
- Lee, C.-W. see Suh, J.-H. (3-5) 651
- Lee, P.J., Vitkovský, J.P., Lambert, M.F., Simpson, A.R. and Liggett, J.A., Leak location using the pattern of the frequency response diagram in pipelines: a numerical study (3-5) 1051
- Liang, S., Chen, H.L. and Liang, T.X., An analytical investigation of free vibration for a thin-walled regular polygonal prismatic shell with simply supported odd/even number of sides (Short Communication) (1-2) 520
- Liang, T.X. see Liang, S. (Short Communication) (1-2) 520
- Liao, W.-I., Teng, T.-J. and Yeh, C.-S., A method for the response of an elastic half-space to moving sub-Rayleigh point loads (1-2) 173
- Liggett, J.A. see Lee, P.J. (3-5) 1051
- Lim, S., Park, S.-M. and Kim, K.-I., AI vibration control of high-speed rotor systems using electrorheological fluid (3-5) 685
- Lin, C.W. see Yang, Y.B. (1-2) 205
- Liu, B., Selection of wavelet packet basis for rotating machinery fault diagnosis (3-5) 567
- Liu, J. see Liu, K. (Short Communication) (3-5) 1181
- Liu, K. and Liu, J., The damped dynamic vibration absorbers: revisited and new result (Short Communication) (3-5) 1181
- Ma, Q. and Kahraman, A., Period-one motions of a mechanical oscillator with periodically time-varying, piecewise-nonlinear stiffness (3-5) 893
- Magnusson, M. see Hoy, J. (3-5) 933
- Mitri, F.G., Radiation force acting on an absorbing cylinder placed in an incident plane progressive acoustic field (Short Communication) (1-2) 494
- Moon-Young, K. see Nam-II, K. (3-5) 851
- Moreles, M.A., Botello, S. and Salinas, R., A root-finding technique to compute eigenfrequencies for elastic beams (3-5) 1119
- Moshou, D. see Deprez, K. (3-5) 1003
- Mostaghel, N., A non-standard analysis approach to systems involving friction. (3-5) 583
- Mottershead, J.E., Kyprianou, A. and Ouyang, H., Structural modification. Part 1: rotational receptances (1-2) 249
- Mottershead, J.E. see Kyprianou, A. (1-2) 267
- Moya, D. see Desantes, J.M. (1-2) 283
- Mubarak, N. see Hoy, J. (3-5) 933
- Nam-II, K. and Moon-Young, K., Exact dynamic stiffness matrix of non-symmetric thin-walled curved beams subjected to initial axial force. (3-5) 851
- Nawayseh, N. and Griffin, M.J., Effect of seat surface angle on forces at the seat surface during whole-body vertical vibration (3-5) 613
- Nelson, S. see Hoy, J. (3-5) 933
- Okunribido, O. see Hoy, J. (3-5) 933
- Ou, J. see Duan, Z. (1-2) 455

- Ouyang, H. see Kyprianou, A. (1-2) 267
- Ouyang, H. see Mottershead, J.E. (1-2) 249
- Pal, M. see Sharma, J.N. (1-2) 227
- Paolone, A. see Addessi, D. (3-5) 1075
- Park, S.-M. see Lim, S. (3-5) 685
- Parloo, E. see Vanlanduit, S. (3-5) 1033
- Parrott, T.L. see Tam, C.K.W. (3-5) 947
- Pierron, F. see Giraudeau, A. (3-5) 757
- Pilgun, G. see Kurpa, L. (1-2) 379
- Pope, M. see Hoy, J. (3-5) 933
- Qi, N. see Gibbs, B.M. (3-5) 1099
- Qiu, Y. and Rao, S.S., A fuzzy approach for the analysis of unbalanced nonlinear rotor systems . . (1-2) 299
- Ramon, H. see Deprez, K. (3-5) 1003
- Rao, S.S. see Qiu, Y. (1-2) 299
- Redkar, S. see Sinha, S.C. (3-5) 985
- Salinas, R. see Moreles, M.A. (3-5) 1119
- Saypuri, M. see Shih, H.-R. (1-2) 361
- Serpa, A.L. see Ferreira, J.V. (1-2) 133
- Sharma, J.N., Pal, M. and Chand, D., Propagation characteristics of Rayleigh waves in transversely isotropic piezothermoelastic materials (1-2) 227
- Shih, H.-R., Tzou, H.-S. and Saypuri, M., Structural vibration control using spatially configured opto-electromechanical actuators (1-2) 361
- Simpson, A.R. see Lee, P.J. (3-5) 1051
- Sinha, S.C., Redkar, S. and Butcher, E.A., Order reduction of nonlinear systems with time periodic coefficients using invariant manifolds. (3-5) 985
- Smithmaitrie, P. and Tzou, H.S., Electro-dynamics, micro-actuation and design of arc stators in an ultrasonic curvilinear motor (3-5) 635
- Sorokin, S.V. and Chapman, C.J., Asymptotic analysis of nonlinear vibration of an elastic plate under heavy fluid loading. (3-5) 1131
- Soroushian, A., Wriggers, P. and Farjoodi, J., On practical integration of semi-discretized nonlinear equations of motion. Part 1: reasons for probable instability and improper convergence (3-5) 705
- Spencer, B.F. see Duan, Z. (1-2) 455
- Spottswood, S.M. see Hollkamp, J.J. (3-5) 1145
- Storch, J.A. see Elishakoff, I. (Short Communication). (3-5) 1217
- Suh, J.-H., Hong, S.-W. and Lee, C.-W., Modal analysis of asymmetric rotor system with isotropic stator using modulated coordinates (3-5) 651
- Sun, J.Q. see Denli, H. (Short Communication) (3-5) 1229
- Sweerts de Landas, M. see Hoy, J. (3-5) 933
- Tam, C.K.W., Ju, H., Jones, M.G., Watson, W.R. and Parrott, T.L., A computational and experimental study of slit resonators (3-5) 947
- Teng, T.-J. see Liao, W.-I. (1-2) 173
- Tenhunen, A. see Holopainen, T.P. (3-5) 733
- Torregrosa, A.J. see Desantes, J.M. (1-2) 283
- Tzou, H.-S. see Shih, H.-R. (1-2) 361
- Tzou, H.S. see Smithmaitrie, P. (3-5) 635
- Vanlanduit, S., Parloo, E., Cauberghe, B., Guillaume, P. and Verboven, P., A robust singular value decomposition for damage detection under changing operating conditions and structural uncertainties (3-5) 1033
- Ventsel, E. see Kurpa, L. (1-2) 379
- Verboven, P. see Vanlanduit, S. (3-5) 1033
- Vítkovský, J.P. see Lee, P.J. (3-5) 1051
- Wang, J.H. and Chang, C., Identification of the number and locations of acoustic sources. (1-2) 393
- Wang, K., Inman, D.J. and Farrar, C.R., Modeling and analysis of a cracked composite cantilever beam vibrating in coupled bending and torsion (1-2) 23
- Wang, Q.-s. see Wu, L. (Short Communication) (3-5) 1190

- Watson, W.R. see Tam, C.K.W. (3-5) 947
- Wei, G.W. see Zhao, S. (Short Communication) (1-2) 487
- Wriggers, P. see Soroushian, A. (3-5) 705
- Wu, G.Y., The analysis of dynamic instability and vibration motions of a pinned beam with transverse magnetic fields and thermal loads (1-2) 343
- Wu, L., Wang, Q.-s. and Elishakoff, I., Semi-inverse method for axially functionally graded beams with an anti-symmetric vibration mode (Short Communication). (3-5) 1190
- Wu, Z.Q. see Chen, Z. (3-5) 783
- Xiang, Y. see Zhao, S. (Short Communication). (1-2) 487
- Yan, G. see Duan, Z. (1-2) 455
- Yang, X.-D. see Chen, L.-Q. (3-5) 879
- Yang, Y.B. and Lin, C.W., Vehicle-bridge interaction dynamics and potential applications (1-2) 205
- Yeh, C.-S. see Liao, W.-I. (1-2) 173
- Yu, P. see Chen, Z. (3-5) 783
- Yu, S.D. and Cleghorn, W.L., Free flexural vibration analysis of symmetric honeycomb panels (1-2) 189
- Zhang, N. see Crowther, A.R. (3-5) 825
- Zhao, S., Wei, G.W. and Xiang, Y., DSC analysis of free-edged beams by an iteratively matched boundary method (Short Communication) (1-2) 487
- Zhu, W.Q. see Huang, Z.L. (1-2) 325
- Zinoviev, A., Green's function for a plane three-dimensional fluid layer at small horizontal distances from the source (3-5) 673