



ELSEVIER

Journal of Sound and Vibration 285 (2005) 1255–1259

---

---

JOURNAL OF  
SOUND AND  
VIBRATION

---

[www.elsevier.com/locate/jsvi](http://www.elsevier.com/locate/jsvi)

## Index to Volume 285

- Albarracín, C.M. and Grossi, R.O., Vibrations of elastically restrained frames (Short Communication) (1–2) 467
- Ali Akbar, M. see Shamsul Alam, M. . . . . (1–2) 173
- Avis, M.R. see Xiao, L. . . . . (1–2) 321
- Batra, R.C. see Ferreira, A.J.M. (Short Communication). . . . . (3) 734
- Bauer, H.F. and Chiba, M., Oscillations of captured spherical drop of viscous liquid. . . . . (1–2) 51
- Breeuwer, R. see Jacobs, M.A. . . . . (4–5) 1039
- Cauberghe, B. see Vanlanduit, S. . . . . (1–2) 267
- Chang, Y.C. see Shih, Y.D. . . . . (4–5) 925
- Chen, J.K. see Shih, Y.D. . . . . (4–5) 925
- Chen, L.-W. see Yang, W.-P. . . . . (3) 597
- Chen, L.-W. see Yeh, J.-Y. . . . . (3) 637
- Chen, X.F. see Li, B. . . . . (4–5) 767
- Chiba, M. see Bauer, H.F. . . . . (1–2) 51
- Choi, S.B. see Hong, S.R. (Short Communication) . . . . . (4–5) 1180
- Choi, Y.T. see Hong, S.R. (Short Communication) . . . . . (4–5) 1180
- Chung, J. see Kim, W. . . . . (3) 547
- Cortínez, V.H. see Piovan, M.T. (Short Communication). . . . . (3) 721
- Cox, T.J. see Xiao, L. . . . . (1–2) 321
- Cveticanin, L., The homotopy-perturbation method applied for solving complex-valued differential equations with strong cubic nonlinearity (Short Communication) . . . . . (4–5) 1171
- Davis, B.R. see Thompson, A.G. . . . . (3) 571
- De Sitter, G. see Vanlanduit, S. . . . . (1–2) 267
- Dimentberg, M.F., Vibration of a rotating shaft with randomly varying internal damping (Short Communication) . . . . . (3) 759
- Duan, C. and Singh, R., Super-harmonics in a torsional system with dry friction path subject to harmonic excitation under a mean torque . . . . . (4–5) 803
- Duan, C. and Singh, R., Transient responses of a 2-dof torsional system with nonlinear dry friction under a harmonically varying normal load (Short Communication) . . . . . (4–5) 1223
- Elishakoff, I. and Meyer, D., Inverse vibration problem for inhomogeneous circular plate with translational spring (Short Communication) . . . . . (4–5) 1192
- El-Raheb, M., Transient response in a finite hollow cylinder from time-delayed prescribed motion at the boundary (Short Communication) . . . . . (1–2) 491
- Farquhar, T. see Zhou, J. . . . . (4–5) 1109
- Febbo, M. see Vera, S.A. (Short Communication) . . . . . (1–2) 457
- Ferreira, A.J.M. and Batra, R.C., Natural frequencies of orthotropic, monoclinic and hexagonal plates by a meshless method (Short Communication) . . . . . (3) 734
- Gan, W.-S. see Zhou, Y.-L. . . . . (1–2) 1
- Ghorashi, M. see Navazi, H.M. (Discussion) . . . . . (1–2) 511
- Glaser, S.D. see To, A.C. . . . . (4–5) 835
- Gorman, D.J., Free in-plane vibration analysis of rectangular plates with elastic support normal to the boundaries. . . . . (4–5) 941
- Gourdon, E. and Lamarque, C.H., Energy pumping for a larger span of energy (Short Communication) . . . . . (3) 711
- Grossi, R.O. see Albarracín, C.M. (Short Communication) . . . . . (1–2) 467
- Guérin, S., Thomy, E. and Wright, M.C.M., Aeroacoustics of automotive vents . . . . . (4–5) 859

- Guillaume, P. see Vanlanduit, S. . . . . (1-2) 267  
 Guo, G. see Yang, Q. . . . . (1-2) 73  
 Hagedorn, P. see Parashar, S.K. . . . . (4-5) 989  
 Halkyard, C.R. and Mace, B.R., Adaptive active control of flexural waves in a beam in the presence of a nearfield . . . . . (1-2) 149  
 He, Z.J. see Li, B. . . . . (4-5) 767  
 Hong, S.R., Choi, S.B., Choi, Y.T. and Wereley, N.M., A hydro-mechanical model for hysteretic damping force prediction of ER damper: experimental verification (Short Communication) . . . . . (4-5) 1180  
 Hörlin, N.-E., 3D hierarchical *hp*-FEM applied to elasto-acoustic modelling of layered porous media. . . . . (1-2) 341  
 Hu, H. and Tang, J.H., A convolution integral method for certain strongly nonlinear oscillators (Short Communication) . . . . . (4-5) 1235  
 Hua, H. see Shi, Y. . . . . (1-2) 425  
 Ikeda, T. and Murakami, S., Autoparametric resonances in a structure/fluid interaction system carrying a cylindrical liquid tank . . . . . (3) 517  
 Illaire, H., Kropp, W. and Mace, B., A phenomenological model of active constrained layers . . . . . (1-2) 281  
 Jacobs, M.A., Breeuwer, R., Kemmere, M.F. and Keurentjes, J.T.F., Contactless liquid detection in a partly filled tube by resonance . . . . . (4-5) 1039  
 Jafarali, P. see Mukherjee, S. . . . . (3) 615  
 Jia, L., Xu, Y. and Zhang, J., Free vibration analysis of radial pneumatic tires using Bezier functions. . . . . (4-5) 887  
 Jin, X.S., Wen, Z.F. and Wang, K.Y., Effect of track irregularities on initiation and evolution of rail corrugation . . . . . (1-2) 121  
 Jones, R. see Roberts, J.R. . . . . (1-2) 303  
 Kar, T. and Munjal, M.L., Generalized analysis of a muffler with any number of interacting ducts . . . . . (3) 585  
 Kemmere, M.F. see Jacobs, M.A. . . . . (4-5) 1039  
 Kerschen, G. see Tsakirtzis, S. (Short Communication) . . . . . (1-2) 483  
 Keurentjes, J.T.F. see Jacobs, M.A. . . . . (4-5) 1039  
 Khadem, S.E. and Rezaee, M., Authors' reply (Discussion) . . . . . (1-2) 512  
 Kim, G.-H. see Lee, J.-H. . . . . (1-2) 101  
 Kim, W., Lee, D.-J. and Chung, J., Three-dimensional modelling and dynamic analysis of an automatic ball balancer in an optical disk drive . . . . . (3) 547  
 King, R. see Zhang, R.R. . . . . (4-5) 1049  
 Klinkhachorn, P. see Sazonov, E. . . . . (4-5) 783  
 Kropp, W. see Illaire, H. . . . . (1-2) 281  
 Kulshreshtha, K. and Nataraj, N., A parallel mixed finite element implementation for approximation of eigenvalues and eigenvectors of fourth-order eigenvalue problems (Short Communication) . . . . . (4-5) 1242  
 Lamarque, C.H. see Gourdon, E. (Short Communication) . . . . . (3) 711  
 Law, S.S. and Lu, Z.R., Crack identification in beam from dynamic responses . . . . . (4-5) 967  
 Lee, D.-J. see Kim, W. . . . . (3) 547  
 Lee, H. and Singh, R., Comparison of two analytical methods used to calculate sound radiation from radial vibration modes of a thick annular disk (Short Communication) . . . . . (4-5) 1210  
 Lee, H.P. see Xu, X. . . . . (3) 653  
 Lee, J.-H., Kim, G.-H. and Park, Y.-S., A geometry constraint handling technique for stiffener layout optimization problem . . . . . (1-2) 101  
 Lees, A.W. see Sinou, J.-J. . . . . (4-5) 1015  
 Leong, M.S. see Mandal, N.K. . . . . (3) 669  
 Lew Yan Voon, L.C. see Willatzen, M. (Discussion) . . . . . (1-2) 515  
 Li, B., Chen, X.F., Ma, J.X. and He, Z.J., Detection of crack location and size in structures using wavelet finite element methods . . . . . (4-5) 767  
 Li, X.-D. see Zhou, Y.-L. . . . . (1-2) 1  
 Liang, K.-Z. see Shieh, N.-C. . . . . (1-2) 407  
 Liang, Y.C. see Xu, X. . . . . (3) 653  
 Librescu, L. see Oh, S.-Y. . . . . (4-5) 1071  
 Liew, K.M. see Liu, X.B. . . . . (1-2) 27  
 Lim, C.W. see Niu, J. . . . . (1-2) 391  
 Lim, S.-P. see Yang, Q. . . . . (1-2) 73

- Lim, S.P. see Xu, X. . . . . (3) 653  
 Lin, C.-L. see Shieh, N.-C. . . . . (1-2) 407  
 Lin, W.Z. see Xu, X. . . . . (3) 653  
 Lin, Y.-C. see Shieh, N.-C. . . . . (1-2) 407  
 Liu, H.-T. see Shan, J. . . . . (1-2) 187  
 Liu, X.B. and Liew, K.M., On the stability properties of a Van der Pol-Duffing oscillator that is driven by a real noise. . . . . (1-2) 27  
 Lu, Z.R. see Law, S.S. . . . . (4-5) 967  
 Luo, A.C.J., Imaginary, sink and source flows in the vicinity of the separatrix of non-smooth dynamic systems (Short Communication) . . . . . (1-2) 443  
 Ma, J.X. see Li, B. . . . . (4-5) 767  
 Mace, B. see Illaire, H. . . . . (1-2) 281  
 Mace, B.R. see Halkyard, C.R. . . . . (1-2) 149  
 Mace, B.R. see Wester, E.C.N. . . . . (1-2) 209  
 Mace, B.R. see Wester, E.C.N. . . . . (1-2) 229  
 Mace, B.R. see Wester, E.C.N. . . . . (1-2) 251  
 Madhusudan, B.P., On the analytical approximations to the periodic solutions of the  $x^{(2n+2)/(2n+1)}$  potential (Short Communication) . . . . . (4-5) 1189  
 Mandal, N.K., Rahman, R.A. and Leong, M.S., Experimental investigation of vibration power flow in thin technical orthotropic plates by the method of vibration intensity . . . . . (3) 669  
 Manoach, E. see Ribeiro, P. . . . . (4-5) 1093  
 Mansfield, N.J. see Roberts, J.R. . . . . (1-2) 303  
 Mecheske, C.K. see Yao, G.Z. (Short Communication) . . . . . (3) 743  
 Mendez, C.G. see Vera, S.A. (Short Communication) . . . . . (1-2) 457  
 Meyer, D. see Elishakoff, I. (Short Communication) . . . . . (4-5) 1192  
 Mickens, R.E., A numerical integration technique for conservative oscillators combining nonstandard finite-difference methods with a Hamilton's principle (Short Communication) . . . . . (1-2) 477  
 Mukherjee, S., Jafarali, P. and Prathap, G., A variational basis for error analysis in finite element elastodynamic problems . . . . . (3) 615  
 Muller, P., Are the eigensolutions of a 1-d.o.f. system with viscoelastic damping oscillatory or not? (Short Communication) . . . . . (1-2) 501  
 Munjal, M.L. see Kar, T. . . . . (3) 585  
 Munjal, M.L. see Panigrahi, S.N. . . . . (4-5) 905  
 Murakami, S. see Ikeda, T. . . . . (3) 517  
 Nageswara Rao, B. see Tiwari, S.B. (Short Communication) . . . . . (4-5) 1217  
 Nataraj, N. see Kulshreshtha, K. (Short Communication) . . . . . (4-5) 1242  
 Nataraja, H.R. see Tiwari, S.B. (Short Communication) . . . . . (4-5) 1217  
 Navazi, H.M. and Ghorashi, M., Comments on "Non-linear free vibration analysis of a string under bending moment effects using the perturbation method" (Discussion). . . . . (1-2) 511  
 Niu, J., Song, K. and Lim, C.W., On active vibration isolation of floating raft system . . . . . (1-2) 391  
 Oh, S.-Y., Librescu, L. and Song, O., Vibration and instability of functionally graded circular cylindrical spinning thin-walled beams . . . . . (4-5) 1071  
 Olson, L. see Zhang, R.R. . . . . (4-5) 1049  
 Ong, E.-H. see Yang, Q. . . . . (1-2) 73  
 Panagopoulos, P.N. see Tsakirtzis, S. (Short Communication) . . . . . (1-2) 483  
 Panigrahi, S.N. and Munjal, M.L., Comparison of various methods for analyzing lined circular ducts. . . . . (4-5) 905  
 Parashar, S.K., von Wagner, U. and Hagedorn, P., Nonlinear shear-induced flexural vibrations of piezoceramic actuators: experiments and modeling . . . . . (4-5) 989  
 Park, Y.-S. see Lee, J.-H. . . . . (1-2) 101  
 Parloo, E. see Vanlanduit, S. . . . . (1-2) 267  
 Paz, R. see Vera, S.A. (Short Communication) . . . . . (1-2) 457  
 Piovan, M.T. and Cortínez, V.H., Transverse shear deformability in the dynamics of thin-walled composite beams: consistency of different approaches (Short Communication) . . . . . (3) 721  
 Prathap, G. see Mukherjee, S. . . . . (3) 615  
 Rahman, R.A. see Mandal, N.K. . . . . (3) 669

- Rezaee, M. see Khadem, S.E. (Discussion) . . . . . (1–2) 512
- Ribeiro, P. and Manoach, E., The effect of temperature on the large amplitude vibrations of curved beams . . . . . (4–5) 1093
- Roberts, J.R., Jones, R., Mansfield, N.J. and Rothberg, S.J., Evaluation of vibrotactile sensations in the 'feel' of a golf shot . . . . . (1–2) 303
- Rothberg, S.J. see Roberts, J.R. . . . . (1–2) 303
- Rutt, B.K. see Yao, G.Z. (Short Communication) . . . . . (3) 743
- Sai, K.S. see Tiwari, S.B. (Short Communication) . . . . . (4–5) 1217
- Sazonov, E. and Klinkhachorn, P., Optimal spatial sampling interval for damage detection by curvature or strain energy mode shapes . . . . . (4–5) 783
- Shamsul Alam, M., Ali Akbar, M. and Zahurul Islam, M., A general form of Krylov–Bogoliubov–Mitropolskii method for solving nonlinear partial differential equations . . . . . (1–2) 173
- Shan, J., Liu, H.-T. and Sun, D., Modified input shaping for a rotating single-link flexible manipulator . . . . . (1–2) 187
- Sheng, J.P. see Shih, Y.D. . . . . (4–5) 925
- Shi, X.H. see Xu, X. . . . . (3) 653
- Shi, Y., Sol, H. and Hua, H., Transverse shear modulus identification by an inverse method using measured flexural resonance frequencies from beams . . . . . (1–2) 425
- Shieh, N.-C., Lin, C.-L., Lin, Y.-C. and Liang, K.-Z., Optimal design for passive suspension of a light rail vehicle using constrained multiobjective evolutionary search . . . . . (1–2) 407
- Shih, Y.D., Chen, J.K., Chang, Y.C. and Sheng, J.P., Natural vibration of arbitrary spatially curved rectangular rods with pre-twisted angles . . . . . (4–5) 925
- Shivakumar Swamy, N. see Tiwari, S.B. (Short Communication) . . . . . (4–5) 1217
- Singh, R. see Duan, C. . . . . (4–5) 803
- Singh, R. see Lee, H. (Short Communication) . . . . . (4–5) 1210
- Singh, R. see Duan, C. (Short Communication) . . . . . (4–5) 1223
- Sinou, J.-J. and Lees, A.W., The influence of cracks in rotating shafts . . . . . (4–5) 1015
- Slotine, J.-J.E. see Zuo, L. . . . . (4–5) 1123
- Sol, H. see Shi, Y. . . . . (1–2) 425
- Song, K. see Niu, J. . . . . (1–2) 391
- Song, O. see Oh, S.-Y. . . . . (4–5) 1071
- Sun, D. see Shan, J. . . . . (1–2) 187
- Sun, J. see Yang, Q. . . . . (1–2) 73
- Tang, J.H. see Hu, H. (Short Communication) . . . . . (4–5) 1235
- Thompson, A.G. and Davis, B.R., Computation of the rms state variables and control forces in a half-car model with preview active suspension using spectral decomposition methods . . . . . (3) 571
- Thomy, E. see Guérin, S. . . . . (4–5) 859
- Tiwari, S.B., Nageswara Rao, B., Shivakumar Swamy, N., Sai, K.S. and Nataraja, H.R., Analytical study on a Duffing-harmonic oscillator (Short Communication) . . . . . (4–5) 1217
- To, A.C. and Glaser, S.D., Full waveform inversion of a 3-D source inside an artificial rock . . . . . (4–5) 835
- Tsakirtzis, S., Kerschen, G., Panagopoulos, P.N. and Vakakis, A.F., Multi-frequency nonlinear energy transfer from linear oscillators to mdof essentially nonlinear attachments (Short Communication) . . . . . (1–2) 483
- Vahdati, N., Double-notch single-pumper fluid mounts . . . . . (3) 697
- Vakakis, A.F. see Tsakirtzis, S. (Short Communication) . . . . . (1–2) 483
- Vanlanduit, S., Guillaume, P., Cauberghe, B., Parloo, E., De Sitter, G. and Verboven, P., On-line identification of operational loads using exogenous inputs . . . . . (1–2) 267
- Vera, S.A., Febbo, M., Mendez, C.G. and Paz, R., Vibrations of a plate with an attached two degree of freedom system (Short Communication) . . . . . (1–2) 457
- Verboven, P. see Vanlanduit, S. . . . . (1–2) 267
- von Wagner, U. see Parashar, S.K. . . . . (4–5) 989
- Wang, C.-C. see Yang, W.-P. . . . . (3) 597
- Wang, C.Y., Fundamental frequency of a circular plate supported by a partial elastic foundation (Short Communication) . . . . . (4–5) 1203
- Wang, K.Y. see Jin, X.S. . . . . (1–2) 121

- Wen, Z.F. see Jin, X.S. . . . . (1–2) 121  
 Wereley, N.M. see Hong, S.R. (Short Communication) . . . . . (4–5) 1180  
 Wester, E.C.N. and Mace, B.R., Wave component analysis of energy flow in complex structures –  
     Part I: a deterministic model . . . . . (1–2) 209  
 Wester, E.C.N. and Mace, B.R., Wave component analysis of energy flow in complex structures –  
     Part II: ensemble statistics . . . . . (1–2) 229  
 Wester, E.C.N. and Mace, B.R., Wave component analysis of energy flow in complex structures –  
     Part III: two coupled plates . . . . . (1–2) 251  
 Willatzen, M. and Lew Yan Voon, L.C., Authors' reply (Discussion) . . . . . (1–2) 515  
 Woafø, P. see Yamapi, R. . . . . (4–5) 1151  
 Wright, M.C.M., Comments on "Theory of acoustic eigenmodes in parabolic cylindrical enclosures"  
     by M. Willatzen and L.C. Lew Yan Voon (Discussion) . . . . . (1–2) 513  
 Wright, M.C.M. see Guérin, S. . . . . (4–5) 859  
 Xiao, L., Cox, T.J. and Avis, M.R., Active diffusers: some prototypes and 2D measurements. . . . . (1–2) 321  
 Xu, X., Liang, Y.C., Lee, H.P., Lin, W.Z., Lim, S.P. and Shi, X.H., A stable adaptive neural-  
     network-based scheme for dynamical system control . . . . . (3) 653  
 Xu, Y. see Jia, L. . . . . (4–5) 887  
 Xu, Y.L. see Zhu, H.P. . . . . (1–2) 365  
 Xu, Y.-L. see Zhang, R.R. . . . . (4–5) 1049  
 Yamapi, R. and Woafø, P., Dynamics and synchronization of coupled self-sustained  
     electromechanical devices . . . . . (4–5) 1151  
 Yang, Q., Ong, E.-H., Sun, J., Guo, G. and Lim, S.-P., Study on the influence of friction in an  
     automatic ball balancing system . . . . . (1–2) 73  
 Yang, W.-P., Chen, L.-W. and Wang, C.-C., Vibration and dynamic stability of a traveling sandwich  
     beam . . . . . (3) 597  
 Yao, G.Z., Mechefske, C.K. and Rutt, B.K., Vibration analysis and measurement of a gradient coil  
     insert in a 4T MRI (Short Communication) . . . . . (3) 743  
 Yeh, J.-Y. and Chen, L.-W., Dynamic stability of a sandwich plate with a constraining layer and  
     electrorheological fluid core . . . . . (3) 637  
 Zahurul Islam, M. see Shamsul Alam, M. . . . . (1–2) 173  
 Zakharenko, A.A., Love-type waves in layered systems consisting of two cubic piezoelectric crystals.  
 Zhang, J. see Jia, L. . . . . (4–5) 877  
 Zhang, Q.-Z. see Zhou, Y.-L. . . . . (4–5) 887  
 Zhang, R.R., King, R., Olson, L. and Xu, Y.-L., Dynamic response of the Trinity River Relief Bridge  
     to controlled pile damage: modeling and experimental data analysis comparing Fourier and  
     Hilbert–Huang techniques . . . . . (1–2) 1  
 Zhou, J. and Farquhar, T., Wheat stem moduli in vivo via reference basis model updating . . . . . (4–5) 1049  
 Zhou, Y.-L., Zhang, Q.-Z., Li, X.-D. and Gan, W.-S., Analysis and DSP implementation of an ANC  
     system using a filtered-error neural network . . . . . (4–5) 1109  
 Zhu, H.P. and Xu, Y.L., Damage detection of mono-coupled periodic structures based on sensitivity  
     analysis of modal parameters . . . . . (1–2) 365  
 Zuo, L. and Slotine, J.-J.E., Robust vibration isolation via frequency-shaped sliding control and  
     modal decomposition . . . . . (4–5) 1123