



ELSEVIER

Journal of Sound and Vibration 288 (2005) 1241–1244

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 288

- Åbom, M. see Allam, S. (1–2) 255
Ahn, S.J., Jeong, W.B. and Yoo, W.S., Improvement of impulse response spectrum and its application (4–5) 1223
Allam, S. and Åbom, M., Acoustic modelling and testing of diesel particulate filters (1–2) 255
Andrianov, I.V. and Awrejcewicz, J., Applicability of the Kirchhoff approach to the theory of vibrations of rods (Short Communication) (1–2) 395
Artioli, E. see Viola, E. (4–5) 887
Ashour, A.S., Vibration of elastically restrained cross-ply laminated plates with variable thickness (1–2) 33
Awrejcewicz, J. see Andrianov, I.V. (Short Communication) (1–2) 395
Bae, J.-S. see Sodano, H.A. (4–5) 1177
Belvin, W.K. see Sodano, H.A. (4–5) 1177
Ben-Haim, Y. see Takewaki, I. (3) 551
Bernhard, R.J. see Williams, K.A. (4–5) 1131
Berry, A. see Gérard, A. (4–5) 1049
Berry, A. see Gérard, A. (4–5) 1077
Bhangale, R.K. and Ganesan, N., Free vibration studies of simply supported non-homogeneous functionally graded magneto-electro-elastic finite cylindrical shells (Short Communication) (1–2) 412
Biancolini, M.E., Brutti, C. and Reccia, L., Approximate solution for free vibrations of thin orthotropic rectangular plates (1–2) 321
Bovsunovsky, A.P. and Surace, C., Considerations regarding superharmonic vibrations of a cracked beam and the variation in damping caused by the presence of the crack (4–5) 865
Brennan, M.J. see El-Khatib, H.M. (4–5) 1157
Brutti, C. see Biancolini, M.E. (1–2) 321
Cai, C.W., Liu, J.K. and Yang, Y., Exact analysis of localized modes in two-dimensional bi-periodic mass–spring systems with a single disorder (1–2) 307
Carcaterra, A., Ensemble energy average and energy flow relationships for nonstationary vibrating systems (3) 751
Cha, P.D., Approximate eigensolutions for arbitrarily damped nearly proportional systems (4–5) 813
Chang, T.-P. see Liu, M.-F. (Short Communication) (1–2) 399
Chiu, G.T.-C. see Williams, K.A. (4–5) 1131
Cho, J. see Lee, U. (1–2) 293
Cho, J.R., Lee, H.W. and Ha, S.Y., Finite element analysis of resonant sloshing response in 2-D baffled tank (4–5) 829
Choi, S.B. see Hong, S.R. (4–5) 847
Choi, Y.T. see Hong, S.R. (4–5) 847
Cipolla, V. see Vinot, P. (3) 571
Cogan, S. see Vinot, P. (3) 571
Cotoni, V., Langley, R.S. and Kidner, M.R.F., Numerical and experimental validation of variance prediction in the statistical energy analysis of built-up systems (3) 701
Dalenbring, M. and Zdunek, A., On the use of three-dimensional h - and p -version finite elements in solving vibration response problems (4–5) 907
De Gersem, H., Moens, D., Desmet, W. and Vandepitte, D., A fuzzy finite element procedure for the calculation of uncertain frequency response functions of damped structures: Part 2—Numerical case studies (3) 463
Desmet, W. see De Gersem, H. (3) 463

- Desmet, W. see Donders, S. (3) 523
 Dilena, M. see Viola, E. (4-5) 887
 Ding, H., Labbas, R. and Zheng, Z.M., Features of blast-induced vibration source and identification of geostructures (1-2) 91
 Donders, S., Vandepitte, D., Van de Peer, J. and Desmet, W., Assessment of uncertainty on structural dynamic responses with the short transformation method (3) 523
 El-Khatib, H.M., Mace, B.R. and Brennan, M.J., Suppression of bending waves in a beam using a tuned vibration absorber (4-5) 1157
 Estève, S.J. and Johnson, M.E., Adaptive Helmholtz resonators and passive vibration absorbers for cylinder interior noise control (4-5) 1105
 Fitzpatrick, J.A., Aeroacoustics research in Europe: The CEAS-ASC report on 2004 highlights (1-2) 1
 Fonseca, J.R., Friswell, M.I., Mottershead, J.E. and Lees, A.W., Uncertainty identification by the maximum likelihood method. (3) 587
 Fried, I. and Leong, K., Superaccurate finite element eigenvalues via a Rayleigh quotient correction (Short Communication) (1-2) 375
 Friswell, M.I. see Fonseca, J.R. (3) 587
 Friswell, M.I. see Worden, K. (3) 601
 Fung, R.-F., Liu, Y.-T. and Wang, C.-C., Dynamic model of an electromagnetic actuator for vibration control of a cantilever beam with a tip mass (4-5) 957
 Gérard, A., Berry, A. and Masson, P., Control of tonal noise from subsonic axial fan. Part 1: reconstruction of aeroacoustic sources from far-field sound pressure. (4-5) 1049
 Gérard, A., Berry, A. and Masson, P., Control of tonal noise from subsonic axial fan. Part 2: active control simulations and experiments in free field. (4-5) 1077
 Ganesan, N. see Bhangale, R.K. (Short Communication) (1-2) 412
 Griffin, M.J. see Qiu, Y. (4-5) 1197
 Ha, S.Y. see Cho, J.R. (4-5) 829
 Hein, H. see Lepik, Ü. (1-2) 275
 Hong, S.R., Choi, S.B., Choi, Y.T. and Wereley, N.M., Non-dimensional analysis and design of a magnetorheological damper (4-5) 847
 Hou, A.-p. see Zhou, S. (4-5) 981
 Hu, Y.-R. and Ng, A., Active robust vibration control of flexible structures (1-2) 43
 Huang, M., Ma, X.Q., Sakiyama, T., Matuda, H. and Morita, C., Free vibration analysis of orthotropic rectangular plates with variable thickness and general boundary conditions (4-5) 931
 Hundal, B.S. see Kumar, R. (1-2) 361
 Inman, D.J. see Sodano, H.A. (4-5) 1177
 Jeong, W.B. see Ahn, S.J. (4-5) 1223
 Jiang, D., Pierre, C. and Shaw, S.W., Nonlinear normal modes for vibratory systems under harmonic excitation (4-5) 791
 Jin, J., Tong Quek, S. and Wang, Q., Wave boundary element to study Lamb wave propagation in plates (1-2) 195
 Johnson, M.E. see Estève, S.J. (4-5) 1105
 Kang, J.S., Park, S.-K., Shin, S. and Lee, H.S., Structural system identification in time domain using measured acceleration. (1-2) 215
 Kidner, M.R.F. see Coton, V. (3) 701
 Kim, S. see Lee, U. (1-2) 293
 Kumar, R. and Hundal, B.S., Symmetric wave propagation in a fluid-saturated incompressible porous medium (1-2) 361
 Labbas, R. see Ding, H. (1-2) 91
 Langley, R.S. see Coton, V. (3) 701
 Langley, R.S. see Shorter, P.J. (3) 669
 Langthjem, M.A. and Nakano, M., A numerical simulation of the hole-tone feedback cycle based on an axisymmetric discrete vortex method and Curle's equation (1-2) 133
 Law, S.S. and Lu, Z.R., Time domain responses of a prestressed beam and prestress identification (4-5) 1011
 Lee, H.S. see Kang, J.S. (1-2) 215
 Lee, H.W. see Cho, J.R. (4-5) 829

- Lee, S. see Seol, H. (1–2) 345
- Lee, U., Kim, S. and Cho, J., Dynamic analysis of the linear discrete dynamic systems subjected to the initial conditions by using an FFT-based spectral analysis method (1–2) 293
(3) 587
- Lees, A.W. see Fonseca, J.R. (1–2) 375
- Leong, K. see Fried, I. (Short Communication) (1–2) 275
- Lepik, Ü and Hein, H., On response of nonlinear oscillators with random frequency of excitation (1–2) 235
- Li, D. and Vipperman, J.S., On the noise transmission and control for a cylindrical chamber core composite structure (1–2) 307
- Liu, J.K. see Cai, C.W. (1–2) 399
- Liu, M.-F. and Chang, T.-P., Vibration analysis of a magneto-elastic beam with general boundary conditions subjected to axial load and external force (Short Communication) (4–5) 957
- Liu, Y.-T. see Fung, R.-F. (3) 601
- Lord, T.M. see Worden, K. (4–5) 981
- Lu, Y.-j. see Zhou, S. (4–5) 1011
- Lu, Z.R. see Law, S.S. (4–5) 1027
- Luongo, A. and Piccardo, G., Linear instability mechanisms for coupled translational galloping (4–5) 931
- Mace, B.R. see El-Khatib, H.M. (4–5) 1157
- Mace, B.R., Worden, K. and Manson, G., Uncertainty in structural dynamics (3) 423
- Manson, G., Calculating frequency response functions for uncertain systems using complex affine analysis (3) 487
- Manson, G. see Mace, B.R. (3) 423
- Manson, G. see Worden, K. (3) 601
- Masson, P. see Gérard, A. (4–5) 1049
- Masson, P. see Gérard, A. (4–5) 1077
- Matuda, H. see Huang, M. (4–5) 931
- Mei, C., Effect of material coupling on wave vibration of composite Euler–Bernoulli beam structures. (1–2) 177
- Moens, D. and Vandepitte, D., A fuzzy finite element procedure for the calculation of uncertain frequency-response functions of damped structures: Part 1—Procedure (3) 431
(3) 463
- Moens, D. see De Gersem, H. (4–5) 931
- Morita, C. see Huang, M. (3) 587
- Mottershead, J.E. see Fonseca, J.R. (1–2) 133
- Nakano, M. see Langthjem, M.A. (1–2) 43
- Ng, A. see Hu, Y.-R. (1–2) 57
- Park, J., Transfer function methods to measure dynamic mechanical properties of complex structures. (1–2) 215
- Park, S.-K. see Kang, J.S. (4–5) 1027
- Piccardo, G. see Luongo, A. (4–5) 791
- Pierre, C. see Jiang, D. (1–2) 81
- Plaut, R.H. see Santillan, S. (3) 653
- Pradlwarter, H.J. and Schuëller, G.I., A consistent concept for high- and low-frequency dynamics based on stochastic modal analysis (4–5) 1197
- Qiu, Y. and Griffin, M.J., Transmission of roll, pitch and yaw vibration to the backrest of a seat supported on a non-rigid car floor (1–2) 321
- Reccia, L. see Biancolini, M.E. (4–5) 931
- Sakiyama, T. see Huang, M. (1–2) 81
- Santillan, S., Virgin, L.N. and Plaut, R.H., Equilibria and vibration of a heavy pinched loop (3) 669
- Schuëller, G.I. see Pradlwarter, H.J. (1–2) 387
- Seol, H., Suh, J.-C. and Lee, S., Development of hybrid method for the prediction of underwater propeller noise (4–5) 791
- Shaw, S.W. see Jiang, D. (1–2) 215
- Shin, S. see Kang, J.S. (3) 669
- Shorter, P.J. and Langley, R.S., Vibro-acoustic analysis of complex systems (1–2) 387
- Sinha, A., Nonlinear dynamics of atomic force microscope with PI feedback (Short Communication). (4–5) 1177
- Sodano, H.A., Bae, J.-S., Inman, D.J. and Keith Belvin, W., Concept and model of eddy current damper for vibration suppression of a beam (4–5) 1177

- Soize, C., A comprehensive overview of a non-parametric probabilistic approach of model uncertainties for predictive models in structural dynamics (3) 623
- Suh, J.-C. see Seol, H. (1–2) 345
- Surace, C. see Bovsunovsky, A.P. (4–5) 865
- Takewaki, I. and Ben-Haim, Y., Info-gap robust design with load and model uncertainties (3) 551
- Tong Quek, S. see Jin, J.. (1–2) 195
- Van de Peer, J. see Donders, S. (3) 523
- Vandepitte, D. see De Gersem, H. (3) 463
- Vandepitte, D. see Donders, S. (3) 523
- Vandepitte, D. see Moens, D. (3) 431
- Vinot, P., Cogan, S. and Cipolla, V., A robust model-based test planning procedure (3) 571
- Viola, E., Artigli, E. and Dilena, M., Analytical and differential quadrature results for vibration analysis of damaged circular arches (4–5) 887
- Vipperman, J.S. see Li, D. (1–2) 235
- Virgin, L.N. see Santillan, S. (1–2) 81
- Wang, C.-C. see Fung, R.-F.. (4–5) 957
- Wang, Q. see Jin, J. (1–2) 195
- Weaver, R.L. see Wolff, N.L. (3) 729
- Wereley, N.M. see Hong, S.R. (4–5) 847
- Williams, K.A., Chiu, G.T.-C. and Bernhard, R.J., Nonlinear control of a shape memory alloy adaptive tuned vibration absorber (4–5) 1131
- Wolff, N.L. and Weaver, R.L., Towards a diffusion model of acoustic energy flow in large undamped structures (3) 729
- Worden, K., Manson, G., Lord, T.M. and Friswell, M.I., Some observations on uncertainty propagation through a simple nonlinear system (3) 601
- Worden, K. see Mace, B.R. (3) 423
- Wu, J.-J., Dynamic analysis of an inclined beam due to moving loads (1–2) 107
- Yang, Y. see Cai, C.W.. (1–2) 307
- Yoo, W.S. see Ahn, S.J. (4–5) 1223
- Zdunek, A. see Dalenbring, M. (4–5) 907
- Zheng, X.-q. see Zhou, S. (4–5) 981
- Zheng, Z.M. see Ding, H. (1–2) 91
- Zhou, S., Zheng, X.-q., Hou, A.-p. and Lu, Y.-j., Interaction of unsteady separated flow over multi-bodies moving relatively in the same flow field (4–5) 981