



ELSEVIER

Journal of Sound and Vibration 289 (2006) 1113–1116

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 289

- Abakumov, A.M. and Miatov, G.N., Control algorithms for active vibration isolation systems subject to random disturbances (4–5) 889
- Atalla, N. see Ghinet, S. (4–5) 745
- Aurégan, Y. see Bi, W.P. (4–5) 1091
- Avis, M.R. see Cox, T.J. (4–5) 807
- Bajaj, A.K. see Huang, J. (1–2) 245
- Balthazar, J.M. see de Souza, S.L.T. (4–5) 987
- Berry, A. see Pasco, Y. (3) 481
- Bhushan, B. see Boyle Jr, J.M. (3) 632
- Bi, W.P., Pagneux, V., Lafarge, D. and Aurégan, Y., Modelling of sound propagation in a non-uniform lined duct using a Multi-Modal Propagation Method (4–5) 1091
- Bisegna, P., Caruso, G. and Maceri, F., Optimized electric networks for vibration damping of piezoactuated beams (4–5) 908
- Boij, S. and Nilsson, B., Scattering and absorption of sound at flow duct expansions (3) 577
- Boyle Jr, J.M. and Bhushan, B., Vibration modeling of magnetic tape with vibro-impact of tape-guide contact (3) 632
- Brasil, R.M.L.R.F. see de Souza, S.L.T. (4–5) 987
- Buchal, R.O. see Pan, R. (1–2) 278
- Cai, C.W. see Liu, J.K. (1–2) 66
- Caldas, I.L. see de Souza, S.L.T. (4–5) 987
- Cao, H., Jiang, Y. and Shan, Y., Primary resonant optimal control for nested homoclinic and heteroclinic bifurcations in single-dof nonlinear oscillators. (1–2) 229
- Caruso, G. see Bisegna, P. (4–5) 908
- Chang, S.-H. see Ha, J.-L. (3) 529
- Chatterjee, A. see Marathe, A. (4–5) 871
- Chen, J.-H. see Hsieh, S.-C. (1–2) 294
- Chen, K.-Y. see Ha, J.-L. (4–5) 1019
- Chen, L.-Q. see Yang, X.-D. (1–2) 54
- Conoir, J.-M. see Robert, S. (1–2) 109
- Cox, T.J., Avis, M.R. and Xiao, L., Maximum length sequence and Bessel diffusers using active technologies (4–5) 807
- de Souza, S.L.T., Caldas, I.L., Viana, R.L., Balthazar, J.M. and Brasil, R.M.L.R.F., Dynamics of vibrating systems with tuned liquid column dampers and limited power supply (4–5) 987
- Dilena, M. and Morassi, A., Damage detection in discrete vibrating systems (4–5) 830
- Duan, C. and Singh, R., Dynamics of a 3dof torsional system with a dry friction controlled path (4–5) 657
- Duncan, G.S. see Schmitz, T.L. (4–5) 1045
- Dupac, M. and Marghitu, D.B., Nonlinear dynamics of a flexible mechanism with impact (4–5) 952
- Forrest, J.A., Experimental modal analysis of three small-scale vibration isolator models (1–2) 382
- Franklin, H. see Robert, S. (1–2) 109
- Fung, R.-F. see Ha, J.-L. (3) 529
- Fung, R.-F. see Ha, J.-L. (4–5) 1019
- Ganesan, N. see Kadoli, R. (3) 450
- Ghinet, S., Atalla, N. and Osman, H., Diffuse field transmission into infinite sandwich composite and laminate composite cylinders (4–5) 745
- Ha, J.-L., Fung, R.-F. and Chang, S.-H., Quantitative determination of material viscoelasticity using a piezoelectric cantilever bimorph beam (3) 529

- Ha, J.-L., Fung, R.-F., Chen, K.-Y. and Hsien, S.-C., Dynamic modeling and identification of a slider-crank mechanism (4-5) 1019
 Hanes, P. see Ohm, W.-S. (1-2) 192
 Harsha, S.P., Nonlinear dynamic analysis of rolling element bearings due to cage run-out and number of balls (1-2) 360
 Howson, W.P. see Rafezy, B. (4-5) 938
 Hsieh, S.-C., Chen, J.-H. and Lee, A.-C., A modified transfer matrix method for the coupling lateral and torsional vibrations of symmetric rotor-bearing systems (1-2) 294
 Hsien, S.-C. see Ha, J.-L. (4-5) 1019
 Huang, J., Krousgill, C.M. and Bajaj, A.K., Modeling of automotive drum brakes for squeal and parameter sensitivity analysis (1-2) 245
 Huang, W.H. see Liu, L.K. (4-5) 726
 Huang, X.-L. and Shen, H.-S., Vibration and dynamic response of functionally graded plates with piezoelectric actuators in thermal environments (1-2) 25
 Hulbert, G.M. see Hussein, M.I. (4-5) 779
 Hussein, M.I., Hulbert, G.M. and Scott, R.A., Dispersive elastodynamics of 1D banded materials and structures: analysis (4-5) 779
 Jana, A. and Raman, A., Aeroelastic flutter of a disk rotating in an unbounded acoustic medium. (3) 612
 Jensen, J.S. and Pedersen, N.L., On maximal eigenfrequency separation in two-material structures: the 1D and 2D scalar cases (4-5) 967
 Ji, L., Mace, B.R. and Pinnington, R.J., A mode-based approach for the mid-frequency vibration analysis of coupled long- and short-wavelength structures (1-2) 148
 Jiang, J. see Pan, R. (1-2) 278
 Jiang, Y. see Cao, H. (1-2) 229
 Kadoli, R. and Ganesan, N., Buckling and free vibration analysis of functionally graded cylindrical shells subjected to a temperature-specified boundary condition (3) 450
 Kamiya, K. see Suzuki, A. (1-2) 130
 Kaya, M.O. see Özdemir, Ö (Short Communication) (1-2) 413
 Khandelwal, M. and Singh, T.N., Prediction of blast induced ground vibrations and frequency in opencast mine: A neural network approach (4-5) 711
 Kikuchi, M. see Ohya, F. (1-2) 1
 Kim, J.-H. see Park, J.-S. (1-2) 77
 Kitipornchai, S. see Peng, L.X. (3) 421
 Kopmaz, O. see Telli, S. (4-5) 689
 Krousgill, C.M. see Huang, J. (1-2) 245
 Lafarge, D. see Bi, W.P. (4-5) 1091
 Lee, A.-C. see Hsieh, S.-C. (1-2) 294
 Lee, J. see Qiu, H. (4-5) 1066
 Lee, S. see Sun, H. (4-5) 999
 Liew, K.M. see Peng, L.X. (3) 421
 Lin, J. see Qiu, H. (4-5) 1066
 Liu, J.K., Yang, Y. and Cai, C.W., Convergence studies on static and dynamic analyses of plates by using the U-transformation and the finite difference method (1-2) 66
 Liu, L.K., Zheng, G.T. and Huang, W.H., Octo-strut vibration isolation platform and its application to whole spacecraft vibration isolation (4-5) 726
 Mace, B.R. see Ji, L. (1-2) 148
 Maceri, F. see Bisegna, P. (4-5) 908
 Mahapatra, D.R., Equivalent constitutive model-based design of wave-absorbing material system and controller (3) 509
 Marathe, A. and Chatterjee, A., Wave attenuation in nonlinear periodic structures using harmonic balance and multiple scales (4-5) 871
 Marghitu, D.B. see Dupac, M. (4-5) 952
 Meguid, S.A. see Woo, J. (3) 595
 Miatov, G.N. see Abakumov, A.M. (4-5) 889
 Morassi, A. see Dilena, M. (4-5) 830
 Müftü, S. see Zen, G. (3) 551
 Nair, P.S. see Renji, K. (4-5) 851
 Narayanan, S. see Renji, K. (4-5) 851
 Nilsson, B. see Boij, S. (3) 577

Ohm, W.-S., Wu, L., Hanes, P. and Wong, G.S.K., Generation of low-frequency vibration using a cantilever beam for calibration of accelerometers	(1-2) 192
Ohya, F., Ueda, M., Uchiyama, T. and Kikuchi, M., Free vibration analysis by the superposition method of rectangular Mindlin plates with internal columns resting on uniform elastic edge supports	(1-2) 1 (3) 595 (4-5) 745
Ong, L.S. see Woo, J.	
Osman, H. see Ghinet, S.	
Ozdemir, Ö and Kaya, M.O., Flapwise bending vibration analysis of a rotating tapered cantilever Bernoulli-Euler beam by differential transform method (Short Communication)	(1-2) 413 (4-5) 1091
Pagneux, V. see Bi, W.P.	
Pan, R., Jiang, J. and Buchal, R.O., Design of an optimal shock-damping isolator with application to casters	(1-2) 278
Park, J.-S. and Kim, J.-H., Thermal postbuckling and vibration analyses of functionally graded plates.	(1-2) 77
Pasco, Y. and Berry, A., Consideration of piezoceramic actuator nonlinearity in the active isolation of deterministic vibration	(3) 481
Pedersen, N.L. see Jensen, J.S.	(4-5) 967
Peng, L.X., Liew, K.M. and Kitipornchai, S., Buckling and free vibration analyses of stiffened plates using the FSDT mesh-free method	(3) 421
Pinnington, R.J. see Ji, L.	(1-2) 148
Plaut, R.H., Postbuckling and vibration of end-supported elastica pipes conveying fluid and columns under follower loads	(1-2) 264
Qiu, H., Lee, J., Lin, J. and Yu, G., Wavelet filter-based weak signature detection method and its application on rolling element bearing prognostics	(4-5) 1066
Rafezy, B. and Howson, W.P., Exact dynamic stiffness matrix of a three-dimensional shear beam with doubly asymmetric cross-section	(4-5) 938
Raman, A. see Jana, A.	(3) 612
Renji, K., Nair, P.S. and Narayanan, S., Acoustic response behaviour of panels mounted with equipment and its prediction using statistical energy analysis	(4-5) 851
Robert, S., Franklin, H. and Conoir, J.-M., Elastic resonances of a periodic array of fluid-filled cylindrical cavities embedded in an elastic matrix	(1-2) 109
Schmitz, T.L. and Duncan, G.S., Receptance coupling for dynamics prediction of assemblies with coincident neutral axes	(4-5) 1045
Scott, R.A. see Hussein, M.I.	(4-5) 779
Shan, Y. see Cao, H.	(1-2) 229
Shen, H.-S. see Huang, X.-L.	(1-2) 25
Shin, H. see Sun, H.	(4-5) 999
Singh, R. see Duan, C.	(4-5) 657
Singh, T.N. see Khandelwal, M.	(4-5) 711
Su, X. see Tian, J.	(1-2) 94
Sun, G., Rotor drop and following thermal growth simulations using detailed auxiliary bearing and damper models	(1-2) 334
Sun, H., Shin, H. and Lee, S., Analysis and optimization of aerodynamic noise in a centrifugal compressor	(4-5) 999
Suzuki, A., Kamiya, K. and Yasuda, K., Identification technique for nonlinear boundary conditions of a circular plate	(1-2) 130
Telli, S. and Kopmaz, O., Free vibrations of a mass grounded by linear and nonlinear springs in series.	(4-5) 689
Tian, J., Yang, W. and Su, X., Transient elastic waves in a transversely isotropic laminate impacted by axisymmetric load	(1-2) 94
Uchiyama, T. see Ohya, F.	(1-2) 1
Ueda, M. see Ohya, F.	(1-2) 1
Viana, R.L. see de Souza, S.L.T.	(4-5) 987
Wong, G.S.K. see Ohm, W.-S.	(1-2) 192
Woo, J., Meguid, S.A. and Ong, L.S., Nonlinear free vibration behavior of functionally graded plates.	(3) 595
Wu, L. see Ohm, W.-S.	(1-2) 192
Xiao, L. see Cox, T.J.	(4-5) 807
Xie, W.-C., Moment Lyapunov exponents of a two-dimensional system under both harmonic and white noise parametric excitations	(1-2) 171
Yang, W. see Tian, J.	(1-2) 94

- Yang, X.-D. and Chen, L.-Q., Stability in parametric resonance of axially accelerating beams constituted by Boltzmann's superposition principle (1-2) 54
Yang, Y. see Liu, J.K. (1-2) 66
Yang, Y.B. see Yau, J.D. (1-2) 210
Yasuda, K. see Suzuki, A. (1-2) 130
Yau, J.D. and Yang, Y.B., Vertical accelerations of simple beams due to successive loads traveling at resonant speeds (1-2) 210
Yu, G. see Qiu, H. (4-5) 1066
Zen, G. and Müftü, S., Stability of an axially accelerating string subjected to frictional guiding forces. (3) 551
Zheng, G.T. see Liu, L.K. (4-5) 726