



ELSEVIER

Journal of Sound and Vibration 292 (2006) 1047–1051

---

JOURNAL OF  
SOUND AND  
VIBRATION

---

www.elsevier.com/locate/jsvi

## Index to Volume 292

- Åbom, M. see Allam, S. . . . . (3–5) 519  
Akay, A. see Giannini, O. . . . . (1–2) 1  
Al-Bassyouni, M. and Balachandran, B., Control of enclosed sound fields using zero spillover schemes. . . . . (3–5) 645  
Allam, S. and Åbom, M., Investigation of damping and radiation using full plane wave decomposition in ducts. . . . . (3–5) 519  
Alvandi, A. and Cremona, C., Assessment of vibration-based damage identification techniques . . . . . (1–2) 179  
Andrianuely, M.-A. see Ferraris, G. . . . . (3–5) 899  
Andrianov, I.V. and Awrejcewicz, J., Dynamics of a string moving with time-varying speed . . . . . (3–5) 935  
Annigeri, A.R., Ganeshan, N. and Swarnamani, S., Free vibrations of clamped-clamped magneto-electro-elastic cylindrical shells. . . . . (1–2) 300  
Anthony, D.K. see Moshrefi-Torbati, M. . . . . (1–2) 203  
Au, F.T.K. see Zhou, D. . . . . (3–5) 726  
Avalos, D.R. see Laura, P.A.A. (Short Communications) . . . . . (3–5) 1004  
Awrejcewicz, J. see Andrianov, I.V. . . . . (3–5) 935
- Bahai, H. see Naber, R.R. . . . . (3–5) 802  
Baillet, L., D'Errico, S. and Laulagnet, B., Understanding the occurrence of squealing noise using the temporal finite element method . . . . . (3–5) 443  
Bailliet, H. see Boucheron, R. . . . . (3–5) 504  
Balachandran, B. see Al-Bassyouni, M. . . . . (3–5) 645  
Bauer, H.F. and Eidel, W., Determination of the lower natural frequencies of circular plates with mixed boundary conditions . . . . . (3–5) 742  
Berlioz, A. see Ferraris, G. . . . . (3–5) 899  
Bhangale, R.K., Ganeshan, N. and Padmanabhan, C., Linear thermoelastic buckling and free vibration behavior of functionally graded truncated conical shells . . . . . (1–2) 341  
Bhaskararao, A.V. and Jangid, R.S., Harmonic response of adjacent structures connected with a friction damper . . . . . (3–5) 710  
Bogatchenkov, A.H. see Lee, C.-M. (Short Communications). . . . . (1–2) 435  
Bosch, A.L. see Metrikine, A.V. . . . . (3–5) 676  
Boström, A. see Karlström, A. . . . . (1–2) 221  
Botteldooren, D., De Coensel, B. and De Muer, T., The temporal structure of urban soundscapes . . . . . (1–2) 105  
Bouaanani, N., Numerical investigation of the modal sensitivity of suspended cables with localized damage (Short Communications). . . . . (3–5) 1015  
Boucheron, R., Bailliet, H. and Valiere, J.-C., Analytical solution of multimodal acoustic propagation in circular ducts with laminar mean flow profile . . . . . (3–5) 504  
Bowong, S., Moukam Kakmeni, F.M. and Dimi, J.L., Chaos control in the uncertain Duffing oscillator. . . . . (3–5) 869  
Brennan, M.J. see Gao, Y. . . . . (3–5) 552  
Brennan, M.J. see Moshrefi-Torbati, M. . . . . (1–2) 203  
Bruneau, A.-M. see Guianvarc'h, C. . . . . (3–5) 595  
Bruneau, M. see Guianvarc'h, C. . . . . (3–5) 595
- Chan, S.L. see Law, S.S. . . . . (3–5) 777  
Chelidze, D. and Zhou, W., Smooth orthogonal decomposition-based vibration mode identification . . . . . (3–5) 461  
Chen, Y.-N. see Kuo, W.-H. . . . . (3–5) 694  
Cheng, L., Zhou, Y. and Zhang, M.M., Controlled vortex-induced vibration on a fix-supported flexible cylinder in cross-flow . . . . . (1–2) 279  
Cheung, Y.K. see Zhou, D. . . . . (3–5) 726

Chiang, M.-H. see Kuo, W.-H.	(3-5)	694
Cigeroglu, E., Lu, W. and Menq, C.-H., One-dimensional dynamic microslip friction model	(3-5)	881
Coleman, M.P. and McSweeney, L.A., A perturbation approach for the eigenfrequency analysis of separable Kirchhoff thin-plate problems on a rectangle	(3-5)	474
Cremona, C. see Alvandi, A.	(1-2)	179
D'Errico, S. see Baillet, L.	(3-5)	443
Dayou, J., Fixed-points theory for global vibration control using vibration neutralizer	(3-5)	765
De Coensel, B. see Botteldooren, D.	(1-2)	105
De Muer, T. see Botteldooren, D.	(1-2)	105
Dimentberg, M.F., Iourtchenko, D.V. and Naess, A., Coherence function of transverse random vibrations of a rotating shaft (Short Communications)	(3-5)	983
Dimi, J.L. see Bowong, S.	(3-5)	869
Driot, N. and Perret-Liaudet, J., Variability of modal behavior in terms of critical speeds of a gear pair due to manufacturing errors and shaft misalignments	(3-5)	824
Dufour, R. see Ferraris, G.	(3-5)	899
Durocher, J.-N. see Guianvarc'h, C.	(3-5)	595
Eidel, W. see Bauer, H.F.	(3-5)	742
Elliott, S.J. see Moshrefi-Torbati, M.	(1-2)	203
Ferraris, G., Andrianoely, M.-A., Berlioz, A. and Dufour, R., Influence of cylinder pressure on the balancing of a rotary compressor	(3-5)	899
Ganesan, N. see Annigeri, A.R.	(1-2)	300
Ganesan, N. see Bhangale, R.K.	(1-2)	341
Ganesan, N. see Pradeep, V. (Discussions)	(3-5)	1036
Gao, Y., Brennan, M.J. and Joseph, P.F., A comparison of time delay estimators for the detection of leak noise signals in plastic water distribution pipes	(3-5)	552
Ghosh, M.K. see Ranjan, V. (Short Communications)	(3-5)	999
Giannini, O., Akay, A. and Massi, F., Experimental analysis of brake squeal noise on a laboratory brake setup	(1-2)	1
Girault, G. see Renard, J.	(1-2)	124
Goverdovskiy, V.N. see Lee, C.-M. (Short Communications)	(1-2)	435
Guianvarc'h, C., Durocher, J.-N., Bruneau, M. and Bruneau, A.-M., Acoustic transfer admittance of cylindrical cavities	(3-5)	595
Guo, J. see Kuo, W.-H.	(3-5)	694
Guo, Y. see Leng, Y.G.	(3-5)	788
Heyliger, P.R. see Ramirez, F.	(3-5)	626
Hillion, P., Acoustic pulse reflection at a time-reversal mirror	(3-5)	488
Horner, J.L. see Peat, K.S.	(3-5)	610
Huttsell, L.J. see Sheta, E.F.	(3-5)	854
Ilanko, S., On asymptotic modelling of constraints that do not change the degrees of freedom	(3-5)	604
Iourtchenko, D.V., Random vibrations of swings (Short Communications)	(3-5)	1011
Iourtchenko, D.V. see Dimentberg, M.F. (Short Communications)	(3-5)	983
Jangid, R.S. see Bhaskararao, A.V.	(3-5)	710
Ji, Z.L., Boundary element analysis of a straight-through hybrid silencer (Short Communications)	(1-2)	415
Jones, B.E. see Naber, R.R.	(3-5)	802
Joseph, P.F. see Gao, Y.	(3-5)	552
Kahana, Y. and Nelson, P.A., Numerical modelling of the spatial acoustic response of the human pinna	(1-2)	148
Karlström, A. and Boström, A., An analytical model for train-induced ground vibrations from railways	(1-2)	221
Katsikadelis, J.T. and Tsiatas, G.C., Regulating the vibratory motion of beams using shape optimization	(1-2)	390
Keane, A.J. see Moshrefi-Torbati, M.	(1-2)	203

Kim, B.H., Kim, H. and Park, T., Nondestructive damage evaluation of plates using the multi-resolution analysis of two-dimensional Haar wavelet . . . . .	(1-2) 82
Kim, H. see Kim, B.H. . . . .	(1-2) 82
Kuo, W.-H., Wu, T.-N., Guo, J., Chiang, M.-H. and Chen, Y.-N., Design and performance evaluation of a serial multi-electrode electrorheological damper . . . . .	(3-5) 694
Langlet, A. see Renard, J. . . . .	(1-2) 124
Lardies, J., On the use of Pade approximants in the estimation of eigenfrequencies and damping ratios of a vibrating system . . . . .	(3-5) 571
Laulagnet, B. see Baillet, L. . . . .	(3-5) 443
Laura, P.A.A., Masiá, U. and Avalos, D.R., Small amplitude, transverse vibrations of circular plates elastically restrained against rotation with an eccentric circular perforation with a free edge (Short Communications). . . . .	(3-5) 1004
Law, S.S., Wu, Z.M. and Chan, S.L., Analytical model of a slotted bolted connection element and its behaviour under dynamic load . . . . .	(3-5) 777
Lee, C.-M., Bogatchenkov, A.H., Goverdovskiy, V.N., Shynkarenko, Y.V. and Temnikov, A.I., Position control of seat suspension with minimum stiffness (Short Communications) . . . . .	(1-2) 435
Leng, Y.G., Leng, Y.S., Wang, T.Y. and Guo, Y., Numerical analysis and engineering application of large parameter stochastic resonance . . . . .	(3-5) 788
Leng, Y.S. see Leng, Y.G. . . . .	(3-5) 788
Lo, S.H. see Zhou, D. . . . .	(3-5) 726
Lu, W. see Cigeroglu, E. . . . .	(3-5) 881
Luo, G.W., Zhang, Y.L. and Yu, J.N., Dynamical behavior of vibro-impact machinery near a point of codimension two bifurcation . . . . .	(1-2) 242
Mares, C. see Tehrani, M.G. . . . .	(3-5) 661
Marzban, H.R. and Razzaghi, M., Solution of multi-delay systems using hybrid of block-pulse functions and Taylor series (Short Communications) . . . . .	(3-5) 954
Masiá, U. see Laura, P.A.A. (Short Communications) . . . . .	(3-5) 1004
Massi, F. see Giannini, O. . . . .	(1-2) 1
McAlpine, A. and Wright, M.C.M., Acoustic scattering by a spliced turbofan inlet duct liner at supersonic fan speeds . . . . .	(3-5) 911
McSweeney, L.A. see Coleman, M.P. . . . .	(3-5) 474
Mendelsohn, D.A., Free vibration of an edge-cracked beam with a Dugdale–Barenblatt cohesive zone .	(1-2) 59
Menq, C.-H. see Cigeroglu, E. . . . .	(3-5) 881
Metrikine, A.V. and Bosch, A.L., Dynamic response of a two-level catenary to a moving load . . . . .	(3-5) 676
Mickens, R.E., Investigation of the properties of the period for the nonlinear oscillator $\ddot{x} + (1 + \dot{x}^2)x = 0$ (Short Communications) . . . . .	(3-5) 1031
Mickens, R.E., Iteration method solutions for conservative and limit-cycle $x^{1/3}$ force oscillators (Short Communications) . . . . .	(3-5) 964
Mickens, R.E., Oyedeleji, K. and Rucker, S.A., A harmonic oscillator having “volleyball damping” (Short Communications) . . . . .	(3-5) 980
Moses, R.W. see Sheta, E.F. . . . .	(3-5) 854
Moshrefi-Torbat, M., Keane, A.J., Elliott, S.J., Brennan, M.J., Anthony, D.K. and Rogers, E., Active vibration control (AVC) of a satellite boom structure using optimally positioned stacked piezoelectric actuators . . . . .	(1-2) 203
Mottershead, J.E. see Tehrani, M.G. . . . .	(3-5) 661
Moukam Kakmeni, F.M. see Bowong, S. . . . .	(3-5) 869
Naber, R.R., Bahai, H. and Jones, B.E., A reciprocal band-limited Green’s function approach for modelling acoustic emission using the finite element method . . . . .	(3-5) 802
Naess, A. see Dimentberg, M.F. (Short Communications) . . . . .	(3-5) 983
Nayfeh, S.A. see Varanasi, K.K. . . . .	(1-2) 402
Nelson, P.A. see Kahana, Y. . . . .	(1-2) 148
Oyedeleji, K. see Mickens, R.E. (Short Communications) . . . . .	(3-5) 980
Padmanabhan, C. see Bhangale, R.K. . . . .	(1-2) 341
Pan, E. see Ramirez, F. . . . .	(3-5) 626

Park, T. see Kim, B.H. . . . .	(1-2) 82
Parker, R.G. see Zhu, F. (Short Communications) . . . . .	(3-5) 969
Peat, K.S., Sugimoto, R. and Horner, J.L., The effects of thickness on the impedance of a rectangular aperture in the presence of a grazing flow . . . . .	(3-5) 610
Perret-Liaudet, J. see Driot, N. . . . .	(3-5) 824
Pradeep, V. and Ganesan, N., Vibration behavior of ACLD treated beams under thermal environment (Discussions) . . . . .	(3-5) 1036
Ramirez, F., Heyliger, P.R. and Pan, E., Free vibration response of two-dimensional magneto-electro-elastic laminated plates . . . . .	(3-5) 626
Ranjan, V. and Ghosh, M.K., Transverse vibration of thin solid and annular circular plate with attached discrete masses (Short Communications) . . . . .	(3-5) 999
Razzaghi, M. see Marzban, H.R. (Short Communications) . . . . .	(3-5) 954
Redekop, D. see Wang, X.H. (Short Communications) . . . . .	(1-2) 424
Renard, J., Langlet, A. and Girault, G., Response of an infinite free plate-liquid system to a moving load: Theoretical stationary response in the subsonic case . . . . .	(1-2) 124
Rogers, E. see Moshrefi-Torbati, M. . . . .	(1-2) 203
Rucker, S.A. see Mickens, R.E. (Short Communications) . . . . .	(3-5) 980
Shahruz, S.M., Design of mechanical band-pass filters for energy scavenging (Short Communications). . . . .	(3-5) 987
Sheta, E.F., Moses, R.W. and Huttell, L.J., Active smart material control system for buffet alleviation. . . . .	(3-5) 854
Shih, Y.S. see Wu, G.Y. . . . .	(1-2) 315
Shynkarenko, Y.V. see Lee, C.-M. (Short Communications) . . . . .	(1-2) 435
Silvestri, S. see Trombetti, T. . . . .	(1-2) 21
Son, I.-S. see Yoon, H.-I. . . . .	(3-5) 941
Stephen, N.G., The second spectrum of Timoshenko beam theory—Further assessment . . . . .	(1-2) 372
Sugimoto, R. see Peat, K.S. . . . .	(3-5) 610
Swarnamani, S. see Annigeri, A.R. . . . .	(1-2) 300
Tehrani, M.G., Wang, W., Mares, C. and Mottershead, J.E., The generalized Vincent circle in vibration suppression . . . . .	(3-5) 661
Temnikov, A.I. see Lee, C.-M. (Short Communications) . . . . .	(1-2) 435
Trombetti, T. and Silvestri, S., On the modal damping ratios of shear-type structures equipped with Rayleigh damping systems . . . . .	(1-2) 21
Trotsenko, Y.V., Frequencies and modes of vibration of a cylindrical shell with attached rigid body. . . . .	(3-5) 535
Tsiatas, G.C. see Katsikadelis, J.T. . . . .	(1-2) 390
Valiere, J.-C. see Boucheron, R. . . . .	(3-5) 504
van Horssen, W.T. see Zarubinskaya, M.A. . . . .	(3-5) 844
Varanasi, K.K. and Nayfeh, S.A., Damping of flexural vibration using low-density, low-wave-speed media . . . . .	(1-2) 402
Wang, T.Y. see Leng, Y.G. . . . .	(3-5) 788
Wang, W. see Tehrani, M.G. . . . .	(3-5) 661
Wang, X.H., Xu, B. and Redekop, D., Theoretical natural frequencies and mode shapes for thin and thick curved pipes and toroidal shells (Short Communications) . . . . .	(1-2) 424
Wright, M.C.M., Hybrid analytical/numerical method for mode scattering in azimuthally non-uniform ducts . . . . .	(3-5) 583
Wright, M.C.M. see McAlpine, A. . . . .	(3-5) 911
Wu, G.Y. and Shih, Y.S., Analysis of dynamic instability for arbitrarily laminated skew plates . . . . .	(1-2) 315
Wu, T.-N. see Kuo, W.-H. . . . .	(3-5) 694
Wu, Z.M. see Law, S.S. . . . .	(3-5) 777
Xu, B. see Wang, X.H. (Short Communications) . . . . .	(1-2) 424
Yoon, H.-I. and Son, I.-S., Dynamic behavior of cracked simply supported pipe conveying fluid with moving mass . . . . .	(3-5) 941
Yu, J.N. see Luo, G.W. . . . .	(1-2) 242

- Zarubinskaya, M.A. and van Horssen, W.T., On aspects of boundary damping for a rectangular plate. (3-5) 844  
Zhang, M.M. see Cheng, L. . . . . (1-2) 279  
Zhang, Y.L. see Luo, G.W. . . . . (1-2) 242  
Zhou, D., Lo, S.H., Au, F.T.K. and Cheung, Y.K., Three-dimensional free vibration of thick circular plates on Pasternak foundation. . . . . (3-5) 726  
Zhou, W. see Chelidze, D. . . . . (3-5) 461  
Zhou, Y. see Cheng, L. . . . . (1-2) 279  
Zhu, F. and Parker, R.G., Perturbation analysis of a clearance-type nonlinear system (Short Communications). . . . . (3-5) 969