

Index to Volume 296

Abbas, A.M., Critical seismic load inputs for simple inelastic structures	(4–5) 949
Ait Brik, B. see Masson, G.	(4–5) 845
Au, S.K., Critical excitation of sdof elasto-plastic systems	(4–5) 714
Azrar, L. see Elfeloufi, Z.	(4–5) 690
Bagheri, M. see Jafari, A.A.	(1–2) 353
Balasubramaniam, K. and Krishnamurthy, C.V., Ultrasonic guided wave energy behavior in laminated anisotropic plates	(4–5) 968
Bandyopadhyay, J.N. see Singha, M.K. (Discussion)	(4–5) 1093
Baron, A., Molteni, P. and Vigevano, L., High-speed trains: Prediction of micro-pressure wave radiation from tunnel portals	(1–2) 59
Baz, A. see Ruzzene, M.	(4–5) 830
Bouhaddi, N. see Masson, G.	(4–5) 845
Bulut, G. see Turhan, Ö.	(1–2) 292
Castro, E., García-Hernandez, M.T. and Gallego, A., Damage detection in rods by means of the wavelet analysis of vibrations: Influence of the mode order (Short Communications)	(4–5) 1028
Cazzolato, B.S. see Halim, D.	(1–2) 226
Chawla, A. see Darpe, A.K.	(4–5) 888
Chen, X.F. see Xiang, J.W. (Short Communications)	(4–5) 1046
Chen, Y.Z. and Lin, X.Y., Several numerical solution techniques for nonlinear eardrum-type oscillations (Short Communications)	(4–5) 1059
Cielecka, I. and Jędrysiak, J., A non-asymptotic model of dynamics of honeycomb lattice-type plates	(1–2) 130
Claeysen, J.R. and Costa, S.N.J., Modes for the coupled Timoshenko model with a restrained end (Short Communications)	(4–5) 1053
Cogan, S. see Masson, G.	(4–5) 845
Cortés, F. and Elejabarrieta, M.J., An approximate numerical method for the complex eigenproblem in systems characterised by a structural damping matrix	(1–2) 166
Costa, S.N.J. see Claeysen, J.R. (Short Communications)	(4–5) 1053
Dai, Z.-j. and Kuang, Z.-B., Love waves in double porosity media.	(4–5) 1000
Darpe, A.K., Gupta, K. and Chawla, A., Dynamics of a bowed rotor with a transverse surface crack.	(4–5) 888
DeMartini, B.E. see Rhoads, J.F.	(4–5) 797
Deschamps, M. see Shuvalov, A.L.	(3) 494
Devenport, W.J. see Mish, P.F.	(3) 417
Devenport, W.J. see Mish, P.F.	(3) 447
Duta, M.C. and Giles, M.B., A three-dimensional hybrid finite element/spectral analysis of noise radiation from turbofan inlets.	(3) 623
Elejabarrieta, M.J. see Cortés, F.	(1–2) 166
Elfeloufi, Z. and Azrar, L., Integral equation formulation and analysis of the dynamic stability of damped beams subjected to subtangential follower forces	(4–5) 690
Fei, H.Z., Zheng, G.T. and Liu, Z.G., An investigation into active vibration isolation based on predictive control Part I: Energy source control.	(1–2) 195
Fernández, J. see Parrondo, J.L.	(1–2) 183
Fitzpatrick, J. see Kerhervé, F.	(1–2) 209

- Fu, Y.M., Hong, J.W. and Wang, X.Q., Analysis of nonlinear vibration for embedded carbon nanotubes (4-5) 746
- Gallego, A. see Castro, E. (Short Communications) (4-5) 1028
- Gan, W.-S. see Zhang, Q.-Z. (4-5) 935
- García, I. see Parrondo, J.L. (1-2) 183
- García-Hernandez, M.T. see Castro, E. (Short Communications) (4-5) 1028
- Gaul, L. see Maess, M. (1-2) 264
- Giannini, O. and Sestieri, A., Predictive model of squeal noise occurring on a laboratory brake (3) 583
- Giles, M.B. see Duta, M.C. (3) 623
- Gil-Negrete, N., Viñolas, J. and Kari, L., A simplified methodology to predict the dynamic stiffness of carbon-black filled rubber isolators using a finite element code (4-5) 757
- Gravesen, J. see Willatzen, M. (1-2) 46
- Guillaume, P. see Steenackers, G. (4-5) 919
- Gupta, K. see Darpe, A.K. (4-5) 888
- Habault, D. see Noël, C. (3) 518
- Halevi, Y. and Wagner-Nachshoni, C., Transfer function modeling of multi-link flexible structures. (1-2) 73
- Halim, D. and Cazzolato, B.S., A multiple-sensor method for control of structural vibration with spatial objectives (1-2) 226
- Han, J.-H. see Shin, W.-Ho. (1-2) 99
- He, Y.M. see Xiang, J.W. (Short Communications). (4-5) 1046
- He, Z.J. see Xiang, J.W. (Short Communications). (4-5) 1046
- Heinkelé, C., Pernot, S., Sgard, F. and Lamarque, C.-H.-H., Vibration of an oscillator with random damping: Analytical expression for the probability density function (1-2) 383
- Heyns, P.S. see Ngwangwa, H.M. (1-2) 23
- Hong, J.W. see Fu, Y.M. (4-5) 746
- Hou, Z. see Li, T. (4-5) 861
- Hu, H.Y. see Wang, Z.H. (1-2) 117
- Jafari, A.A. and Bagheri, M., Free vibration of rotating ring stiffened cylindrical shells with non-uniform stiffener distribution. (1-2) 353
- Jędrysiak, J. see Cielecka, I. (1-2) 130
- Jordan, P. see Kerhervé, F. (1-2) 209
- Kang, N. and Raman, A., Vibrations and stability of a flexible disk rotating in a gas-filled enclosure—Part 1: Theoretical study (4-5) 651
- Kang, N. and Raman, A., Vibrations and stability of a flexible disk rotating in a gas-filled enclosure—Part 2: Experimental study (4-5) 676
- Kari, L. see Gil-Negrete, N. (4-5) 757
- Kerhervé, F., Fitzpatrick, J. and Jordan, P., The frequency dependence of jet turbulence for noise source modelling (1-2) 209
- Khun, M.S. see Lee, H.P. (3) 602
- Krishnamurthy, C.V. see Balasubramaniam, K. (4-5) 968
- Kuang, Z.-B. see Dai, Z.-j. (4-5) 1000
- Lamarque, C.-H.-H. see Heinkelé, C. (1-2) 383
- Lan, M. see Zhong, H. (4-5) 908
- Lee, H.P., Lim, S.P. and Khun, M.S., Diversion of energy flow near crack tips of a vibrating plate using the structural intensity technique (3) 602
- Lee, I. see Shin, W.-Ho. (1-2) 99
- Li, B. see Xiang, J.W. (Short Communications) (4-5) 1046
- Li, F.-M. and Wang, Y.-S., Study on localization of plane elastic waves in disordered periodic 2-2 piezoelectric composite structures (3) 554
- Li, T. and Hou, Z., Exponential stabilization of an axially moving string with geometrical nonlinearity by linear boundary feedback. (4-5) 861
- Lim, C.W., Wu, B.S. and Sun, W.P., Higher accuracy analytical approximations to the Duffing-harmonic oscillator (Short Communications) (4-5) 1039
- Lim, S.P. see Lee, H.P. (3) 602

- Lin, J. and Liu, W.-Z., Experimental evaluation of a piezoelectric vibration absorber using a simplified fuzzy controller in a cantilever beam (3) 567
- Lin, W., Qiao, N. and Yuying, H., Bifurcations and chaos in a forced cantilever system with impacts (Short Communications). (4-5) 1068
- Lin, X.Y. see Chen, Y.Z. (Short Communications) (4-5) 1059
- Liu, J.K. see Yang, Q.W. (Short Communications) (1-2) 401
- Liu, W.-Z. see Lin, J. (3) 567
- Liu, Z.G. see Fei, H.Z. (1-2) 195
- Luo, M. and Zhu, W.Q., Nonlinear stochastic optimal control of offshore platforms under wave loading (4-5) 734
- Maess, M., Wagner, N. and Gaul, L., Dispersion curves of fluid filled elastic pipes by standard FE models and eigenpath analysis. (1-2) 264
- Mahalakshmi, M. see Renji, K. (3) 539
- Masson, G., Ait Brik, B., Cogan, S. and Bouhaddi, N., Component mode synthesis (CMS) based on an enriched ritz approach for efficient structural optimization (4-5) 845
- Meskell, C., A decrement method for quantifying nonlinear and linear damping parameters. (3) 643
- Mish, P.F. and Devenport, W.J., An experimental investigation of unsteady surface pressure on an airfoil in turbulence—Part 1: Effects of mean loading (3) 417
- Mish, P.F. and Devenport, W.J., An experimental investigation of unsteady surface pressure on an airfoil in turbulence—Part 2: Sources and prediction of mean loading effects (3) 447
- Moehlis, J. see Rhoads, J.F. (4-5) 797
- Molteni, P. see Baron, A. (1-2) 59
- Moorhouse, A.T. and Seiffert, G., Characterisation of an airborne sound source for use in a virtual acoustic prototype (1-2) 334
- Nelson, P.A. and Rose, J.F.W., The time domain response of some systems for sound reproduction (3) 461
- Ngwangwa, H.M., Heyns, P.S. and Van Tonder, F., Assessment of structural damage using operational time responses and finite element simulation. (1-2) 23
- Ni, Q. see Wang, L. (Short Communications) (4-5) 1079
- Nielsen, S.R.K. see Zhou, Q. (1-2) 1
- Nikooyan, A.A. see Rokni Damavandi Taher, H. (Short Communications) (4-5) 1084
- Noël, C., Planeau, V. and Habault, D., A new temporal method for the identification of source directions in a reverberant hall. (3) 518
- Oh, I.-K. see Shin, W.-Ho. (1-2) 99
- Omidi, M. see Rokni Damavandi Taher, H. (Short Communications) (4-5) 1084
- Öztürk, H., Yeşilyurt, İ. and Sabuncu, M., In-plane stability analysis of non-uniform cross-sectioned curved beams. (1-2) 277
- Pan, J. see Peng, S.Z. (Short Communications) (4-5) 1013
- Parrondo, J.L., Fernández, J., García, I. and Ruiz, E., Noise transmission through duct divisions in air circuits, considered as three-port acoustic systems. (1-2) 183
- Patel, H.G. see Shimpi, R.P. (4-5) 979
- Pavic, A. see Yao, S. (1-2) 150
- Peng, S.Z. and Pan, J., Flexural wave propagation and power flow in an axisymmetrical circular plate by the acoustical wave propagator technique (Short Communications) (4-5) 1013
- Pernot, S. see Heinkelé, C. (1-2) 383
- Perret-Liaudet, J. and Rigaud, E., Response of an impacting Hertzian contact to an order-2 subharmonic excitation : Theory and experiments. (1-2) 319
- Planeau, V. see Noël, C. (3) 518
- Poncelet, O. see Shuvalov, A.L. (3) 494
- Qiao, N. see Lin, W. (Short Communications) (4-5) 1068
- Qu, W.L. see Zhou, Q. (1-2) 1
- Ramachandra, L.S. see Singha, M.K. (Discussion) (4-5) 1093
- Raman, A. see Kang, N. (4-5) 651
- Raman, A. see Kang, N. (4-5) 676

- Renji, K. and Mahalakshmi, M., High frequency vibration energy transfer in a system of three plates connected at discrete points using statistical energy analysis. (3) 539
- Reynolds, P. see Yao, S. (1-2) 150
- Rhoads, J.F., Shaw, S.W., Turner, K.L., Moehlis, J., DeMartini, B.E. and Zhang, W., Generalized parametric resonance in electrostatically actuated microelectromechanical oscillators (4-5) 797
- Rice, H.J. see Rolla, L.B. (Short Communications) (1-2) 406
- Rigaud, E. see Perret-Liaudet, J. (1-2) 319
- Rokni Damavandi Taher, H., Omidi, M., Zadpoor, A.A. and Nikooyan, A.A., Free vibration of circular and annular plates with variable thickness and different combinations of boundary conditions (Short Communications). (4-5) 1084
- Rolla, L.B. and Rice, H.J., A forward-advancing wave expansion method for numerical solution of large-scale sound propagation problems (Short Communications) (1-2) 406
- Rose, J.F.W. see Nelson, P.A. (3) 461
- Ruiz, E. see Parrondo, J.L. (1-2) 183
- Ruta, P., The application of Chebyshev polynomials to the solution of the nonprismatic Timoshenko beam vibration problem (1-2) 243
- Ruzzene, M. and Baz, A., Dynamic stability of periodic shells with moving loads (4-5) 830
- Sabuncu, M. see Öztürk, H. (1-2) 277
- Seiffert, G. see Moorhouse, A.T. (1-2) 334
- Sestieri, A. see Giannini, O. (3) 583
- Sgard, F. see Heinkelé, C. (1-2) 383
- Sharma, J.N. and Thakur, M.D., Effect of rotation on Rayleigh–Lamb waves in magneto-thermoelastic media (4-5) 871
- Shaw, S.W. see Rhoads, J.F. (4-5) 797
- Shimpi, R.P. and Patel, H.G., Free vibrations of plate using two variable refined plate theory (4-5) 979
- Shin, W.-Ho., Oh, I.-K., Han, J.-H. and Lee, I., Aeroelastic characteristics of cylindrical hybrid composite panels with viscoelastic damping treatments (1-2) 99
- Shuvalov, A.L., Poncelet, O. and Deschamps, M., Analysis of the dispersion spectrum of fluid-loaded anisotropic plates: leaky-wave branches (3) 494
- Singha, M.K., Ramachandra, L.S. and Bandyopadhyay, J.N., Vibration behavior of thermally stressed composite skew plate (4-5) 1093
- Sorokin, S.V. and Terentiev, A.V., Flow-induced vibrations of an elastic cylindrical shell conveying a compressible fluid (4-5) 777
- Steenackers, G. and Guillaume, P., Finite element model updating taking into account the uncertainty on the modal parameters estimates (4-5) 919
- Sun, W.P. see Lim, C.W. (Short Communications) (4-5) 1039
- Terentiev, A.V. see Sorokin, S.V. (4-5) 777
- Thakur, M.D. see Sharma, J.N. (4-5) 871
- Turhan, Ö. and Bulut, G., Linearly coupled shaft-torsional and blade-bending vibrations in multi-stage rotor-blade systems (1-2) 292
- Turner, K.L. see Rhoads, J.F. (4-5) 797
- Van Tonder, F. see Ngwangwa, H.M. (1-2) 23
- Vigevano, L. see Baron, A. (1-2) 59
- Viñolas, J. see Gil-Negrete, N. (4-5) 757
- Wagner, N. see Maess, M. (1-2) 264
- Wagner-Nachshoni, C. see Halevi, Y. (1-2) 73
- Wang, L. and Ni, Q., A note on the stability and chaotic motions of a restrained pipe conveying fluid (Short Communications). (4-5) 1079
- Wang, X.Q. see Fu, Y.M. (4-5) 746
- Wang, Y.-S. see Li, F.-M. (3) 554
- Wang, Z.H. and Hu, H.Y., Stabilization of vibration systems via delayed state difference feedback (1-2) 117
- Willatzen, M. and Gravesen, J., Acoustic waves in a medium bounded by curved surfaces (1-2) 46
- Wright, J.R. see Yao, S. (1-2) 150
- Wu, B.S. see Lim, C.W. (Short Communications) (4-5) 1039

- Xiang, J.W., Chen, X.F., Li, B., He, Y.M. and He, Z.J., Identification of a crack in a beam based on the finite element method of a B-spline wavelet on the interval (Short Communications) (4-5) 1046
- Xuebin, L., A new approach for free vibration analysis of thin circular cylindrical shell (1-2) 91
- Yan, G. and Zhou, L.L., Integrated fuzzy logic and genetic algorithms for multi-objective control of structures using MR dampers (1-2) 368
- Yang, Q.W. and Liu, J.K., A coupled method for structural damage identification (Short Communications). (1-2) 401
- Yao, S., Wright, J.R., Pavic, A. and Reynolds, P., Experimental study of human-induced dynamic forces due to jumping on a perceptibly moving structure (1-2) 150
- Yeşilyurt, İ. see Öztürk, H. (1-2) 277
- Yuying, H. see Lin, W. (Short Communications) (4-5) 1068
- Zadpoor, A.A. see Rokni Damavandi Taher, H. (Short Communications) (4-5) 1084
- Zhang, Q.-Z., Gan, W.-S. and Zhou, Y.-l., Adaptive recurrent fuzzy neural networks for active noise control (4-5) 935
- Zhang, W. see Rhoads, J.F. (4-5) 797
- Zheng, G.T. see Fei, H.Z. (1-2) 195
- Zhong, H. and Lan, M., Solution of nonlinear initial-value problems by the spline-based differential quadrature method (4-5) 908
- Zhou, L.L. see Yan, G. (1-2) 368
- Zhou, Q., Nielsen, S.R.K. and Qu, W.L., Semi-active control of three-dimensional vibrations of an inclined sag cable with magnetorheological dampers (1-2) 1
- Zhou, Y.-l. see Zhang, Q.-Z. (4-5) 935
- Zhu, W.Q. see Luo, M. (4-5) 734