



ELSEVIER

Journal of Sound and Vibration 297 (2006) 1115–1119

---

**JOURNAL OF  
SOUND AND  
VIBRATION**

---

[www.elsevier.com/locate/jsvi](http://www.elsevier.com/locate/jsvi)

## Index to Volume 297

- Abu-Hilal, M., Dynamic response of a double Euler–Bernoulli beam due to a moving constant load. . . . . (3–5) 477  
Aidanpää, J.-O. see Gustavsson, R. K.K. . . . . (3–5) 551  
Amabili, M., Comments on “determination of the lower natural frequencies of circular plates with mixed boundary conditions” (Discussions). . . . . (3–5) 1104  
Ansari, A.H. see Gupta, U.S. . . . . (3–5) 457  
Aoki, T. see Kweon, Y.-H. . . . . (1–2) 167
- Balmès, E. see Kergourlay, G. . . . . (1–2) 391  
Barr, A.D.S. see Yatawara, R.J. . . . . (3–5) 962  
Battjes, J.A. see Metrikine, A.V. (Discussions) . . . . . (3–5) 1107  
Bauer, H.F. and Eidel, W., Authors’ reply (Discussions) . . . . . (3–5) 1106  
Bellizzi, S. and Sampaio, R., POMs analysis of randomly vibrating systems obtained from Karhunen–Loève expansion . . . . . (3–5) 774  
Bennighof, J.K. see Kim, C.-W. (Short Communications) . . . . . (3–5) 1075  
Biglari, H. see Mazaheri, K. . . . . (1–2) 106  
Bobrovnikskii, Yu.I., A new impedance-based approach to analysis and control of sound scattering . . . . . (3–5) 743  
Bos, F. see Morlier, J. (Short Communications) . . . . . (1–2) 420  
Bouhaddi, N. see Guedri, M. . . . . (1–2) 123
- Carmignani, C., Forte, P. and Rustighi, E., Experimental simulation of the sharpening process of a disc blade and analysis of its dynamic response. . . . . (3–5) 649  
Castéra, P. see Morlier, J. (Short Communications) . . . . . (1–2) 420  
Cha, P.D. and Zhou, X., Imposing points of zero displacements and zero slopes along any linear structure during harmonic excitations . . . . . (1–2) 55  
Chang, J.-R. see Ha, J.-L. . . . . (1–2) 365  
Chang, W.-D. and Yan, J.-J., Reinforcement genetic approach to coefficient estimation for multivariable nonlinear discrete-time dynamical systems . . . . . (1–2) 382  
Chang, Y.-P. see Chen, C.H. . . . . (3–5) 635  
Chen, C.H., Kang, Y., Chang, Y.-P., Wang, Y.-P. and Lee, H.-H., Influence of restrictor on stability of the rigid rotor–hybrid bearing system . . . . . (3–5) 635  
Chen, W.Q. see Lü, C.F. . . . . (1–2) 351  
Cheng, L. see Chiu, Y.H. . . . . (3–5) 895  
Cheng, L. see Li, Y.Y. (Short Communications) . . . . . (3–5) 1068  
Cheng, L. see Zhang, F. . . . . (1–2) 72  
Chevalier, Y. see Soula, M. . . . . (1–2) 315  
Chiu, Y.H., Cheng, L. and Huang, L., Drum-like silencers using magnetic forces in a pressurized cavity. . . . . (3–5) 895  
Choi, S., Park, S., Park, N.-H. and Stubbs, N., Improved fault quantification for a plate structure . . . . . (3–5) 865  
Chung, J. see Shin, C. . . . . (3–5) 794  
Cuesta, M. see Sellen, N. . . . . (3–5) 492
- Das, J. and Mallik, A.K., Control of friction driven oscillation by time-delayed state feedback. . . . . (3–5) 578  
Degrande, G. see Lombaert, G. . . . . (3–5) 512  
Degrande, G. see Lombaert, G. . . . . (3–5) 946  
Deille, O. see Kim, Y. . . . . (1–2) 251  
Djondjorov, P.A. see Vassilev, V.M. . . . . (1–2) 414  
Dong, X.-J., Meng, G. and Peng, J.-C., Vibration control of piezoelectric smart structures based on system identification technique: Numerical simulation and experimental study. . . . . (3–5) 680  
Duhamel, D., Shape optimization of noise barriers using genetic algorithms (Short Communications) . . . . . (1–2) 432

- Eidel, W. see Bauer, H.F. (Discussions) . . . . . (3-5) 1106  
 Elliott, L. see Marin, L. . . . . (1-2) 89
- Fassois, S.D. see Sakellariou, J.S. . . . . (3-5) 1048  
 Forte, P. see Carmignani, C. . . . . (3-5) 649  
 François, S. see Lombaert, G. . . . . (3-5) 512  
 François, S. see Lombaert, G. . . . . (3-5) 946  
 Fujisawa, N. see Takagi, Y. . . . . (3-5) 563  
 Fujita, K. and Saito, T., Unstable vibration of roller mills. . . . . (1-2) 329  
 Fung, K.-Y. see Jing, X. . . . . (3-5) 616  
 Fung, R.-F. see Ha, J.-L. . . . . (1-2) 365
- Galland, M.-A. see Sellen, N. . . . . (3-5) 492  
 Gao, F. and Lu, Y., A Kalman-filter based time-domain analysis for structural damage diagnosis with noisy signals . . . . . (3-5) 916  
 Ghazel, A. see Soula, M. . . . . (1-2) 315  
 Girgin, K., Free vibration analysis of non-cylindrical helices with, variable cross-section by using mixed FEM . . . . . (3-5) 931  
 Gottlieb, H.P.W., Harmonic balance approach to limit cycles for nonlinear jerk equations . . . . . (1-2) 243  
 Gowda, B.H.L. and Kumar, R.A., Flow-induced oscillations of a square cylinder due to interference effects . . . . . (3-5) 842  
 Guedri, M., Bouhaddi, N. and Majed, R., Reduction of the stochastic finite element models using a robust dynamic condensation method . . . . . (1-2) 123  
 Gunawan, F.E., Homma, H. and Kanto, Y., Two-step B-splines regularization method for solving an ill-posed problem of impact-force reconstruction . . . . . (1-2) 200  
 Guo, W.W. see Xia, H. . . . . (3-5) 810  
 Gupta, S. and Manohar, C.S., Reliability analysis of randomly vibrating structures with parameter uncertainties . . . . . (3-5) 1000  
 Gupta, U.S., Ansari, A.H. and Sharma, S., Buckling and vibration of polar orthotropic circular plate resting on Winkler foundation . . . . . (3-5) 457  
 Gustavsson, R. K. and Aidanpää, J.-O., The influence of nonlinear magnetic pull on hydropower generator rotors. . . . . (3-5) 551
- Ha, J.-L., Chang, J.-R. and Fung, R.-F., Dynamic analyses of a flexible quick-return mechanism by the fixed and variable finite-difference grids . . . . . (1-2) 365  
 Hashemi, Sh.H. see Mofakhami, M.R. . . . . (1-2) 293  
 Hause, T. and Librescu, L., Flexural free vibration of sandwich flat panels with laminated anisotropic face sheets. . . . . (3-5) 823  
 Heggs, P.J. see Marin, L. . . . . (1-2) 89  
 Homma, H. see Gunawan, F.E. . . . . (1-2) 200  
 Howe, M.S., Iida, M., Maeda, T. and Sakuma, Y., Rapid calculation of the compression wave generated by a train entering a tunnel with a vented hood . . . . . (1-2) 267  
 Huang, L. see Chiu, Y.H. . . . . (3-5) 895  
 Hunt, H.E.M. see Hussein, M.F.M. . . . . (1-2) 37  
 Hussein, M.F.M. and Hunt, H.E.M., Modelling of floating-slab tracks with continuous slabs under oscillating moving loads . . . . . (1-2) 37
- Iida, M. see Howe, M.S. . . . . (1-2) 267  
 Ingham, D.B. see Marin, L. . . . . (1-2) 89
- Jeyakumar, D. and Rao, B.N., Dynamics of satellite separation system (Letter). . . . . (1-2) 444  
 Ji, J.C., Nonresonant Hopf bifurcations of a controlled van der Pol-Duffing oscillator . . . . . (1-2) 183  
 Ji, T. see Zhou, D. . . . . (1-2) 146  
 Jing, X. and Fung, K.-Y., Generation of desired sound impulses . . . . . (3-5) 616
- Kang, Y. see Chen, C.H. . . . . (3-5) 635  
 Kanto, Y. see Gunawan, F.E. . . . . (1-2) 200  
 Kergourlay, G., Balmès, E. and Legal, G., A characterization of frequency-temperature-prestress effects in viscoelastic films. . . . . (1-2) 391

- Kim, B.O. see Lee, A.S. . . . . (3-5) 595  
 Kim, C.-W., A preconditioned iterative method for modal frequency-response analysis of structures with non-proportional damping (Short Communications) . . . . . (3-5) 1097  
 Kim, C.-W. and Bennighof, J.K., Fast frequency response analysis of partially damped structures with non-proportional viscous damping (Short Communications) . . . . . (3-5) 1075  
 Kim, H.-D. see Kweon, Y.-H. . . . . (1-2) 167  
 Kim, Y., Deille, O. and Nelson, P.A., Crosstalk cancellation in virtual acoustic imaging systems for multiple listeners . . . . . (1-2) 251  
 Kim, Y.-C. see Lee, A.S. . . . . (3-5) 595  
 Kogut, J. see Lombaert, G. . . . . (3-5) 512  
 Kuiper, G.L. see Metrikine, A.V. (Discussions) . . . . . (3-5) 1107  
 Kumar, R.A. see Gowda, B.H.L. . . . . (3-5) 842  
 Kweon, Y.-H., Miyazato, Y., Aoki, T., Kim, H.-D. and Setoguchi, T., Control of supersonic jet noise using a wire device . . . . . (1-2) 167
- Lee, A.S., Kim, B.O. and Kim, Y.-C., A finite element transient response analysis method of a rotor-bearing system to base shock excitations using the state-space Newmark scheme and comparisons with experiments . . . . . (3-5) 595  
 Lee, H.-H. see Chen, C.H. . . . . (3-5) 635  
 Lee, S.-Y. and Mote Jr, C.D., Author's Reply (Response to "On the energy transfer at boundaries of translating continua") (Discussions) . . . . . (3-5) 1114  
 Lee, Y.Y. see Lü, C.F. . . . . (1-2) 351  
 Legal, G. see Kergourlay, G. . . . . (1-2) 391  
 Lesnic, D. see Marin, L. . . . . (1-2) 89  
 Li, G. see Zhang, X. . . . . (3-5) 627  
 Li, J. see Zhang, X. . . . . (3-5) 627  
 Li, T.Y. see Zhu, X. . . . . (1-2) 215  
 Li, Y.Y. and Cheng, L., Active noise control of a mechanically linked double panel system coupled with an acoustic enclosure (Short Communications) . . . . . (3-5) 1068  
 Librescu, L. see Hause, T. . . . . (3-5) 823  
 Lim, C.W. see Lü, C.F. . . . . (1-2) 351  
 Lim, H.S. and Yoo, H.H., Modal analysis of cantilever plates undergoing accelerated in-plane motion. . . . . (3-5) 880  
 Liu, J.K. and Yang, Q.W., A new structural damage identification method. . . . . (3-5) 694  
 Liu, J.X. see Zhu, X. . . . . (1-2) 215  
 Lombaert, G., Degrande, G., Kogut, J. and François, S., The experimental validation of a numerical model for the prediction of railway induced vibrations . . . . . (3-5) 512  
 Lombaert, G., Degrande, G., Vanhauwere, B., Vandeborcht, B. and François, S., The control of ground-borne vibrations from railway traffic by means of continuous floating slabs. . . . . (3-5) 946  
 Lü, C.F., Lee, Y.Y., Lim, C.W. and Chen, W.Q., Free vibration of long-span continuous rectangular Kirchhoff plates with internal rigid line supports . . . . . (1-2) 351  
 Lu, Y. see Gao, F. . . . . (3-5) 916  
 Luo, G.W., Zhang, Y.L. and Zhang, J.G., Dynamical behavior of a class of vibratory systems with symmetrical rigid stops near the point of codimension two bifurcation . . . . . (1-2) 17
- Maeda, T. see Howe, M.S. . . . . (1-2) 267  
 Majed, R. see Guedri, M. . . . . (1-2) 123  
 Mallik, A.K. see Das, J. . . . . (3-5) 578  
 Mandal, N.K., Experimental studies of quasi-longitudinal waves power flow in corrugated plates . . . . . (1-2) 227  
 Manohar, C.S. see Gupta, S. . . . . (3-5) 1000  
 Marin, L., Elliott, L., Heggs, P.J., Ingham, D.B., Lesnic, D. and Wen, X., Dual reciprocity boundary element method solution of the Cauchy problem for Helmholtz-type equations with variable coefficients . . . . . (1-2) 89  
 Mazaheri, K., Mirzaei, M. and Biglari, H., Transient dynamic response of tubes to internal detonation loading . . . . . (1-2) 106  
 Meng, G. see Dong, X.-J. . . . . (3-5) 680  
 Metrikine, A.V., On causality of the gradient elasticity models . . . . . (3-5) 727  
 Metrikine, A.V., Battjes, J.A. and Kuiper, G.L., On the energy transfer at boundaries of translating continua (Discussions) . . . . . (3-5) 1107  
 Mirzaei, M. see Mazaheri, K. . . . . (1-2) 106  
 Miyazato, Y. see Kweon, Y.-H. . . . . (1-2) 167

Mofakhami, M.R., Toudeshky, H.H. and Hashemi, Sh.H., Finite cylinder vibrations with different end boundary conditions . . . . .	(1-2) 293
Morlier, J., Bos, F. and Castéra, P., Diagnosis of a portal frame using advanced signal processing of laser vibrometer data (Short Communications) . . . . .	(1-2) 420
Mote Jr, C.D. see Lee, S.-Y. (Discussions) . . . . .	(3-5) 1114
Nakano, T. see Takagi, Y. . . . .	(3-5) 563
Nashimoto, A. see Takagi, Y. . . . .	(3-5) 563
Nasri, R. see Soula, M. . . . .	(1-2) 315
Neilson, R.D. see Yatawara, R.J. . . . .	(3-5) 962
Nelson, P.A. see Kim, Y. . . . .	(1-2) 251
Nichols, J.M., Seaver, M. and Trickey, S.T., A method for detecting damage-induced nonlinearities in structures using information theory . . . . .	(1-2) 1
Padmanabhan, C. see Shanmugam, A. . . . .	(3-5) 664
Pan, J. see Peng, S.Z. . . . .	(3-5) 1025
Park, N.-H. see Choi, S. . . . .	(3-5) 865
Park, S. see Choi, S. . . . .	(3-5) 865
Peng, J.-C. see Dong, X.-J. . . . .	(3-5) 680
Peng, S.Z. and Pan, J., Acoustical wave propagator technique for time-domain reflection and transmission of flexural wave packets in one-dimensional stepped beams . . . . .	(3-5) 1025
Puchegger, S. see Stephen, N.G. (Short Communications) . . . . .	(3-5) 1082
Rao, B.N. see Jeyakumar, D. (Letter) . . . . .	(1-2) 444
Rucka, M. and Wilde, K., Application of continuous wavelet transform in vibration based damage detection method for beams and plates . . . . .	(3-5) 536
Rustighi, E. see Carmignani, C. . . . .	(3-5) 649
Saeki, T. see Tamesue, T. (Short Communications) . . . . .	(3-5) 1088
Saito, T. see Fujita, K. . . . .	(1-2) 329
Sakellariou, J.S. and Fassois, S.D., Stochastic output error vibration-based damage detection and assessment in structures under earthquake excitation. . . . .	(3-5) 1048
Sakuma, Y. see Howe, M.S. . . . .	(1-2) 267
Sampaio, R. see Bellizzi, S. . . . .	(3-5) 774
Seaver, M. see Nichols, J.M. . . . .	(1-2) 1
Sellen, N., Cuesta, M. and Galland, M.-A., Noise reduction in a flow duct: Implementation of a hybrid passive/active solution . . . . .	(3-5) 492
Setoguchi, T. see Kweon, Y.-H. . . . .	(1-2) 167
Shanmugam, A. and Padmanabhan, C., A fixed-free interface component mode synthesis method for rotordynamic analysis . . . . .	(3-5) 664
Sharma, S. see Gupta, U.S. . . . .	(3-5) 457
Shin, C., Chung, J. and Yoo, H.H., Dynamic responses of the in-plane and out-of-plane vibrations for an axially moving membrane . . . . .	(3-5) 794
Shu, C. see Wu, W.X. . . . .	(3-5) 704
Sohei, N., Tsuyoshi, N. and Takashi, Y., Acoustic analysis of elliptical muffler chamber having a perforated pipe . . . . .	(3-5) 761
Soula, M., Nasri, R., Ghazel, A. and Chevalier, Y., The effects of kinematic model approximations on natural frequencies and modal damping of laminated composite plates. . . . .	(1-2) 315
Stephen, N.G. and Puchegger, S., On the valid frequency range of Timoshenko beam theory (Short Communications) . . . . .	(3-5) 1082
Stubbs, N. see Choi, S. . . . .	(3-5) 865
Takagi, Y., Fujisawa, N., Nakano, T. and Nashimoto, A., Cylinder wake influence on the tonal noise and aerodynamic characteristics of a NACA0018 airfoil . . . . .	(3-5) 563
Takashi, Y. see Sohei, N. . . . .	(3-5) 761
Tamesue, T., Yamaguchi, S. and Saeki, T., Study on achieving speech privacy using masking noise (Short Communications). . . . .	(3-5) 1088
Tang, Y.-G., Zhang, S.-X. and Yi, C., Nonlinear vibration behaviors of casing pipe in the deep water (Short Communications) . . . . .	(1-2) 408

Toudeshky, H.H. see Mofakhami, M.R. . . . .	(1-2) 293
Trickey, S.T. see Nichols, J.M. . . . .	(1-2) 1
Tsuyoshi, N. see Sohei, N. . . . .	(3-5) 761
Vandeborgh, B. see Lombaert, G. . . . .	(3-5) 946
Vanhauwere, B. see Lombaert, G. . . . .	(3-5) 946
Vassilev, V.M. and Djondjorov, P.A., Dynamic stability of viscoelastic pipes on elastic foundations of variable modulus (Short Communications) . . . . .	(1-2) 414
Wang, C.M. see Wu, W.X. . . . .	(3-5) 704
Wang, Y.-P. see Chen, C.H. . . . .	(3-5) 635
Wen, X. see Marin, L. . . . .	(1-2) 89
Wilde, K. see Rucka, M. . . . .	(3-5) 536
Wu, J.-J., Study on the inertia effect of helical spring of the absorber on suppressing the dynamic responses of a beam subjected to a moving load. . . . .	(3-5) 981
Wu, W.X., Shu, C. and Wang, C.M., Computation of modal stress resultants for completely free vibrating plates by LSFD method . . . . .	(3-5) 704
Xia, H., Zhang, N. and Guo, W.W., Analysis of resonance mechanism and conditions of train-bridge system. . . . .	(3-5) 810
Xu, H. see Zhang, X. . . . .	(3-5) 627
Yam, L.H. see Zhang, F. . . . .	(1-2) 72
Yamaguchi, S. see Tamesue, T. (Short Communications). . . . .	(3-5) 1088
Yan, J.-J. see Chang, W.-D. . . . .	(1-2) 382
Yang, Q.W. see Liu, J.K. . . . .	(3-5) 694
Yatawara, R.J., Neilson, R.D. and Barr, A.D.S., Theory and experiment on establishing the stability boundaries of a one-degree-of-freedom system under two high-frequency parametric excitation inputs . . . . .	(3-5) 962
Yi, C. see Tang, Y.-G. (Short Communications) . . . . .	(1-2) 408
Yoo, H.H. see Lim, H.S. . . . .	(3-5) 880
Yoo, H.H., see Shin, C. . . . .	(3-5) 794
Zhang, F., Cheng, L., Yam, L.H. and Zhou, L.M., Modal characteristics of a simplified brake rotor model using semi-analytical Rayleigh-Ritz method . . . . .	(1-2) 72
Zhang, J.G. see Luo, G.W. . . . .	(1-2) 17
Zhang, N. see Xia, H. . . . .	(3-5) 810
Zhang, S.-X. see Tang, Y.-G. (Short Communications) . . . . .	(1-2) 408
Zhang, X., Li, J., Xu, H. and Li, G., Numerical study of self-adaptive vibration suppression for flexible structure using interior inlay viscous fluid unit method . . . . .	(3-5) 627
Zhang, Y.L. see Luo, G.W. . . . .	(1-2) 17
Zhao, Y. see Zhu, X. . . . .	(1-2) 215
Zhou, D. and Ji, T., Free vibration of rectangular plates with internal column supports. . . . .	(1-2) 146
Zhou, L.M. see Zhang, F. . . . .	(1-2) 72
Zhou, X. see Cha, P.D. . . . .	(1-2) 55
Zhu, X., Li, T.Y., Zhao, Y. and Liu, J.X., Structural power flow analysis of Timoshenko beam with an open crack . . . . .	(1-2) 215