

## Index to Volume 298

Abrahams, I.D. see Owen, G.W. . . . .	(1–2) 108
Abramian, A.K. see van Horssen, W.T. . . . .	(4–5) 1166
Alberti, E., Chiappa, D., Moschioni, G., Saggini, B. and Tarabini, M., Whole body vibration in mountain-rescue operations . . . . .	(3) 580
Amabili, M., Theory and experiments for large-amplitude vibrations of circular cylindrical panels with geometric imperfections . . . . .	(1–2) 43
Amabili, M. see Jeong, K.-H. . . . .	(1–2) 404
Amabili, M. see Touzé, C. . . . .	(4–5) 958
Angotzi, G. see Bovenzi, M. . . . .	(3) 514
Banerjee, J.R., Su, H. and Jackson, D.R., Free vibration of rotating tapered beams using the dynamic stiffness method . . . . .	(4–5) 1034
Baoyin, H. see Chiba, M. . . . .	(1–2) 257
Belotserkovskiy, P.M., Interaction between a railway track and uniformly moving tandem wheels. . . . .	(4–5) 855
Bi, C.X. see Chen, X.Z. . . . .	(4–5) 1174
Bi, C.X. see Chen, X.Z. . . . .	(4–5) 1178
Bianchi, S. see Bovenzi, M. . . . .	(3) 514
Blüthner, R., Hinz, B., Menzel, G., Schust, M. and Seidel, H., On the significance of body mass and vibration magnitude for acceleration transmission of vibration through seats with horizontal suspensions . . . . .	(3) 627
Blüthner, R. see Hinz, B. . . . .	(3) 704
Blüthner, R. see Hinz, B. . . . .	(3) 788
Blüthner, R. see Schust, M. . . . .	(3) 606
Boileau, P.É. see Rakheja, S. . . . .	(3) 651
Boltežar, M. see Čermelj, P. . . . .	(4–5) 1099
Boulanger, P. see Lemerle, P. . . . .	(3) 638
Bovenzi, M., Rui, F., Negro, C., D’Agostin, F., Angotzi, G., Bianchi, S., Bramanti, L., Festa, G., Gatti, S., Pinto, I., Rondina, L. and Stacchini, N., An epidemiological study of low back pain in professional drivers . . . . .	(3) 514
Bovenzi, M. see Griffin, M.J. . . . .	(3) 479
Bramanti, L. see Bovenzi, M. . . . .	(3) 514
Burdorf, A. and Hulshof, C.T.J., Modelling the effects of exposure to whole-body vibration on low-back pain and its long-term consequences for sickness absence and associated work disability . . . . .	(3) 480
Burström, L., Lindberg, L. and Lindgren, T., Cabin attendants’ exposure to vibration and shocks during landing . . . . .	(3) 601
Burström, L. see Hagberg, M. . . . .	(3) 492
Čermelj, P. and Boltežar, M., Modelling localised nonlinearities using the harmonic nonlinear super model . . . . .	(4–5) 1099
Chen, C.-Y. see Kuang, Y.-D. . . . .	(1–2) 393
Chen, H.-P., Efficient methods for determining modal parameters of dynamic structures with large modifications. . . . .	(1–2) 462
Chen, X.Z. and Bi, C.X., Reply to the comments on “Reply to the comments on ‘The boundary point method for the calculation of exterior acoustic radiation’ (by S.Y. Zhang, X.Z. Chen, <i>Journal of Sound and Vibration</i> 228(4) (1999) 761–772)” . . . . .	(4–5) 1178
Chen, X.Z. and Bi, C.X., Reply to the comments on “The boundary point method for the calculation of exterior acoustic radiation” (by S.Y. Zhang, X.Z. Chen, <i>Journal of Sound and Vibration</i> 228(4) (1999) 761–772) . . . . .	(4–5) 1174

- Chiappa, D. see Alberti, E. . . . . (3) 580
- Chiba, M., Miyazawa, T. and Baoyin, H., Coupled free vibrations of a cantilever plate with attached liquid drop . . . . . (1–2) 257
- Chmúrny, R. see Stein, G.J. . . . . (3) 688
- Cho, S., Park, C.-Y., Park, Y.-H. and Hong, S.-Y., Topology design optimization of structures at high frequencies using power flow analysis . . . . . (1–2) 206
- Christ, E. see Johanning, E. . . . . (3) 594
- Chu, Y.D. see Luo, G.W. . . . . (1–2) 154
- D’Agostin, F. see Bovenzi, M. . . . . (3) 514
- Dai, Z.-J., Kuang, Z.-B. and Zhao, S.-X., Rayleigh waves in a double porosity half-space . . . . . (1–2) 319
- de Langre, E. see Riverin, J.L. . . . . (4–5) 1088
- Dokumaci, E., On superaccurate finite elements and their duals for eigenvalue computation. . . . . (1–2) 432
- Ekman, A. see Hagberg, M. . . . . (3) 492
- Elishakoff, I. and Pentaras, D., Apparently the first closed-form solution of inhomogeneous elastically restrained vibrating beams . . . . . (1–2) 439
- Erol, H. see Gürgöze, M. . . . . (1–2) 132
- Festa, G. see Bovenzi, M. . . . . (3) 514
- Fischer, A., Hirsch, C. and Sattelmayer, T., Comparison of multi-microphone transfer matrix measurements with acoustic network models of swirl burners . . . . . (1–2) 73
- Fischer, S. see Johanning, E. . . . . (3) 594
- Fleury, G. and Mistrot, P., Numerical assessment of fore-and-aft suspension performance to reduce whole-body vibration of wheel loader drivers . . . . . (3) 672
- Gallais, L. and Griffin, M.J., Low back pain in car drivers: A review of studies published 1975 to 2005. . . . . (3) 499
- Galmiche, J.P. see Lemerle, P. . . . . (3) 638
- Gan, L. see Wang, X. . . . . (1–2) 420
- Gao, Q. see Lu, F. . . . . (1–2) 30
- Gatti, S. see Bovenzi, M. . . . . (3) 514
- Gerstmayr, J. see Sugiyama, H. . . . . (4–5) 1129
- Ghandchi Tehrani, M. see Mottershead, J.E. . . . . (1–2) 366
- Gobbi, M., Levi, F. and Mastinu, G., Multi-objective stochastic optimisation of the suspension system of road vehicles . . . . . (4–5) 1055
- Göres, B. see Johanning, E. . . . . (3) 594
- Griffin, M.J. and Bovenzi, M., Forward. . . . . (3) 479
- Griffin, M.J. see Gallais, L. . . . . (3) 499
- Griffin, M.J. see Huang, Y. . . . . (3) 824
- Griffin, M.J. see Morioka, M. . . . . (3) 755
- Griffin, M.J. see Nawayseh, N. . . . . (3) 725
- Grimal, Q. and Naili, S., A theoretical analysis in the time-domain of wave reflection on a bone plate . . . . . (1–2) 12
- Guillaume, P. see Vanherzeele, J. . . . . (1–2) 1
- Gupta, U.S., Lal, R. and Sharma, S., Vibration analysis of non-homogeneous circular plate of nonlinear thickness variation by differential quadrature method . . . . . (4–5) 892
- Gürgöze, M. and Erol, H., Dynamic response of a viscously damped cantilever with a viscous end condition. . . . . (1–2) 132
- Hagberg, M., Burström, L., Ekman, A. and Vilhelmsson, R., The association between whole body vibration exposure and musculoskeletal disorders in the Swedish work force is confounded by lifting and posture . . . . . (3) 492
- Harris, R., . . . . . (4–5) 1180
- Hartono see van Horssen, W.T. . . . . (4–5) 1166
- Haung, A.-C. and Liao, K.-K., FAT-based adaptive sliding control for flexible arms: Theory and experiments . . . . . (1–2) 194
- Hinz, B., Blüthner, R., Menzel, G., Rützel, S., Seidel, H. and Wölfel, H.P., Apparent mass of seated men—Determination with single- and multi-axis excitations at different magnitudes . . . . . (3) 788
- Hinz, B., Rützel, S., Blüthner, R., Menzel, G., Wölfel, H.P. and Seidel, H., Apparent mass of seated man—First determination with a soft seat and dynamic seat pressure distributions . . . . . (3) 704

Hinz, B. see Blüthner, R. . . . .	(3) 627
Hinz, B. see Rützel, S. . . . .	(3) 810
Hirsch, C. see Fischer, A. . . . .	(1-2) 73
Hong, S.B., Wang, A. and Vlahopoulos, N., A hybrid finite element formulation for a beam-plate system. . . . .	(1-2) 233
Hong, S.-Y. see Cho, S. . . . .	(1-2) 206
Howe, M.S., . . . . .	(1-2) 475
Hu, H., Solutions of a quadratic nonlinear oscillator: Iteration procedure. . . . .	(4-5) 1159
Hu, H., Solutions of the Duffing-harmonic oscillator by an iteration procedure. . . . .	(1-2) 446
Huang, Y. and Griffin, M.J., Effect of voluntary periodic muscular activity on nonlinearity in the apparent mass of the seated human body during vertical random whole-body vibration. . . . .	(3) 824
Hulshof, C.T.J. see Burdorf, A. . . . .	(3) 480
Hung, M.-L. see Yan, J.-J. . . . .	(1-2) 298
Jackson, D.R. see Banerjee, J.R. . . . .	(4-5) 1034
James, S. see Mottershead, J.E. . . . .	(1-2) 366
Jeong, K.-H. and Amabili, M., Bending vibration of perforated beams in contact with a liquid . . . . .	(1-2) 404
Jézéquel, L. see Lignon, S. . . . .	(4-5) 1073
Jin, L., Lu, Q.-S. and Twizell, E.H., A method for calculating the spectrum of Lyapunov exponents by local maps in non-smooth impact-vibrating systems . . . . .	(4-5) 1019
Johanning, E., Landsbergis, P., Fischer, S., Christ, E., Göres, B. and Luhrman, R., Whole-body vibration and ergonomic study of US railroad locomotives . . . . .	(3) 594
Joly, N. and Pascal, J.C., Energy flow relations from quadratic quantities in three-dimensional isotropic medium and exact formulation for one-dimensional waves . . . . .	(4-5) 934
Kaewunruen, S. and Remennikov, A.M., Sensitivity analysis of free vibration characteristics of an in situ railway concrete sleeper to variations of rail pad parameters . . . . .	(1-2) 453
Karpenko, E.V., Wiercigroch, M., Pavlovskaja, E.E. and Neilson, R.D., Experimental verification of Jeffcott rotor model with preloaded snubber ring . . . . .	(4-5) 907
Kitio Kwuimy, C.A., Nana Nbenjjo, B.R. and Wofo, P., Optimization of electromechanical control of beam dynamics: Analytical method and finite differences simulation. . . . .	(1-2) 180
Kliem, W., Mailybaev, A.A. and Pommer, C., Conditions revisited for asymptotic stability of pervasive damped linear systems . . . . .	(1-2) 471
Krzyzynski, T. see Neubauer, M. . . . .	(1-2) 84
Kuang, Y.-D., Li, G.-Q. and Chen, C.-Y., An admittance function of active piezoelectric elements bonded on a cracked beam. . . . .	(1-2) 393
Kuang, Z.-B. see Dai, Z.-J. . . . .	(1-2) 319
Lal, R. see Gupta, U.S. . . . .	(4-5) 892
Lam, H.F. see Lee, Y.Y. . . . .	(4-5) 877
Landsbergis, P. see Johanning, E. . . . .	(3) 594
Lee, C.-M. and Wang, Y.S., A prediction method of the acoustical properties of multilayered noise control materials in standing wave-duct systems . . . . .	(1-2) 350
Lee, Y.Y., Leung, A.Y.T., Lam, H.F. and Sun, H.Y., Reconstruction of the interior sound pressure of a room using the probabilistic approach . . . . .	(4-5) 877
Lees, A.W., . . . . .	(1-2) 477
Lemerle, P., Boulanger, P., Poirot, R., Galmiche, J.P. and Simon, B., Design of a suspension of a training sulky . . . . .	(3) 638
Leung, A.Y.T. see Lee, Y.Y. . . . .	(4-5) 877
Leung, A.Y.T. see Zhu, B. . . . .	(1-2) 385
Leung, C.T.O. see Zhu, B. . . . .	(1-2) 385
Levi, F. see Gobbi, M. . . . .	(4-5) 1055
Li, C. and Zhu, B., Estimating double tuned mass dampers for structures under ground acceleration using a novel optimum criterion . . . . .	(1-2) 280
Li, G.-Q. see Kuang, Y.-D. . . . .	(1-2) 393
Liao, K.-K. see Haung, A.-C. . . . .	(1-2) 194
Liao, T.-L. see Yan, J.-J. . . . .	(1-2) 298
Lignon, S., Sinou, J.-J. and Jézéquel, L., Stability analysis and $\mu$ -synthesis control of brake systems . . . . .	(4-5) 1073
Lin, C.Y. see Young, T.H. . . . .	(1-2) 307

- Lin, J.H. see Lu, F. . . . . (1–2) 30
- Lindberg, L. see Burström, L. . . . . (3) 601
- Lindgren, T. see Burström, L. . . . . (3) 601
- Liu, J. see Wei, K. . . . . (4–5) 1150
- Lu, F., Gao, Q., Lin, J.H. and Williams, F.W., Non-stationary random ground vibration due to loads moving along a railway track . . . . . (1–2) 30
- Lu, Q.-S. see Jin, L. . . . . (4–5) 1019
- Luhrman, R. see Johanning, E. . . . . (3) 594
- Luo, G.W., Chu, Y.D., Zhang, Y.L. and Zhang, J.G., Double Neimark–Sacker bifurcation and torus bifurcation of a class of vibratory systems with symmetrical rigid stops . . . . . (1–2) 154
- Maeda, S. see Mansfield, N.J. . . . . (3) 841
- Magnusson, M. see Okunribido, O.O. . . . . (3) 540
- Mailybaev, A.A. see Kliem, W. . . . . (1–2) 471
- Mansfield, N.J. and Maeda, S., Comparison of the apparent masses and cross-axis apparent masses of seated humans exposed to single- and dual-axis whole-body vibration . . . . . (3) 841
- Mansfield, N.J. see Newell, G.S. . . . . (3) 563
- Mastinu, G. see Gobbi, M. . . . . (4–5) 1055
- Matsumoto, Y., Ohdo, K. and Saito, T., Dynamic and subjective responses of seated subjects exposed to simultaneous vertical and fore-and-aft whole-body vibration: The effect of the phase between the two single-axis components. . . . . (3) 773
- Maurini, C., Porfiri, M. and Pouget, J., Numerical methods for modal analysis of stepped piezoelectric beams . . . . . (4–5) 918
- Meera Saheb, K. see Venkateswara Rao, G. . . . . (1–2) 221
- Meng, G. see Wei, K. . . . . (4–5) 1150
- Menzel, G. see Blüthner, R. . . . . (3) 627
- Menzel, G. see Hinz, B. . . . . (3) 704
- Menzel, G. see Hinz, B. . . . . (3) 788
- Mistrot, P. see Fleury, G. . . . . (3) 672
- Miyazawa, T. see Chiba, M. . . . . (1–2) 257
- Morioka, M. and Griffin, M.J., Magnitude-dependence of equivalent comfort contours for fore-and-aft, lateral and vertical whole-body vibration . . . . . (3) 755
- Moschioni, G. see Alberti, E. . . . . (3) 580
- Mottershead, J.E., Ghandchi Tehrani, M., Stancioiu, D., James, S. and Shahverdi, H., Structural modification of a helicopter tailcone . . . . . (1–2) 366
- Můčka, P. see Stein, G.J. . . . . (3) 688
- Naili, S. see Grimal, Q. . . . . (1–2) 12
- Nana Nbandjo, B.R. see Kitio Kwuimy, C.A. . . . . (1–2) 180
- Nawayseh, N. and Griffin, M.J., Effect of frequency, magnitude and direction of translational and rotational oscillation on the postural stability of standing people . . . . . (3) 725
- Negro, C. see Bovenzi, M. . . . . (3) 514
- Neilson, R.D. see Karpenko, E.V. . . . . (4–5) 907
- Neubauer, M., Oleskiewicz, R., Popp, K. and Krzyzynski, T., Optimization of damping and absorbing performance of shunted piezo elements utilizing negative capacitance . . . . . (1–2) 84
- Newell, G.S., Mansfield, N.J. and Notini, L., Inter-cycle variation in whole-body vibration exposures of operators driving track-type loader machines . . . . . (3) 563
- Notini, L. see Newell, G.S. . . . . (3) 563
- O'Connor, W.J., Wave-echo control of lumped flexible systems . . . . . (4–5) 1001
- Ohdo, K. see Matsumoto, Y. . . . . (3) 773
- Okunribido, O.O., Magnusson, M. and Pope, M.H., Low back pain in drivers: The relative role of whole-body vibration, posture and manual materials handling . . . . . (3) 540
- Oleskiewicz, R. see Neubauer, M. . . . . (1–2) 84
- Owen, G.W. and Abrahams, I.D., Elastic wave radiation from a high frequency finite-length transducer . . . . . (1–2) 108
- Park, C.-Y. see Cho, S. . . . . (1–2) 206
- Park, Y.-H. see Cho, S. . . . . (1–2) 206

Pascal, J.C. see Joly, N. . . . .	(4-5) 934
Pavlovskaja, E.E. see Karpenko, E.V. . . . .	(4-5) 907
Pentaras, D. see Elishakoff, I. . . . .	(1-2) 439
Peplow, A.T., On the efficiency of screens near roadside cuttings . . . . .	(4-5) 982
Pettigrew, M.J. see Riverin, J.L. . . . .	(4-5) 1088
Pinto, I. and Stacchini, N., Uncertainty in the evaluation of occupational exposure to whole-body vibration . . . . .	(3) 556
Pinto, I. see Bovenzi, M. . . . .	(3) 514
Poirot, R. see Lemerle, P. . . . .	(3) 638
Pommer, C. see Kliem, W. . . . .	(1-2) 471
Pope, M.H. see Okunribido, O.O. . . . .	(3) 540
Popp, K. see Neubauer, M. . . . .	(1-2) 84
Porfiri, M. see Maurini, C. . . . .	(4-5) 918
Pouget, J. see Maurini, C. . . . .	(4-5) 918
Rakheja, S., Stiharu, I., Zhang, H. and Boileau, P.É., Seated occupant interactions with seat backrest and pan, and biodynamic responses under vertical vibration . . . . .	(3) 651
Ranga Janardhan, G. see Venkateswara Rao, G. . . . .	(1-2) 221
Remennikov, A.M. see Kaewunruen, S. . . . .	(1-2) 453
Riverin, J.L., de Langre, E. and Pettigrew, M.J., Fluctuating forces caused by internal two-phase flow on bends and tees. . . . .	(4-5) 1088
Rondina, L. see Bovenzi, M. . . . .	(3) 514
Rui, F. see Bovenzi, M. . . . .	(3) 514
Rützel, S., Hinz, B. and Wölfel, H.P., Modal description—A better way of characterizing human vibration behavior . . . . .	(3) 810
Rützel, S. see Hinz, B. . . . .	(3) 704
Rützel, S. see Hinz, B. . . . .	(3) 788
Saggin, B. see Alberti, E. . . . .	(3) 580
Saito, T. see Matsumoto, Y. . . . .	(3) 773
Sattelmayer, T. see Fischer, A. . . . .	(1-2) 73
Schust, M., Blüthner, R. and Seidel, H., Examination of perceptions (intensity, seat comfort, effort) and reaction times (brake and accelerator) during low-frequency vibration in <i>x</i> - or <i>y</i> -direction and biaxial ( <i>xy</i> -) vibration of driver seats with activated and deactivated suspension . . . . .	(3) 606
Schust, M. see Blüthner, R. . . . .	(3) 627
Seidel, H. see Blüthner, R. . . . .	(3) 627
Seidel, H. see Hinz, B. . . . .	(3) 704
Seidel, H. see Hinz, B. . . . .	(3) 788
Seidel, H. see Schust, M. . . . .	(3) 606
Shabana, A.A. see Sugiyama, H. . . . .	(4-5) 1129
Shahverdi, H. see Mottershead, J.E. . . . .	(1-2) 366
Sharma, S. see Gupta, U.S. . . . .	(4-5) 892
Simon, B. see Lemerle, P. . . . .	(3) 638
Sinou, J.-J. see Lignon, S. . . . .	(4-5) 1073
Stacchini, N. see Bovenzi, M. . . . .	(3) 514
Stacchini, N. see Pinto, I. . . . .	(3) 556
Stancioiu, D. see Mottershead, J.E. . . . .	(1-2) 366
Stein, G.J., Múčka, P. and Chmúrny, R., Preliminary results on an <i>x</i> -direction apparent mass model of human body sitting in a cushioned, suspended seat. . . . .	(3) 688
Stiharu, I. see Rakheja, S. . . . .	(3) 651
Su, H. see Banerjee, J.R. . . . .	(4-5) 1034
Sugiyama, H., Gerstmayr, J. and Shabana, A.A., Deformation modes in the finite element absolute nodal coordinate formulation . . . . .	(4-5) 1129
Sun, H.Y. see Lee, Y.Y. . . . .	(4-5) 877
Tarabini, M. see Alberti, E. . . . .	(3) 580
Touzé, C. and Amabili, M., Nonlinear normal modes for damped geometrically nonlinear systems: Application to reduced-order modelling of harmonically forced structures . . . . .	(4-5) 958
Twizell, E.H. see Jin, L. . . . .	(4-5) 1019

- van Horssen, W.T., Abramian, A.K. and Hartono, On the free vibrations of an oscillator with a periodically time-varying mass . . . . . (4-5) 1166
- van Horssen, W.T. see Zarubinskaya, M.A. . . . . (4-5) 1113
- Vanherzeele, J., Guillaume, P., Vanlanduit, S. and Verboven, P., Data reduction using a generalized regressive discrete Fourier series . . . . . (1-2) 1
- Vanlanduit, S. see Vanherzeele, J. . . . . (1-2) 1
- Venkateswara Rao, G., Meera Saheb, K. and Ranga Janardhan, G., Fundamental frequency for large amplitude vibrations of uniform Timoshenko beams with central point concentrated mass using coupled displacement field method . . . . . (1-2) 221
- Verboven, P. see Vanherzeele, J. . . . . (1-2) 1
- Vilhelmsson, R. see Hagberg, M. . . . . (3) 492
- Vlahopoulos, N. see Hong, S.B. . . . . (1-2) 233
- Wang, A. see Hong, S.B. . . . . (1-2) 233
- Wang, X., Gan, L. and Wang, Y., A differential quadrature analysis of vibration and buckling of an SS-C-SS-C rectangular plate loaded by linearly varying in-plane stresses . . . . . (1-2) 420
- Wang, Y. see Wang, X. . . . . (1-2) 420
- Wang, Y.S. see Lee, C.-M. . . . . (1-2) 350
- Wanji, C. see Zhen, W. . . . . (1-2) 333
- Wei, K., Meng, G., Zhou, S. and Liu, J., Vibration control of variable speed/acceleration rotating beams using smart materials . . . . . (4-5) 1150
- Wiercigroch, M. see Karpenko, E.V. . . . . (4-5) 907
- Williams, F.W. see Lu, F. . . . . (1-2) 30
- Woafo, P. see Kitio Kwuimy, C.A. . . . . (1-2) 180
- Wölfel, H.P. see Hinz, B. . . . . (3) 704
- Wölfel, H.P. see Hinz, B. . . . . (3) 788
- Wölfel, H.P. see Rützel, S. . . . . (3) 810
- Wu, S.F., Comments on "Reply to the comments on 'The boundary point method for the calculation of exterior acoustic radiation' (by S.Y. Zhang and X.Z. Chen, *Journal of Sound and Vibration* 228(4) (1999) 761-772)" . . . . . (4-5) 1176
- Wu, S.F., Comments on "The boundary point method for the calculation of exterior acoustic radiation" (by S.Y. Zhang and X.Z. Chen, *Journal of Sound and Vibration* 228(4) (1999) 761-772). . . . . (4-5) 1173
- Xiao, C. see Zhu, B. . . . . (1-2) 385
- Yan, J.-J., Hung, M.-L. and Liao, T.-L., Adaptive sliding mode control for synchronization of chaotic gyros with fully unknown parameters . . . . . (1-2) 298
- Young, T.H. and Lin, C.Y., Stability of a spinning disk under a stationary oscillating unit . . . . . (1-2) 307
- Yuan, S. see Zhu, B. . . . . (1-2) 385
- Zarubinskaya, M.A. and van Horssen, W.T., Coupled torsional and vertical oscillations of a beam subjected to boundary damping . . . . . (4-5) 1113
- Zhang, H. see Rakheja, S. . . . . (3) 651
- Zhang, J.G. see Luo, G.W. . . . . (1-2) 154
- Zhang, Y.L. see Luo, G.W. . . . . (1-2) 154
- Zhao, S.-X. see Dai, Z.-J. . . . . (1-2) 319
- Zhen, W. and Wanji, C., Free vibration of laminated composite and sandwich plates using global-local higher-order theory . . . . . (1-2) 333
- Zhou, S. see Wei, K. . . . . (4-5) 1150
- Zhu, B., Leung, C.T.O., Leung, A.Y.T., Xiao, C. and Yuan, S., Analytic 3-D  $p$ -element for vibration analyses of plates, Part 2: Laminated plates . . . . . (1-2) 385
- Zhu, B. see Li, C. . . . . (1-2) 280