

Index to Volume 299

Abdul Jalil, N.A. and Griffin, M.J., Fore-and-aft transmissibility of backrests: Variation with height above the seat surface and non-linearity	(1–2)	109
Adam, C., Moderately large vibrations of doubly curved shallow open shells composed of thick layers.	(4–5)	854
Allam, M.M. see Rambabu, K.V.	(1–2)	388
Almeida, R.A.B., Urgueira, A.P.V. and Maia, N.M.M., Identification of rigid body properties from vibration measurements	(4–5)	884
Al-Sulaiman, F.A. see Khulief, Y.A.	(3)	540
Ameen, M. see Jafarali, P.	(1–2)	196
Andrieux, S. see Galenne, E.	(1–2)	283
Annigeri, A.R., Ganesan, N. and Swarnamani, S., Free vibration behaviour of multiphase and layered magneto-electro-elastic beam.	(1–2)	44
Asch, M. see Félix, S.	(4–5)	965
Bachschmid, N., Pennacchi, P. and Vania, A., Thermally induced vibrations due to rub in real rotors.	(4–5)	683
Bacon, C. see Hadj Henni, A.R.	(1–2)	298
Balthazar, J.M. see de Souza, S.L.T.	(3)	664
Bashmal, S. see Khulief, Y.A.	(3)	540
Beléndez, A., Hernández, A., Beléndez, T., Neipp, C. and Márquez, A., Asymptotic representations of the period for the nonlinear oscillator	(1–2)	403
Beléndez, T. see Beléndez, A.	(1–2)	403
Benli, W. see Yuanjun, H.	(1–2)	164
Bergman, L.A. see Kerschen, G.	(4–5)	822
Billings, S.A. see Guo, L.Z.	(1–2)	22
Bodén, H. see Rämmal, H.	(4–5)	1094
Bois, C., Herzog, P. and Hochard, C., Monitoring a delamination in a laminated composite beam using in-situ measurements and parametric identification	(4–5)	786
Brasil, R.M.L.R.F. see de Souza, S.L.T.	(3)	664
Bucher, I. see Yogeve, O.	(4–5)	1049
Caldas, I.L. see de Souza, S.L.T.	(3)	664
Carnicero, A. see Lopez-Garcia, O.	(4–5)	806
Chan, C.L. see Chung, K.W.	(3)	520
Chang, J.-R. see Chen, Y.-W.	(4–5)	977
Chen, L.-Q. and Yang, X.-D., Nonlinear free transverse vibration of an axially moving beam: Comparison of two models.	(1–2)	348
Chen, W. see Wu, Y.-F.	(4–5)	1074
Chen, Y.-W., Liu, C.-S. and Chang, J.-R., A chaos detectable and time step-size adaptive numerical scheme for nonlinear dynamical systems	(4–5)	977
Chendong, D., Zhengjia, H. and Hongkai, J., A sliding window feature extraction method for rotating machinery based on the lifting scheme.	(4–5)	774
Chien, C.-J., Lee, F.-S. and Wang, J.-C., Enhanced iterative learning control for a piezoelectric actuator system using wavelet transform filtering	(3)	605
Chiu, Y.-Y. see Wu, S.-T.	(1–2)	247
Chu, F. see Yuan, Z.	(1–2)	339
Chung, K.W., Chan, C.L. and Lee, B.H.K., Bifurcation analysis of a two-degree-of-freedom aeroelastic system with freeplay structural nonlinearity by a perturbation-incremental method	(3)	520

Daerden, F. see Vanlanduit, S.	(1-2)	83
de Souza, S.L.T., Caldas, I.L., Viana, R.L., Balthazar, J.M. and Brasil, R.M.L.R.F., A simple feedback control for a chaotic oscillator with limited power supply	(3)	664
Deng, Z.-c. see Huang, Y.-a.	(1-2)	229
Dilena, M. see Viola, E.	(1-2)	143
Dowling, A.P. see Morgans, A.S.	(1-2)	261
Efraim, E. and Eisenberger, M., Exact vibration analysis of variable thickness thick annular isotropic and FGM plates	(4-5)	720
Eisenberger, M. see Efraim, E.	(4-5)	720
Epain, N. and Friot, E., Active control of sound inside a sphere via control of the acoustic pressure at the boundary surface	(3)	587
Fang, T. see Leng, X.	(3)	621
Fasana, A. see Sorrentino, S.	(4-5)	839
Félix, S., Asch, M., Filoche, M. and Sapoval, B., Localization and increased damping in irregular acoustic cavities	(4-5)	965
Filoche, M. see Félix, S.	(4-5)	965
Friot, E. see Epain, N.	(3)	587
Fu, C.C. see Kim, N.-Il.	(4-5)	739
Galenne, E., Andrieux, S. and Ratier, L., A modal approach to linear fracture mechanics for dynamic loading at low frequency	(1-2)	283
Ganapathi, M. see Prakash, T.	(1-2)	36
Ganesan, N. see Annigeri, A.R.	(1-2)	44
Gosselin, F., Païdoussis, M.P. and Misra, A.K., Stability of a deploying/extruding beam in dense fluid.	(1-2)	123
Griffin, M.J. see Abdul Jalil, N.A.	(1-2)	109
Griffin, M.J. see Jalil, N.A.A.	(1-2)	99
Guillaume, P. see Vanlanduit, S.	(1-2)	83
Guo, L.Z. and Billings, S.A., Detection of fatigue cracks in a beam using a spatio-temporal dynamical system identification method.	(1-2)	22
Gupta, A. see Kuo, S.M.	(1-2)	12
Hadj Henni, A.R. and Bacon, C., In-plane vibration of thin elliptic plates submitted to uniform pulsed microwave irradiations	(1-2)	298
Haywood, J. see LeClerc, J.R.	(3)	672
He, S. and Singh, R., Approximate step response of a nonlinear hydraulic mount using a simplified linear model	(3)	656
Hernández, A. see Beléndez, A.	(1-2)	403
Herzog, P. see Bois, C.	(4-5)	786
Hochard, C. see Bois, C.	(4-5)	786
Hong, J. see Lim, C.	(3)	575
Hong, S.-Y. see Park, Y.-H.	(3)	460
Hong, S.-Y. see Park, Y.-H.	(3)	484
Hongkai, J. see Chendong, D.	(4-5)	774
Hu, H., Solution of a mixed parity nonlinear oscillator: Harmonic balance	(1-2)	331
Hu, H. and Tang, J.H., A classical iteration procedure valid for certain strongly nonlinear oscillators	(1-2)	397
Hua, H. see Tong, Z.	(3)	645
Huang, Y.-a., Deng, Z.-c. and Yao, L.-x., An improved symplectic precise integration method for analysis of the rotating rigid-flexible coupled system.	(1-2)	229
Huo, X.-P. see Yu, L.	(1-2)	212
Jafarali, P., Ameen, M., Mukherjee, S. and Prathap, G., Variational correctness and Timoshenko beam finite element elastodynamics	(1-2)	196
Jalil, N.A.A. and Griffin, M.J., Fore-and-aft transmissibility of backrests: Effect of backrest inclination, seat-pan inclination, and measurement location	(1-2)	99
Jayasankar, S., Mahesh, S., Narayanan, S. and Padmanabhan, C., Dynamic analysis of layered composite shells using nine node degenerate shell elements	(1-2)	1
Jianwei, L. see Xianmin, Z.	(4-5)	1124
Joseph, P. see Zhou, Q.	(3)	504

Kerschen, G., McFarland, D.M., Kowtko, J.J., Lee, Y.S., Bergman, L.A. and Vakakis, A.F., Experimental demonstration of transient resonance capture in a system of two coupled oscillators with essential stiffness nonlinearity	(4-5)	822
Khulief, Y.A., Al-Sulaiman, F.A. and Bashmal, S., Vibration analysis of drillstrings with self-excited stick-slip oscillations	(3)	540
Kim, D.-G. see Wang, Y.S.	(4-5)	933
Kim, J. see Lim, C.	(3)	575
Kim, M.-Y. see Kim, N.-Il.	(4-5)	739
Kim, N.-Il., Fu, C.C. and Kim, M.-Y., Stiffness matrices for flexural-torsional/lateral buckling and vibration analysis of thin-walled beam	(4-5)	739
Kowtko, J.J. see Kerschen, G.	(4-5)	822
Kuo, S.M., Gupta, A. and Mallu, S., Development of adaptive algorithm for active sound quality control	(1-2)	12
Lam, P.M. and Li, K.M., A coherent model for predicting noise reduction in long enclosures with impedance discontinuities	(3)	559
Larsen, J.W. and Nielsen, S.R.K., Nonlinear parametric instability of wind turbine wings	(1-2)	64
LeClerc, J.R., Worden, K., Staszewski, W.J. and Haywood, J., Impact detection in an aircraft composite panel—A neural-network approach	(3)	672
Lee, B.H.K. see Chung, K.W.	(3)	520
Lee, C.-M. see Wang, Y.S.	(4-5)	933
Lee, F.-S. see Chien, C.-J.	(3)	605
Lee, J.M. see Lee, J.W.	(4-5)	900
Lee, J.M. see Lee, J.W.	(4-5)	918
Lee, J.W. and Lee, J.M., Forced vibro-acoustical analysis for a theoretical model of a passenger compartment with a trunk—Part I: Theoretical part	(4-5)	900
Lee, J.W. and Lee, J.M., Forced vibro-acoustical analysis for a theoretical model of a passenger compartment with a trunk—Part II: Experimental part	(4-5)	918
Lee, S. see Lim, C.	(3)	575
Lee, Y.S. see Kerschen, G.	(4-5)	822
Leng, X., Meng, G., Zhang, T. and Fang, T., Bifurcation and chaos response of a cracked rotor with random disturbance	(3)	621
Lesaffre, N., Sinou, J.-J. and Thouverez, F., Stability analysis of rotating beams rubbing on an elastic circular structure	(4-5)	1005
Leung, R.C.K., So, R.M.C., Wang, M.H. and Li, X.M., In-duct orifice and its effect on sound absorption.	(4-5)	990
Li, K.M. see Lam, P.M.	(3)	559
Li, M.H. see Sheng, X.	(4-5)	1114
Li, X.M. see Leung, R.C.K.	(4-5)	990
Lim, C., Kim, J., Hong, J., Lee, S. and Lee, S., The relationship between civil aircraft noise and community annoyance in Korea	(3)	575
Lim, C.-W., Remarks on robust stability of saturation controllers	(1-2)	363
Lin, Y. see Yuan, Z.	(1-2)	339
Lin, Y.-H. see Wang, A.-P.	(4-5)	757
Liu, C.-S. see Chen, Y.-W.	(4-5)	977
Liu, Z.H. and Zhu, W.Q., Stochastic averaging of quasi-integrable Hamiltonian systems with delayed feedback control	(1-2)	178
Lopez-Garcia, O., Carnicero, A. and Maroño, J.L., Influence of stiffness and contact modelling on catenary-pantograph system dynamics.	(4-5)	806
Mahesh, S. see Jayasankar, S.	(1-2)	1
Maia, N.M.M. see Almeida, R.A.B.	(4-5)	884
Mallu, S. see Kuo, S.M.	(1-2)	12
Maroño, J.L. see Lopez-Garcia, O.	(4-5)	806
Márquez, A. see Beléndez, A.	(1-2)	403
McFarland, D.M. see Kerschen, G.	(4-5)	822
Méndez López, B. see Oerlemans, S.	(4-5)	869
Meng, G. see Leng, X.	(3)	621
Misra, A.K. see Gosselin, F.	(1-2)	123

Morgans, A.S. and Dowling, A.P., Model-based control of combustion instabilities	(1-2) 261
Mukherjee, S. see Jafarali, P.	(1-2) 196
Narayanan, S. see Jayasankar, S.	(1-2) 1
Neipp, C. see Beléndez, A.	(1-2) 403
Nielsen, S.R.K. see Larsen, J.W.	(1-2) 64
Niu, F., Zou, H., Qiu, X. and Wu, M., Error sensor location optimization for active soft edge noise barrier	(1-2) 409
Oerlemans, S., Sijtsma, P. and Méndez López, B., Location and quantification of noise sources on a wind turbine	(4-5) 869
Padmanabhan, C. see Jayasankar, S.	(1-2) 1
Paidoussis, M.P. see Gosselin, F.	(1-2) 123
Park, Y.-H. and Hong, S.-Y., Hybrid power flow analysis using coupling loss factor of SEA for low-damping system—Part I: Formulation of 1-D and 2-D cases	(3) 484
Park, Y.-H. and Hong, S.-Y., Hybrid power flow analysis using coupling loss factor of SEA for low-damping system—Part II: Formulation of 3-D case and hybrid PPFEM.	(3) 460
Pennacchi, P. see Bachschmid, N.	(4-5) 683
Pingping, W. see Yuanjun, H.	(1-2) 164
Prakash, T., Sundararajan, N. and Ganapathi, M., On the nonlinear axisymmetric dynamic buckling behavior of clamped functionally graded spherical caps.	(1-2) 36
Prathap, G. see Jafarali, P.	(1-2) 196
Qiu, X. see Niu, F.	(1-2) 409
Rambabu, K.V. and Allam, M.M., Response of an open-plane frame to multiple support horizontal seismic excitations with soil–structure interaction	(1-2) 388
Rämmal, H. and Bodén, H., Modified multi-load method for nonlinear source characterisation	(4-5) 1094
Ratier, L. see Galenne, E.	(1-2) 283
Ribeiro, P., Thermally induced transitions to chaos in plate vibrations	(1-2) 314
Rubin, M.B. see Yogeve, O.	(4-5) 1049
Rystweij, A. and Sniady, P., Dynamic response of an infinite beam and plate to a stochastic train of moving forces	(4-5) 1033
Sapoval, B. see Félix, S.	(4-5) 965
Shen, H.-S. see Yu, L.	(1-2) 212
Sheng, X. and Li, M.H., Propagation constants of railway tracks as a periodic structure	(4-5) 1114
Sijtsma, P. see Oerlemans, S.	(4-5) 869
Singh, R. see He, S.	(3) 656
Sinou, J.-J. see Lesaffre, N.	(4-5) 1005
Sniady, P. see Rystweij, A.	(4-5) 1033
So, R.M.C. see Leung, R.C.K.	(4-5) 990
Sorrentino, S. and Fasana, A., Finite element analysis of vibrating linear systems with fractional derivative viscoelastic models	(4-5) 839
Staszewski, W.J. see LeClerc, J.R.	(3) 672
Sundararajan, N. see Prakash, T.	(1-2) 36
Swarnamani, S. see Annigeri, A.R.	(1-2) 44
Tang, G.-Y., Zhang, S.-M. and Zhang, B.-L., Optimal tracking control with zero steady-state error for time-delay systems with sinusoidal disturbances	(3) 633
Tang, J.H. see Hu, H.	(1-2) 397
Thouverez, F. see Lesaffre, N.	(4-5) 1005
Tong, Z., Zhang, Y., Zhang, Z. and Hua, H., Dynamic behavior and sound transmission analysis of a fluid–structure coupled system using the direct-BEM/FEM	(3) 645
Tornabene, F. see Viola, E.	(1-2) 143
Urgueira, A.P.V. see Almeida, R.A.B.	(4-5) 884

Vakakis, A.F. see Kerschen, G.	(4-5)	822
Vania, A. see Bachschmid, N.	(4-5)	683
Vanlanduit, S., Daerden, F. and Guillaume, P., Experimental modal testing using pressurized air excitation	(1-2)	83
Viana, R.L. see de Souza, S.L.T.	(3)	664
Viola, E., Dilena, M. and Tornabene, F., Analytical and numerical results for vibration analysis of multi-stepped and multi-damaged circular arches	(1-2)	143
Voutsinas, S.G., Aeroacoustics research in Europe: The CEAS-ASC Report on 2005 highlights	(3)	419
Wang, A.-P. and Lin, Y.-H., Vibration control of a tall building subjected to earthquake excitation	(4-5)	757
Wang, C.Y. see Yüce, H.	(1-2)	355
Wang, J.-C. see Chien, C.-J.	(3)	605
Wang, M.H. see Leung, R.C.K.	(4-5)	990
Wang, Y.S., Lee, C.-M., Kim, D.-G. and Xu, Y., Sound-quality prediction for nonstationary vehicle interior noise based on wavelet pre-processing neural network model	(4-5)	933
Worden, K. see LeClerc, J.R.	(3)	672
Wu, J.-J., Vibration analyses of an inclined flat plate subjected to moving loads	(1-2)	373
Wu, M. see Niu, F.	(1-2)	409
Wu, S.-T., Chiu, Y.-Y. and Yeh, Y.-C., Hybrid vibration absorber with virtual passive devices.	(1-2)	247
Wu, Y.-F., Xu, R. and Chen, W., Free vibrations of the partial-interaction composite members with axial force.	(4-5)	1074
Xiang, Y. see Zhang, L.	(4-5)	948
Xianmin, Z., Jianwei, L. and Yunwen, S., Simultaneous optimal structure and control design of flexible linkage mechanism for noise attenuation	(4-5)	1124
Xingrui, M. see Yuanjun, H.	(1-2)	164
Xu, R. see Wu, Y.-F.	(4-5)	1074
Xu, Y. see Wang, Y.S.	(4-5)	933
Yang, X.-D. see Chen, L.-Q.	(1-2)	348
Yao, L.-x. see Huang, Y.-a.	(1-2)	229
Yeh, Y.-C. see Wu, S.-T.	(1-2)	247
Yogev, O., Bucher, I. and Rubin, M.B., Dynamic lateral torsional post-buckling of a beam-mass system: Experiments	(4-5)	1049
Yu, L., Shen, H.-S. and Huo, X.-P., Dynamic responses of Reissner-Mindlin plates with free edges resting on tensionless elastic foundations	(1-2)	212
Yuan, Z., Chu, F. and Lin, Y., External and internal coupling effects of rotor's bending and torsional vibrations under unbalances	(1-2)	339
Yuanjun, H., Xingrui, M., Pingping, W. and Benli, W., Low-gravity liquid nonlinear sloshing analysis in a tank under pitching excitation	(1-2)	164
Yüce, H. and Wang, C.Y., Fundamental frequency of clamped plates with circularly periodic boundaries	(1-2)	355
Yunwen, S. see Xianmin, Z.	(4-5)	1124
Zhang, B.-L. see Tang, G.-Y.	(3)	633
Zhang, L. and Xiang, Y., Exact solutions for vibration of stepped circular cylindrical shells.	(4-5)	948
Zhang, S.-M. see Tang, G.-Y.	(3)	633
Zhang, T. see Leng, X.	(3)	621
Zhang, Y. see Tong, Z.	(3)	645
Zhang, Z. see Tong, Z.	(3)	645
Zhengjia, H. see Chendong, D.	(4-5)	774
Zhou, Q. and Joseph, P., A frequency domain numerical method for airfoil broadband self-noise prediction	(3)	504
Zhu, W.Q. see Liu, Z.H.	(1-2)	178
Zou, H. see Niu, F.	(1-2)	409