



ELSEVIER

Journal of Sound and Vibration 300 (2007) I–IV

---

JOURNAL OF  
SOUND AND  
VIBRATION

---

www.elsevier.com/locate/jsvi

## Index to Volume 300

- Abom, M. see Rämmal, H. .... (3–5) 727  
Abu Hanieh, A. see Preumont, A. .... (3–5) 644  
Agren, A. see Ljunggren, F. .... (1–2) 13  
Aldraihem, O.J., Analysis of the dynamic stability of collar-stiffened pipes conveying fluid. .... (3–5) 453  
Alexander, N.A. see Gourdon, E. .... (3–5) 522  
Al-Said, S.M., Crack identification in a stepped beam carrying a rigid disk. .... (3–5) 863  
Alvelid, M. and Enelund, M., Modelling of constrained thin rubber layer with emphasis on damping. .... (3–5) 662  
Amore, P. and Sanchez, N.E., Development of accurate solutions for a classical oscillator. .... (1–2) 345  
Antoniadis, I.A. see Glossiotis, G.N. .... (3–5) 612  
Aparicio, A.C. see Ruiz-Teran, A.M. .... (1–2) 197  
Atkinson, C. and Manrique de Lara, M., The frequency response of a rectangular cantilever plate  
vibrating in a viscous fluid. .... (1–2) 352  
Aubry, E. see Greco, D. .... (3–5) 831  
Avraam, M. see Preumont, A. .... (3–5) 644
- Backström, D. and Nilsson, A.C., Modelling the vibration of sandwich beams using frequency-  
dependent parameters. .... (3–5) 589  
Bartosch, T. and Eggner, T., Engine noise potential analysis for a trimmed vehicle body: Optimisation  
using an analytical sea gradient computation technique. .... (1–2) 1  
Bauer, H.F. and Eidel, W., Transverse vibration and stability of spinning circular plates of constant  
thickness and different boundary conditions. .... (3–5) 877  
Baulac, M., Defrance, J. and Jean, P., Optimization of multiple edge barriers with genetic algorithms  
coupled with a Nelder–Mead local search. .... (1–2) 71  
Bellizzi, S. and Bouc, R., An amplitude-phase formulation for nonlinear modes and limit cycles through  
invariant manifolds. .... (3–5) 896  
Berkhout, A.J., de Vries, D. and Brink, M.C., Array technology for bending wave field analysis in  
constructions. .... (1–2) 25  
Billings, S.A. see Peng, Z.K. .... (3–5) 993  
Blanc, P. see Greco, D. .... (3–5) 831  
Boltežar, M. see Čepon, G. .... (1–2) 316  
Boltežar, M. see Otrin, M. .... (3–5) 676  
Bossens, F. see Preumont, A. .... (3–5) 644  
Bouc, R. see Bellizzi, S. .... (3–5) 896  
Brink, M.C. see Berkhout, A.J. .... (1–2) 25  
Büssow, R. and Petersson, B.A.T., Path sensitivity and uncertainty propagation in SEA. .... (3–5) 479
- Carolus, T., Schneider, M. and Reese, H., Axial flow fan broad-band noise and prediction. .... (1–2) 50  
Čepon, G. and Boltežar, M., Computing the dynamic response of an axially moving continuum. .... (1–2) 316  
Chang, J.-R., Coupling effect of flexible geared rotor on quick-return mechanism undergoing three-  
dimensional vibration. .... (1–2) 139  
Chapman, C.J., Sesquipoles in aeroacoustics. .... (3–5) 1015  
Chen, H.B. see Sun, H.L. .... (1–2) 117  
Chen, J.-Y. see Wu, S.-T. .... (1–2) 250  
Chiew, G.H. see Koh, C.G. .... (1–2) 126  
Chiu, Y.-Y. see Wu, S.-T. .... (1–2) 250  
Choi, S.B., Author's reply. .... (1–2) 432

Choi, S.-B., Kim, H.S. and Park, J.-S., Multi-mode vibration reduction of a CD-ROM drive base using a piezoelectric shunt circuit . . . . .	(1-2) 160
Choi, S.-C., Park, J.-S. and Kim, J.-H., Vibration control of pre-twisted rotating composite thin-walled beams with piezoelectric fiber composites . . . . .	(1-2) 176
Chouchane, M. see Guedria, N. . . . .	(3-5) 974
de Marneffe, B. see Preumont, A. . . . .	(3-5) 644
de Vries, D. see Berkhout, A.J. . . . .	(1-2) 25
Defrance, J. see Baulac, M. . . . .	(1-2) 71
Demir, A. and Mermertas, V., A study on annular plates with radial through cracks by means of sector type element . . . . .	(3-5) 466
Deraemaeker, A. see Ganguli, A. . . . .	(3-5) 847
Deraemaeker, A. see Preumont, A. . . . .	(3-5) 644
Dylejko, P.G., Kessissoglou, N.J., Tso, Y. and Norwood, C.J., Optimisation of a resonance changer to minimise the vibration transmission in marine vessels . . . . .	(1-2) 101
Eggner, T. see Bartosch, T. . . . .	(1-2) 1
Eidel, W. see Bauer, H.F. . . . .	(3-5) 877
Elliott, S.J. see Rustighi, E. . . . .	(3-5) 490
Emira, M.N.A., Friction-induced oscillations of a slider: Parametric study of some system parameters. . . . .	(3-5) 916
Enelund, M. see Alvelid, M. . . . .	(3-5) 662
Eshmatov, B.Kh., Nonlinear vibrations and dynamic stability of viscoelastic orthotropic rectangular plates . . . . .	(3-5) 709
Feng, L. see Liu, B. . . . .	(3-5) 949
Ferreira, A.J.M. see Roque, C.M.C. . . . .	(3-5) 1048
Friswell, M.I. see Terrell, M.J. . . . .	(1-2) 265
Ganguli, A., Deraemaeker, A. and Preumont, A., Regenerative chatter reduction by active damping control . . . . .	(3-5) 847
Gedikli, A., Eigenvalue problems of beams with wedge-shaped Vlasov foundations . . . . .	(3-5) 817
Glossiotis, G.N. and Antoniadis, I.A., Vibration suppression of structures with densely spaced modes using maximally robust minimum delay digital impulse response filters. . . . .	(3-5) 612
Gong, X.L. see Sun, H.L. . . . .	(1-2) 117
Gourdon, E., Alexander, N.A., Taylor, C.A., Lamarque, C.H. and Pernot, S., Nonlinear energy pumping under transient forcing with strongly nonlinear coupling: Theoretical and experimental results. . . . .	(3-5) 522
Greco, D., Blanc, P., Aubry, E. and Vaclavik, I., Active vibration control of flexible materials found within printing machines . . . . .	(3-5) 831
Guedria, N., Chouchane, M. and Smaoui, H., Second-order eigensensitivity analysis of asymmetric damped systems using Nelson's method . . . . .	(3-5) 974
Halkyard, C.R., Maximum likelihood estimation of flexural wavenumbers in lightly damped plates. . . . .	(1-2) 217
Horodinca, M. see Preumont, A. . . . .	(3-5) 644
Huang, M., Ma, X.Q., Sakiyama, T., Matsuda, H. and Morita, C., Free vibration analysis of rectangular plates with variable thickness and point supports . . . . .	(3-5) 435
Jean, P. see Baulac, M. . . . .	(1-2) 71
Jeans, R.A. see Mathews, I.C. . . . .	(3-5) 580
Jorge, R.M.N. see Roque, C.M.C. . . . .	(3-5) 1048
Kahana, Y. and Nelson, P.A., Boundary element simulations of the transfer function of human heads and baffled pinnae using accurate geometric models . . . . .	(3-5) 552
Kanev, S., Weber, F. and Verhaegen, M., Experimental validation of a finite-element model updating procedure . . . . .	(1-2) 394
Kessissoglou, N.J. see Dylejko, P.G. . . . .	(1-2) 101
Kim, H.S. see Choi, S.-B. . . . .	(1-2) 160
Kim, J.-H. see Choi, S.-C. . . . .	(1-2) 176
Kim, J.O. and Lee, J.G., Dynamic characteristics of piezoelectric cylindrical transducers with radial polarization . . . . .	(1-2) 241

Ko, J.-H. see Lee, G.-M. . . . .	(1-2) 414
Koh, C.G., Chiew, G.H. and Lim, C.C., A numerical method for moving load on continuum . . . . .	(1-2) 126
Kovacic, I., Adiabatic invariants of oscillators with one degree of freedom . . . . .	(3-5) 695
Kovács, B., Vibration of multi-layered bands with interfacial imperfection . . . . .	(1-2) 379
Krawczuk, M. see Kudela, P. . . . .	(1-2) 88
Krylov, V.V. and Winward, R.E.T.B., Experimental investigation of the acoustic black hole effect for flexural waves in tapered plates . . . . .	(1-2) 43
Kudela, P., Krawczuk, M. and Ostachowicz, W., Wave propagation modelling in 1D structures using spectral finite elements . . . . .	(1-2) 88
Kukla, S. and Szewczyk, M., Frequency analysis of annular plates with elastic concentric supports by Green's function method . . . . .	(1-2) 387
Kukla, S. and Zamojska, I., Frequency analysis of axially loaded stepped beams by Green's function method . . . . .	(3-5) 1034
Lamarque, C.H. see Gourdon, E. . . . .	(3-5) 522
Lang, Z.Q. see Peng, Z.K. . . . .	(3-5) 993
Le Bot, A., Derivation of statistical energy analysis from radiative exchanges . . . . .	(3-5) 763
Lee, G.-M. and Ko, J.-H., Effect of element thickness on the eigenvalues of beams . . . . .	(1-2) 414
Lee, J.G. see Kim, J.O. . . . .	(1-2) 241
Lieven, N.A.J. see Terrell, M.J. . . . .	(1-2) 265
Lim, C.C. see Koh, C.G. . . . .	(1-2) 126
Lim, C.-W., Multi-input robust saturation controller for uncertain linear time-invariant systems . . . . .	(3-5) 1079
Lim, C.W. see Sun, W.P. . . . .	(3-5) 1042
Liu, B., Feng, L. and Nilsson, A., Sound transmission through curved aircraft panels with stringer and ring frame attachments . . . . .	(3-5) 949
Ljunggren, F., Wang, J. and Ågren, A., Human vibration perception from single- and dual-frequency components . . . . .	(1-2) 13
Luu, T.-T. see Park, S.-T. . . . .	(1-2) 422
Ma, X.Q. see Huang, M. . . . .	(3-5) 435
Manrique de Lara, M. see Atkinson, C. . . . .	(1-2) 352
Martinez-Rodrigo, M.D. see Museros, P. . . . .	(1-2) 292
Mathews, I.C. and Jeans, R.A., An acoustic boundary integral formulation for open shells allowing different impedance conditions, top and bottom surfaces . . . . .	(3-5) 580
Matsuda, H. see Huang, M. . . . .	(3-5) 435
Mead, D.J., The measurement of the loss factors of beams and plates with constrained and unconstrained damping layers: A critical assessment . . . . .	(3-5) 744
Mermertاش, V. see Demir, A. . . . .	(3-5) 466
Morita, C. see Huang, M. . . . .	(3-5) 435
Museros, P. and Martinez-Rodrigo, M.D., Vibration control of simply supported beams under moving loads using fluid viscous dampers . . . . .	(1-2) 292
Nelson, P.A. see Kahana, Y. . . . .	(3-5) 552
Nilsson, A. see Liu, B. . . . .	(3-5) 949
Nilsson, A.C. see Backström, D. . . . .	(3-5) 589
Norwood, C.J. see Dylejko, P.G. . . . .	(1-2) 101
Ostachowicz, W. see Kudela, P. . . . .	(1-2) 88
Otrin, M. and Boltežar, M., Damped lateral vibrations of straight and curved cables with no axial pre-load . . . . .	(3-5) 676
Park, J.-S. see Choi, S.-B. . . . .	(1-2) 160
Park, J.-S. see Choi, S.-C. . . . .	(1-2) 176
Park, S.-T. and Luu, T.-T., A new method for reducing the natural frequency of single degree of freedom systems . . . . .	(1-2) 422
Peng, Z.K., Lang, Z.Q. and Billings, S.A., Resonances and resonant frequencies for a class of nonlinear systems . . . . .	(3-5) 993
Pereira, A. and Tadeu, A., Analysis of airborne sound insulation and impact sound pressure level provided by a single partition containing a heterogeneity . . . . .	(3-5) 800
Pernot, S. see Gourdon, E. . . . .	(3-5) 522

Petersson, B.A.T. see Büssow, R.	(3-5) 479
Preumont, A., Horodinca, M., Romanescu, I., de Marneffe, B., Avraam, M., Deraemaeker, A., Bossens, F. and Abu Hanieh, A., A six-axis single-stage active vibration isolator based on Stewart platform.	(3-5) 644
Preumont, A. see Ganguli, A.	(3-5) 847
Rämmal, H. and Abom, M., Characterization of air terminal device noise using acoustic 1-port source models	(3-5) 727
Ramos, J.I., Piecewise-linearized methods for oscillators with fractional-power nonlinearities	(3-5) 502
Reese, H. see Carolus, T.	(1-2) 50
Romanescu, I. see Preumont, A.	(3-5) 644
Roque, C.M.C., Ferreira, A.J.M. and Jorge, R.M.N., A radial basis function approach for the free vibration analysis of functionally graded plates using a refined theory	(3-5) 1048
Rüdinger, F., Tuned mass damper with nonlinear viscous damping	(3-5) 932
Ruiz-Teran, A.M. and Aparicio, A.C., Dynamic amplification factors in cable-stayed structures	(1-2) 197
Rustighi, E. and Elliott, S.J., Stochastic road excitation and control feasibility in a 2D linear tyre model.	(3-5) 490
Sakiyama, T. see Huang, M.	(3-5) 435
Sanchez, N.E. see Amore, P.	(1-2) 345
Schneider, M. see Carolus, T.	(1-2) 50
Sen, S. see Yaman, M.	(1-2) 330
Sims, N.D. and Stanway, R., Modelling of force–velocity hysteresis in smart fluid dampers	(1-2) 429
Smaoui, H. see Guedria, N.	(3-5) 974
Sreeram, T.R., Dynamic instability of a beam undergoing periodic motions over supports	(3-5) 780
Stanway, R. see Sims, N.D.	(1-2) 429
Sun, H.L., Zhang, P.Q., Gong, X.L. and Chen, H.B., A novel kind of active resonator absorber and the simulation on its control effort	(1-2) 117
Sun, W.P., Wu, B.S. and Lim, C.W., Approximate analytical solutions for oscillation of a mass attached to a stretched elastic wire	(3-5) 1042
Szewczyk, M. see Kukla, S.	(1-2) 387
Tadeu, A. see Pereira, A.	(3-5) 800
Tang, G.-Y., Zhang, B.-L., Zhao, Y.-D. and Zhang, S.-M., Optimal sinusoidal disturbances damping for singularly perturbed systems with time-delay	(1-2) 368
Taylor, C.A. see Gourdon, E.	(3-5) 522
Terrell, M.J., Friswell, M.I. and Lieven, N.A.J., Constrained generic substructure transformations in finite element model updating	(1-2) 265
Tso, Y. see Dylejko, P.G.	(1-2) 101
Vaclavik, I. see Greco, D.	(3-5) 831
Verhaegen, M. see Kanev, S.	(1-2) 394
Wagg, D.J., A note on coefficient of restitution models including the effects of impact induced vibration.	(3-5) 1071
Wang, J. see Ljunggren, F.	(1-2) 13
Weber, F. see Kanev, S.	(1-2) 394
Wiedemann, S.M., Natural frequencies and mode shapes of arbitrary beam structures with arbitrary boundary conditions	(1-2) 280
Winward, R.E.T.B. see Krylov, V.V.	(1-2) 43
Wu, B.S. see Sun, W.P.	(3-5) 1042
Wu, S.-T., Chen, J.-Y., Yeh, Y.-C. and Chiu, Y.-Y., An active vibration absorber for a flexible plate boundary-controlled by a linear motor	(1-2) 250
Yaman, M. and Sen, S., Determining the effect of detuning parameters on the absorption region for a coupled nonlinear system of varying orientation	(1-2) 330
Yeh, Y.-C. see Wu, S.-T.	(1-2) 250
Zamojska, I. see Kukla, S.	(3-5) 1034
Zhang, B.-L. see Tang, G.-Y.	(1-2) 368
Zhang, P.Q. see Sun, H.L.	(1-2) 117
Zhang, S.-M. see Tang, G.-Y.	(1-2) 368
Zhao, Y.-D. see Tang, G.-Y.	(1-2) 368