



## Index to Volume 303

- Aidanpää, J.-O. see Karlberg, M. . . . . (3–5) 440
- Albelda, J., Denia, F.D., Torres, M.I. and Fuenmayor, F.J., A transversal substructuring mode matching method applied to the acoustic analysis of dissipative mufflers. . . . . (3–5) 614
- Atalla, N. and Sgard, F., Modeling of perforated plates and screens using rigid frame porous models . (1–2) 195
- Balla, C.B.N.S. see Sinha, J.K. . . . . (3–5) 918
- Bambill, D.V. see Maiz, S. . . . . (3–5) 895
- Banerjee, J.R. and Gunawardana, W.D., Dynamic stiffness matrix development and free vibration analysis of a moving beam . . . . . (1–2) 135
- Basu, S. see Patel, R.K. . . . . (3–5) 753
- Beléndez, A., Beléndez, T., Hernández, A., Gallego, S., Ortuño, M. and Neipp, C., Comments on “investigation of the properties of the period for the nonlinear oscillator  $\ddot{x} + (1 + \dot{x}^2)x = 0$ ” . . (3–5) 925
- Beléndez, T. see Beléndez, A. . . . . (3–5) 925
- Bhattacharya, B. see Patel, R.K. . . . . (3–5) 753
- Bonfiglio, P., Pompoli, F., Peplow, A.T. and Nilsson, A.C., Aspects of computational vibration transmission for sandwich panels. . . . . (3–5) 780
- Brancati, R., Rocca, E. and Russo, R., An analysis of the automotive driveline dynamic behaviour focusing on the influence of the oil squeeze effect on the idle rattle phenomenon. . . . . (3–5) 858
- Brennan, M.J. see Gatti, G. . . . . (3–5) 798
- Brennan, M.J. see Salleh, H. . . . . (3–5) 501
- Bucher, I. see Yoge, O. . . . . (3–5) 832
- Capolungo, L. see Cornil, M.-B. . . . . (3–5) 723
- Chae, H.-C. see Kim, J.-W. . . . . (3–5) 405
- Chen, Z.-Q. see Huang, F.-L. . . . . (1–2) 144
- Choi, S.-B. and Han, Y.-M., Vibration control of electrorheological seat suspension with human-body model using sliding mode control . . . . . (1–2) 391
- Choi, Y.-C. and Kim, Y.-H., Near field impulsive source localization in a noisy environment. . . . . (1–2) 209
- Choi, Y.J. see Jang, S.J. . . . . (1–2) 343
- Cornil, M.-B., Capolungo, L., Qu, J. and Jairazbhoy, V.A., Free vibration of a beam subjected to large static deflection . . . . . (3–5) 723
- Darpe, A.K., Dynamics of a Jeffcott rotor with slant crack . . . . . (1–2) 1
- Deans, W.F. see Foong, C.-H.. . . . . (1–2) 58
- Denia, F.D. see Albelda, J. . . . . (3–5) 614
- Devriendt, C. see Steenackers, G. . . . . (3–5) 707
- Du, L. see Sun, X. . . . . (1–2) 277
- Fan, X. see Su, C. . . . . (1–2) 330
- Feldman, M., Identification of weakly nonlinearities in multiple coupled oscillators . . . . . (1–2) 357
- Foong, C.-H., Wiercigroch, M., Pavlovskaja, E. and Deans, W.F., Nonlinear vibration caused by fatigue . . . . . (1–2) 58
- Fuenmayor, F.J. see Albelda, J. . . . . (3–5) 614

- Gallego, S. see Beléndez, A. . . . . (3-5) 925  
 Ganesan, N. see Vamsi Krishna, B. . . . . (3-5) 575  
 Gardonio, P. see Gatti, G. . . . . (3-5) 798  
 Garg, N., Effect of initial stress on harmonic plane homogeneous waves in viscoelastic anisotropic media. (3-5) 515  
 Gatti, G., Brennan, M.J. and Gardonio, P., Active damping of a beam using a physically collocated accelerometer and piezoelectric patch actuator . . . . . (3-5) 798  
 Grigoriu, M., Parametric translation models for stationary non-Gaussian processes and fields . . . . . (3-5) 428  
 Guillaume, P. see Steenackers, G. . . . . (3-5) 707  
 Gunawardana, W.D. see Banerjee, J.R. . . . . (1-2) 135
- Han, C.-S. see Kim, J.-W. . . . . (3-5) 405  
 Han, D.-J. see Lee, C.-W. . . . . (3-5) 553  
 Han, Y.-M. see Choi, S.-B. . . . . (1-2) 391  
 He, T. see Su, C. . . . . (1-2) 330  
 He, X.-H. see Huang, F.-L. . . . . (1-2) 144  
 Hernández, A. see Beléndez, A. . . . . (3-5) 925  
 Hong, S.-W. see Lee, C.-W. . . . . (3-5) 553  
 Houjoh, H. see Sadoulet-Reboul, E. . . . . (3-5) 675  
 Huang, F.-L., Wang, X.-M., Chen, Z.-Q., He, X.-H. and Ni, Y.-Q., A new approach to identification of structural damping ratios . . . . . (1-2) 144  
 Huang, M.-H., Thambiratnam, D.P. and Perera, N.J., Dynamic performance of slender suspension footbridges under eccentric walking dynamic loads . . . . . (1-2) 239  
 Hui, C.K. and Ng, C.F., New floating floor design with optimum isolator location . . . . . (1-2) 221
- Ih, J.-G. see Lee, S.-H. . . . . (3-5) 741
- Jairazbhoy, V.A. see Cornil, M.-B. . . . . (3-5) 723  
 Jang, J.-H. see Kim, J.-W. . . . . (3-5) 405  
 Jang, S.J. and Choi, Y.J., Geometrical design method of multi-degree-of-freedom dynamic vibration absorbers . . . . . (1-2) 343  
 Jin, G.-y., Yang, T.-j., Xiao, Y.-h. and Liu, Z.-g., A simultaneous equation method-based online secondary path modeling algorithm for active noise control. . . . . (3-5) 455  
 Jin, J.Z. and Xing, J.T., Transient dynamic analysis of a floating beam–water interaction system excited by the impact of a landing beam . . . . . (1-2) 371  
 Jones, C.J.C. see Sheng, X. . . . . (3-5) 873  
 Ju, S.-H. and Lin, H.-T., A finite element model of vehicle–bridge interaction considering braking and acceleration . . . . . (1-2) 46
- Karlberg, M. and Aidanpää, J.-O., Rotordynamical modelling of a fibre refiner during production . . . . . (3-5) 440  
 Kennedy, D. see Yuan, S. . . . . (3-5) 526  
 Kim, J.-W., Chae, H.-C., Park, B.-S., Lee, S.-Y., Han, C.-S. and Jang, J.-H., State sensitivity analysis of the pantograph system for a high-speed rail vehicle considering span length and static uplift force. (3-5) 405  
 Kim, Y.-H. see Choi, Y.-C. . . . . (1-2) 209
- Laura, P.A.A. see Maiz, S. . . . . (3-5) 895  
 Law, S.S. see Lu, Z.R. . . . . (1-2) 305  
 Le Bot, A. see Sadoulet-Reboul, E. . . . . (3-5) 675  
 Lee, C.-W., Han, D.-J., Suh, J.-H. and Hong, S.-W., Modal analysis of periodically time-varying linear rotor systems. . . . . (3-5) 553  
 Lee, S.-Y. see Kim, J.-W. . . . . (3-5) 405  
 Lee, S.-H., Ih, J.-G. and Peat, K.S., A model of acoustic impedance of perforated plates with bias flow considering the interaction effect . . . . . (3-5) 741  
 Lee, W.-H., Free vibration analysis for tube-in-tube tall buildings . . . . . (1-2) 287  
 Leung, A.Y.T. see Zhu, B. . . . . (1-2) 171  
 Li, F.Ch. see Yan, J. . . . . (1-2) 264  
 Li, J. see Xu, B. . . . . (1-2) 255  
 Li, M. see Sheng, X. . . . . (3-5) 873  
 Li, Q.S. see Zhu, B. . . . . (1-2) 171  
 Li, T.Y. see Yan, J. . . . . (1-2) 264  
 Lidström, P. see Olsson, P. . . . . (3-5) 767

- Lin, H.-T. see Ju, S.-H. . . . . (1-2) 46  
 Lin, R.M. and Zhu, J., Finite element model updating using vibration test data under base excitation. (3-5) 596  
 Liu, Y. see Zhao, H. . . . . (1-2) 185  
 Liu, Z.-g. see Jin, G.-y. . . . . (3-5) 455  
 Lu, J.W.Z. see Zhu, B. . . . . (1-2) 171  
 Lu, Z.R. and Law, S.S., Features of dynamic response sensitivity and its application in damage detection. (1-2) 305
- Mace, B.R. see Thite, A.N. . . . . (3-5) 814  
 Maiz, S., Bambill, D.V., Rossit, C.A. and Laura, P.A.A., Transverse vibration of Bernoulli–Euler beams carrying point masses and taking into account their rotatory inertia: Exact solution . . . . . (3-5) 895  
 Meher, K.K. see Sinha, J.K. . . . . (3-5) 918  
 Mekanik, A. and Païdoussis, M.P., Stability analysis of uniform and non-uniform annular passages conducting incompressible laminar flows for small and large amplitude oscillatory motions of the outer cylinder . . . . . (1-2) 78  
 Mori, M. see Sadoulet-Reboul, E. . . . . (3-5) 675  
 Murthy, B.S.N. see Srinivas, J. . . . . (3-5) 909
- Neipp, C. see Beléndez, A. . . . . (3-5) 925  
 Ng, C.F. see Hui, C.K. . . . . (1-2) 221  
 Ni, Y.-Q. see Huang, F.-L. . . . . (1-2) 144  
 Nilsson, A.C. see Bonfiglio, P. . . . . (3-5) 780
- Olsson, P. and Lidström, P., Inverse structural modification using constraints . . . . . (3-5) 767  
 Ortúñoz, M. see Beléndez, A. . . . . (3-5) 925
- Païdoussis, M.P. see Mekanik, A. . . . . (1-2) 78  
 Park, B.-S. see Kim, J.-W. . . . . (3-5) 405  
 Patel, R.K., Bhattacharya, B. and Basu, S., A finite element based investigation on obtaining high material damping over a large frequency range in viscoelastic composites . . . . . (3-5) 753  
 Pavlovskaya, E. see Foong, C.-H. . . . . (1-2) 58  
 Peat, K.S. see Lee, S.-H. . . . . (3-5) 741  
 Pellicano, F., Vibrations of circular cylindrical shells: Theory and experiments . . . . . (1-2) 154  
 Peplow, A.T. see Bonfiglio, P. . . . . (3-5) 780  
 Perera, N.J. see Huang, M.-H. . . . . (1-2) 239  
 Perret-Liaudet, J. see Sadoulet-Reboul, E. . . . . (3-5) 675  
 Pompoli, F. see Bonfiglio, P. . . . . (3-5) 780
- Qiu, Z. see Sim, J. . . . . (1-2) 29  
 Qu, J. see Cornil, M.-B. . . . . (3-5) 723
- Rahnejat, H. see Theodossiades, S. . . . . (3-5) 632  
 Ratnam, Ch. see Srinivas, J. . . . . (3-5) 909  
 Rocca, E. see Brancati, R. . . . . (3-5) 858  
 Rossit, C.A. see Maiz, S. . . . . (3-5) 895  
 Rubin, M.B. see Yoge, O. . . . . (3-5) 832  
 Russo, R. see Brancati, R. . . . . (3-5) 858
- Sadoulet-Reboul, E., Le Bot, A., Perret-Liaudet, J., Mori, M. and Houjoh, H., A hybrid method for vibroacoustics based on the radiative energy transfer method. . . . . (3-5) 675  
 Salleh, H. and Brennan, M.J., Control of flexural waves on a beam using a vibration neutraliser: Effects of different attachment configurations . . . . . (3-5) 501  
 Sampaio, R. and Soize, C., On measures of nonlinearity effects for uncertain dynamical systems—Application to a vibro-impact system. . . . . (3-5) 659  
 Sgard, F. see Atalla, N. . . . . (1-2) 195  
 Sheen, Y.-T., An analysis method for the vibration signal with amplitude modulation in a bearing system . . . . . (3-5) 538  
 Sheng, X., Li, M., Jones, C.J.C. and Thompson, D.J., Using the Fourier-series approach to study interactions between moving wheels and a periodically supported rail. . . . . (3-5) 873  
 Sim, J., Qiu, Z. and Wang, X., Modal analysis of structures with uncertain-but-bounded parameters via interval analysis . . . . . (1-2) 29  
 Sinha, J.K., Balla, C.B.N.S. and Meher, K.K., Early contact detection between two components . . . . . (3-5) 918

- Soize, C. see Sampaio, R. . . . . (3-5) 659  
 Srikantha Phani, A. and Woodhouse, J., Viscous damping identification in linear vibration . . . . . (3-5) 475  
 Srinivas, J., Ratnam, Ch. and Murthy, B.S.N., Damage identification using Fourier coefficients of response. . . . . (3-5) 909  
 Steenackers, G., Devriendt, C. and Guillaume, P., On the use of transmissibility measurements for finite element model updating . . . . . (3-5) 707  
 Su, C., Fan, X. and He, T., Wind-induced vibration analysis of a cable-stayed bridge during erection by a modified time-domain method. . . . . (1-2) 330  
 Suh, J.-H. see Lee, C.-W. . . . . (3-5) 553  
 Sun, X., Du, L. and Yang, V., A homotopy method for determining the eigenvalues of locally or non-locally reacting acoustic liners in flow ducts. . . . . (1-2) 277  
 Tangasawi, O. see Theodossiades, S. . . . . (3-5) 632  
 Thambiratnam, D.P. see Huang, M.-H. . . . . (1-2) 239  
 Theodossiades, S., Tangasawi, O. and Rahnejat, H., Gear teeth impacts in hydrodynamic conjuncions promoting idle gear rattle. . . . . (3-5) 632  
 Thite, A.N. and Mace, B.R., Robust estimation of coupling loss factors from finite element analysis. . . . . (3-5) 814  
 Thompson, D.J. see Sheng, X. . . . . (3-5) 873  
 Torres, M.I. see Albelda, J. . . . . (3-5) 614  
 Vamsi Krishna, B. and Ganesan, N., Studies on fluid-filled and submerged cylindrical shells with constrained viscoelastic layer. . . . . (3-5) 575  
 Vestroni, F. and Vidoli, S., Closed-form solutions for the structural response to train loads . . . . . (3-5) 691  
 Vidoli, S. see Vestroni, F. . . . . (3-5) 691  
 Wang, G. see Zhao, H. . . . . (1-2) 185  
 Wang, X. see Sim, J. . . . . (1-2) 29  
 Wang, X.-M. see Huang, F.-L. . . . . (1-2) 144  
 Wen, J. see Zhao, H. . . . . (1-2) 185  
 Wen, X. see Zhao, H. . . . . (1-2) 185  
 Wiercigroch, M. see Foong, C.-H. . . . . (1-2) 58  
 Williams, F.W. see Yuan, S. . . . . (3-5) 526  
 Woodhouse, J. see Srikantha Phani, A. . . . . (3-5) 475  
 Xiao, C. see Yuan, S. . . . . (3-5) 526  
 Xiao, Y.-h. see Jin, G.-y. . . . . (3-5) 455  
 Xie, W.-C., Moment Lyapunov exponents of a two-dimensional system under combined harmonic and real noise excitations . . . . . (1-2) 109  
 Xing, J.T. see Jin, J.Z. . . . . (1-2) 371  
 Xu, B., Zeng, L. and Li, J., Application of stochastic resonance in target detection in shallow-water reverberation . . . . . (1-2) 255  
 Yan, J., Li, F.Ch. and Li, T.Y., Vibrational power flow analysis of a submerged viscoelastic cylindrical shell with wave propagation approach . . . . . (1-2) 264  
 Yang, T.-j. see Jin, G.-y. . . . . (3-5) 455  
 Yang, V. see Sun, X. . . . . (1-2) 277  
 Ye, K. see Yuan, S. . . . . (3-5) 526  
 Yoge, O., Rubin, M.B. and Bucher, I., Dynamic lateral torsional post-buckling of a beam-mass system: Theory . . . . . (3-5) 832  
 Yu, D. see Zhao, H. . . . . (1-2) 185  
 Yuan, S., Ye, K., Xiao, C., Williams, F.W. and Kennedy, D., Exact dynamic stiffness method for non-uniform Timoshenko beam vibrations and Bernoulli-Euler column buckling . . . . . (3-5) 526  
 Zeng, L. see Xu, B. . . . . (1-2) 255  
 Zhang, X.C. see Zhu, B. . . . . (1-2) 171  
 Zhao, H., Liu, Y., Yu, D., Wang, G., Wen, J. and Wen, X., Absorptive properties of three-dimensional phononic crystal . . . . . (1-2) 185  
 Zhu, B., Leung, A.Y.T., Li, Q.S., Lu, J.W.Z. and Zhang, X.C., Analytical 3-D  $p$ -element for quadrilateral plates—Part 1: Thick isotropic plate structures . . . . . (1-2) 171  
 Zhu, J. see Lin, R.M. . . . . (3-5) 596