

## Index to Volume 304

Abe, A., Kobayashi, Y. and Yamada, G., Nonlinear dynamic behaviors of clamped laminated shallow shells with one-to-one internal resonance . . . . .	(3–5)	957
Aliabadi, M.H. see Viola, E. . . . .	(1–2)	124
Alkalby, F. see Khorshid, E. . . . .	(3–5)	640
Ananthaganeshan, K.A. see Brennan, M.J. . . . .	(3–5)	466
Anthonis, J. see Engelen, K. . . . .	(3–5)	845
Antoni, J., Cyclic spectral analysis of rolling-element bearing signals: Facts and fictions. . . . .	(3–5)	497
António, J. see Tadeu, A. . . . .	(3–5)	479
Babu, Sk. see Dwivedy, S.K. . . . .	(1–2)	326
Bauer, H.F. and Chiba, M., Viscous oscillations in a circular cylindrical tank with elastic surface cover . . . . .	(1–2)	1
Beatty, M.F. see Elías-Zúñiga, A. . . . .	(1–2)	175
Birk, C. see Ruge, P. . . . .	(3–5)	932
Bo, L. see Hong, Z. . . . .	(1–2)	400
Brennan, M.J., Ananthaganeshan, K.A. and Elliott, S.J., Instabilities due to instrumentation phase-lead and phase-lag in the feedback control of a simple vibrating system . . . . .	(3–5)	466
Brennan, M.J., Gao, Y. and Joseph, P.F., On the relationship between time and frequency domain methods in time delay estimation for leak detection in water distribution pipes . . . . .	(1–2)	213
Brennan, M.J. see Lee, S.-K. . . . .	(1–2)	31
Caro, S., CEAS-ASC highlights 2006. . . . .	(3–5)	421
Cattafesta III, L.N. see Schultz, T. . . . .	(1–2)	91
Chai, L. and Kagawa, Y., Discrete Huygens' modeling for the characterization of a sound absorbing medium. . . . .	(3–5)	587
Chan, C.M. see Lee, W.L. . . . .	(3–5)	831
Chang, S.-Y., A technique for overcoming load discontinuity in using Newmark method . . . . .	(3–5)	556
Chen, A.-L., Li, F.-M. and Wang, Y.-S., Localization of flexural waves in a disordered periodic piezoelectric beam . . . . .	(3–5)	863
Chen, H. see Chen, J. . . . .	(3–5)	722
Chen, J., Chen, H., Pan, E. and Heyliger, P.R., Modal analysis of magneto-electro-elastic plates using the state-vector approach . . . . .	(3–5)	722
Chen, J.T. see Lee, W.M. . . . .	(3–5)	811
Chen, W.Q. see Lü, C.F. . . . .	(3–5)	987
Chen, Z. see Yu, P. . . . .	(3–5)	974
Chiba, M. see Bauer, H.F. . . . .	(1–2)	1
Choi, H.G., Thite, A.N. and Thompson, D.J., Comparison of methods for parameter selection in Tikhonov regularization with application to inverse force determination. . . . .	(3–5)	894
Chung, J. see Jung, D. . . . .	(1–2)	382
Chung, M.Y. and Shaw, D., Parametric study of dynamics of worm and worm-gear set under suddenly applied rotating angle. . . . .	(1–2)	246
Colone, V. see Lacarbonara, W. . . . .	(1–2)	72
Cveticanin, L. and Kovacic, I., Parametrically excited vibrations of an oscillator with strong cubic negative nonlinearity . . . . .	(1–2)	201

- de Boer, A. see Huls, R.A. . . . . . (1–2) 224
- Deng, Z.Q. see Yue, H.H. . . . . . (3–5) 625
- Dong, R. see Tang, G.-Y. . . . . . (1–2) 263
- Duffour, P. and Woodhouse, J., Instability of systems with a frictional point contact—Part 3:  
Experimental tests . . . . . (1–2) 186
- Dwivedy, S.K., Sahu, K.C. and Babu, Sk., Parametric instability regions of three-layered soft-cored  
sandwich beam using higher-order theory . . . . . (1–2) 326
- Elías-Zúñiga, A. and Beatty, M.F., Elliptic balance solution to two degree of freedom, undamped,  
homogeneous systems having cubic nonlinearities . . . . . (1–2) 175
- Elliott, S.J. see Brennan, M.J. . . . . . (3–5) 466
- Engelen, K., Ramon, H., Saeys, W., Franssens, W. and Anthonis, J., Positioning and tuning of viscous  
damper on flexible structure . . . . . (3–5) 845
- Fasana, A. see Sorrentino, S. . . . . . (3–5) 779
- Firouz-Abadi, R.D., Haddadpour, H. and Novinzadeh, A.B., An asymptotic solution to transverse free  
vibrations of variable-section beams . . . . . (3–5) 530
- Franssens, W. see Engelen, K. . . . . . (3–5) 845
- Gao, Q. see Wu, Z.G. . . . . . (3–5) 450
- Gao, Y. see Brennan, M.J. . . . . . (1–2) 213
- Garrido, M. see Medina, R. . . . . . (3–5) 769
- Gill-Jeong, C., Nonlinear behavior analysis of spur gear pairs with a one-way clutch . . . . . (1–2) 18
- Godinho, L. see Tadeu, A. . . . . . (3–5) 479
- Goldfeld, Y., Identification of the stiffness distribution in statically indeterminate beams . . . . . (3–5) 918
- Guangsu, H. see Hong, Z. . . . . . (1–2) 400
- Haddadpour, H. see Firouz-Abadi, R.D. . . . . . (3–5) 530
- Heo, S. see Kwak, M.K. . . . . . (1–2) 230
- Heyliger, P.R. see Chen, J. . . . . . (3–5) 722
- Hogan, S.J. . . . . . (3–5) 996
- Hong, Z., Bo, L., Guangsu, H. and Jia, H., A novel composite sound absorber with recycled rubber  
particles . . . . . (1–2) 400
- Horii, K. see Soeta, Y. . . . . . (1–2) 415
- Huang, P.H. see Lin, J. . . . . . (1–2) 345
- Huang, Z.Y. see Lü, C.F. . . . . . (3–5) 987
- Huang, Z.Z. see Lin, J. . . . . . (1–2) 345
- Huls, R.A., Sengissen, A.X., van der Hoogt, P.J.M., Kok, J.B.W., Poinot, T. and de Boer, A., Vibration  
prediction in combustion chambers by coupling finite elements and large eddy simulations . . . . . (1–2) 224
- Iwamoto, H. see Tanaka, N. . . . . . (3–5) 570
- Jézéquel, L. see Sinou, J.-J. . . . . . (3–5) 874
- Jia, H. see Hong, Z. . . . . . (1–2) 400
- Jip Kim, H. see Sohn, C.H. . . . . . (3–5) 793
- Joseph, P.F. see Brennan, M.J. . . . . . (1–2) 213
- Joseph, P.F. see Sandberg, R.D. . . . . . (3–5) 677
- Jung, D., Chung, J. and Yoo, H.H., New fluid velocity expression in an extensible semi-circular pipe  
conveying fluid . . . . . (1–2) 382
- Kagawa, Y. see Chai, L. . . . . . (3–5) 587
- Kamal, H. see Khorshid, E. . . . . . (3–5) 640
- Khorshid, E., Alkalby, F. and Kamal, H., Measurement of whole-body vibration exposure from speed  
control humps . . . . . (3–5) 640
- Kim, B.H. and Park, T., Estimation of cable tension force using the frequency-based system  
identification method . . . . . (3–5) 660
- Kim, S.-K. see Sohn, C.H. . . . . . (3–5) 793
- Ko, J.M. see Ying, Z.G. . . . . . (3–5) 948
- Kobayashi, Y. see Abe, A. . . . . . (3–5) 957

- Kohrs, T. and Petersson, B.A.T., Wave propagation in light weight profiles with truss-like cores: Wavenumber content, forced response and influence of periodicity perturbations . . . . . (3-5) 691
- Kok, J.B.W. see Huls, R.A. . . . . (1-2) 224
- Kotani, K. see Soeta, Y. . . . . (1-2) 415
- Kovacic, I. see Cveticanin, L. . . . . (1-2) 201
- Kurdila, A.J. see Prazenica, R.J. . . . . (3-5) 735
- Kwak, M.K. and Heo, S., Active vibration control of smart grid structure by multiinput and multioutput positive position feedback controller . . . . . (1-2) 230
- Lacarbonara, W. and Colone, V., Dynamic response of arch bridges traversed by high-speed trains . . (1-2) 72
- Le, K.N., High-order symmetrical hyperbolic wavelets . . . . . (1-2) 297
- Lee, S.-K., Mace, B.R. and Brennan, M.J., Wave propagation, reflection and transmission in non-uniform one-dimensional waveguides . . . . . (1-2) 31
- Lee, S.Y. and Sheu, J.J., Free vibration of an extensible rotating inclined Timoshenko beam . . . . . (3-5) 606
- Lee, W.L., Tang, S.K. and Chan, C.M., Detecting weak sinusoidal signals embedded in a non-stationary random broadband noise—A simulation study . . . . . (3-5) 831
- Lee, W.M., Chen, J.T. and Lee, Y.T., Free vibration analysis of circular plates with multiple circular holes using indirect BIEMs . . . . . (3-5) 811
- Lee, Y.T. see Lee, W.M. . . . . (3-5) 811
- Li, F.-M. see Chen, A.-L. . . . . (3-5) 863
- Librescu, L. see Yu, P. . . . . (3-5) 974
- Lin, J., An active-passive absorber by using hierarchical fuzzy methodology for vibration control . . . (3-5) 752
- Lin, J., Huang, Z.Z. and Huang, P.H., An active damping control of robot manipulators with oscillatory bases by singular perturbation approach . . . . . (1-2) 345
- Lin, J.-T. see Tseng, C.-Y. . . . . (1-2) 110
- Lin, W. and Qiao, N., A note on the dynamics of a vibromachine with parametric excitation . . . . . (1-2) 391
- Liu, H. see Wu, Z. . . . . (1-2) 407
- Liu, L. see Wu, Z. . . . . (1-2) 407
- Lü, C.F., Huang, Z.Y. and Chen, W.Q., Semi-analytical solutions for free vibration of anisotropic laminated plates in cylindrical bending . . . . . (3-5) 987
- Lu, S.-S. see Tang, G.-Y. . . . . (1-2) 263
- Lu, Y. see Zhang, Y. . . . . (1-2) 272
- Mace, B.R. see Lee, S.-K. . . . . (1-2) 31
- Marchesiello, S. see Sorrentino, S. . . . . (3-5) 779
- Maruyama, S. see Nagai, K. . . . . (3-5) 541
- Marzocca, P. see Yu, P. . . . . (3-5) 974
- Medina, R. and Garrido, M., Improving impact-echo method by using cross-spectral density . . . . . (3-5) 769
- Mendes, P.A. see Tadeu, A. . . . . (3-5) 479
- Mitra, S. and Sinhamahapatra, K.P., Slosh dynamics of liquid-filled containers with submerged components using pressure-based finite element method . . . . . (1-2) 361
- Nagai, K., Maruyama, S., Sakaimoto, K. and Yamaguchi, T., Experiments on chaotic vibrations of a post-buckled beam with an axial elastic constraint . . . . . (3-5) 541
- Nakagawa, S. see Soeta, Y. . . . . (1-2) 415
- Narayanan, S. see Ramachandran, P. . . . . (1-2) 154
- Natsiavas, S. see Papalukopoulos, C. . . . . (1-2) 50
- Ni, Y.Q. see Ying, Z.G. . . . . (3-5) 948
- Novinzadeh, A.B. see Firouz-Abadi, R.D. . . . . (3-5) 530
- Pan, E. see Chen, J. . . . . (3-5) 722
- Papalukopoulos, C. and Natsiavas, S., Nonlinear biodynamics of passengers coupled with quarter car models . . . . . (1-2) 50
- Park, I.-S. see Sohn, C.H. . . . . (3-5) 793
- Park, T. see Kim, B.H. . . . . (3-5) 660
- Petersson, B.A.T. see Kohrs, T. . . . . (3-5) 691
- Poinsot, T. see Huls, R.A. . . . . (1-2) 224
- Prazenica, R.J., Kurdila, A.J. and Vignola, J.F., Spatial filtering and proper orthogonal decomposition of scanning laser Doppler vibrometry data for the nondestructive evaluation of frescoes . . . . . (3-5) 735

- Qiao, N. see Lin, W. . . . . (1–2) 391
- Ramachandran, P. and Narayanan, S., Evaluation of modal density, radiation efficiency and acoustic response of longitudinally stiffened cylindrical shell. . . . . (1–2) 154
- Ramon, H. see Engelen, K. . . . . (3–5) 845
- Ricci, P. see Viola, E. . . . . (1–2) 124
- Ruge, P. and Birk, C., A comparison of infinite Timoshenko and Euler–Bernoulli beam models on Winkler foundation in the frequency- and time-domain. . . . . (3–5) 932
- Saeys, W. see Engelen, K. . . . . (3–5) 845
- Sahu, K.C. see Dwivedy, S.K. . . . . (1–2) 326
- Sakamoto, K. see Nagai, K. . . . . (3–5) 541
- Sandberg, R.D., Sandham, N.D. and Joseph, P.F., Direct numerical simulations of trailing-edge noise generated by boundary-layer instabilities . . . . . (3–5) 677
- Sandham, N.D. see Sandberg, R.D. . . . . (3–5) 677
- Schultz, T., Sheplak, M. and Cattafesta III, L.N., Uncertainty analysis of the two-microphone method. . . . . (1–2) 91
- Sengissen, A.X. see Huls, R.A. . . . . (1–2) 224
- Shaw, D. see Chung, M.Y. . . . . (1–2) 246
- Sheplak, M. see Schultz, T. . . . . (1–2) 91
- Sheu, J.J. see Lee, S.Y. . . . . (3–5) 606
- Shih, T.-W. see Tseng, C.-Y. . . . . (1–2) 110
- Shvartsman, B.S., Large deflections of a cantilever beam subjected to a follower force . . . . . (3–5) 969
- Sinhamahapatra, K.P. see Mitra, S. . . . . (1–2) 361
- Sinou, J.-J. and Jézéquel, L., The influence of damping on the limit cycles for a self-exciting mechanism. . . . . (3–5) 875
- Soeta, Y., Yanai, K., Nakagawa, S., Kotani, K. and Horii, K., Loudness in relation to iterated rippled noise. . . . . (1–2) 415
- Sohn, C.H., Park, I.-S., Kim, S.-K. and Jip Kim, H., Acoustic tuning of gas–liquid scheme injectors for acoustic damping in a combustion chamber of a liquid rocket engine. . . . . (3–5) 793
- Sorrentino, S., Fasana, A. and Marchesiello, S., Analysis of non-homogeneous Timoshenko beams with generalized damping distributions . . . . . (3–5) 779
- Tadeu, A., António, J., Mendes, P.A. and Godinho, L., Sound pressure level attenuation provided by thin rigid screens coupled to tall buildings . . . . . (3–5) 479
- Tanaka, N. and Iwamoto, H., Active boundary control of an Euler–Bernoulli beam for generating vibration-free state. . . . . (3–5) 570
- Tang, G.-Y., Lu, S.-S. and Dong, R., Optimal sliding mode control for linear time-delay systems with sinusoidal disturbances. . . . . (1–2) 263
- Tang, S.K. see Lee, W.L. . . . . (3–5) 831
- Thite, A.N. see Choi, H.G. . . . . (3–5) 894
- Thompson, D.J. see Choi, H.G. . . . . (3–5) 894
- Tseng, C.-Y., Shih, T.-W. and Lin, J.-T., Dynamic balancing scheme for motor armatures. . . . . (1–2) 110
- Tzou, H.S. see Yue, H.H. . . . . (3–5) 625
- van der Hoogt, P.J.M. see Huls, R.A. . . . . (1–2) 224
- Vignola, J.F. see Prazenica, R.J. . . . . (3–5) 735
- Viola, E., Ricci, P. and Aliabadi, M.H., Free vibration analysis of axially loaded cracked Timoshenko beam structures using the dynamic stiffness method . . . . . (1–2) 124
- Wang, L. see Zhang, Y. . . . . (1–2) 272
- Wang, Y.-S. see Chen, A.-L. . . . . (3–5) 863
- Woodhouse, J. see Duffour, P. . . . . (1–2) 186
- Wu, Z., Liu, H., Liu, L. and Yuan, D., Identification of nonlinear viscous damping and Coulomb friction from the free response data . . . . . (1–2) 407
- Wu, Z.G. and Gao, Q., Eigenvalue problems of linear Hamiltonian systems arising from  $H_\infty$  filtering . . . . . (3–5) 450
- Yamada, G. see Abe, A. . . . . (3–5) 957
- Yamaguchi, T. see Nagai, K. . . . . (3–5) 541
- Yanai, K. see Soeta, Y. . . . . (1–2) 415

Ying, Z.G., Ni, Y.Q. and Ko, J.M., A bounded stochastic optimal semi-active control. . . . .	(3–5)	948
Yoo, H.H. see Jung, D. . . . .	(1–2)	382
Yu, L.H., A higher order asymptotic approximation for the fundamental frequency of a multiply connected membrane . . . . .	(1–2)	284
Yu, P., Chen, Z., Librescu, L. and Marzocca, P., Implications of time-delayed feedback control on limit cycle oscillation of a two-dimensional supersonic lifting surface, . . . . .	(3–5)	974
Yuan, D. see Wu, Z. . . . .	(1–2)	407
Yue, H.H., Deng, Z.Q. and Tzou, H.S., Distributed signal analysis of free-floating paraboloidal membrane shells . . . . .	(3–5)	625
Zhang, Y., Lu, Y. and Wang, L., Vertical vibrations of rigid circular disks under ground-transmitted high-frequency waves . . . . .	(1–2)	272