

Index to Volume 308

- Ahmed, N., Mitrofanov, A.V., Babitsky, V.I. and Silberschmidt, V.V., Analysis of forces in ultrasonically assisted turning (3–5) 845
- Al-Bender, F. see Tjahjowidodo, T. (3–5) 632
- Ario, I. and Watson, A., Dynamic folding analysis for multi-folding structures under impact loading (3–5) 591
- Ashcroft, I.A. see Casas-Rodriguez, J.P. (3–5) 467
- Astashev, V.K. see Babitsky, V.I. (3–5) 805
- Avsec, J. and Oblak, M., Thermal vibrational analysis for simply supported beam and clamped beam (3–5) 514
- Azouaoui, K., Ouali, N., Ouroua, Y., Mesbah, A. and Boukharouba, T., Damage characterisation of glass/polyester composite plates subjected to low-energy impact fatigue (3–5) 504
- Babitsky, V., Ibrahim, R., Okuma, M. and Silberschmidt, V., (3–5) 373
- Babitsky, V.I., Astashev, V.K. and Meadows, A., Vibration excitation and energy transfer during ultrasonically assisted drilling (3–5) 805
- Babitsky, V.I. see Ahmed, N. (3–5) 845
- Babitsky, V.I. see Sokolov, I.J. (3–5) 375
- Babitsky, V.I. see Thomas, P.N.H. (3–5) 815
- Baklanov, V.S., Low-frequency vibroisolation mounting of power plants for new-generation airplanes with engines of extra-high bypass ratio (3–5) 709
- Banakh, L. and Nikiforov, A., Vibroimpact regimes and stability of system “Rotor—Sealing Ring” (3–5) 785
- Bansevicius, R. see Tumasoniene, I. (3–5) 683
- Barauskas, R. and Krušinskienė, R., On parameters identification of computational models of vibrations during quiet standing of humans (3–5) 612
- Batako, A.D.L., Lalor, M.J. and Piironen, P.T., Numerical bifurcation analysis of a friction-driven vibro-impact system (3–5) 392
- Beal, D. see Huyer, S.A. (1–2) 28
- Bellamy, M. and Mickens, R.E., Hopf bifurcation analysis of the Lev Ginzburg equation (1–2) 337
- Botta, F. and Cerri, G., Shock response spectrum in plates under impulse loads (3–5) 563
- Boukharouba, T. see Azouaoui, K. (3–5) 504
- Bozchalooi, I.S. and Liang, M., A smoothness index-guided approach to wavelet parameter selection in signal de-noising and fault detection (1–2) 246
- Carcaterra, A. see Culla, A. (1–2) 44
- Casas-Rodriguez, J.P., Ashcroft, I.A. and Silberschmidt, V.V., Damage evolution in adhesive joints subjected to impact fatigue (3–5) 467
- Cerri, G. see Botta, F. (3–5) 563
- Chu, F. and Lu, W., Stiffening effect of the rotor during the rotor-to-stator rub in a rotating machine (3–5) 758
- Cleghorn, W.L. see Hassanpour, P.A. (1–2) 287
- Culla, A. and Carcaterra, A., Statistical moments predictions for a moored floating body oscillating in random waves (1–2) 44
- Dauksevicius, R. see Ostasevicius, V. (3–5) 660
- Davis, M. and Koenders, M.A., Oscillated densely packed granular media immersed in a fluid (3–5) 526
- de Sousa, J.M. see Günther, H. (1–2) 343
- Deng, M.-X. and Yang, J., Characterization of elastic anisotropy of a solid plate using nonlinear Lamb wave approach (1–2) 201
- Dong, R.G. see Kim, J. (1–2) 98
- Dumitru, I., Marsavina, L. and Faur, N., Experimental study of torsional impact fatigue of shafts (3–5) 479

| | |
|--|-----------|
| Ecker, H. see Popprath, S. | (3–5) 767 |
| Eddie Wilson, R. see Mason, J. | (3–5) 431 |
| Eidukeviciute, M. and Volkovas, V., Measurement uncertainty in vibromonitoring systems and diagnostics reliability evaluation | (3–5) 625 |
| Esmailzadeh, E. see Hassanpour, P.A. | (1–2) 287 |
| Fang, X., Tang, J. and Luo, H., Granular damping analysis using an improved discrete element approach | (1–2) 112 |
| Faur, N. see Dumitru, I. | (3–5) 479 |
| Fellah, Z.E.A. see Mitri, F.G. | (1–2) 190 |
| Frank Pai, P. and Palazotto, A.N., Two-dimensional sublamination theory for analysis of functionally graded plates | (1–2) 164 |
| Gaidys, R. see Ostasevicius, V. | (3–5) 660 |
| Gorman, D.G., Trendafilova, I., Mulholland, A.J. and Horáček, J., Analytical modelling and extraction of the modal behaviour of a cantilever beam in fluid interaction | (1–2) 231 |
| Grigas, V., Tolocka, R.T. and Ziliukas, P., Dynamic interaction of fingertip skin and pin of tactile device | (3–5) 447 |
| Günther, H., Iglesias, F. and de Sousa, J.M., Note on the development of a Brazilian version of a noise annoyance scale | (1–2) 343 |
| Halliwell, N.A. see Sokolov, I.J. | (3–5) 375 |
| Hassanpour, P.A., Cleghorn, W.L., Esmailzadeh, E. and Mills, J.K., Vibration analysis of micro-machined beam-type resonators | (1–2) 287 |
| Hayden, C. see Kim, J. | (1–2) 98 |
| Hemsel, T., Stroop, R., Oliva Uribe, D. and Wallaschek, J., Resonant vibrating sensors for tactile tissue differentiation | (3–5) 441 |
| Homer, M. see Mason, J. | (3–5) 431 |
| Horáček, J. see Gorman, D.G. | (1–2) 231 |
| Horta, L.G. see Lew, J.-S. | (1–2) 330 |
| Huang, D.G., Characteristics of torsional vibrations of a shaft with unbalance | (3–5) 692 |
| Huyer, S.A. and Beal, D., A turbulent inflow model based on velocity modulation | (1–2) 28 |
| Ibrahim, R. see Babitsky, V. | (3–5) 373 |
| Ibrahim, R.A. and Somnay, R.J., Nonlinear dynamic analysis of an elastic beam isolator sliding on frictional supports | (3–5) 735 |
| Iglesias, F. see Günther, H. | (1–2) 343 |
| Ikenagao, M. see Iwatsubo, T. | (3–5) 579 |
| Ikeno, T. see Otsuka, T. | (3–5) 541 |
| Ishizaka, A. see Narabayashi, T. | (3–5) 548 |
| Iwatsubo, T., Suciu, C.V., Ikenagao, M. and Yaguchio, K., Dynamic characteristics of a new damping element based on surface extension principle in nanopore | (3–5) 579 |
| Johnson, A.A. and Storey, R.J., The impact fatigue properties of iron and steel | (3–5) 458 |
| Joon Song, W. see Kim, J. | (1–2) 98 |
| Kessler, P., O'Reilly, O.M., Raphael, A.-L. and Zworski, M., On dissipation-induced destabilization and brake squeal: A perspective using structured pseudospectra | (1–2) 1 |
| Khanyan, G.S. see Shorr, B.F. | (3–5) 599 |
| Kim, J., Welcome, D.E., Dong, R.G., Joon Song, W. and Hayden, C., Time-frequency characterization of hand-transmitted, impulsive vibrations using analytic wavelet transform | (1–2) 98 |
| Kim, J.H. see Ozgen, G.O. | (1–2) 348 |
| Kim, J.-S., Free vibration of laminated and sandwich plates using enhanced plate theories | (1–2) 268 |
| Koenders, M.A. see Davis, M. | (3–5) 526 |
| Krušinskienė, R. see Barauskas, R. | (3–5) 612 |
| Kulvietis, G. see Tumasoniene, I. | (3–5) 683 |
| Kulvietis, G. see Vasiljev, P. | (3–5) 867 |
| Kwon, S.H. see Lim, H.S. | (3–5) 794 |
| Lalor, M.J. see Batako, A.D.L. | (3–5) 392 |
| Lew, J.-S. and Horta, L.G., Uncertainty quantification using interval modeling with performance sensitivity | (1–2) 330 |

| | | |
|--|-------|-----|
| Li, H.-N. and Ni, X.-L., Optimization of non-uniformly distributed multiple tuned mass damper | (1-2) | 80 |
| Li, M. see Wang, J. | (1-2) | 302 |
| Liang, M. see Bozchalooi, I.S. | (1-2) | 246 |
| Lim, H.S., Kwon, S.H. and Yoo, H.H., Impact analysis of a rotating beam due to particle mass collision | (3-5) | 794 |
| Lim, T.C. see Wang, J. | (1-2) | 302 |
| Lu, W. see Chu, F. | (3-5) | 758 |
| Luo, H. see Fang, X. | (1-2) | 112 |
| Marsavina, L. see Dumitru, I. | (3-5) | 479 |
| Mason, J., Homer, M. and Eddie Wilson, R., Mathematical models of gear rattle in Roots blower vacuum pumps | (3-5) | 431 |
| Mazeika, D. see Tumasoniene, I. | (3-5) | 683 |
| Mazeika, D. see Vasiljev, P. | (3-5) | 867 |
| Meadows, A. see Babitsky, V.I. | (3-5) | 805 |
| Mel'nikova, G.V. see Shorr, B.F. | (3-5) | 599 |
| Mesbah, A. see Azouaoui, K. | (3-5) | 504 |
| Mickens, R.E. see Bellamy, M. | (1-2) | 337 |
| Mills, J.K. see Hassanpour, P.A. | (1-2) | 287 |
| Mitri, F.G. and Fellah, Z.E.A., Acoustic radiation force on coated cylinders in plane progressive waves | (1-2) | 190 |
| Mitrofanov, A.V. see Ahmed, N. | (3-5) | 845 |
| Mordyuk, B.N. and Prokopenko, G.I., Ultrasonic impact peening for the surface properties' management | (3-5) | 855 |
| Mulholland, A.J. see Gorman, D.G. | (1-2) | 231 |
| Narabayashi, T., Shibaike, K., Ishizaka, A. and Ozaki, K., Effects of key parameters on energy distribution and kinetic characteristics in collision of bar and beam | (3-5) | 548 |
| Neumann, N. and Sattel, T., Set-oriented numerical analysis of a vibro-impact drilling system with several contact interfaces | (3-5) | 831 |
| Ni, X.-L. see Li, H.-N. | (1-2) | 80 |
| Nikiforov, A. see Banakh, L. | (3-5) | 785 |
| Nishimura, H. see Wang, D. | (3-5) | 647 |
| Oblak, M. see Avsec, J. | (3-5) | 514 |
| Okada, T. see Otsuka, T. | (3-5) | 541 |
| Okuma, M. see Babitsky, V. | (3-5) | 373 |
| Okuma, M. see Otsuka, T. | (3-5) | 541 |
| Okuma, M. see Rusli, M. | (3-5) | 721 |
| Oliva Uribe, D. see Hemsel, T. | (3-5) | 441 |
| O'Reilly, O.M. see Kessler, P. | (1-2) | 1 |
| Ostasevicius, V., Dauksevicius, R., Gaidys, R. and Palevicius, A., Numerical analysis of fluid-structure interaction effects on vibrations of cantilever microstructure | (3-5) | 660 |
| Otsuka, T., Okada, T., Ikeno, T., Shiomi, K. and Okuma, M., Force identification of an outboard engine by experimental means of linear structural modeling and equivalent force transformation | (3-5) | 541 |
| Ouali, N. see Azouaoui, K. | (3-5) | 504 |
| Oouroua, Y. see Azouaoui, K. | (3-5) | 504 |
| Ouyang, H., Stationary and non-stationary vibration of atomising discs | (3-5) | 699 |
| Ouyang, H. and Wang, M., A dynamic model for a rotating beam subjected to axially moving forces | (3-5) | 674 |
| Ozaki, K. see Narabayashi, T. | (3-5) | 548 |
| Ozgen, G.O. and Kim, J.H., Direct identification and expansion of damping matrix for experimental-analytical hybrid modeling | (1-2) | 348 |
| Palazotto, A.N. see Frank Pai, P. | (1-2) | 164 |
| Palevicius, A. see Ostasevicius, V. | (3-5) | 660 |
| Paulsen, W.H., The exterior matrix method for sequentially coupled fourth-order equations | (1-2) | 132 |
| Piiroinen, P.T. see Batako, A.D.L. | (3-5) | 392 |
| Popprath, S. and Ecker, H., Nonlinear dynamics of a rotor contacting an elastically suspended stator | (3-5) | 767 |
| Pothast, C., Twiefel, J. and Wallaschek, J., Modelling approaches for an ultrasonic percussion drill | (3-5) | 405 |
| Prokopenko, G.I. see Mordyuk, B.N. | (3-5) | 855 |
| Qiao, P. see Wang, J. | (1-2) | 12 |
| Rahnejat, H. see Tangasawi, O. | (3-5) | 418 |
| Raphael, A.-L. see Kessler, P. | (1-2) | 1 |

| | |
|---|-----------|
| Rusli, M. and Okuma, M., Effect of surface topography on mode-coupling model of dry contact sliding systems | (3-5) 721 |
| Sattel, T. see Neumann, N. | (3-5) 831 |
| Sherbakov, S.S. see Sosnovskiy, L.A. | (3-5) 489 |
| Shibaike, K. see Narabayashi, T. | (3-5) 548 |
| Shimogo, T. see Wang, D. | (3-5) 647 |
| Shiomi, K. see Otsuka, T. | (3-5) 541 |
| Shorr, B.F., Mel'nikova, G.V. and Khanyan, G.S., Mathematical simulation of oil fields probing using shock impulse loading. | (3-5) 599 |
| Silberschmidt, V. see Babitsky, V. | (3-5) 373 |
| Silberschmidt, V.V. see Ahmed, N. | (3-5) 845 |
| Silberschmidt, V.V. see Casas-Rodriguez, J.P. | (3-5) 467 |
| Sokolov, I.J., Babitsky, V.I. and Halliwell, N.A., Autoresonant vibro-impact system with electromagnetic excitation | (3-5) 375 |
| Somnay, R.J. see Ibrahim, R.A. | (3-5) 735 |
| Sosnovskiy, L.A. and Sherbakov, S.S., Vibro-impact in rolling contact | (3-5) 489 |
| Storey, R.J. see Johnson, A.A. | (3-5) 458 |
| Stroop, R. see Hemsel, T. | (3-5) 441 |
| Suciuc, C.V. see Iwatsubo, T. | (3-5) 579 |
| Symens, W. see Tjahjowidodo, T. | (3-5) 632 |
| Tang, J. see Fang, X. | (1-2) 112 |
| Tangasawi, O., Theodossiades, S. and Rahnejat, H., Lightly loaded lubricated impacts: Idle gear rattle | (3-5) 418 |
| Theodossiades, S. see Tangasawi, O. | (3-5) 418 |
| Thomas, P.N.H. and Babitsky, V.I., Experiments and simulations on ultrasonically assisted drilling | (3-5) 815 |
| Tjahjowidodo, T., Al-Bender, F., Van Brussel, H. and Symens, W., Friction characterization and compensation in electro-mechanical systems | (3-5) 632 |
| Tolocka, R.T. see Grigas, V. | (3-5) 447 |
| Trendafilova, I. see Gorman, D.G. | (1-2) 231 |
| Tumasoniene, I., Kulvietis, G., Mazeika, D. and Bansevicius, R., The eigenvalue problem and its relevance to the optimal configuration of electrodes for ultrasound actuators | (3-5) 683 |
| Twiefel, J. see Potthast, C. | (3-5) 405 |
| Van Brussel, H. see Tjahjowidodo, T. | (3-5) 632 |
| Vasiljev, P., Mazeika, D. and Kulvietis, G., Modelling and analysis of omni-directional piezoelectric actuator | (3-5) 867 |
| Volkovas, V. see Eidukeviciute, M. | (3-5) 625 |
| Wallaschek, J. see Hemsel, T. | (3-5) 441 |
| Wallaschek, J. see Potthast, C. | (3-5) 405 |
| Wang, D., Nishimura, H. and Shimogo, T., Active control of shock by gain scheduling | (3-5) 647 |
| Wang, J. and Qiao, P., Vibration of beams with arbitrary discontinuities and boundary conditions | (1-2) 12 |
| Wang, J., Lim, T.C. and Li, M., Dynamics of a hypoid gear pair considering the effects of time-varying mesh parameters and backlash nonlinearity | (1-2) 302 |
| Wang, M. see Ouyang, H. | (3-5) 674 |
| Watson, A. see Ario, I. | (3-5) 591 |
| Welcome, D.E. see Kim, J. | (1-2) 98 |
| Xing, J.T., Natural vibration of two-dimensional slender structure–water interaction systems subject to Sommerfeld radiation condition | (1-2) 67 |
| Xu, J. see Zhao, Y.-Y. | (1-2) 212 |
| Yaguchio, K. see Iwatsubo, T. | (3-5) 579 |
| Yang, J. see Deng, M.-X. | (1-2) 201 |
| Yoo, H.H. see Lim, H.S. | (3-5) 794 |
| Zhao, Y.-Y. and Xu, J., Effects of delayed feedback control on nonlinear vibration absorber system. | (1-2) 212 |
| Ziliukas, P. see Grigas, V. | (3-5) 447 |
| Zworski, M. see Kessler, P. | (1-2) 1 |