

Index to Volume 310

- Allahverdizadeh, A., Naei, M.H. and Nikkhah Bahrami, M., Nonlinear free and forced vibration analysis of thin circular functionally graded plates (4–5) 966
- Alvarez-Ramirez, J. see Puebla, H. (4–5) 881
- Alvelid, M., Optimal position and shape of applied damping material. (4–5) 947
- Antunes, J. see Inácio, O. (1–2) 260
- Arboleda-Monsalve, L.G., Zapata-Medina, D.G. and Aristizabal-Ochoa, J.D., Timoshenko beam-column with generalized end conditions on elastic foundation: Dynamic-stiffness matrix and load vector (4–5) 1057
- Aristizabal-Ochoa, J.D. see Arboleda-Monsalve, L.G. (4–5) 1057
- Assaf, S. see Lagache, J.-M. (1–2) 313
- Auersch, L., The effect of critically moving loads on the vibrations of soft soils and isolated railway tracks (3) 587
- Aurégan, Y. see Kooijman, G. (4–5) 902
- Bambill, E.A. see Filipich, C.P. (1–2) 21
- Barman, R. see Ebenezer, D.D. (1–2) 197
- Bergant, A. see Tijsseling, A.S. (3) 718
- Bouillard, Ph. see Decouvreur, V. (4–5) 985
- Brake, M.R. and Wickert, J.A., Frictional vibration transmission from a laterally moving surface to a traveling beam (3) 663
- Brugmans, J. see Kuiper, G.L. (3) 541
- Chan, K.T. see Wang, X.Q. (4–5) 812
- Chen, I.L. see Chen, J.T. (4–5) 1167
- Chen, J.T., Chen, I.L. and Lee, Y.T., Comments on “The boundary point method for the calculation of exterior acoustic radiation problem” [S.Y. Zhang, X.Z. Chen, *Journal of Sound and Vibration* 228(4) (1999) 761–772] (4–5) 1167
- Cheng, L. and Zhou, Y., Surface perturbation technique for flow-induced vibration and noise control (3) 527
- Chien, E.W. see Tam, C.K.W. (4–5) 1014
- Chumachenko, V.P., Krapivny, A.V. and Chumachenko, Y.V., An estimation method for acoustic scattering from convex bodies (4–5) 845
- Chumachenko, Y.V. see Chumachenko, V.P. (4–5) 845
- Coyette, J.-P. and Meerbergen, K., An efficient computational procedure for random vibro-acoustic simulations (1–2) 448
- Danti, M. see Rustighi, E. (4–5) 1112
- Decouvreur, V., Ladevèze, P. and Bouillard, Ph., Updating 3D acoustic models with the constitutive relation error method: A two-stage approach for absorbing material characterization (4–5) 985
- Degrade, G. see Gupta, S. (3) 608
- Ebenezer, D.D., Nirnimesh, K., Barman, R., Kumar, R. and Singh, S.B., Analysis of solid elastic cylinders with internal losses using complete sets of functions (1–2) 197
- Elliott, S.J. see Rustighi, E. (4–5) 1112
- Eret, P. and Meskell, C., A practical approach to parameter identification for a lightly damped, weakly nonlinear system (4–5) 829
- Erofeyev, V.I. see Verichev, N.N. (3) 755
- Ershova, O.A. see Sorokin, S.V. (4–5) 1141

Farooq, U. see Feeny, B.F.	(4-5)	792
Favor, H.M. see Plaut, R.H.	(1-2)	409
Feeny, B.F., A complex orthogonal decomposition for wave motion analysis	(1-2)	77
Feeny, B.F. and Farooq, U., A nonsymmetric state-variable decomposition for modal analysis	(4-5)	792
Fein, O.M., A model for piezo-resistive damping of two-dimensional structures	(4-5)	865
Filipich, C.P. and Bambill, E.A., Natural frequencies of rectangular membranes with partial intermediate supports	(1-2)	21
Finnveden, S. see Nilsson, C.-M.	(1-2)	58
Finnveden, S. see Rustighi, E.	(4-5)	1112
Friell, J.C. see Trethewey, M.W.	(4-5)	1036
Frings-Dresen, M.H.W. see Tiemessen, I.J.H.	(4-5)	1080
Ganesan, N. see Pradeep, V.	(1-2)	169
Ganesan, N. see Senthil Kumar, D.	(1-2)	38
Gerstmayr, J. see Stangl, M.	(3)	493
Giannini, O. and Massi, F., Characterization of the high-frequency squeal on a laboratory brake setup	(1-2)	394
Gopala Rao, L.V.V. and Narayanan, S., Preview control of random response of a half-car vehicle model traversing rough road	(1-2)	352
Grundmann, H. see Müller, K.	(3)	558
Gulyás, K. see Rustighi, E.	(4-5)	1112
Gupta, S., Liu, W.F., Degrande, G., Lombaert, G. and Liu, W.N., Prediction of vibrations induced by underground railway traffic in Beijing	(3)	608
Gutmark, E.J. see Yi, T.	(1-2)	442
Hijmissen, J.W. and van Horssen, W.T., On the weakly damped vibrations of a vertical beam with a tip-mass	(3)	740
Hirschberg, A. see Kooijman, G.	(4-5)	902
Holland, D.B., Virgin, L.N. and Plaut, R.H., Large deflections and vibration of a tapered cantilever pulled at its tip by a cable	(1-2)	433
Holnicki-Szulc, J. see Rak, M.	(4-5)	801
Hull, A.J., Dynamic response of an elastic plate containing periodic masses	(1-2)	1
Hulshof, C.T.J. see Tiemessen, I.J.H.	(4-5)	1080
Ichchou, M. see Rak, M.	(4-5)	801
Idesman, A.V., Schmidt, M. and Sierakowski, R.L., A new explicit predictor-multicorrector high-order accurate method for linear elastodynamics	(1-2)	217
Inácio, O., Antunes, J. and Wright, M.C.M., Computational modelling of string-body interaction for the violin family and simulation of wolf notes	(1-2)	260
Irschik, H. see Stangl, M.	(3)	493
Jeffers, A.E., Plaut, R.H. and Virgin, L.N., Vibration isolation using buckled or pre-bent columns—Part 2: Three-dimensional motions of horizontal rigid plate	(1-2)	421
Jeffers, A.E. see Plaut, R.H.	(1-2)	409
Jeya Chandra, M. see Trethewey, M.W.	(4-5)	1036
Ji, Z. see Kang, Z.	(4-5)	782
Ju, H. see Tam, C.K.W.	(4-5)	1014
Kang, Y.J. see Park, H.G.	(1-2)	366
Kang, Z. and Ji, Z., Acoustic length correction of duct extension into a cylindrical chamber	(4-5)	782
Kant, T. see Marur, S.R.	(1-2)	91
Kant, T. see Marur, S.R.	(1-2)	110
Kim, S.H. see Park, H.G.	(1-2)	366
Kooijman, G., Testud, P., Aurégan, Y. and Hirschberg, A., Multimodal method for scattering of sound at a sudden area expansion in a duct with subsonic flow	(4-5)	902
Krapivny, A.V. see Chumachenko, V.P.	(4-5)	845
Kuiper, G.L., Brugmans, J. and Metrikine, A.V., Destabilization of deep-water risers by a heaving platform	(3)	541
Kumar, R. see Ebenezer, D.D.	(1-2)	197
Kung, W.T., Lee, Y.Y. and Sun, H.Y., Sound leakage identification for an enclosed room using the probabilistic approach and model class selection index: An experiment	(4-5)	776

- Ladevèze, P. see Decouvreur, V. (4-5) 985
- Lagache, J.-M., Assaf, S. and Schulte, C., Finite element synthesis of structural or acoustic receptances in view of practical design applications (1-2) 313
(3) 718
- Lambert, M.F. see Tijsseling, A.S. (3) 650
- Langlet, A. see Renard, J. (4-5) 1036
- Lebold, M.S. see Trethewey, M.W. (1-2) 366
- Lee, J.M. see Park, H.G. (1-2) 149
- Lee, S.-K., Objective evaluation of interior sound quality in passenger cars during acceleration. (4-5) 1167
- Lee, Y.T. see Chen, J.T. (4-5) 776
- Lee, Y.Y. see Kung, W.T. (4-5) 243
- Lenci, S., Pavlovskaia, E., Rega, G. and Wiercigroch, M., Rotating solutions and stability of parametric pendulum by perturbation method (3) 558
- Lenz, S. see Müller, K. (1-2) 459
- Leventhal, G., (4-5) 1093
- Li, J.-F. see Pascal, J.-C. (1-2) 134
- Li, P. see Yang, J. (4-5) 855
- Liu, S.-Y., Yu, X. and Zhu, S.-J., Study on the chaos anti-control technology in nonlinear vibration isolation system (3) 608
- Liu, W.F. see Gupta, S. (3) 608
- Liu, W.N. see Gupta, S. (4-5) 998
- Liu, X., A new method for the pole estimation of linear time-invariant systems using singular value decomposition (3) 608
- Lombaert, G. see Gupta, S. (1-2) 287
- Mantegazza, P. see Quaranta, G. (1-2) 91
- Marur, S.R. and Kant, T., Free vibration of higher-order sandwich and composite arches, Part I: Formulation (1-2) 110
- Marur, S.R. and Kant, T., Free vibration of higher-order sandwich and composite arches, part II: Frequency spectra analysis (1-2) 287
- Masarati, P. see Quaranta, G. (1-2) 394
- Massi, F. see Giannini, O. (3) 694
- Maugin, G.A. see Porubov, A.V. (1-2) 448
- Meerbergen, K. see Coyette, J.-P. (4-5) 829
- Meskell, C. see Eret, P. (3) 461
- Metrikine, A.V., (3) 541
- Metrikine, A.V. see Kuiper, G.L. (3) 702
- Metrikine, A.V. see van Dalen, K.N. (4-5) 1112
- Mócsai, T. see Rustighi, E. (4-5) 1128
- Motterhead, J.E. see Stăncioiu, D. (3) 558
- Müller, K., Grundmann, H. and Lenz, S., Nonlinear interaction between a moving vehicle and a plate elastically mounted on a tunnel. (4-5) 966
- Náprstek, J., Wave propagation in semi-infinite bar with random imperfections of density and elasticity module (3) 676
- Narayanan, S. see Gopala Rao, L.V.V. (1-2) 352
- Nguyen, V.-D. and Woo, K.-C., Nonlinear dynamic responses of new electro-vibroimpact system. (4-5) 769
- Nikkhah Bahrami, M. see Allahverdizadeh, A. (4-5) 966
- Nilsson, C.-M. and Finnveden, S., Waves in thin-walled fluid-filled ducts with arbitrary cross-sections (1-2) 58
- Nirnimesh, K. see Ebenezer, D.D. (1-2) 197
- Olhoff, N. see Sorokin, S.V. (4-5) 1141
- Ouyang, H. see Stăncioiu, D. (4-5) 1128
- Païdoussis, M.P., The canonical problem of the fluid-conveying pipe and radiation of the knowledge gained to other dynamics problems across Applied Mechanics (3) 462
- Païdoussis, M.P. see Tang, L. (3) 512
- Park, H.G., Lee, J.M., Kang, Y.J. and Kim, S.H., A study on the mode pair of a slightly asymmetric circular ring with multiple deviations (1-2) 366
- Pascal, J.-C. and Li, J.-F., A systematic method to obtain 3D finite-difference formulations for acoustic intensity and other energy quantities (4-5) 1093
- Pavlovskaia, E. see Lenci, S. (1-2) 243

Pennacchi, P., Robust estimate of excitations in mechanical systems using M-estimators—Theoretical background and numerical applications	(4-5) 923
Plaut, R.H., Favor, H.M., Jeffers, A.E. and Virgin, L.N., Vibration isolation using buckled or pre-bent columns—Part 1: Two-dimensional motions of horizontal rigid bar	(1-2) 409
Plaut, R.H. see Holland, D.B.	(1-2) 433
Plaut, R.H. see Jeffers, A.E.	(1-2) 421
Porubov, A.V. and Maugin, G.A., Improved description of longitudinal strain solitary waves	(3) 694
Pradeep, V. and Ganesan, N., Thermal buckling and vibration behavior of multi-layer rectangular viscoelastic sandwich plates	(1-2) 169
Puebla, H. and Alvarez-Ramirez, J., Suppression of stick-slip in drillstrings: A control approach based on modeling error compensation	(4-5) 881
Quaranta, G., Masarati, P. and Mantegazza, P., Continuous-time covariance approaches for modal analysis	(1-2) 287
Rak, M., Ichchou, M. and Holnicki-Szulc, J., Identification of structural loss factor from spatially distributed measurements on beams with viscoelastic layer	(4-5) 801
Rega, G. see Lenci, S.	(1-2) 243
Rega, G. see Srinil, N.	(1-2) 230
Renard, J. and Langlet, A., Moving pressure running over a plate coupled with a liquid: The analytical stationary response in the one-dimensional case	(3) 650
Rustighi, E., Elliott, S.J., Finnveden, S., Gulyás, K., Mócsai, T. and Danti, M., Linear stochastic evaluation of tyre vibration due to tyre/road excitation	(4-5) 1112
Schmidt, M. see Idesman, A.V.	(1-2) 217
Schulte, C. see Lagache, J.-M.	(1-2) 313
Senthil Kumar, D. and Ganesan, N., Dynamic analysis of conical shells conveying fluid	(1-2) 38
Sierakowski, R.L. see Idesman, A.V.	(1-2) 217
Simpson, A.R. see Tijsseling, A.S.	(3) 718
Singh, S.B. see Ebenezer, D.D.	(1-2) 197
So, R.M.C. see Wang, X.Q.	(4-5) 812
Sorokin, S.V., Olhoff, N. and Ershova, O.A., Analysis of the energy transmission in spatial piping systems with heavy internal fluid loading	(4-5) 1141
Srinil, N. and Rega, G., Nonlinear longitudinal/transversal modal interactions in highly extensible suspended cables	(1-2) 230
Stăncioiu, D., Ouyang, H. and Mottershead, J.E., Vibration of a beam excited by a moving oscillator considering separation and reattachment	(4-5) 1128
Stangl, M., Gerstmayr, J. and Irschik, H., An alternative approach for the analysis of nonlinear vibrations of pipes conveying fluid	(3) 493
Stephen, N.G., On the Ostrogradski instability for higher-order derivative theories and a pseudo-mechanical energy	(3) 729
Stephens, M.L. see Tijsseling, A.S.	(3) 718
Sun, H.Y. see Kung, W.T.	(4-5) 776
Takemiya, H., Analyses of wave field from high-speed train on viaduct at shallow/deep soft grounds	(3) 631
Tam, C.K.W., Ju, H. and Chien, E.W., Scattering of acoustic duct modes by axial liner splices	(4-5) 1014
Tang, L. and Païdoussis, M.P., The influence of the wake on the stability of cantilevered flexible plates in axial flow	(3) 512
Testud, P. see Kooijman, G.	(4-5) 902
Tiemessen, I.J.H., Hulshof, C.T.J. and Frings-Dresen, M.H.W., Two way assessment of other physical work demands while measuring the whole body vibration magnitude	(4-5) 1080
Tijsseling, A.S., Lambert, M.F., Simpson, A.R., Stephens, M.L., Vítkovský, J.P. and Bergant, A., Skalak's extended theory of water hammer	(3) 718
Trethewey, M.W., Friell, J.C., Jeya Chandra, M. and Lebold, M.S., A spectral simulation approach to evaluate probabilistic measurement precision of a reactor coolant pump torsional vibration shaft crack monitoring system	(4-5) 1036
van Dalen, K.N. and Metrikine, A.V., Transition radiation of elastic waves at the interface of two elastic half-planes	(3) 702
van Horssen, W.T. see Hijmissen, J.W.	(3) 740
Verichev, N.N., Verichev, S.N. and Erofeyev, V.I., Chaotic dynamics of simple vibrational systems	(3) 755
Verichev, S.N. see Verichev, N.N.	(3) 755

- Virgin, L.N. see Holland, D.B. (1–2) 433
Virgin, L.N. see Jeffers, A.E. (1–2) 421
Virgin, L.N. see Plaut, R.H. (1–2) 409
Vítkovský, J.P. see Tijsseling, A.S. (3) 718
- Wang, X.Q., So, R.M.C. and Chan, K.T., Contributions of standing-wave components to dynamic stresses in a beam (4–5) 812
Wen, Y. see Yang, J. (1–2) 134
Wenhui, X., Yougang, T. and Yushu, C., Analysis of motion stability of the flexible rotor-bearing system with two unbalanced disks (1–2) 381
Wickert, J.A. see Brake, M.R. (3) 663
Wiercigroch, M. see Lenci, S. (1–2) 243
Woo, K.-C. see Nguyen, V.-D. (4–5) 769
Wright, M.C.M. see Inácio, O. (1–2) 260
- Yang, J., Wen, Y. and Li, P., Leak location using blind system identification in water distribution pipelines (1–2) 134
Yi, T. and Gutmark, E.J., Online prediction of the onset of combustion instability based on the computation of damping ratios (1–2) 442
Ying, Z.G. and Zhu, W.Q., A stochastic optimal control strategy for partially observable nonlinear quasi-Hamiltonian systems (1–2) 184
Youghang, T. see Wenhui, X. (1–2) 381
Yu, X. see Liu, S.-Y. (4–5) 855
Yushu, C. see Wenhui, X. (1–2) 381
- Zapata-Medina, D.G. see Arboleda-Monsalve, L.G. (4–5) 1057
Zhou, Y. see Cheng, L. (3) 527
Zhu, S.-J. see Liu, S.-Y. (4–5) 855
Zhu, W.Q. see Ying, Z.G. (1–2) 184