



## Index to Volume 312

Asgari, S. see Stafudd, J.Z. . . . .	(1–2)	74
Avalos, D.R. see Laura, P.A.A.. . . . .	(4–5)	906
Balachandran, B. see Yu, M. . . . .	(1–2)	39
Barut, A. see Poore, A.L. . . . .	(1–2)	55
Benaroya, H. see Gabbai, R.D. . . . .	(1–2)	19
Bennani, A. see Jacquelin, E. . . . .	(4–5)	630
Bhat, R.B. see Woodcock, R.L. . . . .	(1–2)	94
Brennan, M.J. see Shin, K. . . . .	(1–2)	140
Cambraia, H.N. see Kurka, P.R.G. . . . .	(3)	461
Chang, Y.-C. see Chiu, M.-C. . . . .	(3)	526
Chapman, C.J., Sound and Structural Vibration: Radiation, Transmission and Response . . . . .	(1–2)	360
Chatterjee, S., On the principle of impulse damper: A concept derived from impact damper . . . . .	(4–5)	584
Chen, J.-H. see Hsieh, S.-C. . . . .	(4–5)	563
Chen, K.-F. and Zhang, S.-W., On the impulse response precursor of an ideal linear hysteretic damper . . . . .	(4–5)	576
Chen, K.-Y. see Chuang, C.-W.. . . . .	(4–5)	848
Chen, L.H. see Hao, Y.X. . . . .	(4–5)	862
Chen, Y. see Yang, J. . . . .	(1–2)	166
Chiu, M.-C. and Chang, Y.-C., Shape optimization of multi-chamber cross-flow mufflers by SA optimization. . . . .	(3)	526
Choi, S.B. see Hong, S.R. . . . .	(3)	399
Choi, Y.T. see Hong, S.R. . . . .	(3)	399
Chuang, C.-W., Huang, M.-S., Chen, K.-Y. and Fung, R.-F., Adaptive vision-based control of a motor-toggle mechanism: Simulations and experiments. . . . .	(4–5)	848
Dario Aristizábal-Ochoa, J. see Hernández-Urrea, J.A. . . . .	(4–5)	789
Dorgan, J.R. see Mott, P.H. . . . .	(4–5)	572
Dowell, E.H. see Jaworski, J.W. . . . .	(4–5)	713
Durban, D. see Karp, B. . . . .	(1–2)	257
Elishakoff, I. and Johnson, V., Corrigendum to “Apparently the first closed-form solution of vibrating inhomogeneous beam with a tip mass” [J. Sound Vib. 286 (4–5) (2005) 1057–1066]. . . . .	(4–5)	917
Eşkinat, E. see Güney, M.. . . . .	(1–2)	210
Faverjon, B. and Sinou, J.-J., Robust damage assessment of multiple cracks based on the frequency response function and the Constitutive Relation Error updating method . . . . .	(4–5)	821
Finnveden, S. and Fraggstedt, M., Waveguide finite elements for curved structures . . . . .	(4–5)	644
Fraggstedt, M. see Finnveden, S. . . . .	(4–5)	644
Fung, R.-F. see Chuang, C.-W.. . . . .	(4–5)	848
Gabbai, R.D. and Benaroya, H., A first-principles derivation procedure for wake-body models in vortex-induced vibration: Proof-of-concept . . . . .	(1–2)	19
Gendelman, O.V. see Starovetsky, Y. . . . .	(1–2)	234
Gholizadeh, S., Salajegheh, E. and Torkzadeh, P., Structural optimization with frequency constraints by genetic algorithm using wavelet radial basis function neural network . . . . .	(1–2)	316
Godoy, L.A. see Virella, J.C.. . . . .	(3)	442
Gonella, S. and Ruzzene, M., Analysis of in-plane wave propagation in hexagonal and re-entrant lattices .	(1–2)	125

- Griffin, M.J. see Huang, Y. . . . . (1-2) 273,  
296
- Güney, M. and Eşkinat, E., Optimal actuator and sensor placement in flexible structures using closed-loop criteria . . . . . (1-2) 210
- Guo, Y., A component-based model for aircraft landing gear noise prediction. . . . . (4-5) 801
- Han, G. see Hu, C. . . . . (1-2) 151
- Han, R.P.S. see Mao, S.G. . . . . (3) 380
- Hao, Y.X., Chen, L.H., Zhang, W. and Lei, J.G., Nonlinear oscillations, bifurcations and chaos of functionally graded materials plate . . . . . (4-5) 862
- Hernández-Urrea, J.A. and Dario Aristizábal-Ochoa, J., Static and dynamic stability of an elastically restrained Beck column with an attached end mass. . . . . (4-5) 789
- Hong, S.R., Wereley, N.M., Choi, Y.T. and Choi, S.B., Analytical and experimental validation of a nondimensional Bingham model for mixed-mode magnetorheological dampers . . . . . (3) 399
- Hsieh, S.-C., Chen, J.-H. and Lee, A.-C., A modified transfer matrix method for the coupled lateral and torsional vibrations of asymmetric rotor-bearing systems . . . . . (4-5) 563
- Hu, C., Han, G., Li, F.-M. and Huang, W.-H., Scattering of flexural waves and boundary-value problem in Mindlin's plates of soft ferromagnetic material with a cutout . . . . . (1-2) 151  
(3) 509
- Hu, H. see Liu, B. . . . . (4-5) 848
- Huang, M.-S. see Chuang, C.-W. . . . . (1-2) 151
- Huang, W.-H. see Hu, C. . . . . (1-2) 273
- Huang, Y. and Griffin, M.J., Nonlinear dual-axis biodynamic response of the semi-supine human body during longitudinal horizontal whole-body vibration. . . . . (1-2) 296
- Huang, Y. and Griffin, M.J., Nonlinear dual-axis biodynamic response of the semi-supine human body during vertical whole-body vibration . . . . . (1-2) 74
- Jacquelin, E., Lainé, J.-P., Bennani, A. and Massenzio, M., The anti-oscillator model parameters linked to the apparent mass frequency response function . . . . . (4-5) 630
- Jaworski, J.W. and Dowell, E.H., Free vibration of a cantilevered beam with multiple steps: Comparison of several theoretical methods with experiment . . . . . (4-5) 713
- Jia, X.L. see Yang, J. . . . . (1-2) 166
- Jiang, X. and Mahadevan, S., Bayesian wavelet method for multivariate model assessment of dynamic systems . . . . . (4-5) 694
- Johnson, V. see Elishakoff, I. . . . . (4-5) 917
- Kang, H. see Zhao, Y. . . . . (3) 363
- Kang, S.W. and Kim, S.-H., Vibration analysis of simply supported rectangular plates with unidirectionally, arbitrarily varying thickness . . . . . (4-5) 551
- Karp, B., Generation of symmetric Lamb waves by non-uniform excitations . . . . . (1-2) 195
- Karp, B., Rittel, D. and Durban, D., Health monitoring of joints using dynamic end effects . . . . . (1-2) 257
- Kasper, D.G., Swanson, D.C. and Reichard, K.M., Higher-frequency wavenumber shift and frequency shift in a cracked, vibrating beam. . . . . (1-2) 1
- Kim, S.-H. see Kang, S.W. . . . . (4-5) 551
- Kokkorakis, G.C., A unified approach to acoustic fields induced in inhomogeneous spheres by external sources . . . . . (3) 496
- Kuljanic, E., Sortino, M. and Totis, G., Multisensor approaches for chatter detection in milling . . . . . (4-5) 672
- Kurka, P.R.G. and Cambraia, H.N., Application of a multivariable input-output subspace identification technique in structural analysis . . . . . (3) 461
- Lainé, J.-P. see Jacquelin, E. . . . . (4-5) 630
- Laura, P.A.A. and Avalos, D.R., Small amplitude, transverse vibrations of circular plates with an eccentric rectangular perforation elastically restrained against rotation and translation on both edges . . . . . (4-5) 906
- Lee, A.-C. see Hsieh, S.-C. . . . . (4-5) 563
- Lee, G.-M. and Park, O.-C., Analytical study on the motion of a system with varying damping subject to harmonic force . . . . . (4-5) 838
- Lei, J.G. see Hao, Y.X. . . . . (4-5) 862
- Li, F.-M. see Hu, C. . . . . (1-2) 151
- Li, W.L. see Xu, H. . . . . (4-5) 736
- Lin, S.-M., PD control of a rotating smart beam with an elastic root . . . . . (1-2) 109
- Liu, B. and Hu, H., Stabilization of linear undamped systems via position and delayed position feedbacks . . . . . (3) 509
- Long, X. see Yu, M. . . . . (1-2) 39

Madenci, E. see Poore, A.L. . . . .	(1-2) 55
Mahadevan, S. see Jiang, X. . . . .	(4-5) 694
Mao, S.G. and Han, R.P.S., Nonlinear complementarity equations for modeling tire-soil interaction—An incremental Bekker approach . . . . .	(3) 380 (4-5) 726
Marzocca, P. see Nichols, J.M. . . . .	(4-5) 630
Massenzio, M. see Jacquelin, E. . . . .	(4-5) 726
Milanese, A. see Nichols, J.M.. . . . .	(4-5) 572
Mott, P.H., Dorgan, J.R. and Roland, C.M., The bulk modulus and Poisson's ratio of "incompressible" materials . . . . .	(4-5) 572
Nichols, J.M., Marzocca, P. and Milanese, A., On the use of the auto-bispectral density for detecting quadratic nonlinearity in structural systems . . . . .	(4-5) 726
Oldham, D.J., Urban Sound Environment . . . . .	(4-5) 915
Park, O.-C. see Lee, G.-M. . . . .	(4-5) 838
Pennacchi, P., Computational model for calculating the dynamical behaviour of generators caused by unbalanced magnetic pull and experimental validation . . . . .	(1-2) 332
Poore, A.L., Barut, A. and Madenci, E., Free vibration of laminated cylindrical shells with a circular cutout. . . . .	(1-2) 55 (3) 442
Prato, C.A. see Virella, J.C. . . . .	
Ray Chaudhuri, S., Change in instantaneous eigenproperties due to yielding of a structure. . . . .	(4-5) 754
Reichard, K.M. see Kasper, D.G. . . . .	(1-2) 1
Rittel, D. see Karp, B. . . . .	(1-2) 257
Roland, C.M. see Mott, P.H. . . . .	(4-5) 572
Ruzzene, M. see Gonella, S. . . . .	(1-2) 125
Salajegheh, E. see Gholizadeh, S. . . . .	(1-2) 316
Shin, K. and Brennan, M.J., Two simple methods to suppress the residual vibrations of a translating or rotating flexible cantilever beam . . . . .	(1-2) 140 (4-5) 821
Sinou, J.-J. see Faverjon, B. . . . .	
Smith, T.A., Numerical stability analysis for the explicit high-order finite difference analysis of rotationally symmetric shells . . . . .	(3) 418
So, R.M.C. see Zhu, J. . . . .	(3) 476
Sortino, M. see Kuljanic, E. . . . .	(4-5) 672
Stafudd, J.Z., Asgari, S., Hudson, R., Yao, K. and Taciroglu, E., Localization of short-range acoustic and seismic wideband sources: Algorithms and experiments. . . . .	(1-2) 74
Starosvetsky, Y. and Gendelman, O.V., Dynamics of a strongly nonlinear vibration absorber coupled to a harmonically excited two-degree-of-freedom system . . . . .	(1-2) 234
Steenbergen, M.J.M.M., Quantification of dynamic wheel-rail contact forces at short rail irregularities and application to measured rail welds . . . . .	(4-5) 606
Stiharu, I.G. see Woodcock, R.L. . . . .	(1-2) 94
Sun, D. and Tong, L., Theoretical investigation on wireless vibration control of thin beams using photostrictive actuators . . . . .	(1-2) 182
Swanson, D.C. see Kasper, D.G. . . . .	(1-2) 1
Taciroglu, E. see Stafudd, J.Z. . . . .	(1-2) 74
Tong, L. see Sun, D. . . . .	(1-2) 182
Torkzadeh, P. see Gholizadeh, S. . . . .	(1-2) 316
Totis, G. see Kuljanic, E. . . . .	(4-5) 672
Virella, J.C., Prato, C.A. and Godoy, L.A., Linear and nonlinear 2D finite element analysis of sloshing modes and pressures in rectangular tanks subject to horizontal harmonic motions. . . . .	(3) 442
Wang, X.Q. see Zhu, J.. . . . .	(3) 476
Wereley, N.M. see Hong, S.R.. . . . .	(3) 399
Williams, H.E., An asymptotic solution of the governing equation for the natural frequencies of a cantilevered, coupled beam model. . . . .	(1-2) 354
Woodcock, R.L., Free vibration of advanced anisotropic multilayered composites with arbitrary boundary conditions . . . . .	(4-5) 769
Woodcock, R.L., Bhat, R.B. and Stiharu, I.G., Effect of ply orientation on the in-plane vibration of single-layer composite plates . . . . .	(1-2) 94

Xiang, Y. see Yang, J. . . . .	(1-2) 166
Xie, W.-C. see Zhu, J. . . . .	(3) 476
Xu, H. and Li, W.L., Dynamic behavior of multi-span bridges under moving loads with focusing on the effect of the coupling conditions between spans. . . . .	(4-5) 736
Yang, J., Chen, Y., Xiang, Y. and Jia, X.L., Free and forced vibration of cracked inhomogeneous beams under an axial force and a moving load. . . . .	(1-2) 166
Yao, K. see Stafudd, J.Z.. . . . .	(1-2) 74
Yoshida, K., Power spectral density peak estimation from broadband data . . . . .	(4-5) 893
Yu, M., Long, X. and Balachandran, B., Sensor diaphragm under initial tension: Nonlinear responses and design implications . . . . .	(1-2) 39
Zhang, S.-W. see Chen, K.-F. . . . .	(4-5) 576
Zhang, W. see Hao, Y.X. . . . .	(4-5) 862
Zhao, Y. and Kang, H., In-plane free vibration analysis of cable–arch structure . . . . .	(3) 363
Zhu, J., Wang, X.Q., Xie, W.-C. and So, R.M.C., Flow-induced instability under bounded noise excitation in cross-flow . . . . .	(3) 476