This article was downloaded by:


On: 25 January 2011

Access details: Access Details: Free Access

Publisher Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-

41 Mortimer Street, London W1T 3JH, UK



Journal of Sulfur Chemistry

Publication details, including instructions for authors and subscription information: http://www.informaworld.com/smpp/title~content=t713926081

Interesting Errors in Sulfur Chemistry, 2

Alexander Senning^a

^a Kemisk Institut, Åarhus Universitet, Arhus C, Denmark

To cite this Article Senning, Alexander (1982) 'Interesting Errors in Sulfur Chemistry, 2', Journal of Sulfur Chemistry, 2: 1, 33 - 34

To link to this Article: DOI: 10.1080/01961778208082423 URL: http://dx.doi.org/10.1080/01961778208082423

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

INTERESTING ERRORS IN SULFUR CHEMISTRY, 2

ALEXANDER SENNING
Kemisk Institut, Aarhus Universitet, DK-8000 Århus C. Denmark

Ethylenethiuram Monosulfide

Beside polymeric material and sulfur the air oxidation of aqueous solutions of disodium ethylenebisdithiocarbamate (the commercial fungicide Nabam) yields approximately 20% of ethylenethiuram monosulfide which was recognized as $C_4H_6N_2S_3$ and assigned the structure 1, tetrahydro-1,3,6-thiadiazepine-2,7-dithione, CAS Registry No. [5782-83-2]. 1,2

In 1960 Thorn discussed a number of spectral and chemical inconsistencies between ethylenethiuram monosulfide and the assigned structure 1, but concluded nevertheless that 1 (in equilibrium with its enethiol tautomers) was the correct structure and rejected the alternative structure 2.³ One of the more interesting arguments in favor of 1 was that the slope of the dose-response curve in a fungicidal activity test for ethylenethiuram monosulfide was significantly different from the corresponding slopes for model compounds containing ring systems related to 2.

$$S = C \xrightarrow{N} C \xrightarrow{N} S$$

$$S = C \xrightarrow{N} C \xrightarrow{N} S$$

Eleven years later Pluijgers, Vonk, and Thorn⁴ reanalyzed ethylenethiuram monosulfide and found closer agreement with the formula C₄H₄N₂S₃, corresponding to, *inter alia*, 2. Noting the non-equivalence of the two methylene groups in the ¹H NMR spectrum of ethylenethiuram monosulfide the authors concluded that the compound has indeed the structure 2, 5,6-dihydro-3H-imidazo[2,1-c]-1,2,4-dithiazole-3-thione, CAS Registry No. [33813-20-6]. This structural assignment was further supported by

Downloaded At: 13:23 25 January 2011

UV spectral and chemical arguments,⁴ and, in parallel investigations^{5,6} by MS, Raman, ¹H NMR, and ¹³C NMR data. Thus, although no X-ray structure determination of 2 is on record, there appears to exist an unchallenged consensus that the structure of "ethylenethiuram monosulfide" is 2 rather than 1.

Nevertheless, the equivalent names ethylenethiuram monosulfide and tetrahydro-1,3,6-thiadiazepine-2,7-dithione 1 have been used throughout the seventies just about as frequently as the correct name 5,6-dihydro-3H-imidazo[2,1-c]-1,2,4-dithiazole-3-thione 2. A recent Chemical Abstracts index⁷ contains 20 references using the obsolete name and molecular formula and even later examples can be found.^{8,9}

References

- 1. R. A. Ludwig and G. D. Thorn Plant Disease Reptr. 37, 127 (1953).
- 2. G. D. Thorn and R. A. Ludwig, Can. J. Chem. 32, 872 (1954).
- 3. G. D. Thorn, Can. J. Chem. 38, 2349 (1960).
- 4. C. W. Pluigers, J. W. Vonk, and G. D. Thorn, Tetrahedron Lett. 1971, 1317.
- W. R. Benson, R. D. Ross, J.-Y. T. Chen, R. P. Barron, and D. Mastbrook, J. Ass. Offic. Anal. Chem. 55, 44 (1972).
- 6. M. Alvarez, R. W. Creekmore, and R. T. Rosen, Tetrahedron Lett. 1973, 939.
- 7. Chem. Abstr., 9th Coll. Index (1972-76).
- 8. W. H. Newsome, J. Agric. Food Chem. 24, 999 (1976).
- K. Mori, H. Oi, and C. Yazawa (Ihara Chemical Industry Co., Ltd.), Jpn. Kokai Tokkyo Koho 79, 154, 522 (1979); Chem. Abstr. 92, 210212 (1980).

ing the second of the second o