

## Bibliography Section

---

- ABRAMOVITCH, R. A., AZOGU, C. I., SUTHERLAND, R. G. (c/o Sutherland, R. G., Univ. Saskatchewan, Dept. Chem. and Chem. Engn., Saskatoon, Sask., Canada): The thermolysis and photolysis of ferrocenylsulphonylazide. Evidence for a metal-nitrene complex in the thermolysis. *Tetrahedron Lett.* (1971) 1637
- AKULENOK, E. M., DANILEIKO, YU. K., PAPKOV, C. S., KHAIMOV-MAL'KOV, V. YA. (Acad. Sci. USSR, Cryst. Inst., Moscow, USSR): Morphological investigations of corundum surfaces, thermally treated within the 1200–1600 °C temperature range. *Sov. Phys.-Cryst. Engl. Transl.* 15 (1971) 1048
- ALIEV, S. N., MAGOMEDOV, YA. B., SHCHEGOL'KOVA, N. V.: The thermal conductivity, electrical conductivity, and thermal EMF of the ternary compounds  $\text{Cu}_2\text{SnTe}_3$  and  $\text{Cu}_2\text{GeTe}_3$  in the solid and liquid states. *High Temp. USSR Engl. Transl.* 8 (1970) 635
- ALLEN, T., PATEL, R. M. (Univ. Bradford, Postgrad. Sch. and Stud. Powder Techn., Bradford 7, Yorks., England): The adsorption of long-chain fatty acids on finely divided solids using a flow microcalorimeter. *J. Colloid Interface Sci.* 35 (1971) 647
- AMIRKHANOVA, D. K. (Acad. Sci. USSR, Phys. Inst., Makhachkala, USSR): Resistance thermometer made from thallium antimonide. *Prib. Tekhn. Eksp.* 197 (1971) 252 (In Russian)
- ANDERSON, J. S., BURCH, R. (Oxford Univ., Inorg. Chem. Lab., Oxford, England): Lattice energies and heats of formation of the  $\text{Ti}_n\text{O}_{2n-1}$  shear phases. *J. Phys. Chem. Solids* 32 (1971) 923
- ANDREEV, B. YA., VESNOVSKII, B. P. (N. I. Lobachevskii Univ., Chem. Inst., Gorki, USSR): Thermal decomposition of succinic acid cadmium. *Kinet. Katal.* 12 (1971) 498 (In Russian)
- AOKI, K., HIRAI, T., YAJIMA, S. (Tohoku Univ., Res. Inst. Iron Steel and Other Met., Sendai, Japan): Preparation and thermal expansion of pyrolytic graphite-bromine residual compounds. *J. Mater. Sci.* 6 (1971) 140
- ARBUZOV, B. A., FUZHENKOVA, A. V., DEVYATOVA, G. M.: Thermography in studying the reactions of diene synthesis. Cyclopentadiene reaction with maleic anhydride. *Zh. Obshch. Khim.* 41 (1971) 717 (In Russian)
- ASANDEI, N., LIGA, A., BIRO, A. (Inst. Chim. Macromolec. P. Poni, Jassy, Roumania): Recherches dans le domaine des copolymères ternaires. II. Influence de la composition sur la stabilité thermique des copolymères: acrylonitrile-acide méthacrylique-méthyl méthacrylate. *Eur. Polym. J.* 7 (1971) 317
- ASAHARA, T., ONO, K., TANAKA, K. (Univ. Tokyo, Inst. Ind. Sci., Minato, Tokyo, Japan): The pyrolysis of halocyclopropanes at high temperatures. *Bull. Chem. Soc. Jap.* 44 (1971) 1130
- ASAOKA, T., SHIMASAKI, C., MURA, T. (Toyama Univ., Fac. Engn., Takaoka-shi, Japan): Pyrolysis of urea-thiourea eutectic mixture. *J. Chem. Soc. Jap. Ind.* 74 (1971) 863 (In Japanese)
- ATKINSON, R. S., CLARK, A. J., OVERILL, R. E. (Univ. Leicester, Dept. Chem., Leicester, LE1 7RH, England): Thermal stability of benzonorbornadienone hydrazones. *J. Chem. Soc. D* (1971) 535

- ATWOOD, J. L., MILTON, P. A., SEALE, S. K. (Univ. Alabama, Dept. Chem., University, Alabama, 35486 USA): Thermal behavior of anionic organoaluminium thiocyanates. *J. Organometal. Chem.* 28 (1971) C 29
- BAGIN, V. I., BRODSKAYA, S. J., PETROVA, G. N., PECHERSKY, D. M.: The depths of volcano hearts on the Kuril-Kamchatka arc obtained from the data of thermomagnetic investigations of igneous rocks. *Fiz. Zemli* (1971) 57 (In Russian)
- BAIRD, R. B., SEFCIK, M. D., RING, M. A. (San Diego State Coll., Dept. Chem., San Diego, Calif., 92115 USA): The thermal decomposition of methylsilane and 1,2-dimethyl disilane. *Inorg. Chem.* 10 (1971) 883
- BAKRADZE, N. G., MONASELIDZE, D. R., MREVLISHVILI, G. M., BIBIKOVA, A. D., KISSELEV, L. L. (Acad. Sci. GeSSR, Inst. Phys., Tbilissi, GeSSR): Microcalorimetric determination of tRNA hydration. *Biochim. Biophys. Acta* 238 (1971) 161
- BATALOV, V. S.: Application of dilatometry to measurement of the total degree of blackness of metals. *High Temp. USSR Engl. Trans.* 8 (1970) 639
- BATALOV, V. S.: Determining heat of sublimation of metals on electric resistance. *Zh. Fiz. Khim.* 45 (1971) 708 (In Russian)
- BATTEN, J. J. (Australian Def. Sci. Serv., Dept. Supply, Ascot Vale, Australia): The thermal decomposition of RDX at temperatures below the melting point. III. Towards the elucidation of the mechanism. *Australian J. Chem.* 24 (1971) 945
- BAYER, G. (Eidgen. Tech. Hochschule, Inst. Kristallog. und Petrog., Zürich, Switzerland): Thermal expansion characteristics and stability of pseudobrookite-type compounds,  $Me_3O_5$ . *J. Less-Common Metals* 24 (1971) 129
- BIHARI-VARGA, M., BIRÓ, T. (Simmelweis Med. Univ., IIIrd Dept. Med. and Natl. Inst. Traumat., Budapest 8, Hungary): Thermoanalytical investigation on the age-related changes in articular cartilage, meniscus and tendon. *Gerontologia-Basel* 17 (1971) 2
- BLACHNIK, R., SCHNEIDER, A. (Tech. Univ. Clausthal, Anorg. Chem. Inst., 3392 Clausthal, GFR): High-temperature enthalpies of  $As_2Te_3$ ,  $Sb_2Se_3$ ,  $Bi_2Se_3$ ,  $GeAs$ ,  $GeAs_2$ , and  $SnAs$ . *J. Chem. Thermodyn.* 3 (1971) 227
- BOCHAROVA, T. T., KRIMER, B. I., LOTZ-MANOV, S. N. (Moscow Steel and Alloy Inst., Moscow, USSR): Temperature-time conditions of  $NiAl_3$ -phase formation by reactive diffusion in Ni-Al system. *Fiz. Metal. Metalloved.* 31 (1971) 1093
- BOGDANOV, V. I., VEKILOV, YU. KH., TSAGAREISHVILI, G. V., ZHGENTI, I. M.: Temperature dependence of the specific heat of  $\beta$ -rhombohedral boron. *Sov. Phys. Solid. State Engl. Tr.* 12 (1971) 2701
- BONDARYUK, T. S., STEPUKHOVICH, A. D., GRIGOROVICH, B. A., BASNER, M. E., DZYUBA, V. S.: On the kinetics of thermal piperilene conversion. *Kinet. Katal.* 12 (1971) 284 (In Russian)
- BONNET, J., DAOU, J. N. (CNRS, Fac. Sci. Paris, Lab. Chim. Phys., 75-Paris, 5<sup>e</sup>. France): Étude radiocristallographique de la phase  $\alpha$  du système lutétium-hydrogène entre 25 et 540°C. Coefficients moyens d'expansion thermique. *Compt. Rend. Ser. C* 272 (1971) 1697
- BOOTH, C., DEVOY, C. J. (Univ. Manchester, Dept. Chem., Manchester M13 9PL, England): Thermodynamics of mixtures of poly(ethylene oxide) and benzene. *Polymer* 12 (1971) 309
- BOOTH, C., DEVOY, C. J. (Univ. Manchester, Dept. Chem., Manchester M13 9PL, England): Thermodynamics of mixtures of poly(propylene oxide) and benzene. *Polymer* 12 (1971) 320
- BRENNAN, W. P., MILLER, B., WHITWELL, J. C. (Princeton Univ., Textile Res. Inst. and Dept. Chem. Engn., Princeton, N. J., 08540 USA): Rate of change of reference temperature in DSC and DTA. *Thermochim. Acta* 2 (1971) 354
- BREVENOVA, T. N., RACHKOVA, O. F., VYAZANKIN, N. S., RATUSHNAYA, S. K., BORTNIKOV, G. N.: Thermal decomposition of cumenyl esters of beta(trimethylsilyl)perpropionic acid and beta(triethylgermyl)perpropionic acid. *Zh. Obshch. Khim.* 41 (1971) 600 (In Russian)
- BUNTYAKOV, A. S., AVERYANOVA, V. M. (N. G. Chernyshevskii State Univ., Saratov, USSR): Thermal transformations in cellulose acetates. *Vysokomol. Soedin. Ser. A* 13 (1971) 918 (In Russian)
- BURGER, K., LIPTAY, G., KORECZ, L.,

- KIRÁLY, I., PAPP-MOLNÁR, E. (L. Eötvös Univ., Inst. Inorg. and Anal. Chem., Budapest 8, Hungary): Thermal analysis of metal complexes. IV. *Magy. Kém. Foly.* 77 (1971) 90 (In Hungarian)
- BUSSIÈRE, P., ZHABROVA, G. M., SHIBANOVA, M. D. (Catalysis Inst., Lyon, France): Thermal conversion of manganese dioxide, studied by the derivatography and emanation techniques. *Kinet. Katal.* 12 (1971) 343 (In Russian)
- BUTLER, R. S., CARSON, A. S., LAYE, P. G., STEELE, W. V. (Univ. Leeds, Dept. Phys. Chem., Leeds LS2 9JT, England): The enthalpy of formation of adamantane. *J. Chem. Thermodyn.* 3 (1971) 277
- CADMAN, P., DAY, M., TROTMAN-DICKENSON, A. F. (Edward Davies Chem. Lab., Aberystwyth, Cards., Wales): Static and shock tube pyrolyses of alkyl fluorides. III. The thermal decomposition of 1-chloro-2-fluoroethane, 1,1-difluoroethane, and 1,1,1-trifluoroethane. *J. Chem. Soc. A* (1971) 1356
- CAPE, J. A., MALOZEMOFF, A. P. (North Amer. Rockwell Corp., Sci. Ctr., Thousand Oaks, Calif., 91360 USA): The low temperature magnetization of  $TmFeO_3$ . *Solid State Commun.* 8 (1971) 2067
- CARR, P. W. (Univ. Georgia, Dept. Chem., Athens, Georgia, 30601 USA): Thermometric titration of milligram quantities of potassium, ammonium, and thallium(I) with tetraphenylborate. *Anal. Chem.* 43 (1971) 756
- CARSON, A. S., WILMSHURST, B. R. (Univ. Leeds, Dept. Phys. Chem., Leeds, Yorks., England): The enthalpy of formation of mercury diphenyl and some associated bond energies. *J. Chem. Thermodyn.* 3 (1971) 251
- CHAIGNEAU, M. (CNRS, Fac. Pharm. Paris, 75-Paris 6<sup>e</sup>, France): Sur la décomposition thermique du polytétrafluoréthylène sous vide et en présence d'oxygène. *Compt. Rend. Ser. C* 272 (1971) 1639
- CHANG, F. C., WENDLANDT, W. W. (Houston Univ., Dept. Chem., Thermochim. Lab., Houston, Texas, 77004 USA): Thermal reactions of coordination compounds. II. Chlorobromobis(ethylenediamine)- and dibromobis(ethylenediamine)cobalt(III) complexes. *Thermochim. Acta* 2 (1971) 293
- CHANG, S. S., BESTUL, A. B. (NBS, Inst. Mat. Res., Washington, D. C., 20234 USA): Heat capacities of cis-1,4-polyisoprene from 2 to 360°K. *J. Res. Nat. Bur. Stand. A* 75 (1971) 113
- CHERNYAK, B. I., KOSHOVSKII, B. I., BOROVAYA, V. G. (Acad. Sci. UkSSR, L. V. Pisarzhevskii Phys. Chem. Inst., Kiev, UkSSR): Thermal 1-butene-3-hydroperoxide decomposition. *Zh. Org. Khim.* 7 (1971) 625 (In Russian)
- CHERTOV, V. M., SELENTSOV, V. I., NEIMARK, I. E. (Acad. Sci. UkSSR, Phys. Chem. Inst., Kiev, UkSSR): Active aluminium oxide and hydroxide texture alterations by hydrothermal method. *Dopov. Akad. Nauk. UkSSR B* (1971) 443 (In Russian)
- CHOPRA, N. M., OSBORNE, N. B. (North Carolina Agr. and Tech. State Univ., Dept. Chem., Greensboro, North Carolina, 27411 USA): Systematic studies on the breakdown of p,p'-DDT in tobacco smokes. II. Isolation and identification of degradation products from the pyrolysis of p,p'-DDT in a nitrogen atmosphere. *Anal. Chem.* 43 (1971) 849
- CHOU, P. Y., SCHERAGA, H. A. (Cornell Univ., Dept. Chem., Ithaca, N. Y., 14850 USA): Calorimetric measurement of enthalpy change in the isothermal Helix-Coil transition of poly-L-lysine in aqueous solution. *Biopolymers* 10 (1971) 657
- CISSE, Z., CLECHET, P., COTEN, M., DELAFONTAINE, J., TACHOIRE, H. (Univ. Claude Bernard, Centre Chim. Anal., 69-Villeurbanne, France): Détermination de la pureté par analyse thermométrique: étude critique de la méthode de skau. *Thermochim. Acta* 2 (1971) 357
- CLARK, R. A. (Clarkson Coll. Technol., Dept. Chem., Potsdam, N. Y., 13676 USA): On the thermal reorganization of 6-carboethoxybicyclo[3.1.0]hex-2-ene. *Tetrahedron Lett.* (1971) 2279
- CLINCH, P. W., HUDSON, H. R. (Northern Polytech., Dept. Chem., Holloway, London, N. 7, England): Factors in the formation of isomerically and optically pure alkyl halides. VII. Rearrangements occurring during the thermal decomposition of alkyl chloroformates. *J. Chem. Soc. B* (1971) 747
- COGHLAN, W. A., MENEZES, R. A., NIX, W. D. (Oak Ridge Natl. Lab., Met. and

- Ceramics Div., Oak Ridge, Tennessee, 37830 USA): A study of high temperature creep in LiF single crystals. *Phil. Mag.* 23 (1971) 1515
- COOKE, A. H., MARTIN, D. M., WELLS, M. R. (Univ. Oxford, Dept. Phys., Clarendon Lab., Parks Road, Oxford OX1 3PU, England): The specific heat of dysprosium vanadate. *Solid State Commun.* 9 (1971) 519
- CROOK, D. N., MURRAY, M. J. (CSIRO, Div. Build. Res., Graham Road, Highett, Victoria, Australia 3190): Regain of strength after firing of concrete. *Magazine of Concrete Res.* 22 (1970) 149
- CROSS, B., SEARLE, R. J. G., WOODALL, R. E. (c/o Searle R. J. G., Shell Res. Ltd., Woodstock Agr. Res. Ctr., Sittingbourne, Kent, England): The synthesis and thermal rearrangement of oxime thiocarbamates. *J. Chem. Soc. C* (1971) 1833
- CSÜRÖS, Z., SOÓS, R., BITTER, I., BENDE, Z. (Tech. Univ. Budapest, Inst. Org. Chem. Technol., Budapest 11, Hungary): Thermal dissociation of urea derivatives. I. *Acta Chím. Acad. Sci. Hung.* 68 (1971) 267
- DALY, N. J., ZIOLKOWSKI, F. (Australian Natl. Univ., Dept. Chem., Canberra A. C. T. 2600, Australia): Thermal decomposition of citraconic anhydride. *Australian J. Chem.* 24 (1971) 771
- DAS, D., DASH, A. C., SATYANARAYAN, D., DASH, U. N. (Ravenshaw Coll., Dept. Chem., Cuttack 3, India): Studies on ion association: thermodynamics of thiocyanate complexes of some bivalent metal ions. *Thermochim. Acta* 2 (1971) 435
- DAVIDSON, I. M. T., LAMBERT, C. A. (Univ. Leicester, Dept. Chem., Leicester LE1 7RH, England): Mechanisms of pyrolysis and bond dissociation energies in trimethylsilane. *J. Chem. Soc. A* (1971) 882
- DAVIES, J. M., GOFF, R. J., PETER, P. H. (USA Natick Labs., Natick, Mass., 01760 USA): Response lag in thermal radiation calorimeters. *Sol. Energy* 13 (1971) 277
- DENNSTEDT, W., LÖSER, W. (Varta Forsch.- und Entwicklungszentrum, Kelkheim, GFR): Zur Kenntnis der Nickelhydroxid-elektrode. III. Thermogravimetrische Untersuchungen an Nickel(II)-hydroxiden. *Electrochim. Acta* 16 (1971) 429
- DOERING, K. (VEB Jenaer Glaswerk Schott and Gen., Jena, GDR): Determination of the  $\Delta H$ -value of chemical analytical reactions by DIE with the instrument "Direct-thermom", and its importance in thermometric concentration analysis. *Proc. 2nd Conf. Appl. Phys. Chem., Akadémiai Kiadó, Budapest, 1971*, Vol. 1, 181
- DOOLEY, R. B., STRINGER, J. (Univ. Liverpool, Dept. Met. and Mat. Sci., Liverpool, Lancs., England): The oxidation of tantalum-niobium single crystals and polycrystals in the temperature range 850–1050°C. *J. Less-Common Metals* 24 (1971) 139
- DUDCHIK, G. P., POLYACHENOK, O. G., NOVIKOV, G. I. (S. M. Kirov Technol. Inst., Minsk, BeSSR): Thermodynamics of formation in vapor of rare earth, yttrium and scandium trichlorides. *Zh. Fiz. Khim.* 45 (1971) 728 (In Russian)
- DVORNIKOVA, L. M., LOGINOVA, V. E. (Saratov Univ., Chem. Inst., Saratov, USSR): Thermography of lanthanum, cerium and praseodymium butyrates. *Zh. Neorg. Khim.* 16 (1971) 966 (In Russian)
- ELLISON, R. D., JOHNSON, C. K., LEVY, H. A. (Oak Ridge Natl. Lab., Chem. Div., Oak Ridge, Tennessee, 37830 USA): Glycolic acid: Direct neutron diffraction determination of crystal structure and thermal motion analysis. *Acta Crystallogr. B* 27 (1971) 333
- ERÄ, V., SAVOLAINEN, A. (Univ. Helsinki, Dept. Wood and Polymer Chem., Helsinki, Finland): The methods of thermal analysis of plastics. *Suomen Kemistilehti* 44 (1971) 50 (In Finnish)
- EVANS, L. G., MUAN, A. (Armco Steel Corp., Res. Lab., Middletown, Ohio, 45042 USA): Activity-composition relations of solid solutions and stabilities of manganese and nickel titanates at 1250°C as derived from equilibria in the systems MnO–CoO–TiO<sub>2</sub> and MnO–NiO–TiO<sub>2</sub>. *Thermochim. Acta* 2 (1971) 277
- FATEEVA, N. S., VERESHCHAGIN, L. F. (Acad. Sci. USSR, High Pressure Phys. Inst., Moscow, USSR): Tantalum melting curve up to 60 kbar. *Dokl. Akad. Nauk SSSR* 197 (1971) 1060 (In Russian)

- FĂTU, D., SEGAL, F. (Univ. Bucharest, Bucharest, Roumania): Étude de la dés-hydratation de l'oxalate de calcium et de la décomposition du carbonate de calcium en régime non linéaire de chauffage. *Rev. Roum. Chim.* 16 (1971) 343
- FAWCETT, E. (Univ. Toronto, Dept. Phys., Toronto 5, Ont., Canada): Low-temperature thermal expansion and longitudinal magnetostriction of palladium-rhodium alloys. *Phys. Rev. B* 3 (1971) 3023
- FEDJANIN, V. K. (Karpov Inst. Phys. Chem., Moscow, B-120 USSR): An inequality for the thermal heat capacity at constant magnetization in the Ising model. *Phys. Lett. A* 34 (1971) 323
- FEDORYAKO, L. I., SHEKA, I. A., KRAMARENKO, F. G. (Acad. Sci. UkSSR, Gen. and Inorg. Chem. Inst., Kiev-68, UkSSR): Thermal stability of hafnium and ammonium double sulfate. *Zh. Neorg. Khim.* 16 (1971) 1304 (In Russian)
- FELBER, B. J., PURDIE, N. (Oklahoma State Univ., Dept. Chem., Stillwater, Oklahoma, 74074 USA): Heats of association for divalent transition metal ethylene-maleic acid copolymer complexes. *J. Phys. Chem.* 75 (1971) 1136
- FELDMAN, R. F., RAMACHANDRAN, V. S. (Natl. Res. Council Canada, Div. Build. Res., Ottawa, Canada): Modified thermal analysis equipment and technique for study under controlled humidity conditions. *Thermochim. Acta* 2 (1971) 393
- FESENKO, V. V., TURCHANIN, A. G., GUSEVA, E. A., DROZDOVA, S. V. (Acad. Sci. UkSSR, Mat. Technol. Inst., Kiev, UkSSR): Enthalpy and heat capacity of praseodymium and neodymium monosulfides in range of 1300–2000°K. *Zh. Fiz. Khim.* 45 (1971) 994 (In Russian)
- FLÓRA, T., PFEIFER, GY. (Res. Inst. Heavy Chem. Ind., Pesticide Dept., Veszprém, Hungary): Calculation methods of reaction kinetic based on thermal curves. *Proc. 2nd Conf. Appl. Phys. Chem., Akadémiai Kiadó, Budapest 1971*, Vol. 1, 193
- FREY, H. M., METCALFE, J., POPE, B. M. (Reading Univ., Chem. Dept., Reading, RG6, 2AD, England): Thermal isomerization of cyclobutenes. 17. 1-ethyl-2-vinylcyclobutene and 1,2,3-trimethylcyclobutene. *Trans. Faraday Soc.* 67 (1971) 750
- FREZE, N. A., SLIVKO, L. V., KNYAZEV, V. N. (Kazakh Chem. Technol. Inst., Chimkent, KaSSR): Calorimetric determination of silicon dioxide in slags. *Zh. Anal. Khim.* 26 (1971) 943 (In Russian)
- FUGER, J., BROWN, D. (Univ. Liège, Lab. Nucl. Chem., Liège, Belgium): Thermodynamics of the actinide elements. III. Heats of formation of the dicaesium actinide hexachloro-complexes. *J. Chem. Soc. A* (1971) 841
- FUSHMAN, E. A., POTYAGAILO, E. D., CHIRKOV, N. M. (Acad. Sci. USSR, Chem. Phys. Inst., Moscow, USSR): Concerning the possibility of determining the energy of  $\sigma$ -metal-carbonic bond in ethyl derivative of titanium ( $C_5H_5$ )<sub>2</sub> TiC<sub>2</sub>H<sub>5</sub>Cl based on studying the kinetics of thermal decomposition. *Izv. Akad. Nauk SSSR, Ser. Khim.* (1971) 715 (In Russian)
- GAJEWSKI, J. J., CAVENDER, C. J. (Indiana Univ., Dept. Chem., Bloomington, Ind., 47401 USA): Facile thermal cyclization of 6-vinylfulvene to dihydropentalene. *Tetrahedron Lett.* (1971) 1057
- GÁL, S., MEISEL, T., HALMOS, Z., NOSZKÓ, L., ERDEY, L. (Tech. Univ. Budapest, Dept. Gen. and Anal. Chem., Budapest 11, Hungary): Thermal decomposition of compounds with ionic character. *Magy. Kém. Lapja* 26 (1971) 97 (In Hungarian)
- GÁL, S., SIMON, J., BUZÁGH-GERE, É., ERDEY, L. (Tech. Univ. Budapest, Dept. Gen. and Anal. Chem., Budapest 11, Hungary): Differential thermo-analytical method for the determination of adsorptive and specific heats of industrial adsorbents. *Magy. Kém. Lapja* 26 (1971) 116 (In Hungarian)
- GALLAGHER, P. K., SCHREY, F., PRESCOTT, B. (Bell Telephone Lab., Inc., Murray Hill, N. J., 07974 USA): The thermal decomposition of aqueous manganese(II) nitrate solution. *Thermochim. Acta* 2 (1971) 405
- GALLAGHER, P. K., JOHNSON, D. W. (Bell Telephone Lab., Inc., Murray Hill, N. J., 07974 USA): Kinetics of the thermal decomposition of aqueous manganese(II) nitrate solution. *Thermochim. Acta* 2 (1971) 413
- GEHLEN, P. C. (Battelle Mem. Inst., Met. Sci. Grp., Columbus, Ohio, 43201 USA): The lattice parameters of ordered Ti<sub>3</sub>Al be-

- tween 100° and 989°K. *Met. Trans.* 2 (1971) 1249
- GERGELY, A., KIRÁLY, B., NAGYPÁL, I., MOJZES, J. (L. Kossuth Univ., Inst. Inorg. and Anal. Chem., Debrecen, Hungary): Equilibria of  $\alpha$ -amino-acid complexes of transition-metal ions. II. Stability constants, enthalpies and entropies of formation of alanine complexes. *Acta Chim. Acad. Sci. Hung.* 67 (1971) 133
- GERGELY, A., NAGYPÁL, I., SÓVÁGÓ, I. (L. Kossuth Univ., Inst. Inorg. and Anal. Chem., Debrecen, Hungary): Equilibria of  $\alpha$ -amino-acid complexes of transition-metal ions. III. Calorimetric determination of the enthalpies and entropies of formation of some amino-acid complexes. *Acta Chim. Acad. Sci. Hung.* 67 (1971) 241
- GIACOMETTI, G., TUROLLO, A., VERDINI, A. S. (Univ. Padua, Inst. Chim. Fis., Padua, Italy): Calorimetric measurements on the "Normal" temperature-induced Helix-Coil transition of poly(N- $\gamma$ -carbobenzoxy-L- $\alpha,\gamma$ -diaminobutyric acid). *J. Amer. Chem. Soc.* 93 (1971) 3092
- GIAGUE, W. F., FISHER, R. A., BRODALE, G. E., HORNING, E. W. (Univ. Calif., Dept. Chem., Berkeley, Calif., 94720 USA): Magnetothermodynamics of  $\text{CuK}_2(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$ . III. Fields along the axis. Thermodynamics temperature without heat introduction below 0.4°K. *J. Chem. Phys.* 54 (1971) 4908
- GIGGINS, C. S., PETTIT, F. S. (Pratt and Whitney Aircraft, Middletown, Connecticut, 06457 USA): The oxidation of TD NiC (Ni-20Cr-2-vol pct  $\text{ThO}_2$ ) between 900° and 1200°C. *Met. Trans.* 2 (1971) 1071
- GOLDING, B. (Bell Tel. Labs., Inc., Murray Hill, N. J., 07974 USA): Thermal expansivity of  $\text{RbNnF}_3$  near  $T_N$ . *J. Appl. Phys.* 42 (1971) 1381
- GOLDSMID, H. J. (Univ. New S. Wales, Sch. Phys., Kensington, Australia): Thermomagnetic and thermoelectric direct current transformers. *J. Phys. D* 4 (1971) 217
- GORBACHEV, S. V., SOROKIN, V. N. (D. I. Mendeleev Chem. Technol. Inst., Moscow, USSR): Calculations of calorimeter for organic and inorganic liquids at higher temperatures. *Zh. Fiz. Khim.* 45 (1971) 1012 (In Russian)
- GOUDIE, R. S., PRESTON, P. N. (c/o Preston, P. N., Heriot-Watt Univ., Dept. Chem., Edinburgh EH1 1HX, Scotland): Thermolysis of N-o-nitrophenyl- and N-2,4-dinitrophenyl- $\alpha$ -amino-acids. *J. Chem. Soc. C* (1971) 1139
- GOUDIE, R. S., PRESTON, P. N. (c/o Preston, P. N., Heriot-Watt Univ., Dept. Chem., Edinburgh EH1 1HX, Scotland): Thermolysis of o-nitro- and 2,4-dinitro-phenoxyacetic acids and related compounds. *J. Chem. Soc. C* (1971) 1718
- GRASSIE, N., SPEAKMAN, J. G. (Univ. Glasgow, Dept. Chem., Glasgow W. 2, Scotland): Thermal degradation of poly(alkyl acrylates). I. Preliminary investigations. *J. Polymer Sci. A-1*, 9 (1971) 919
- GRASSIE, N., SPEAKMAN, J. G., DAVIS, T. I. (Univ. Glasgow, Dept. Chem., Glasgow W. 2, Scotland): Thermal degradation of poly(alkyl acrylates). II. Primary esters: ethyl,n-propyl,n-butyl and 2-ethylhexyl. *J. Polymer Sci. A-1*, 9 (1971) 931
- GRASSIE, N., SPEAKMAN, J. G. (Univ. Glasgow, Dept. Chem., Glasgow W. 2, Scotland): Thermal degradation of poly(alkyl acrylates). III. A secondary ester: isopropyl acrylate. *J. Polymer Sci. A-1*, 9 (1971) 949
- GRÜTZMACHER, H. F., HÜBNER, J. (Univ. Hamburg, Inst. Org. Chem. und Biochem., Hamburg, GFR): Massenspektrometrie instabiler Moleküle. VII. Thermische Bildung von Fulven-6-on durch zweifache Ringverengung von 3-Bromtropolon. *Tetrahedron Lett.* (1971) 1455
- GUYOT, A., BERT, M., MICHEL, A., MCNEILL, I. C. (CNRS, Inst. Rech. Catalyse, Villeurbanne-69, France): Thermal degradation of graft copolymers of PVC with methacrylates, and comparisons with the behaviour of random copolymers and polymer mixtures. *Eur. Polym. J.* 7 (1971) 471
- HAGEMAN, H. J., WIERSUM, U. E. (AKZO Res. Labs., Corp. Res. Dept., Arnhem, Netherlands): Flash-vacuum thermolysis of phenyl-p-benzoquinone. *J. Chem. Soc. D* (1971) 497
- HAGER, N. E. (Armstrong Cork Co., Res. and Dev. Ctr., Lancaster, Pa., 17604 USA) Measurements of specific heat of polytetrafluoroethylene using millidegree temperature increments in thin foil calorimeter. *Rev. Sci. Instr.* 42 (1971) 678

- HALE, W. H. (E. I. du Pont Co., Savannah River Lab., Aiken, S. C., 29801 USA): Thermal decomposition of neodymium-loaded cation exchange resin. *J. Inorg. Nucl. Chem.* 33 (1971) 1227
- HALL, P. G. (Univ. Exeter, Dept. Chem., Stocker Road, Exeter, Devon, England): Thermal decomposition and phase transitions in solid nitramines. *Trans. Faraday Soc.* 67 (1971) 556
- HANSON, B. D., MAHNING, M., TOTH, L. E. (c/o Toth, L. E., Univ. Minnesota, Dept. Chem. Engr. and Mat. Sci., Minneapolis, Minnesota, 55455 USA): Low temperature heat capacities of transition metal borides. *Z. Naturforsch.* 26 (1971) 739
- HARIHARAN, A. V., EICK, H. A. (Michigan State Univ., Dept. Chem., East Lansing, Michigan, 48823 USA): Vaporization thermodynamics of europium(II) sulfide. *High Temp. Sci.* 3 (1971) 123
- HAWKINS, D. T., HULTGREN, R. (Univ. California, Inorg. Mat. Res. Div., Lawrence Radiat. Lab., Berkeley, Calif., 94720 USA): The effect of ordering on lattice heat capacities. Ordered and disordered AuCu. *J. Chem. Thermodyn.* 3 (1971) 175
- HEGEDÜS, A. J. (Tungstam Res. Lab., Element Examination, Váci út 77, Budapest 4, Hungary): Über die simultane gravimetrisch-thermische (GTA) und massenspektrometrisch-thermische (MSTA) Analyse von polykristallinem Zinkoxid. *Mikrochim. Acta* (1971) 40
- HENDERSON, A. J., MEYER, H., GUGGENHEIM, H. J. (Gen. Elect. Co., Hendersonville, North Carolina, 28739 USA): The specific heat of  $\text{RbMnF}_3$  and  $\text{MnF}_2$  between 0.5 and 4.2°K. *J. Phys. Chem. Solids* 32 (1971) 1047
- HERNDON, W. C., FEUER, J., MITCHELL, R. E. (Texas Tech. Univ., Dept. Chem., Lubbock, Texas, 79409 USA): Calorimetric studies of  $\pi$ -molecular complexes: tetracyanoethylene and aromatic donors. *J. Chem. Soc. D* (1971) 435
- HERR, A., KUENTZLER, R. (Inst. Phys., Lab. Pierre Weiss, Strasbourg, France): Magnetization and specific heat of a weakly ferromagnetic compound:  $\text{CrBe}_{12}$ . *Phys. Status Sol. B-Basic Res.* 45 (1971) K 1
- HIGGINS, J., JONES, J. F., THORNBURGH, A. (Illinois State Univ., Dept. Chem., Normal, Ill., 61761 USA): Polyaromatic pyrazines: Synthesis and thermogravimetric analysis. *J. Polymer Sci. A-1*, 9 (1971) 763
- HIRSCHKOFF, E. C., SHANABARGER, M. R., SYMKO, O. G., WHEATLEY, J. C. (Univ. California, San Diego, Dept. Phys., La Jolla, Calif., 92037 USA): Magnetization of dilute Cu(Fe) alloys at low temperatures. *Phys. Lett. A* 34 (1971) 341
- HISHIYAMA, Y., ONO, A., HASHIMOTO, M. (Musashi Inst. Technol., Tamazutsumi Setagaya-ku, Tokyo, Japan): Field dependence of magnetoresistance in No-binder soft carbons at 77°K. *Jap. J. Appl. Phys.* 10 (1971) 416
- HOEVE, H. G., VAN OSTENBURG, D. O. (Northern Illinois Univ., De Kalb, Ill., 60115 USA): High-temperature magnetic susceptibility of dilute Cu(Cr) alloys. *Phys. Rev. Lett.* 26 (1971) 1020
- HOSPITAL, M. (CNRS, Fac. Sci. Bordeaux, 33 Talence, France): Structure cristalline à-140, 20, 120°C et dilatation thermique de l'azélamide. *Acta Crystallogr. B* 27 (1971) 484
- IMOTO, F., KANEKO, S. (Shizuoka Univ., Fac. Engn. Dept. Ind. Chem., Johoku, Hamamatsu, Japan): Thermal behavior of hydrous titanium dioxide. *J. Chem. Soc. Jap. Ind.* 74 (1971) 591 (In Japanese)
- INAGAKI, N., KATSUURA, K. (Shizuoka Univ., Fac. Engn., Johoku, Hamamatsu, Shizuoka, Japan): Thermal analysis of phosphorus containing cellulose. *J. Chem. Soc. Jap. Ind.* 74 (1971) 982 (In Japanese)
- ISHINABE, T. (Tokyo Inst. Technol., Fac. Engn., Meguro-ku, Tokyo, Japan): A molecular theory of the thermal transitions of polymers. I. *J. Phys. Soc. Jap.* 30 (1971) 1022
- ISHINABE, T. (Tokyo Inst. Technol., Fac. Engn., Meguro-ku Tokyo, Japan): A molecular theory of the thermal transitions of polymers. II. *J. Phys. Soc. Jap.* 30 (1971) 1029
- ITKIN, V. P., MOGUTNOV, B. M., POLOVOV, V. M.: Microcalorimetry of the studies. *Zavod. Lab.* 37 (1971) 289 (In Russian)
- IVIČIČ, N., SIMEON, VL. (Yugoslav Acad. Sci. and Arts, Inst. Med. Res., Lab. Anal. and Phys. Chem., Zagreb, Croatia, Yugoslavia): Thermodynamics of formation of lanthanide complexes with 1,2-diamino-

- cyclopentane-N,N,N',N'-tetraacetic acid. *Thermochim. Acta* 2 (1971) 345
- IWASAKI, B., KATSURA, T. (Akita Univ., Res. Inst. Underground Resources, Akita, Japan): The thermodynamic properties of the nonstoichiometric ceric oxide at temperatures from 900 to 1300°C. *Bull. Chem. Soc. Jap.* 44 (1971) 1297
- IZATT, R. M., BARTHOLOMEW, C. H., MORGAN, C. E., EATOUGH, D. J., CHRISTENSEN, J. J. (Brigham Young Univ., Dept. Chem. and Chem. Engr. Cen. Thermochem. Studies, Provo, Utah, 84601 USA): Calorimetric determination of  $\log K_i$ ,  $\Delta H_i^0$  and  $\Delta S_i^0$  values for the interaction of thiourea with  $\text{Hg}(\text{CN})_2$  in water-formamide solvents at 25°C. *Thermochim. Acta* 2 (1971) 313
- JAČOVIĆ, M. S., GOVEDARICA, M. (Inst. Chem. Technol. and Met., Njegoševa 12, Belgrade, Yugoslavia): Étude dilatométrique de la polymérisation en suspension. *Compt. Rend. Ser. C* 272 (1971) 1295
- JORDAN, K. C., OTTO, G. W., RATAY, R. P. (Monsanto Res. Corp., Mound Lab., Miamisburg, Ohio, 45342 USA): Calorimetric determination of the half-lives of  $^{228}\text{Th}$  and  $^{224}\text{Ra}$ . *J. Inorg. Nucl. Chem.* 33 (1971) 1215
- KAPITANOVA, R. P., MARTYNYENKO, L. I., CARLAMOVA, G. L., PECHUROVA, N. I., SPITSYN, V. I.: Thermogravimetry of rare earth diethylenetriaminepentaacetates. *Zh. Neorg. Khim.* 16 (1971) 1286 (In Russian)
- KAPUSTIN, A. P., MART'YANOVA, L. I. (Acad. Sci. USSR, Cryst. Inst., Moscow, USSR): On the temperature dependence of ultrasonic velocity in liquid crystals in the range of phase transitions. *Kristallografiya* 16 (1971) 648 (In Russian)
- KASAI, N., OGAWA, S. (Elect. Tech. Lab., Tanashi, Tokyo, Japan): Thermal expansion of  $\text{Au}_4\text{V}$ . *J. Phys. Soc. Jap.* 30 (1971) 736
- KILLMANN, E., ECKART, R. (Tech. Univ. München, Inst. Tech. Chem., 8 München, Arcisstr. 21, GFR): Kalorimetrische Untersuchungen zur Adsorption von Makromolekülen aus verdünnten Lösungen. *Makromol. Chem.* 144 (1971) 45
- KIRKIACHARIAN, B. S. (CNRS, Lab. Chim., Muséum Natl. Hist. Nat., 75-Paris 5°, France): Radicaux libres thermiques: étude d'esters maloniques et cyanacétiques. *Bull. Soc. Chim. Fr.* (1971) 1800
- KJÖLLERSTRÖM, B. (Univ. Lund, Dept. Theoret. Phys., Lund, Sweden): On the specific heat for a dilute magnetic alloy. *Phys. Status. Sol. B-Basic Res.* 45 (1971) K 77
- KLEVTSOV, P. V., DEMENEV, A. V., KLEVTSOVA, R. F. (Acad. Sci. USSR, Inorg. Chem. Inst., Novosibirsk, USSR): Production of crystals, thermal stability and structure of double tungstates  $\text{LiR}^{3+}(\text{WO}_4)_2$  for  $\text{R}=\text{Ga, In, Sc, Fe}$ . *Kristallografiya* 16 (1971) 520 (In Russian)
- KOBAYASHI, J., UESU, Y., ENOMOTO, Y. (Waseda Univ., Dept. Appl. Phys., Nishi, Shinjuku, Tokyo, Japan): X-ray dilatometric study on ferroelectric phase transition of  $\text{KH}_2\text{PO}_4$  (I). *Phys. Status Sol. B-Basic Res.* 45 (1971) 293
- KOGAN, B. S. (Ural Polytechn. Inst., Sverdlovsk, USSR): Thermodynamics of potassium phosphates. 5. Enthalpy of formation of sodium and potassium phosphates and phosphoric acids. *Zh. Fiz. Khim.* 45 (1971) 723 (In Russian)
- KOLESOV, V. P., IVANOV, L. S., SKURATOV, S. M. (M. V. Lomonosov Univ., Moscow, USSR): Standard enthalpy of 2,2,2-trifluoroethanol formation. *Zh. Fiz. Khim.* 45 (1971) 547 (In Russian)
- KONONYUK, V. F., SARAHOV, A. I., DUBININ, M. M. (Acad. Sci. USSR, Phys. Chem. Inst., Moscow, USSR): Dilatometric study of NaA zeolite in water vapour adsorption. *Dokl. Akad. Nauk SSSR* 198 (1971) 638 (In Russian)
- KORNEEV, V. P., GLUSHKOVA, V. B., KELER, E. K. (Acad. Sci. SSSR, I. V. Grebenshchikov Silicate Chem. Inst., Leningrad, USSR): Formation heats of rare-earth element zirconates. *Izv. Akad. Nauk SSSR, Neorg. Mater.* 7 (1971) 886 (In Russian)
- KORSHAK, V. V., SERGEEV, V. A., DANILOV, V. G., SLONIMSKY, G. L., ASKADSKY, A. A., MZHEL'SKY, A. I. (Acad. Sci. USSR, Organoelemental Cpd. Inst., Moscow, USSR): On the thermal and heat stability of polyphenylene. *Izv. Akad. Nauk SSSR, Ser. Khim.* (1971) 744 (In Russian)
- KOVALEVA, I. S., SEREDNII, A. P., TYCHINA, I. I., RADZIVIL, V. P. (A. M. Gorkii Teachers Inst., Kiev, UkSSR): Thermal



- analysis of glassy CdGeP<sub>2</sub>. *Zh. Fiz. Khim.* 45 (1971) 727 (In Russian)
- KOZHIN, V. M., GODOVSKII, Y. K., TSENEVA, M. A. (Acad. Sci. USSR, Inst. Organoelemental Cpd., Moscow, USSR): Heat capacity and density variation during alpha  $\rightleftharpoons$  beta phase transition in para dichlorobenzene. *Zh. Fiz. Khim.* 45 (1971) 987 (In Russian)
- KOZHIN, V. M., KON'SHINA, L. F. (Acad. Sci. USSR, Inst. Organoelemental Cpd., Moscow, USSR): Parameters of the unit cell and thermal expansion tensors of decafluorine diphenyl in range 77–293°K. *Kristallografiya* 16 (1971) 642 (In Russian)
- KUEHN, L. A., STUBBS, R. A., MACHATTIE, L. E. (Def. Res. Estab. Toronto, POBox 2000, Downsview, Ont., Canada): A single thermometer wet bulb globe temperature (WBGT) index meter. *J. Phys. E-Sci. Instr.* 4 (1971) 293
- KULIKOVA, A. E., ZILBERMAN, E. N., TAIKOVA, N. K.: Thermal decomposition of chloropropanes. *Zh. Org. Khim.* 7 (1971) 439 (In Russian)
- KUSANO, K., WADSÖ, I. (Miyazaki Univ., Fac. Engn., Miyazaki, Japan): Enthalpies of vaporization of organic compounds. VIII. Alkoxyethanols. *Acta Chem. Scand.* 25 (1971) 219
- LAI DOUDI, A., OUAHES, R. (Fac. Sci. Algiers, Dept. Chim., Algiers, Algeria): Préparation et décomposition thermique du sel complexe Na<sub>2</sub>Cu(CO<sub>3</sub>)<sub>2</sub> · 3 H<sub>2</sub>O. *Compt. Rend. Ser. C* 272 (1971) 1814
- LAMBERTS, L. (Univ. Louvain, Lab. Phys. Chem., 200F, Celestijnenlaan, B 3030-Heverlee, Belgium): The study of the enthalpy of complex formation in solution by calorimetric methods. *Z. Phys. Chem. Frankfurt* 73 (1970) 159
- LAURENCE, G. (CEN de Saclay, Serv. Electr. Phys., 91-Gif-sur-Yvette, France): Low-temperature thermal conductivity of CdCl<sub>2</sub> and FeCl<sub>2</sub> and critical magnetic scattering of phonons in FeCl<sub>2</sub>. *Phys. Lett. A* 34 (1971) 308
- LAWLESS, W. N. (Corning Glass Works, Res. and Dev. Labs., Corning, N. Y., 14830 USA): A low temperature glass-ceramic capacitance thermometer. *Rev. Sci. Instr.* 42 (1971) 561
- LAWLESS, W. N., RADEBAUGH, R., SOULEN, R. J. (Corning Glass Works, Res. and Dev. Labs., Corning, N. Y., 14830 USA): Studies of a glass-ceramic capacitance thermometer between 0.025 and 2.4°K. *Rev. Sci. Instr.* 42 (1971) 567
- LAWRENSON, B., RAY, B. (Univ. Dundee, Dept. Elect. Engn. and Electr., Dundee, Scotland): Low temperature sintering method for the preparation of Mg<sub>x</sub>Cd<sub>1-x</sub>Te alloys. *Phys. Stat. Sol. A* 5 (1971) K 101
- LAYDEN, G. K. (United Aircraft Res. Labs., Silverlane East Hartford, Connecticut, 06108 USA): Determination of melting of PAN-MMA copolymer fibers by differential thermal analysis. *J. Appl. Polymer Sci.* 15 (1971) 1283
- LEBEDEVA, N. D., GUTNER, N. M., RYADNENKO, V. L. (Leningrad Appl. Chem. Inst., Leningrad, USSR): Heat of combustion and heat of formation of aromatic amino derivatives. *Zh. Fiz. Khim.* 45 (1971) 999 (In Russian)
- LEBEDEVA, N. D., RYADNENKO, V. L., KUZNETSOVA, I. N. (Leningrad Appl. Chem. Inst., Leningrad, USSR): Heat of combustion and enthalpy of formation of aromatic nitro derivatives. *Zh. Fiz. Khim.* 45 (1971) 980 (In Russian)
- LEGASOV, V. A., CHAIVANOV, B. B.: Differential thermal analysis method for studying the XeF<sub>2</sub>–NbF<sub>5</sub>, XeF<sub>2</sub>–TaF<sub>5</sub> system. *Zh. Fiz. Khim.* 45 (1971) 593 (In Russian)
- LEIBOWITZ, L., CHASANOV, M. G., MISHLER, L. W., FISCHER, D. F. (Argonne Natl. Lab., Chem. Engn. Div., Argonne, Ill., 60439 USA): Enthalpy of liquid uranium dioxide to 3500°K. *J. Nucl. Mater.* 39 (1971) 115
- LEIN, F. Y., NESTERENKO, A. G., PAVLOV, E. E., MARTINSON, E. N.: Apparatus for high-temperature studies of kinetics of construction materials interaction with gases at low pressures. *Prib. Tekhn. Eksp.* 197 (1971) 199 (In Russian)
- LE MAY, H. E., NOLAN, P. S. (Univ. Nevada, Dept. Chem., Reno, Nevada, 89507 USA): Thermochemistry of dehydration and dehydrohalogenation of some compounds containing the H<sub>3</sub>O<sub>2</sub><sup>+</sup> ion. *Inorg. Nucl. Chem. Lett.* 7 (1971) 355
- LESUEUR, D., THOMAS, J. Y., VENDITTI, V. (CEN, Grp. Effets Radiat., Fontenay-aux-Roses, 92, France): Variations du coeffi-

- cient de dilatation linéaire avec la contrainte appliquée dans un alliage métallique amorphe. *Rev. Phys. Appl.* 6 (1971) 91
- LEVINE, S. L., BELL, H. F. (IBM Corp., Syst. Dev. Div., Poughkeepsie, N. Y., 12602 USA): The application of thermogravimetric analysis to an electrophoretically deposited polymer coating. *J. Appl. Polymer Sci.* 15 (1971) 1287
- LIPTAY, G., BURGER, K., MOCSÁRI-FÜLÖP, É., PORUBSZKY, I. (Tech. Univ. Budapest, Dept. Appl. Chem., Budapest 11, Hungary): Thermal analysis of metal complexes. III. *Magy. Kém. Foly.* 77 (1971) 84 (In Hungarian)
- LISSE, J.-P., DUBOIS, B. (École Natl. Super. Chim., Lab. Métal., 75-Paris 5<sup>e</sup>, France): Influence des traitements thermiques sur la structure de l'alliage d'Heusler Cu<sub>2</sub>MnAl. *Compt. Rend. Ser. C* 272 (1971) 1415
- LOOKER, J. J. (Eastman Kodak Co., Res. Labs., Rochester, N. Y., 14650 USA): Thermal decomposition of some 5-substituted 5-azido-5H-dibenzo[a,d]cycloheptenes. A transannular nitrene addition. *J. Org. Chem.* 36 (1971) 1045
- LOWE, R. (Univ. Leiden, Chem. Labs., P. O. Box 75 Leiden, Netherlands): Thermolytic reactions of esters. V. Thermal stability of diallyl oxalate vapour; reactivity of allyl radicals. *Rec. Trav. Chim.-J. Roy. Neth. Chem.* 90 (1971) 469
- LOZINSKII, M. G., ZINCHENKO, V. M. (Kiev Machine Technol. Res. Inst., Kiev, UkSSR): Peculiarities of plastic deformation of nickel-chromium alloy under tension at constant rate in temperature range 20–1000°C. *Fiz. Metal. Metalloved.* 31 (1971) 1063 (In Russian)
- LUKASHENKO, G. M., POLOTSKAYA, R. I., DYULDINA, K. A., ABRIKOSOV, N. KH. (Acad. Sci. UkSSR, Mat. Technol. Inst., Kiev, UkSSR): Thermodynamic properties of manganese-tellurium compounds. *Izv. Akad. Nauk SSSR, Neorg. Mater.* 7 (1971) 860 (In Russian)
- MAHENDRAN, M., JOHNSON, A. W. (Univ. Sussex, Sch. Molec. Sci., Brighton, Sussex, England): The thermal rearrangement of 1-substituted 1H-azepines to 6-amino-fulvenes. *J. Chem. Soc. C* (1971) 1237
- MAJANI, G., PRUDENZATI, M. (Ist. Fis., Lab. Elettr., Modena, Italy): Thermoelectric power in crystalline boron. *Phys. Stat. Sol. A* 5 (1971) K 129
- MAKARENKO, I. N., TRUKHANOVA, L. N., FILIPPOV, L. P.: The thermal properties of niobium at high temperatures. *High Temp. USSR Engl. Trans.* 8 (1970) 628
- MAKI, K. (Tohoku Univ., Dept. Phys., Sendai, Japan): Thermomagnetic effect above the superconducting transition. *Progr. Theor. Phys. Kyoto* 45 (1971) 1009
- MANLEY, T. R., MARTIN, C. G. (Newcastle upon Tyne Polytech., Dept. Mat., Sci., Ellison Buil., Newcastle upon Tyne NE1 8ST, England): Thermal analysis of polyester resins. *Acta Chim. Acad. Sci. Hung.* 67 (1971) 443
- MARIK-KORDA, P., ERDEY, L. (Tech. Univ. Budapest, Dept. Gen. and Anal. Chem., Budapest 11, Hungary): Application of direct thermometric analysis for determining the chlorine content of some materials. *Magy. Kém. Lapja* 26 (1971) 114 (In Hungarian)
- MARINOVA, L. A., YAGLOV, V. N., NOVIKOV, G. I. (S. M. Kirov Technol. Inst., Minsk, BeSSR): Thermodynamics of Co<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub> · 5H<sub>2</sub>O gradual dehydration. *Zh. Fiz. Khim.* 45 (1971) 725 (In Russian)
- MÄRKL, G., MERZ, A. (Univ. Würzburg, Inst. Org. Chem., Würzburg, GFR): Umlagerung von 1,2-dialkyldihydrophosphabenzolen zu 1,1-dialkylphosphabenzolen. Thermolyse zu 1-unsubstituierten Phosphabenzolen. *Tetrahedron Lett.* (1971) 1215
- MC CARTHY, S. L., VISWANATHAN, R. (Univ. California, Inst. Pure and Appl. Phys. Sci., San Diego, La Jolla, Calif., 92037 USA): Heat capacity and a.c. susceptibility measurements on pressed-powder compacts of V<sub>3</sub>Si. *Solid State Commun.* 9 (1971) 569
- MC COURT, F. R., MORAAL, H. (Univ. Waterloo, Dept. Chem., Waterloo, Ont., Canada): On the thermomagnetic torque for nitrogen. *Chem. Phys. Lett.* 9 (1971) 35
- MC ELEARNEY, J. N., LOSEE, D. B., MERCHANT, S., CARLIN, R. L. (Univ. Illinois, Dept. Chem., Chicago, Ill., 60680 USA): Low-temperature paramagnetism in calcium copper(II) acetate hexahydrate. *J. Chem. Phys.* 54 (1971) 4585
- MC NEILL, I. C., NEIL, D. GUYOT, A., BERT, M., MICHEL, A. (Univ. Glasgow, Chem. Dept., Glasgow W. 2, Scotland): Thermal degradation of graft copolymers of PVC

- prepared by mastication with styrene and methyl methacrylate, and of further PVC mixtures and vinyl chloride copolymers. *Eur. Polym. J.* 7 (1971) 453
- MELIA, T. P., MERRIFIELD, R. (North Lindsey Tech. Coll., Sounthorpe, Lancs., England): Thermal properties of transition-metal compounds. V. Heat capacity measurements on  $(\text{NMe}_4)_2\text{MCl}_4$  (M = iron, cobalt, or copper),  $(\text{NEt}_4)_2\text{CuCl}_4$  and  $\text{Cs}_2\text{CoCl}_4$ . *J. Chem. Soc. A* (1971) 1258
- MENEZES, R. A., NIX, W. D. (Stanford Univ., Dept. Mat. Sci., Stanford, Calif., 94305 USA): Average internal stresses in LiF single crystals during high temperature creep. *Acta Met.* 19 (1971) 645
- MESHCHERYAKOV, N. A. (Acad. Sci. USSR, Math. Inst., Novosibirsk, USSR): Radiolysis and pyrolysis of simplest organosilicon compounds. *Zh. Fiz. Khim.* 45 (1971) 852 (In Russian)
- MICHAEL, J. V. (Carnegie Mellon Univ., Dept. Chem., Pittsburgh, Pa., 15213 USA): Thermal decomposition of ozone. *J. Chem. Phys.* 54 (1971) 4455
- MIKHAIL, R. SH., GUINDY, N. M. (AIN Shams Univ., Fac. Sci., Cairo, UAR): Rates of low-temperature dehydration of montmorillonite and illite. *J. Appl. Chem. Biotechnol.* 21 (1971) 113
- MIKI, H., MAKITA, Y., GESI, K. (Science Univ. Tokyo, Fac. Sci., Kagurazaka, Shinjuku-ku, Tokyo 162, Japan): Thermal expansion in ferroelectric  $\text{AgNa}(\text{NO}_2)_2$ . *J. Phys. Soc. Jap.* 30 (1971) 1512
- MIKOVIČ, J., LAZÁR, M. (Slovak Acad. Sci., Polymer Inst., Bratislava, Czechoslovakia): Thermal decomposition of solid benzoyl peroxide in the presence of solid admixtures. I. Observations made under constant heating conditions. *Thermochim. Acta* 2 (1971) 321
- MIKOVIČ, J., LAZÁR, M. (Slovak Acad. Sci., Polymer Inst., Bratislava, Czechoslovakia): Thermal decomposition of solid benzoyl peroxide in the presence of solid admixtures. II. Isothermal measurements. *Thermochim. Acta* 2 (1971) 429
- MINIOVICH, V. M., SORINA, G. A. (State Inst. Nitrogen Ind. and Org. Synth. Prod., Moscow, USSR): Determining thermal equilibrium in neighborhood of critical point of pure substances. *Zh. Fiz. Khim.* 45 (1971) 952 (In Russian)
- MIRONOV, V. E., MAKASHEV, Y. A., BLOKHIN, V. V. (A. I. Gertsen Teachers Inst., Leningrad, USSR): Thermodynamics of chelate complexes. 5. Determining thermodynamic functions according to thermochemical data. *Zh. Fiz. Khim.* 45 (1971) 772 (In Russian)
- MITA, I., IMAI, I., KAMBE, H. (Univ. Tokyo, Inst. Space and Aeronautical Sci., 6-1, Komaba-4, Meguroku, Tokyo, Japan): Determination of heat of mixing and heat of vaporization with a differential scanning calorimeter. *Thermochim. Acta* 2 (1971) 337
- MIZUTANI, U. (Nagoya Univ., Fac. Engn. Dept. Appl. Phys., Nagoya, Japan): Low temperature specific heats of pure zinc. *Jap. J. Appl. Phys.* 10 (1971) 367
- MOGILEVSKII, B. M., SURIN, V. G. (V. I. Lenin Agr. Sci. Acad., Agr. Phys. Inst., Leningrad, USSR): Thermal conductivity of organic compounds with phase transitions in solid state. *Fiz. Tverd. Tela* 13 (1971) 1345 (In Russian)
- MOORE, H. W., PEARCE, D. S. (Univ. California, Dept. Chem., Irvine, Calif., 92664 USA): Pyrolysis of 2-azido-1,3-indanediones. Azanaphthoquinone synthesis. *Tetrahedron Lett.* (1971) 1621
- MORIARTY, R. M., YEH, C.-L., ISHIBI, N. (Univ. Illinois, Chicago, Circle Chicago, Ill. 60680 USA): Thermolysis of 7,8-diazapentacyclo[4.4.0.0<sup>2,19</sup>.0<sup>3,5</sup>.0<sup>4,9</sup>]dec-7-ene. Effect of transition metal ions upon the formation of semibullvalene and cyclooctatetraene. *J. Am. Chem. Soc.* 93 (1971) 3085
- MORIMOTO, S. (Res. Inst. Polymers and Text., Sawatari, Kanagawa-ku, Yokohama, Japan): Calorimetric study of polystyrenes of low molecular weight. *Bull. Chem. Soc. Jap.* 44 (1971) 879
- MORTIMER, C. T., ASCHCROFT, S. J. (Univ. Keele, Dept. Chem., Keele, Staffs., England): The thermochemistry of chlorocarbonyl(sulfur dioxide)bis(triphenylphosphine)rhodium (I). *Inorg. Chem.* 10 (1971) 1326
- MUCK, A., PETRŮ, F. (Tech. Univ. Prague, Dept. Inorg. Chem., Prague, Czechoslovakia): Thermische Zersetzung von Scandium und Yttriumdiphosphat bei Temperaturen über 800°C. *Z. Chem.* 11 (1971) 154
- MURAT, M. (Univ. Claude Bernard, Lyon I,

- Lab. Chim. Appl. and Gen. Chim., 69-Villeurbanne, France): Évolution thermique des zéolites synthétiques de type 4 A. Étude, par dilatométrie, de la formation de carnegiéite. *Compt. Rend. Ser. C* 272 (1971) 1392
- NAGATA, S., MARUYAMAUCHI, T., WATANABE, T. (Hokkaido Univ., Fac. Sci., Dept. Phys., Sapporo, Japan): Specific heat of  $\text{Ni}(\text{NH}_3)_2\text{Ni}(\text{CN})_4 \cdot 2\text{C}_6\text{H}_6$  at low temperature. *J. Phys. Soc. Jap.* 30 (1971) 1054
- NICOL, A. W. (Univ. Birmingham, Dept. Minerals Engr., P.O. Box 363, Birmingham 15, England): Necoite, I. Composition and thermal dehydration. *Acta Crystallogr. B* 27 (1971) 469
- NIKISHIN, G. I., STAROSTIN, E. K., GOLOVIN, B. A. (N. D. Zelinskii Org. Chem. Inst., Moscow, USSR): Thermal decomposition of dimethyl ether of peroxydiphthalic acid. *Izv. Akad. Nauk SSSR, Ser. Khim.* (1971) 946 (In Russian)
- NOTARD, J., WEBSTER, D. J. (Union Carbide Corp., Linde Div., Tonawanda, N.Y., 14150 USA): Thermal analysis of forced cooled cables. *IEEE Trans. Power App. Syst. PAS-90* (1971) 1225
- NOVITSKII, L. A., ERGARDT, N. N.: New instruments for thermophysical investigations. *High Temp. USSR Engl. Trans.* 8 (1970) 648
- NUTTALL, R. L., LAUFER, A. H., KILDAY, M. V. (NBS, Washington, D. C., 20234 USA): The enthalpy of formation of ketene. *J. Chem. Thermodyn.* 3 (1971) 167
- ODA, M., KAYAMA, Y., KITAHARA, Y. (c/o Kitahara, Y., Tohoku Univ., Fac. Sci., Sendai, Japan): Thermal dimerization of (cyanomethylene)cycloheptariene(8-cyanoheptafulvene); synthesis of a dihydrobenzo-[1,2 : 4,5]dicycloheptene. *J. Chem. Soc. D* (1971) 505
- OKAMOTO, K. (Takamatsu Tech. Co., Takamatsu, Japan): Thermoelectric power and phase transition of  $\text{Cu}_2\text{Se}$ . *Jap. J. Appl. Phys.* 10 (1971) 508
- OLOFSSON, G. (Univ. Lund, Chem. Ctr., Thermochem. Lab., S-220 07 Lund 7, Sweden): A calorimetric study of the donor properties of N,N'-methylureas. *Acta Chem. Scand.* 25 (1971) 691
- OMORI, T., WU, S.-C., SHIOKAWA, T. (Tohoku Univ., Fac. Sci., Dept. Chem., Katahira, Sendai, Japan): Thermal annealing behavior of the recoil  $^{57}\text{Co}$  formed by the decay of  $^{57}\text{Ni}$ -labeled hexamminenickel(II) complexes. *Bull. Chem. Soc. Jap.* 44 (1971) 1014
- OSBORNE, D. W., SCHREINER, F., SELIG, H. (Argonne Natl. Lab., Chem. Div., Argonne, Ill., 60439 USA): Calorimetric study of iodine pentafluoride: heat capacity between 5 and 350°K, enthalpy of fusion and vaporization, standard entropy of the vapor, and other thermodynamic properties. *J. Chem. Phys.* 54 (1971) 3790
- PAPAZIAN, H. A., PIZZOLATO, P. J., PATRICK, J. A. (Martin Marietta Corp., Denver, Colo., 80201 USA): Thermal decomposition of oxalates of ammonium and potassium. *J. Am. Ceram. Soc.* 54 (1971) 250
- PARFENJEVA, L. S., SMIRNOV, I. A., TIKHONOV, V. V. (Acad. Sci. USSR, Semicond. Inst., Leningrad, USSR): Thermal conductivity of Ca, Ba and Sr fluorides. *Fiz. Tverd. Tela* 13 (1971) 1509 (In Russian)
- PARLAGH, GY., HUSZÁR, K., RÁCZ, GY., SZÉKELY, GY. (Tech. Univ. Budapest, Dept. Phys. Chem., Budapest 11, Hungary): Derivatographic measurements in controlled atmospheres. *Proc. 2nd Conf. Appl. Phys. Chem., Akadémiai Kiadó, Budapest, 1971*, Vol. 1, 187
- PAULIK, F., PAULIK, J. (Tech. Univ. Budapest, Dept. Gen. and Anal. Chem., Budapest 11, Hungary): The rise and progress of the derivatography. *Magy. Kém. Lapja* 26 (1971) 73 (In Hungarian)
- PINCOCK, R. E., TONG, M.-M., WILSON, K. R. (Univ. British Columbia, Dept. Chem., Vancouver, B. C., Canada): Thermal racemization of (+)-bicyclo[2.2.1]hept-5-ene-trans-2,3-dicarboxylic acid in the melted and solid states. *J. Am. Chem. Soc.* 93 (1971) 1669
- POLYACHENOK, O. G., KOMSHILOVA, O. N. (Belorussian Technol. Inst., Minsk, BeSSR): Thermodynamics of the  $\text{GaCl}_3$ -GaCl system. *Zh. Fiz. Khim.* 45 (1971) 990 (In Russian)
- POPOVSKAYA, N. P., SMOTRAKOV, V. G., PROTESENKO, P. I. (Rostov State Univ., Rostov, USSR): Viscosity of melts of the  $\text{KNO}_2$ - $\text{Cd}(\text{NO}_3)_2$ ,  $\text{RbNO}_3$ - $\text{Cd}(\text{NO}_3)_2$

- systems. *Zh. Fiz. Khim.* 45 (1971) 999 (In Russian)
- POUSHKIN, I. M., CHARNAYA, E. G., KOLESNIKOV, I. M.: High-temperature dehydrohalogenation of 1,2-dichloroethane. Thermodynamic calculation of composition of reaction products. *Zh. Fiz. Khim.* 45 (1971) 957 (In Russian)
- PUGACHEV, N. S., PAPIROV, I. I., TIKHINSKII, G. F., KORNIYENKO, L. A., NIKOLAYENKO, A. A. (Acad. Sci. UkSSR, Engn. Phys. Inst., Kharkov, UkSSR): The morphology of thermal etch pits in beryllium single crystals. *Kristallografiya* 16 (1971) 654 (In Russian)
- RABINOVICH, I. B., MOCHALOV, A. N., PAVLINOV, L. I., KORSHAK, V. V., RUSANOV, A. L., KATSARAVA, R. D. (N. I. Lobachevskii Univ., Chem. Inst., Gorki, USSR): Thermodynamics of polybenzoylenebenzimidazolone synthesis by means of cyclodehydration of polyaminoamido acids. *Dokl. Akad. Nauk SSSR* 198 (1971) 597 (In Russian)
- RAHMEL, A., GONZALEZ, J. A. (Dechema-Inst., Frankfurt/Main, GFR): Metallographische Untersuchungen über den Aufbau des Zunders nach Oxydation von Eisen zwischen 700 und 900°C in CO/CO<sub>2</sub>-Gemischen mit kleinen Gehalten an COS, H<sub>2</sub>S oder SO<sub>2</sub>. *Werkst. Korros.* 22 (1971) 283
- REZNITSKII, L. A., FILIPPOVA, S. E., KORZHUKOV, N. G. (M. V. Lomonosov Univ., Chem. Fac., Moscow, USSR): Heat capacity, enthalpy and entropy of cobalt-ferrite CoFe<sub>2</sub>O<sub>4</sub> in a range of 298–940°K. *Zh. Fiz. Khim.* 45 (1971) 950 (In Russian)
- RIGGS, W. M., BRICKER, C. E. (E. I. du Pont Co., Cent. Res. Dept., Wilmington, Delaware, 19898 USA): Thermal decomposition of iron(III) oxalates. *J. Inorg. Nucl. Chem.* 33 (1971) 1635
- RUBIN, L. G., LAWLESS, W. M. (Massachusetts Inst. Techn., Francis Bitter Natl. Magnet Labs., Cambridge, Mass., 02139 USA): Studies of glass-ceramic capacitance thermometer in an intense magnetic field at low temperatures. *Rev. Sci. Instr.* 42 (1971) 571
- RUKOSUYEV, M. N., YAMZIN, I. I., CHIKHACHEV, V. A., LYUBIMTSEV, V. A. (Acad. Sci. USSR, Phys. Inst., Krasnoyarsk, USSR): Investigation of the structure and magnetic properties of β-FeOOH in the processes of dehydration up to hematite. *Kristallografiya* 16 (1971) 532 (In Russian)
- SAEGUSA, T., TAKA-ISHI, N., ITO, Y. (Kyoto Univ., Fac. Engn., Sakyo, Kyoto, Japan): The thermal rearrangement and degradation of 2,3-bis(alkylimino)oxetane. *Bull. Chem. Soc. Jap.* 44 (1971) 1121
- SAMORUKOV, O. P., KOSTRYUKOV, V. N., SAMORUKOVA, N. K.: Thermodynamics of organochlorosilanes. Low-temperature heat capacity, temperatures and heats of phase conversions, thermodynamic functions for condensed phase of trimethylchlorosilane. *Zh. Fiz. Khim.* 45 (1971) 1000 (In Russian)
- ŠATAVA, V. (Czech. Acad. Sci. and Univ. Chem. Tech., Joint Lab. Silicate Chem., Prague, Czechoslovakia): Mechanism and kinetics from non-isothermal TG traces. *Thermochim. Acta* 2 (1971) 423
- SAVOLAINEN, A., LINDBERG, J. J. (Univ. Helsinki, Dept. Wood and Polymer Chem., Helsinki, Finland): Thermal stability and electric dipole moment of chlorinated poly(2,6-dimethyl-1,4-phenylene ether). *Suomen Kemistilehti B* 44 (1971) 143
- SCHLOSSER, W. F., GRAHAM, G. M., MEINCKE, P. P. M. (Univ. Toronto, Dept. Phys., Toronto, Ont., Canada): The temperature and magnetic field dependence of the forced magnetostriction and thermal expansion of Invar. *J. Phys. Chem. Solids* 32 (1971) 927
- SCHWARZ, E., IEVINS, A., BELOUSOVA, R., TERAUDA, A. (Inst. Inorg. Chem., Riga, USSR): The application of derivatography to the determination of carbon in metal containing organic compounds of boron. *Proc. 2nd Conf. Appl. Phys. Chem., Akadémiai Kiadó, Budapest 1971*, Vol. 1, 201
- SEDLÁČEK, Z. (Inst. Chem. Technol., Dept. Phys. Chem., Prague 6, Czechoslovakia): Kinetics of adsorption. III. Correlation of kinetic isotherms in an isothermal space diagram. *Collect. Czech. Chem. Commun.* 36 (1971) 1496
- SEGNIT, E. R., GELB, T. (CSIRO, Div. Build. Res., Graham Road, Highett, Victoria, Australia 3190): Kaolinite-CaCO<sub>3</sub>,

- kaolinite-MgO and kaolinite-ZnO reactions below 1000°C. *J. Austr. Ceramic Soc.* 7 (1971) 1
- SELMECZI, B. (Mecsek Ore Mining Enterprise, Pécs, Hungary): Derivatographic and magnetic data for the more accurate identification of illites. *Proc. 2nd Conf. Appl. Phys. Chem., Akadémiai Kiadó, Budapest 1971*, Vol. 1, 207
- SEYMOUR, R. C., WESTWOOD, A. R. (Bristol Univ., Phys. Chem. Dept., Bristol, Gloucs., England): The pyrolysis of polyvinyl acetate supported on silica. *Eur. Polym. J.* 7 (1971) 419
- SHAKHTIN, D. M., ELISEVA, G. G., KOVALEV, A. I., ADOL'F, E. M. (Ukrainian Sci. Res. Inst. Refractories, Kharkov, UkSSR): Dilatometer for operation in an oxidizing atmosphere up to 1750°C. *Ind. Lab. USSR* 36 (1970) 1629
- SHEIMAN, M. S., RABINOVICH, I. B., OVCHINIKOV, YU. V., NIKOLAEV, P. N., MARTUENENKO, L. YA. (N. I. Lobachevskii State Univ., Gorki, USSR): Calorimetric investigations of the compatibility of adiponitrile with copolymers of acrylonitrile with methacrylate. *Vysokomol. Soedin. Ser. A 13* (1971) 1140 (In Russian)
- SHEINDLIN, A. E., BELEVICH, I. S., KOZHEVNIKOV, I. G.: An apparatus for determining the enthalpy and specific heat of solids at temperatures up to 3700°K. *High Temp. USSR Engl. Trans.* 8 (1970) 563
- SHISHIDO, S., MASUDA, Y. (Niigata Univ., Fac. Sci., Niigata, Japan): Thermogravimetric analysis of various formates. *J. Chem. Soc. Jap. Pure* 92 (1971) 309 (In Japanese)
- SPHIL'RAIN, É. É., KAGAN, D. N.: Measurements of the enthalpy of liquid potassium. *High Temp. USSR Engl. Trans.* 8 (1970) 626
- SIDOROV, L. N. (M. V. Lomonosov Univ., Chem. Fac., Moscow, USSR): Application of Knudsen sectional chamber for mass-spectral studies of one-component systems by isothermal evaporation method. *Zh. Fiz. Khim.* 45 (1971) 1015 (In Russian)
- ŠIFTAR, J., ARHAR, A., MALEŠIČ, M. (Univ. Ljubljana, Lab. Inorg. Chem., Ljubljana, Yugoslavia): Zur Kenntnis der Rhodiumalaune. *Vestnik Slov. Kem. Drus.* 17 (1970) 13
- SMITH, J. W., JOHNSON, D. R., ROBB, W. A. (US Dept. Interior, Laramie Energie Res. Cen., Bur. Mines, Laramie, Wyo., USA): Thermal synthesis of sodium calcium carbonate — a potential thermal analysis standard. *Thermochim. Acta* 2 (1971) 305
- SOLACOLU, S., DINESCU, R., ZAHARESCU, M. (Inst. Chim. Phys., Bucharest, Roumania): Les équilibres thermiques des phases dans le système MgO—TiO<sub>2</sub>—V<sub>2</sub>O<sub>5</sub>. *Rev. Roum. Chim.* 16 (1971) 351
- SORAI, M., TACHIKI, M., SUGA, H., SEKI, S. (Osaka Univ., Fac. Sci., Dept. Chem., Toyokana 560, Osaka, Japan): Magnetic and thermal properties of crystals including isolated clusters. I. Heat capacity and infrared spectrum of [Cr<sub>3</sub>O(CH<sub>3</sub>COO)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>]Cl · 6H<sub>2</sub>O crystal between 1.5 and 280°K. *J. Phys. Soc. Jap.* 30 (1971) 750
- SOTTON, M., VIALARD, A.-M. (ITF, Lab. Phys., Boulogne, France): Influence des traitements thermiques sur la structure poreuse des fibres de polyacrylonitrile. *Compt. Rend. Ser. C* 272 (1971) 1381
- STEPANOV, A. V., STADNIK, V. F., SULZHIK, N. I.: Thermo-oxidative pyrolysis of natural gas under high-temperature conditions. *Khim. Prom.* (1971) 330 (In Russian)
- STRØMME, K. O. (Univ. Oslo, Dept. Chem., Blindern, Oslo 3, Norway): On the crystal structures of the high-temperature phases of rubidium nitrate, cesium nitrate, and thallium nitrate. *Acta Chem. Scand.* 25 (1971) 211
- SUCROW, W., BETHKE, H., CHONDROMATIDIS, G. (Tech. Univ. Berlin, Org. Chem. Inst., Berlin, GFR): Thermolyse von 1.2.4.5-tetramethyl-hexahydro-1.2.4.5-tetrazinen im Massenspektrometer. 1. *Tetrahedron Lett.* (1971) 1481
- SUGIMORI, S. (Gakushuin Univ., Fac. Sci., Dept. Chem., Mejiro, Toshima-ku, Tokyo, Japan): The thermal C—C bond fission of N,N-dichloroalkylamines. *J. Chem. Soc. Jap. Pure* 92 (1971) 352 (In Japanese)
- SULLIVAN, D. B. (NBS Inst. Basic Stand., Cryog. Div., Boulder, Colo., 80302 USA): Resistance of a silicon bronze at low temperatures. *Rev. Sci. Instr.* 42 (1971) 612
- SUPONITSKII, Y. L., TSVETKOV, A. A., SELEZNEV, V. P., KARAPETYANTS, M. K., SUDARIKOV, B. N., GROMOV, B. V. (D. I. Mendeleev Chem. Technol. Inst., Moscow, USSR): Enthalpy of formation of uranyl

- fluoride crystal hydrates. *Zh. Fiz. Khim*, 45 (1971) 995 (In Russian)
- TAKEDA, K., HASEDA, K., MATSUURA, M. (Kyoto Univ., Fac. Sci. Dept. Phys., Kyoto, Japan): A study of magnetic phase transition in a two-dimensional lattice by heat capacity measurements. *Physica* 52 (1971) 225
- TAKEDA, K., MATSUKAWA, S., HASEDA, T. (Kyoto Univ., Fac. Sci., Kyoto, Japan): Thermal and magnetic properties of linear ferro- and antiferro-magnetic substances,  $MCl_2 \cdot 2NC_5H_5$  (M; Co, Cu). *J. Phys. Soc. Jap.* 30 (1971) 1330
- TAMARIN, P. V., SHALYT, S. S. (Acad. Sci. USSR, Semicond. Inst., Leningrad, USSR): Thermo EMF of n-InSb at low temperatures. *Fiz. Tverd. Tela* 13 (1971) 1420 (In Russian)
- TANJI, Y., SHIRAKAWA, Y. (Res. Inst. Iron, Steel and Other Met., Sendai, Japan): Thermal expansion coefficient of Fe-Ni (fcc) alloys. *Sci. Rep. Res. Inst. Tôhoku Univ.* A 22 (1970) 135
- TARJÁNYI, S., LIPTAY, G., IGLÓI, M. (Res. Inst. Pharmac. Chem., Budapest 4, Hungary): Study on the solid-solid interaction between sulfamethoxazole and lactose by thermal analytical method and accelerated storage tests. *Proc. 2nd Conf. Appl. Phys. Chem., Akadémiai Kiadó, Budapest 1971*, Vol. 1, 271
- TAUBER, E., MURRAY, M. J., CROOK, D. N. (CSIRO, Div. Build. Res., Graham Road, Highett, Victoria, Australia 3190): Ceramic glazing of portland cement concrete. *J. Austr. Ceramic Soc.* 7 (1971) 18
- TAUBER, E., HILL, R. K., CROOK, D. N., MURRAY, M. J. (CSIRO, Div. Build. Res., Graham Road, Highett, Victoria, Australia 3190): Red mud residues from alumina production as a raw material for heavy clay products. *J. Austr. Ceramic Soc.* 7 (1971) 12
- THOMPSON, W. T., FLENGAS, S. N. (Mc Gill Univ., Dept. Met. Engn., Montreal 110, Que., Canada): Drop calorimetric measurements on some chlorides, sulfides, and binary melts. *Can. J. Chem.* 49 (1971) 1550
- TIMBERLAKE, J. W., BANDLISH, B. K. (Louisiana State Univ., Dept. Chem., New Orleans, Louisiana, 70122 USA): The thermal decomposition of trans-3,5-diphenyl-1-pyrazoline and trans-3,5-bis(p-methoxyphenyl)-1-pyrazoline. *Tetrahedron Lett.* (1971) 1393
- TRAORE, K. (Inst. Chim. Lab. Electrochim. and Chim. Phys., 67 Strasbourg, France): Décomposition thermique de carbonate de manganèse et d'oxalate de nickel en présence de perrhéate d'ammonium. *Compt. Rend. Ser. C* 272 (1971) 1173
- TROITSKY, B. B., TROITSKAYA, L. S., RAZUVAEV, G. A. (Acad. Sci. USSR, Chem. Inst., Gorki, USSR): Several peculiarities of the thermal decomposition of polyvinylchloride and polyvinylidenechloride. *Vysokomol. Soedin. Ser. A* 13 (1971) 1183 (In Russian)
- TSEKHOMSKAYA, T. S., DUBROVA, S. K. (I. V. Grebenshchikov Silicate Chem. Inst., Leningrad, USSR): Thermal expansion of the products of crystallization of the  $Li_2O-Ga_2O_3-SiO_2$  system glasses. *Izv. Akad. Nauk SSSR, Neorg. Mater.* 7 (1971) 665 (In Russian)
- TSINOBER, L. I., SAMOILOVICH, M. I., SHTERNBERG, A. A., GORDIYENKO, L. A. (All Union Raw Mineral Synth. Inst., Moscow, USSR): Some features of the thermochemical treatment of quartz. *Kristallografiya* 16 (1971) 591 (In Russian)
- TSUCHIYA, R., NAKATA, Y., KYUNO, E. (Kanazawa Univ., Fac. Sci., Dept. Chem., Kanazawa, Japan): Derivatographic studies on transition metal complexes. V. Thermal cis, trans-to-trans, cis isomerization of  $[CoCl_2(NH_3)_2en]ClO_4$  in solid phase. *Bull. Chem. Soc. Jap.* 44 (1971) 705
- TSUCHIYA, R., SUZUKI, M., KYUNO, E. (Kanazawa Univ., Fac. Sci., Dept. Chem., Kanazawa, Japan): Derivatographic studies on transition metal complexes. VI. Thermal, cis, trans-to-cis, cis exchange-isomerization of  $[CoCl_2(NH_3)_2en]SCN \cdot H_2O$  in solid phase. *Bull. Chem. Soc. Jap.* 44 (1971) 709
- TSUCHIYA, R., UEHARA, A., KYUNO, E. (Kanazawa Univ., Fac. Sci., Dept. Chem., Kanazawa, Japan): Derivatographic studies on transition metal complexes. IV. Deaquation-olation of hydroxoquo cobalt(III) complexes with aminotricarboxylic acids. *Bull. Chem. Soc. Jap.* 44 (1971) 701
- TOURNAYAN, L., CHARCOSSET, H., WHEELER, B. R., MC GINN, J. M., GALWEY, A. K.

- (Queens Univ., Chem. Dept., Belfast, North Ireland): Observations on the growth of nuclei during the thermal decomposition of nickel oxalate. *J. Chem. Soc. A* (1971) 868
- UYEHARA, T., FUNAMIZU, M., KITAHARA, Y. (Tohoku Univ., Fac. Sci., Dept. Chem., Sendai, 980, Japan): A thermal reaction of homoberrelenone derivative. *Chem. Ind.* (1971) 486
- VACHUŠKA, J., VOBOŘIL, M. (Czechoslovak Acad. Sci., Nucl. Res. Inst., Řež, Czechoslovakia): Kinetic data computation from non-isothermal thermogravimetric curves of non-uniform heating rate. *Thermochim. Acta* 2 (1971) 379
- VAKHOBOV, A. V., KHAMIDOV, O. K., KHONKHODZHAEV, T., NECHIPORENKO, V. G. (Acad. Sci. TaSSR, Chem. Inst., Stalinabad, TaSSR): An apparatus for differential thermal analysis of substances in vacuum and controlled atmosphere. *Zh. Fiz. Khim.* 46 (1971) 1003 (In Russian)
- VALKO, L., TVAROŠKA, I. (Slovak Tech. Univ., Inst. Phys. Chem., Bratislava, Czechoslovakia): On the thermal dehydrochlorination of model compounds for polyvinylchloride. I. *Eur. Polym. J.* 7 (1971) 41
- VAVRA, G.: On determination of heat conductivity of copper and  $\alpha$ -brass by indirect methods. *Fiz. Metal. Metalloved.* 31 (1971) 1097 (In Russian)
- VÎLCU, R., CIOCĂZANU, I. (Bucharest Univ., Chair Chem. Thermodynam. and Electrochem., Bucharest, Roumania): Calorimetric kinetics. III. Hydrolysis of the acetyl chloride. *Rev. Roum. Chim.* 16 (1971) 643
- VINOGRADOVA, S. V., MITAISHVILI, T. J., VASNEV, V. A., KORSHAK, V. V., MELAMUD, M. B. (Acad. Sci. USSR, Inst. Organoelemental Cpd., Moscow, USSR): The influence of the chemical structure of tertiary amines on low temperature polyesterification. *Vysokomol. Soedin. Ser. A* 13 (1971) 912 (In Russian)
- VIRNIK, R. B., MEZHNIKOVSKY, S. M., ASEEVA, R. M., BERLIN, A. A., ERSHOV, YU. A. (Acad. Sci. USSR, Chem. Phys. Inst., Moscow, USSR): An investigation of the thermooxidation degradation kinetics of several homopolymers and graft polymers. *Vysokomol. Soedin. Ser. A* 13 (1971) 1125 (In Russian)
- VITORSKII, YA. M., IVASCHENKO, R. K., KAVERINA, S. N., LOTZKO, D. B., MILMAN, YU. B., TREFILOV, V. I. (Acad. Sci. UKSSR, Metallophys. Inst., Kiev, UKSSR): Influence of determination temperature on structure and mechanical properties of low-alloyed molybdenum. *Fiz. Metal. Metalloved.* 31 (1971) 1076 (In Russian)
- WAWZONEK, S., PASCHKE, E. E. (Univ. Iowa, Dept. Chem., Iowa City, Iowa, 52240 USA): The pyrolysis of 1,1-dihexyl-1-methylamine-2-acylimides. *J. Org. Chem.* 36 (1971) 1474
- WILOTH, F. (AKZO Res. and Engn. N. V., Glanzstoff AG., 8753 Obernburg, GFR): Zur thermischen Zersetzung von Nylon 6.6. III. Messungen zur Thermolyse von Nylon 6.6 und 6.10. *Makromol. Chem.* 144 (1971) 283
- WLODAWER, R. (Zentralstelle für Giessereitechnik, Gebr. Sulzer AG, Winterthur, Switzerland): Die technologische Kalorimetrie — eine Methode zur Ermittlung realer Gefügestände in erstarrenden Metallen. *Schweizer Archiv* 37 (1971) 72
- WÖHRLE, D. (Freie Univ. Berlin, Inst. Org. Chem., Berlin, GFR): Thermische Umwandlung des 1,3,5-Triazins in Polynitrile. *Tetrahedron Lett.* (1971) 1969
- YAMAJI, Y., NAKAGAWA, Y., MATSUDA, H., MATSUDA, S. (Osaka Univ., Fac. Engn., Suita, Osaka, Japan): Thermal decomposition of alkyltin mercaptides containing ester groups. *J. Chem. Soc. Jap. Ind.* 74 (1971) 735 (In Japanese)
- YAMAZAKI, H., OGURI, T., KANOMATA, I. (Tokyo Met. Univ., Fac. Sci., Dept., Phys., Setagaya-ku, Tokyo, Japan): Calorimetric studies on chemisorption of nitrogen on tantalum. *Jap. J. Appl. Phys.* 10 (1971) 304
- YARYM-AGAEV, N. L.: Isotherm shape of orthobaric heat of displacement at the association in vapor of one of the components. *Zh. Obshch. Khim.* 41 (1971) 721 (In Russian)
- YASHVILI, T. S., GVELESIANI, G. G. (Acad. Sci. GeSSR, Met. Inst., Tbilisi, GeSSR): Standard enthalpy of formation of europium, gadolinium and neodymium sesqui-



- oxide. *Zh. Fiz. Khim.* 45 (1971) 983 (In Russian)
- YOSHIDA, T., OKAMOTO, H. (Kyushu Univ., Fac. Sci., Dept. Phys. Fukuoka, Japan): Theory of melting at high pressures. Existence of a maximum in melting curves. *Progr. Theor. Phys. Kyoto* 45 (1971) 663
- YOSHIDA, H., TAGA, M. (Kyoto Univ., Dept. Synth. Chem., Yoshida, Kyoto, Japan): Thermometric titration. *Jap. Anal.* 20 (1971) 615
- YUKEL'SON, I. I., NAZAROVA, A. B., GARMANOV, V. I. (Voronezh Technol. Inst., Voronezh, USSR): A study of the thermodegradation of polyarylenalkyls. *Vysokomol. Soedin. Ser. A* 13 (1971) 821 (In Russian)
- ZAMYATNIN, A. A. (Acad. Sci. USSR, Biol. Phys. Inst., Puschhino-Oka, USSR): Dilatometer for studying two-component systems. *Zh. Fiz. Khim.* 45 (1971) 1007 (In Russian)
- ZHUSE, V. P., GOLIKOVA, O. A., SERGEEVA, V. M., RUDNIK, I. M. (Acad. Sci. USSR, Semicond. Inst., Leningrad, USSR): Electric properties and heat conductivity of  $\text{Ln}_3\text{X}_4$  type chalcogenides of rare earth elements. *Fiz. Tverd. Tela* 13 (1971) 811 (In Russian)
- ZLOBINTSEV, G. M., KOZINETS, V. V., MERISOV, B. A., KHOTKEVICH, V. I. (Kharkov Univ., Kharkov, UkSSR): Heat conductivity of aluminium alloys at low temperatures. *Metalloved. Term. Obrab. Metal.* (1971) 64 (In Russian)
- ZRUDSKY, D. R., DELINGER, W. G., SAVAGE, W. R., SCHWEITZER, J. W. (Univ. Toledo, Elect. Engr. Dept., Toledo, Ohio, 43606 USA): Specific heats of  $\alpha$ -phase Cu—Al and dilute magnetic Cu—Al(Fe) alloys. *Phys. Rev. B* 3 (1971) 3025