

Bibliography Section

- ABDEL-WAHAB, A. M. A., EL-KHAWAGA, A. M., ISMAIL, M. S. (Univ. Assiut, Fac. Sci., Dept. Chem., Assiut, Egypt): Molecular rearrangements. III. Thermal decomposition of some selected thioesters. *Can. J. Chem.* **60** (1982) 2870
- ACCETTA, A., VERGNAUD, J. M., LE PARLOUER, P. (Univ. St Etienne, UER Sci., Ind. Chem. Lab., F-42023 St Etienne, France): Kinetic parameters of the overall reaction of scrap rubber vulcanization by 2% sulfur. *Thermochim. Acta* **59** (1982) 149
- AKANNI, M. S., BURROWS, H. D., ELLIS, H. A., OZOWARA, I. E. (c/o H. D. Burrows, Univ. Ife, Dept. Chem., Ile Ife, Nigeria): The thermal behavior of basic lead (II) dodecylsulphate. *Thermochim. Acta* **59** (1982) 19
- AKHMETOVA, G. L., BOIKO, R. M., DERBENEVA, T. A., MIKHAILOVA, E. M., SHAMINA, L. I., TSEITLIN, P. A.: Thermogravimetric studies of products of the common precipitation of hydroxide of trivalent metals and boron. *Zh. Neorg. Khim.* **27** (1982) 1926 (in Russian)
- AKSHENTSEV, V. V., VLASOV, O. N., DRAGALOV, V. V., NOSENKO, N. N., CHIMISHKYAN, A. L. (D. I. Mendeleev Chem. Technol. Inst., Dept. Organ. Synth. Chem. and Technol., Moscow, USSR): Heat effects on the reaction of amines with carbonylchloride. *Izv. Vyssh. Uch. Zav.* **25** (1982) 1021 (in Russian)
- AL-AWADI, N., BALLAM, J., HEMBLADE, P. R., TAYLOR, R. (c/o R. Taylor, Univ. Sussex, Sch. Molec. Sci., Brighton BN1 9QJ E Sussex, England): The mechanism of thermal eliminations 11. Rate data for pyrolysis of 2-alkoxyppyridines to 2-pyridone, and of 2-ethanoxypicolines to 2-picolones: nature and polarity of the transition state. *J. Chem. Soc. Perkin Trans. II.* (1982) 1175
- ALBARRAN, G., ARCHUNDIA, C., MADDOCK, A. G. (Univ. Natl. Autonoma Mexico, Ctr. Estudios Nucl., Mexico City 04510 DF Mexico): Solid state exchange reactions and thermal decomposition. *Radiochim. Acta* **30** (1982) 199
- ALPERT, S. S., BRYANT, P. D., WOODSIDE, W. F. (Univ. New Mexico, Dept. Phys. and Astron, Albuquerque, N. M., 87131 USA): A linear Fick's law calorimeter. *Amer. J. Phys.* **50** (1982) 889
- AMARASEKARA, C. D., KEESOM, P. H. (Purdue Univ., Dept. Phys. W. Lafayette, Ind., 47907 USA): Identification of a phason heat of potassium. *Phys. Rev. B* **26** (1982) 2720
- AMIRTHALINGAM, V., VENKATESWARLU, K. S. (Bhabha Atom Res. Ctr. Chem. Grp., Reactor Chem. Sect., Bombay, 400085 India): The thermal expansion and crystallographic phase transformation of Na_2CrO_4 . *Thermochim. Acta* **58** (1982) 107
- AMMAR, M. M., HALAWA, M. M., GHONEIM, N. A., ABBAS, A. F., EL BATAL, H. A.: Thermal conductivity of lead borate glasses. *J. Am. Ceram. Soc.* **65** (1982) C-174
- ANDRE, D., DWORKIN, A., FIGUIERE, P., FUCHS, A. H., SZWARC, H. (Univ. Paris 12 Phys. Chim. Struct. Lab., F-94010 Créteil, France): Heat capacity of stable and metastable phases of crystalline thiophene. *Compt. Rend. Ser. C* **295** (1982) 145
- ANDRUZZI, F., SURADI, S., PILCHER, G. (c/o G. Pilcher, Univ. Manchester, Dept. Chem., Manchester M13 9PL Lancs., England): Enthalpy of polymerization of ethylene oxide and of copolymerization of

- ethylene oxide with 7-oxabicyclo[2.2.1]heptane. *Macromol. Chem.-Macro. Chem. Phys.* **183** (1982) 2183
- ARENZ, R. W., CLARK, C. F., LAWLESS, W. N. (Ceramphys. Inc., Westerville, Ohio, 43081 USA): Thermal conductivity and electrical resistivity of copper in intense magnetic fields at low temperatures. *Phys. Rev. B* **26** (1982) 2727
- ARPACI, E., FROHBERG, M. G. (Tech. Univ. Berlin, Inst. Met. Allgemeine Met., D-1000 Berlin 15 GFR): Enthalpy measurements on solid and liquid tantalum by levitation calorimetry. *Z. Metallk.* **73** (1982) 548
- ARTUS, L. (Univ. Barcelona, Dept. Crystallog., Barcelona, Spain): A study of different aspects of DTA calibration. *Thermochim. Acta* **59** (1982) 133
- AUDIÈRE, J. P., MADI, A., GRENET, J. C. (Univ. Paris 11 Physiochim. Minérale Lab., F-91405 Orsay, France): Electrical and thermal properties of highly quenched amorphous V_2O_5 thin films. *J. Mater. Sci.* **17** (1982) 2973
- AVSAR, E. (Fac. Chem. Engrn. Istanbul, Dept. Phys. Chem., Campus Ayazaga, Istanbul, Turkey): Thermochemical studies on the formation of azide complexes of gallium(III) and indium(III). *Acta Chem. Scand. A* **36** (1982) 627
- BACK, R. A. (Natl. Res. Council Canada, Div. Chem., Ottawa, Ontario K1A 0R6 Canada): The gas-phase thermal decomposition of cyclobutanol. *Can. J. Chem.* **60** (1982) 2537
- BACK, R. A., PARSONS, J. M. (Natl. Res. Council Canada, Div. Chem., Ottawa, Ontario, K1A 0R6 Canada): The thermal and photochemical decomposition of cis-1,2-cyclobutanedicarboxylic anhydride in the vapour phase. *Can. J. Chem.* **60** (1982) 2692
- BACMANN, M., LAMBERT-ANDRON, B. (Univ. Sci. and Med. Grenoble, CNRS, Cristallog. Lab., F-38042 Grenoble, France): Structures cristallines de $Co_3U_3O_8$ à 300 et 110 K. *Phys. Status Solidi A* **72** (1982) 833
- BADTIEV, E. B., CHILINGAROV, N. S., KOROBOV, M. V., SIDOROV, L. N., SOROKIN, I. D. (c/o M. V. Korobov, W. V. Lomonosov State Univ., Dept. Chem. Moscow, 117234 USSR): Enthalpy of formation and electron affinity of cerium tetrafluoride. *High Temp. Sci.* **15** (1982) 93
- BANDYOPADHYAY, G., BATTLES, J. E. (Argonne Natl. Lab., Div. Mat. Sci., Argonne, Ill., 60439 USA): Thermomechanical behavior of simulated negative electrodes for Li-Al/FES battery cells. *J. Electrochem. Soc.* **129** (1982) 2265
- BANERJEE, S. P. (Univ. Saugar, Dept. Chem., Sagar, 470003 Madhya Pradesh, India): Catalytic oxidation reaction supported in synthetic zeolite 3A. A study by Mössbauer spectroscopic, X-ray diffraction reflectance and thermogravimetric methods. *Thermochim. Acta* **58** (1982) 245
- BARRY, A. O., KALLAGUINE, S. C., RAMALHO, R. S. (c/o S. C. Kallaguine, Laval Univ., Dept. Chem. Engrn. St. Foy. Quebec, G1K 7P4 Canada): Excess enthalpies of the binary system methane-hydrogen sulfide by flow calorimetry. *J. Chem. Eng. Data* **27** (1982) 436
- BAUWENS-CROWET, C., BAUWENS, J. C. (Univ. Libre Bruxelles, B-1050 Brussels, Belgium): Annealing of polycarbonate below the glass transition: quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements. *Polymer* **23** (1982) 1599
- BEDI, B. S., GRANT, D. W., TEWNION, L., WARDELL, J. L. (Univ. Aberdeen, Dept. Chem., Aberdeen, AB9 2UE, Scotland): Antimony-sulphur bonded compounds. IV. Further studies on the thermal decomposition of tetra-organoantimony mercaptides. *J. Organometal. Chem.* **239** (1982) 251
- BEILINSON, V. N., OVCHARENKO, V. I., POPOV, V. P., PERVAKOV, V. A. (A. M. Gorkii State Univ., Kharkov, UkSSR): Thermal expansion and thermal capacity of polycarbonate within a 100–300 K temperature range. *Ukr. Fiz. Zh.* **27** (1982) 1107 (in Russian)
- BELL, T. N., PERKINS, K. A., PERKINS, P. G. (Simon Fraser Univ., Dept. Chem., Burnaby, BC, V5A 1S6 Canada): Calculation of heats of formation and dissociation of methyl- and chloro-substituted disilanes. *J. Phys. Chem.* **86** (1982) 3922

- BELLO, A., BLANCO, A., FATOV, J. G., MARCO, C. (CSIC, Inst. Plast and Caucho, Juan Cierva 3, Madrid, Spain): Relationship between structure and properties in polyamides. 2. Thermal properties of polyamides from bis(4-amino-cichlohexil)methane. *An. Quim. A* 78 (1982) 119
- BENSON, G. C., D'ARCY, P. J. (Natl. Res. Council Canada, Div. Chem., Ottawa, Ontario, K1A 0R6 Canada): Excess isobaric heat capacities of water-*n*-alcohol mixtures. *J. Chem. Eng. Data* 27 (1982) 439
- BÉNY, C., GUILHAUMOU, N., TOURAY, J. C. (Bur. Rech. Geol. and Minieres, Dept. Mineral. Geochim. Anal., F-45060 Orleans, France): Native-sulphur-bearing fluid inclusions in the CO₂-H₂S-H₂O-S system. Microthermometry and Raman microprobe (MOLE) analysis. Thermochemical interpretations. *Chem. Geol.* 37 (1982) 113
- BERTZ, S. H., DABBAGH, G. (Bell Tel. Labs. Inc., Murray Hill, N. J., 07974 USA): Factors governing the thermal stability of organocopper reagents. Two new classes of heterocuprates with greatly improved thermal stability. *J. Chem. Soc.* (1982) 1030
- BERTZ, S. H., DABBAGH, G., VILLACORTA, G. M. (Bell Tel. Labs. Inc., Murray Hill, N. J., 07974 USA): New heterocuprates with greatly improved thermal stability. *J. Amer. Chem. Soc.* 104 (1982) 5824
- BEYER, R. P., BROWN, R. R., BENNINGTON, K. O., FERRANTE, M. J. (US Bur. Mines, Albany Res. Ctr. Thermodynam. Lab., Albany, Oreg., 97321 USA): Heat capacity from 5 to 300 K of α and β -TiO, relative enthalpy to 1200 K, enthalpy of transition, and thermodynamic properties to 1265 K. *J. Chem. Thermodyn.* 14 (1982) 957
- BHAT, D. G., HOLZL, R. A. (San Fernando Labs., Pacoima, Calif., 91331 USA): Microstructural evaluation of CM 500 L, a new W-C-alloy coating deposited by the controlled nucleation thermochemical deposition process. *Thin Solid Films* 95 (1982) 105
- BIROŠ, J., SIKORA, A., ŽIVNY, A., POUCHLÝ, J. (Czechoslovak Akad. Sci., Inst. Macromolec. Chem., CS-16206 Prague, 6 Czechoslovakia): Heat capacities of monomer models of some hydrophilic polymers in an aqueous solution from 20° to 60°C. *Collection* 47 (1982) 2692
- BISCHOF, J. (Res. Inst. Elect. Engrn., Bechovice 276 CS-25097 Praha, 8 Czechoslovakia): Transition temperatures and specific heat of a composite multifilamentary superconductor based on NbTi in magnetic field. *Czech. J. Phys.* 32 (1982) 1181
- BLANC, R., TAYOT, J. L. (Univ. Lyon, 1 Chim. Appl. and Genie Chim. Lab., CNRS, Equipe Rech. 300 Etude Interphases, F-69622 Villeurbanne, France): Thermodynamic study of an antigen-antibody reaction - Calorimetric measure. - Influence of temperature. *J. Chim. Phys.* 79 (1982) 583
- BOBYSHEV, A. A., RADSTIG, V. A. (Acad. Sci. USSR Inst. Chem. Phys., Moscow, V-71 USSR): EPR and microcalorimetric study of gas chemisorption on the surface of ground GeO₂. *Kinet. Catal. transl. Kinet. Katal.* 22 (1981) 1286
- BODDINGTON, T., GRAY, P., SCOTT, S. K. (c/o P. Gray, Univ. Leeds, Dept. Phys. Chem., Leeds, LS2 9JT W Yorkshire, England): Unifying approaches to the stationary-state theory of thermal explosion. *J. Chem. Soc. Faraday Trans. II.* 78 (1982) 1731
- BODDINGTON, T., GRAY, P., SCOTT, S. K. (c/o P. Gray, Univ. Leeds, Dept. Phys. Chem., Leeds, LS2 9JT W Yorkshire, England): Unifying approaches to the stationary-state theory of thermal explosion. *J. Chem. Soc. Faraday Trans. II.* 78 (1982) 1721
- BONINCONTRO, A., CAMETTI, C., DI BIASIO, A. (Univ. Rome, Ist. Fis., I-00100 Rome, Italy): Temperature dependence of the secondary electroviscous effect in polystyrene lattices. *Colloid Surface* 5 (1982) 55
- BOP, J. P., MAILLARD, B., FILLIATRE, C., VILLENAVE, J. J. (c/o J. J. Villenave, Univ. Bordeaux, 1 Ecole Natl. Super. Chim., Chim. Appl. Lab. F-33405 Talence, France): Détermination cinétiques par analyse microcalorimétrique différentielle. XIV. Thermolyse du peroxyde de benzoyle et de ses dérivés p,p'-disubstitués en solution dans la propiophénone. *Thermochim. Acta* 58 (1982) 155
- BOP, J. P., MAILLARD, B., FILLIATRE, C., VILLENAVE, J. J. (c/o J. J. Villenave, Univ. Bordeaux, 1 Ecole Natl. Super. Chim., Chim.

- Appl. Lab., F-33405 Talence, France): Déterminations cinétiques par analyse microcalorimétrique différentielle. XV. Thermolyse de peroxydes de benzoyle p,p'-disubstitués en solution dans l'éther de diphényle. *Thermochim. Acta* 58 (1982) 169
- BOTTERO, J. Y., PARTYKA, S., FIESSINGER, F. (Ecole Natl. Super. Geol. Physicochim. Surfaces Lab., BP40, F-54501 Vandœuvre Nancy, France): Differential calorimetric study of the polymer $Al_{13}O_4(OH)_{28}(H_2O)_8^{3+}$ and an amorphous aluminium trihydroxide gel in aqueous solution. *Thermochim. Acta* 59 (1982) 221
- BOWDEN, M. J., THOMPSON, L. F., ROBINSON, W., BIOLSI, M. (Bell Tel. Labs. Inc., Murray Hill, N. J., 07974 USA): Thermal degradation of poly(1-butene sulfone). *Macromolecules* 15 (1982) 1417
- BROOKS, C. R., MESCHTER, P. J., KOLLIE, T. G. (Univ. Tennessee, Dept. Chem. Met. and Polymer Engr., Knoxville, Tenn., 37916 USA): The magnetic heat capacity of the configurationally disordered Ni-25 at % Fe alloy. *Phys. Status Solidi A* 73 (1982) 189
- BROSZEIT, E. (TH Darmstadt, Inst. Werkstoffkunde, D-6100 Darmstadt, GFR): Mechanical, thermal and tribological properties of electro- and chemodeposited composite coatings. *Thin Solid Films* 95 (1982) 133
- BROWN, J. R., POWER, A. J. (Harvard Univ., Div. Appl. Sci., Program Environm. Syst., Cambridge, Mass., 02138 USA): Thermal degradation of aramids. II. Pyrolysis (gas chromatography) mass spectrometry of some model compounds of poly(1,3-phenylene isophthalamide) and poly(1,4-phenylene terephthalamide). *Polym. Degrad. Stabil.* 4 (1982) 479
- BUNKIN, F. V., KIRICHENKO, N. A., LUK'YANCHUK, B. S. (P. N. Lebedev Phys. Inst., Moscow, USSR): Thermochemical effect of laser radiation. *Usp. Fiz. Nauk* 138 (1982) 45 (in Russian)
- BURGERS, P. C., HOLMES, J. L., LOSSING, F. P., MOMMERS, A. A., POVEL, F. R., TERLOUW, J. K. (c/o J. L. Holmes, Univ. Ottawa, Dept. Chem., Ottawa, Ontario, K1N 984 Canada): Isomeric and tautomeric $[C_4H_4O]^+$ ions; their thermochemistry and collisionally induced fragmentation characteristics. *Can. J. Chem.* 60 (1982) 2246
- BUTLER, J. J., BAER, T. (c/o T. Baer, N. Carolina, Dept. Chem., Chapel Hill, N. C., 27514 USA): Photoionization study of the heat formation of HCS^+ . *J. Amer. Chem. Soc.* 104 (1982) 5016
- BUTT, M. Z. (Govt. Coll., Dept. Phys., Lahore, Pakistan): On the correlation between phonon heat capacity and anomalous mechanical response of metallic crystals. *J. Phys. C* 15 (1982) L141
- CAMINO, G., COSTA, L., DEVALLE, G., GUAITA, M. (Univ. Turin, Ist. Chim. Macromolec., I-10125 Turin, Italy): Thermal degradation of copolymers of methyl methacrylate and 2,6-dimethoxy-carbonyl-1,6-heptadiene. *Polym. Degrad. Stabil.* 4 (1982) 459
- CATHONNET, M., BOETTNER, J. C., JAMES, H. (CNRS, Ctr. Rech. Chim. Combust and Hautes Temp., IC Ave Rech. Sci., F-45045 Orleans, France): Study of methanol oxidation and self ignition in the temperature range 500–600°C. *J. Chim. Phys.* 79 (1982) 475
- CHASE, M. W., CURNOTT, J. L., DOWNEY, J. R., McDONALD, R. A., SYVERUD, A. N., VALENZUELA, E. A. (Dow Chem. Co., Physicochem. Studies, 1707 Bldg Midland, Mich., 48640 USA): JANAF thermochemical tables, 1982 supplement. *J. Phys. Chem. Ref. Data* 11 (1982) 695
- CHATTOPADHYAY, T., GMELIN, E., v. SCHNERING, H. G. (Max Planck Inst. Festkörperforsch., Heisenberg str. 1, D-7000 Stuttgart, 80 GFR): Thermal properties of P_4S_3 in the crystalline and in the plastic state. *J. Phys. Chem. Solids* 43 (1982) 925
- CHEN, J., KOW, C., FETTERS, L. J., PLAZEK, D. J. (Dupont Co., Exptl. Stn. 353 Wilmington, Del., 19898 USA): Some evidence against the existence of the liquid-liquid transition. III. The evaluation of the T_{11} event by differential scanning calorimetry. *J. Polym. Sci. Polym. Phys. Ed.* 20 (1982) 1565
- CHERSKII, N. V., GROISMAN, A. G., NIKITINA, L. M., TSAREV, V. P. (Acad. Sci. USSR, N. Phys. Engr. Problem Inst., Yakutsk,

- USSR): Results of the first experimental determinations of natural gas hydrate decomposition heats. *Dokl. Akad. Nauk SSSR* 265 (1982) 185 (in Russian)
- CHICKERUR, N. S., NAYAK, G. H., LENKA, R. C., MAHAPATRA, P. P. (Khallikote Coll., Post Grad. Dept. Chem., Berhampur, 76001 India): Solubility and thermodynamic data of magnesium hydrogen phosphate in aqueous media. *Thermochim. Acta* 58 (1982) 111
- CHOU, I. M. (US Geol. Survey, 959 Natl. Ctr., Reston, Va., 22092 USA): Phase relations in the system NaCl-KCl-H₂O. 1. Differential thermal analysis of the NaCl-KCl liquides at 1 atmosphere and 500, 1000, 1500 and 20000 bars. *Geochim. Cosmochim. Acta* 46 (1982) 1957
- CHUVAEV, V. F., MAILIEVA, G. K., KARPUKHINA, T. A. (Acad. Sci. USSR, Inst. Phys. Chem., Moscow, V-71 USSR): Thermal decomposition of the mixed-valency 12-molybdophosphoric acid in an inert atmosphere. *Dokl. Akad. Nauk SSSR* 264 (1982) 900 (in Russian)
- COHEN, S. S., PIACENTA, P. A., BROWN, D. M. (GE, Corp. Res. and Dev., Signal Electr. Lab., Schenectady, N. Y., 12301 USA): Thermal stability of platinum silicide contacts to silicon with molybdenum as final metallization. *Appl. Phys. Lett.* 41 (1982) 976
- CONNOR, J. A., ZAFARANI-MOATTOR, T., BICKERTON, J., EL SAIED, N. I., SURADI, S., CARSON, R., AL TAKHIN, G., SKINNER, H. A. (Univ. Manchester, Dept. Chem., Manchester, M13 9PL Lanc., England): Enthalpy of formation of acyl, alkyl and hydridopentacarbonylmanganese complexes. The enthalpy contributions of manganese-hydrogen and manganese-carbon bonds in these molecules. Thermochemical aspects of models in Fischer-Tropsch reactions. *Organometallics* 1 (1982) 1166
- CONSTANTINO, U., LA GINESTRA, A.: On the existence of pyrophosphates of tetravalent metals having a layered structure. *Thermochim. Acta* 58 (1982) 179
- CONTI, G., GIANNI, P., TINE, M. R. (Univ. Pisa, Ist. Chim. Fis., I-56100 Pisa, Italy): Heat capacities of aqueous saline solutions concentrated in the 25–200°C temperature range at relative equilibrium pressures. *Chim. Ind.* 64 (1982) 599
- CORRADINI, P., NAPOLITANO, R., OLIVA, L., PETRACONE, V., PIROZZI, B., GUERRA, G. (Univ. Naples, Ist. Chim., I-80134 Italy): A possible structural interpretation of the two DSC melting peaks of isotactic polypropylene in the α -modification. *Makromol. Chem. Rap. Comm.* 3 (1982) 753
- CORSON, M. R. (Bowdoin Coll., Dept. Phys., Braunschweig, Me., 04011 USA): Precision operational-amplifier mutual inductance bridge for cryogenic thermometry and susceptibility measurements. *Rec. Sci. Instr.* 53 (1982) 1606
- CRUZ-URIBE, A., TREFNY, J. U. (Pitney Bowes, Corp. Res. and Dev., Stanford, Conn., 06904 USA): The thermal properties of thin films at low temperatures using an improved heat-pulse method. *J. Phys. E* 15 (1982) 1054
- DADD, A. T. (Hubberstey Univ. Nottingham, Dept. Inorgan. Chem., Nottingham, NG7 2RD England): Solutions of group IV elements in liquid lithium, solubilities, enthalpies of solution and solvation enthalpies. *J. Chem. Soc. Faraday Trans. I.* 78 (1982) 2735
- DANCY, E. A. (Hydro Quebec Inst. Res. Varennes, Quebec, J0L 2P0 Canada): Molar enthalpy at five compositions in the NaNO₃-NaOH system in the liquid and solid states. *Thermochim. Acta* 58 (1982) 53
- DANCY, E. A. (Hydro Quebec Inst. Res., Inst. Rech. Varennes, Quebec, J0L 2P0 Canada): Molar enthalpy of the solid transition in NaNO₃. *Thermochim. Acta* 59 (1982) 251
- DANNENBERG, J. J., ROCKLIN, D. (CUNY Hunter Coll., Dept. Chem., New York, N. Y., 10021 USA): A theoretical study of the mechanism of the thermal decomposition of azoalkanes and 1,1-diazenes. *J. Org. Chem.* 47 (1982) 4529
- DARMON, M. J., SCHUSTER, G. B. (c/o G. B. Schuster, Univ. Illinois, Roger Adams Lab., Dept. Chem., Urbana, Ill., 61801 USA): Thermal chemistry of cyclopropyl-substituted

- malonyl peroxides. A new chemiluminescent reaction. *J. Org. Chem.* **47** (1982) 4658
- D'ASCENZO, G., CURINI, R., MARINO, A., MAGRI, A., CHIACCHIERINI, E. (Univ. Camerino, Inst. Chem., I-62032 Camerino, Italy): Coordination compounds of biological interest: thermal properties of some compounds of saccharin (*o*-benzoic sulphimide) with nickel(II) and zinc(II). *Thermochim. Acta* **59** (1982) 63
- DAUDIN, B., BONJOUR, E. (LEN Cryophys. Lab., Serv. Basses Temp., F-38041 Grenoble, France): Specific heat of HoAl_2 with external magnetic field. *Comp. Rend. Ser. II.* **295** (1982) 535
- DE GROOT, J. A., LUGTENBURG, J. (Leiden State Univ., Dept. Organ. Chem., 2300 Ba Leiden, Netherlands): 1,3,4-trimethyl-2,2-pyrromethen-5[1H] one and its 1'-methyl derivative: synthesis, thermal and photochemical reactivity. *Res. Trav. Chim.* **101** (1982) 333
- DE ROSSI, D., DE REGGI, A. S., BROADHURST, M. G., ROTH, S. C., DAVIS, G. T. (Univ. Rome Ist. Chim. Gen. and Inorgan., CNR, Ctr. Studio Sacso, I-00100 Rome, Italy): Method of evaluating the stability of the pyroelectric properties of polyvinylidene fluoride: effects of poling temperature and field. *J. Appl. Phys.* **53** (1982) 6520
- DESGRANGER, H. U., SCHOTTE, K. D. (Free Univ. Berlin, Inst. Theoret. Phys., D-1000 Berlin, 33): Specific heat of the Kardo model. *Phys. Lett. A* **91** (1982) 240
- DIMONIE, M., BAC, N. V., DRAGAN, G., NEGULUSCU, I. (Natl. Inst. Chem., R-77208 Bucharest, Romania): Thermostable trioxane-dioxolane copolymers obtained with boron trifluoride-acrylonitrile complex as initiator. *J. Macromol. Sci. Chem. A* **18** (1982) 629
- DOLLIMORE, D., GUINDY, N. M. (Univ. Salford, Dept. Chem. and Appl. Chem., Salford, M5 4WT Lancs, England): Thermal decomposition of oxalates. 17. Thermal decomposition of manganese(II) oxalate in a nitrogen atmosphere. *Thermochim. Acta* **58** (1982) 191
- DONALD, I. W., DAVIES, H. A., KEMÉNY, T. (Atom Weap. Res. Estab., Aldermaston, Berks, England): The effect of Pt-group metal additions on the thermal stability of FeNi-based glassy alloys. *J. Non. Cryst. Solids* **50** (1982) 351
- DRAGAN, G., DIMONIE, M., BAC, N. V., NEGULUSCU, I. (Icechim. CCF, Inst. Chem. Res., R-77308 Bucharest, Romania): Melting behavior of thermostable trioxane-dioxolane copolymers obtained with boron trifluoride acrylonitrile complex as initiator. *J. Macromol. Sci. Chem. A* **18** (1982) 651
- DRONA, K. B., RAO, U. R. K., VENKATESWARLU, K. S. (Bhabha Atom. Res. Ctr., Chem. Grp., Reactor Chem. Sect., Bombay, 400085 India): Thermal stability of $\text{K}_2\text{U}(\text{SO}_4)_3 \cdot \text{H}_2\text{O}$ a new double salt. *Thermochim. Acta* **58** (1982) 97
- DUDAREV, Y. I., KASHIN, A. P., LOZBIN, V. I., MAKSIMOV, M. Z., MARCHENKO, O. V.: Estimates of heat loss in thermal conductivity measurements. *High. Temp. transl. Teplofiz. Vysok. Temp.* **20** (1982) 115
- DYAGILEVA, L. M., TSYGANOVA, E. I., MARIN, V. P., ALEKSANDROV, Y. A. (N. I. Lobachevskii State Univ., Chem. Res. Inst., Gorki, USSR): Study of the thermal decomposition of the acetoacetone decomposition of vanadium and titanium. *Zh. Obshch. Khim.* **52** (1982) 2024 (in Russian)
- EDWARDS, J. G., KSHIRSAGAR, S. T. (Univ. Toledo, Dept. Chem., Toledo, Ohio, 43606 USA): Vaporization chemistry and thermodynamics in the CdGa_2S_4 - Ga_2S_3 system. *Thermochim. Acta* **59** (1982) 81
- EICHLER, B., ZVÁRA, I. (Dubna Joint Nucl. Res. Inst., Nucl. React. Lab., Dubna, USSR): Evaluation of the enthalpy of adsorption from thermochromatographical data. *Radiochim. Acta* **30** (1982) 233
- ELABSY, M. A. S., MARCO, G., ZSAKÓ, J., VÁRHELYI, C. (Nucl. Res. Ctr., Cairo, Egypt): Spectrophotometric and derivatographic study on some new tetradentate mixed chelates of cobalt(III) with acetylacetone derivative. *Rev. Roum. Chim.* **27** (1982) 917
- EL-AKKAD, T. M., FLEX, N. S., GUINDY, N. M., EL-MASSRY, S. R., NASHED, S. (Ain

- Shams Univ., Fac. Sci. Dept. Chem., Cairo, Egypt): Thermal analyses of mono- and divalent montmorillonite cationic derivatives. *Thermochim. Acta* 59 (1982) 9
- ELBERG, S., MATHONNET, P. (CEN, CEA, Dept. Reacteurs Eau, Serv. Transferts Therm., F-38041 Grenoble, France): Study of a thermochemical heat pump to store energy and supply heat and cold. *Rev. Phys. Appl.* 17 (1982) 585 (in French)
- EL-KABBANY, F. (Teachers Jr Coll., Dept. Phys. Gassim, Saudi Arabia): Dependence of the electrical and thermal properties of $[\text{Na}_{1-x}(\text{NH}_2)_x]_2\text{SO}_4$ solid solutions on their compositions. *Mater. Sci. Engn.* 55 (1982) 149
- EL-SHENNAWI, A. W. A., OMAR, A. A., MORSY, A. M. (Natl. Res. Ctr. Glass Ceram. Sect. Bldg., Mat. Lab., Cairo, Egypt): The role of titania and titania mixtures in the nucleation and crystallization of spodumene-willemite-diopside glasses. *Thermochim. Acta* 58 (1982) 125
- ENEA, O., JOLICOEUR, C. (c/o C. Jolicoeur, Univ. Sherbrooke, Dept. Chim., Sherbrooke, Quebec, J1K, 2R1 Canada): Heat capacities and volumes of several oligopeptides in urea-water mixtures at 25°C. Some implications for protein unfolding. *J. Phys. Chem.* 86 (1982) 3870
- EVANS, D. S., PRINCE, A. (Gec, Hirst Res. Ctr., Wembley, England): The thermal analysis of Sn-rich Co-Sn alloys. *Thermochim. Acta* 58 (1982) 199
- EWBANK, M. D., NEWMAN, P. R., KUWAMOTO, H. (Rockwell Int. Corp., Ctr. Sci., 1049 Camino Dos Rios, Thousand Oaks, Calif., 91360 USA): Thermal conductivity and specific heat of the chalcogenide salt: $\text{Ti}_2\text{As}_5\text{Se}_3$. *J. Appl. Phys.* 53 (1982) 6450
- FERINO, I., MARONGIU, B., SOLINAS, V., TORRAZZA, S., KEHIAIAN, H. V. (c/o B. Marongiu, Ist. Chim. Fis. and Ind. Via Ospedale 72 I-09100 Cagliari, Italy): Thermodynamics of binary mixtures containing tertiary amines. I. Excess enthalpies of some N,N-dialkylmethylamine + normal alkene mixtures. Measurement and analysis in terms of group contributions. Estimation of excess Gibbs energies. *Fluid Phase Equilibria* 9 (1982) 49
- FERINO, I., MARONGIU, B., SOLINAS, V., TORRAZZA, S., KEHIAIAN, H. V. (c/o B. Marongiu, Ist. Chim. Fis. and Ind. Via Ospedale, 72 I-09100 Cagliari, Italy): Thermodynamics of binary mixtures containing tertiary amines. II. Excess enthalpies of some N,N-dialkylmethylamine + benzene mixtures: measurement and analysis in terms of group contributions, and estimation of excess Gibbs energies. *Fluid Phase Equilibria* 9 (1982) 213
- FISCHER, E., HÄSSLER, W., HEGENBARTH, E. (Tech. Univ. Dresden, Phys. Sect., DDR-8027 Dresden, GDR): Glass-like behaviour in the thermal conductivity of $\text{Sr}_{1-x}\text{Ba}_x(\text{Nb}_2\text{O}_6)$ single crystal. *Phys. Status Solidi A* 72 (1982) K169
- FLORA, T., SIMON, Z. (Res. Inst. Heavy. Chem. Ind., H-8201 Veszprém, Hungary): Thermische Zersetzung des Wirkstoffes von Herbizid Glyphosat. *Thermochim. Acta* 59 (1982) 125
- FRITSCH, G., LACHNER, R., DILETTI, H., LUSCHER, E. (HSCH Bundeswehr München, Zwe. Phys., D-8014 Neubiberg, GFR): Specific heat of high-purity solid gallium close to the melting point. *Phil. Mag. A* 46 (1982) 829
- FRURIP, D. J., FINK, J. K. (Argonne Natl. Lab., Div. Chem. Engr., 9700 S Cass Ave, Argonne, Ill., 60439 USA): The thermal conductivity of UO_2 vapor. *J. Nucl. Mater.* 110 (1982) 309
- FURUKAWA, J., SAKIYAMA, M., SEKI, S. (c/o M. Sakiyama, Osaka Univ., Chem. Thermodynam. Lab., Toyonaha, Osaka, 560 Japan): Standard enthalpies of combustion and vaporization of N,N-dimethylaniline. *Bull. Chem. Soc. Jap.* 55 (1982) 3329
- GALWEY, A. K., HOOD, W. J. (Queens Univ., Belfast, Dept. Chem., Belfast BT9 5AG, Antrim, North Ireland): Thermal decomposition of sodium carbonate perhydrate in the presence of liquid water. *J. Chem. Soc. Faraday Trans. I* 78 (1982) 2815
- GARBARCZYK, J., WASIUCIONEK, M., JAKUBOWSKI, W., GRODZIŃSKI, A. (Warsaw Tech. Univ., Inst. Phys., PL-02524

- Warsaw, Poland): TGA and DTA studies on Me-stabilized β "-alumina (Me = Co, Ni, Cu, Zn) exposed to moist air. *Phys. Status Solidi A* **73** (1982) K97
- GAUR, U., WUNDERLICH, B. (Rensselaer Polytech. Inst., Dept. Chem., Troy, N. Y., 12181 USA): Heat capacity and other thermodynamic properties of linear macromolecules. V. Polystyrene. *J. Phys. Chem.* **11** (1982) 313
- GAVIN, D. L., CHUNG, K. H., BRUCE, A. J., MOYNIHAN, C. T., DREXHAGE, M. G., BAYOUMI, O. H. E. (Rensselaer Polytech. Inst., Dept. Mat. Engrn., Troy, N. Y. 12181 USA): Heat capacities of heavy-metal fluoride glasses. *J. Amer. Ceram. Soc.* **65** (1982) C-182
- GEGIOU, D., GEORGOULI, M. (Gen. Chem. State Lab., Dept. Res., 16 An Tsoha St. GR-602 Athens, Greece): A comparative study of olive oil and reesterified oils by differential scanning calorimetry. *Fette Seifen Anstrichm.* **84** (1982) 359
- GELDART, D. J. W., MALMSTRÖM, G. (Univ. Paris 11 CNRS, Phys. Solides Lab., F-91405 Orsay, France): Specific heat of nickel in the critical region. *J. Phys. C* **15** (1982) 5811
- GESI, K. (Japan Atom. Energy Res. Inst., Tokai, Ibaraki, 31911 Japan): Phase transitions in $(N(CD_3)_4)_2XCl_4$ (X: Zn, Co, Cu). *J. Phys. Soc. Jap.* **51** (1982) 2532
- GILL, S. J., WADSÖ, I. (Univ. Colorado, Dept. Chem., Boulder, Colo., 80302 USA): Flow-microcalorimetric techniques for solution of slightly soluble gases. Enthalpy of solution of oxygen in water at 298.15 K. *J. Chem. Thermodyn.* **14** (1982) 905
- GOLDSTEIN, S., DUCA, A. (ICN Pharmaceut Canada Ltd, 1956 Bourdon St., Montreal Quebec, H4M 1V1 Canada): Contributions to the analytical chemistry of vitamin B₁₂. The thermal stability of cyanocobalamin hydroxocobalamin and colinamide in the solid state. *Thermochim. Acta* **59** (1982) 211
- GOLIK, A. Z., ADAMENKO, I. I., MAKHNO, M. G., KISLYAK, G. M. The equation of state, elastic and thermal properties of molecular liquids. 2. Butylbenzene and hexylbenzene. *Ukr. Fiz. Zh.* **27** (1982) 870 (in Russian)
- GONZALEZ-CALBET, J. M., ALARIO FRANCO, M. A. (Univ Complutense Madrid, Fac. Ciencias Quim., Dept. Quim. Inorgan, Madrid, Spain): A thermogravimetric and electron microscopy study of the decomposition of akagoneite. *Thermochim. Acta* **58** (1982) 45
- GENESTE, P., GUIDA, A., LEVACHE, D., BRIARD, P., ROQUES, R., DECLERQ, J. P., GERMAIN, G. (Lab. Chim. Organ. Phys. Appl. 8 Rue Ecole Normale, F-34075 Montpellier, France): Thermal dimer of the benzo(B) thiophene sulfone, C₁₆H₁₂O₂S. *Cryst. Struct. Commun.* **11** (1982) 227
- GORBUNOV, V. E., GAVRICHEV, K. S., BAKUM, S. I. (N. S. Kurnakov Gen. and Inorgan. Chem. Inst., Moscow, USSR): Heat capacity and thermodynamic functions of NaGaH₄ and RbGaH₄ in temperature intervals of 11–320 K. *Zh. Neorg. Khim.* **27** (1982) 1915 (in Russian)
- GRATZ, E., ZUCKERMANN, M. J. (Vienna Tech. Univ., Inst. Exptl. Phys., A-1040 Vienna, Austria): Transport properties of rare earth intermetallic compounds (electrical resistivity, thermopower and thermal conductivity). *J. Magn. Magn. Mater.* **29** (1982) 181
- GRIGOREV, A. A., KONDRATEV, Y. V., SUVOROV, A. V.: Calorimetric determination of the enthalpy of evaporation of the molecular complexes (C₂H₅)₂OAlBr₃ and (C₂H₅)₂SAIBr₃. *Zh. Obshch. Khim.* **52** (1982) 1944 (in Russian)
- GRÖNLUND, F. (Chem. Lab. 4 Universitetsparken 5 DK-2100 Copenhagen, Denmark): Direct reading, noise immune resistance comparator for measurement of temperature and pressure. *Rev. Sci. Instr.* **53** (1982) 1604
- GUBANOV, V. A., ZEVAKIN, I. A., VERETENNIKOV, N. V., SHERMAN, M. A., RYABININ, N. A. (S. V. Lebedev Synthet. Rubber Res. Inst., Leningrad, USSR): Thermal degradation of perfluorated polyesters on the metallic surface. *Vysokomol. Soedin. B* **24** (1982) 723 (in Russian)
- GUPTA, A. K., SINGHAL, R. P., MAITI, A. K., AGARWAL, V. K. (Indian Inst. Technol.,

- Ctr. Mat. Sci. and Technol., New Delhi, 110016 India): Effect of heat treatment on the dielectric relaxation of polyacrylonitrile. II. Heat treatment under vacuum and in air. *J. Appl. Polym. Sci.* 27 (1982) 4101
- GUSTAFSSON, S. E., AHMED, K., HAMDANI, A. J., MAQSOOD, A. (Chalmers Univ. Technol., Dept. Phys., S-41296 Gothenburg, Sweden): Transient hot-strip method for measuring thermal conductivity and specific heat of solids and fluids: second order theory and approximations for short times. *J. Appl. Phys.* 53 (1982) 6064
- HAASE, D. G. (N Carolina State Univ., Dept. Phys., Raleigh, N. C., 27650 USA): Specific heat of solid deuterium in the region of the proposed rotational glass phase. *Solid State Commun.* 44 (1982) 469
- HAAVASOJA, T. (Helsinki Univ. Technol., Low Temp. Lab., SF-02150 Espoo, 15 Finland): Heat capacity of normal and superfluid He₃. *Physica B + C* 110 (1982) 1606
- HABERFIELD, P., PESSIN, J. (CUNY Brooklyn Coll., Dept. Chem., Brooklyn, N. Y., 11210 USA): Proximate charge effects. 2. Enthalpies of solvent transfer in the choline-anhydrocholine equilibrium. *J. Am. Chem. Soc.* 104 (1982) 6191
- HABRAKEN, F. H. P. M., KUIPER, A. E. T., TAMMINGA, Y., THEETEN, J. B. (Philips Res. Labs., 5600 Ja Eindhoven, Netherlands): Thermal nitridation of silicon dioxide films. *J. Appl. Phys.* 53 (1982) 6996
- HALES, P. W., PASS, G. (c/o G. Pass, Univ. Salford, Dept. Chem. and Appl. Chem., Salford, M5 4WT, Lancs, England): The enthalpy of dilution of heparin. *J. Chem. Res.* (1982) 206
- HARANGOZÓ, M., ČIZMÁRIK, J., TÖLGYESSY, J., UHER, M. (Comenius Univ., Fac. Pharm., Dept. Analyt. Chem., CS-80100 Bratislava, Czechoslovakia): De-kryptonation thermal analysis of non-irradiated and irradiated heptacaine hydrochloride. *Radiochem. Radioanal. Lett.* 53 (1982) 25
- HARRIS, J. P., YATES, B., BATCHELOR, J., CARRINGTON, P. J. (BP Oil Ltd, London SW1E 5NJ, England): The thermal conductivity of Kevlar fibre-reinforced composites. *J. Mater. Sci.* 17 (1982) 2925
- HATAKEYAMA, T., NAKAMURA, K., HATAKEYAMA, H. (Res. Inst. Polymers and Text., 1-1-4 Yatabe Higashi, Tsukuba, Ibaraki, 305 Japan): Studies of heat capacity of cellulose and lignin by differential scanning calorimetry. *Polymer* 23 (1982) 1801
- HEINDL, R., DRUILHÉ, R. (CNRS, Phys. Chim. Mat. Techn. Avancées Lab., 1 Pl. Aristide Briand, F-92190 Bellevue, France): Superconduction: on the sintering of a "Chevrel phase". A new high temperature phase of PbMo₆S₈. *Phys. Status Solidi A* 73 (1982) K145
- HELLMANN, G., HELLMANN, S., BECKHAUS, H. D., RÜCHARDT, C. (c/o C. Rüchardt, Univ. Freiburg, Chem. Lab., D-7800 Freiburg, GFR): Thermolabile hydrocarbons XVI. Thermal stability, strain enthalpy, and structure of sym. tetrasubstituted ethanes. *Chem. Ber.* 115 (1982) 3364
- HENDERSON, D. E., DITARANTO, M. B., TONKIN, W. G., AHLGREN, D. J., GATENBY, D. A., SHUM, T. W. (Trinity Coll., Dept. Chem., Hartford, Conn., 06106 USA): Piezoelectric crystal thermogravimetric analyzer for temperature-programmed analysis of deposited films. *Anal. Chem.* 54 (1982) 2067
- HENNING, I., MERTIG, M., PLATH, R., POMPE, G., HEGENBARTH, E., SCHALGE, R. (Tech. Univ. Dresden, Sect. Phys., DDR-8027 Dresden, GDR): Glass-like behaviour of Sr_{1-x}Ba_xNb₂O₆ (SBN) single crystals demonstrated by heat capacity measurements. *Phys. Status Solidi A* 73 (1982) K105
- HEREMANS, J., SHAYEGAN, M., DRESSELHAUS, M. S., ISSI, J. P. (Lab. Phys. Chim. and Phys. Etat Solide, Pl. Croix Sud, 1 B-1348 Louvain, La Neuve, Belgium): High-magnetic-field thermal-conductivity measurements in graphite intercalation compounds. *Phys. Rev. B* 26 (1982) 3338
- HOLLERAN, E. M. (St. Johns Univ., Jamaica, N. Y., 11439 USA): An equation of state for gases and liquids. *Thermochim. Acta* 59 (1982) 167
- HOSEMANN, R. (Bundesanstalt Mat. Prüfung, Parakristallforsch. Gruppe, D-1000 Berlin,

- 45): Dependence of the free enthalpy change of the netplane count in the formation of microparacrystals. *Colloid Polym. Sci.* **260** (1982) 864
- HUBBELL, H. H., BIRKHOFF, R. F. (Oak Ridge Natl. Lab., Div. HLTH and Safety Res., Oak Ridge, Tenn., 37830 USA): Calorimetric measurement of electron stopping power of aluminium and copper between 11 and 127 keV. *Phys. Rev. A* **26** (1982) 2460
- HUBBERSTEY, P., DADD, A. T. (Univ. Nottingham, Dept. Chem., Nottingham, NG7 2RD England): Electrical resistivities and solution enthalpies for solutions of salts in liquid alkali metals. *J. Less-Common Metals* **86** (1982) 55
- HUBER, J. G., BULMAN, J. B., SERENI, J. G. (Univ. Kentucky, Dept. Phys. and Astron, Lexington, Ky., 40506 USA): Superconductivity under pressure and low temperature specific heat of ThPr alloys. *Solid State Commun.* **43** (1982) 925
- HUNG, M. H., STOCK, L. M. (Univ. Chicago, Dept. Chem., Chicago, Ill., 60637 USA): Thermal decomposition of 1,4-diphenylbutane. *Fuel* **61** (1982) 1161
- INAGAKI, S., MURATA, S., SAKIYAMA, M., ITO, Y., UMEHARA, Y., HIJIYA, T., MATSUORA, T. (c/o M. Sakiyama, Osaka Univ., Chem. Thermodynam. Lab., Toyonaka, Osaka, 560 Japan): Thermochemical studies on 2,4,6-triisopropylbenzophenone and its photo-isomer, 3,5'-diisopropyl-4,4-dimethyl-3-phenyl-1,2 benzocyclobuten-3-ol. Evaluation of magnitude of light energy stored in the latter molecule. *Bull. Chem. Soc. Jap.* **55** (1982) 2803
- INAGAKI, S., MURATA, S., SAKIYAMA, M. (c/o M. Sakiyama, Osaka Univ., Chem. Thermodynam. Lab., Toyonaka, Osaka, 560 Japan): Thermochemical studies on thioacetamide and tetramethylthiourea. Estimation of stabilization energies due to interaction between thiocarbonyl group and neighbouring nitrogen atom. *Bull. Chem. Soc. Jap.* **55** (1982) 2808
- INIQUEZ, M. P., ALONSO, J. A., GONZÁLEZ, D. J., ZONTA, M. L. (Univ. Valladolid, Dept. Opt. Valladolid, Spain): Theory of the heat of formation in homovalent disordered solid alloys of non-transition metals. *J. Phys. F* **12** (1982) 1907
- INOUE, A., TAKAHASHI, Y., SURYANARAYANA, C., MASUMOTO, T. (Tohoku Univ., Iron Steel and Other Met. Res. Inst., Sendai, Miyagi, 980 Japan): Thermal stability and crystallization behaviour of amorphous Zr-M-Si (M = IV-VIII group transition metals) alloys. *J. Mater. Sci.* **17** (1982) 3253
- IONASHIRO, M., GIOLITO, I. (c/o I. Giolito, Univ. Sao Paulo, Inst. Quim., Sao Paulo, SP Brazil): Studies on double selenates. IV. Thermal decomposition of neodymium, samarium and alkali metal double selenates. *Thermochim. Acta* **59** (1982) 231
- IRING, M., KELEN, T., FODOR, Z., TÚDÓS, F. (Magyar Tud. Akad., Központi Kém. Kutató Int., Pusztaszeri út 59-67, H-1025 Budapest, Hungary): Investigation of the thermo-oxidative degradation of polyolefins. 11. Comparison of the oxidation properties of polyethylene in solution and in melt. *Magy. Kém. Foly.* **88** (1982) 363 (in Hungarian)
- ISAENKO, L. I., NYAKISHEV, K. G., VOLKOV, V. V. (Acad. Sci. USSR, Inst. Inorgan. Chem., Novosibirsk, USSR): Thermal conversions of salts of the $B_9H_{14}^-$ anion. *Bull. Acad. Sci. USSR Div. Chem. Sci. transl. Izv. Akad. Nauk SSSR Ser. Khim.* **31** (1982) 12
- ITO, O., ARUGA, T., MATSUDA, M. (Tohoku Univ., Chem. Res. Inst. Non Aqueous Solut., Sendai, Miyagi, 980 Japan): Thermal and photochemical reactions of the anion radical and dianion of dibenzothiophen. *J. Chem. Soc. Perkin Trans. II.* (1982) 1113
- JAMNICKÝ, M., JÓNA, E. (Slovak Inst. Technol., Dept. Inorgan. Chem., CS-81237 Bratislava, Czechoslovakia): The stoichiometry of the thermal decomposition and stereochemistry of complex compounds of the $Ni(NCS)_2(4-P\text{-pyridine})_4$ type and their decomposition products. *Collect. Czech. Chem. Commun.* **47** (1982) 2478
- JASRA, R. V., AHLUWALIA, J. C. (c/o J. C. Ahluwalia, Indian Inst. Technol. Dept. Chem.,

- New Delhi, 110016 India): Enthalpies of solution, partial molal heat capacities and apparent molal volumes of sugars and polyols in water. *J. Solut. Chem.* **11** (1982) 325
- JERE, G. V., GUPTA, M. K., SURENDRA, L., KAUSHIK, S. M. (Indian Inst. Technol., Dept. Med., New Delhi, 110016 India): Solid state decomposition studies on fluoro-peroxo species of transition metals. XII. Kinetics of isothermal decomposition of $K_2VO(O_2)_2F$ and $K_3Nb(O_2)_2F_4$. *Thermochim. Acta* **58** (1982) 67
- JOHNSTON, D. C., MRAW, S. C., JACOBSON, A. J. (Exxon Res. and Engr. Co, Corp. Res. Sci. Labs., POB 45 Linden., N. J., 07036 USA): Observation of the antiferromagnetic transition in the linear chain compound $KFeS_2$ by magnetic susceptibility and heat capacity measurements. *Solid State Commun.* **44** (1982) 255
- JONES, D. W., McDONALD, W. S. (Univ. Leeds, Dept. Organ. Chem., Leeds, LS2 9JT, W Yorkshire): Thermal, photochemical and acid-catalysed rearrangements of the spiro-dimer of α, α'' -bis(methoxycarbonyl)- σ -quino-dimethane. X-ray crystal structure of trans-trans-tetrakis(methoxycarbonyl)dibenzo[a,e]cyclooctane. *J. Chem. Soc. Perkin Trans. I.* (1982) 2257
- JOSHI, M. S., MOHAN RAO, P., CHOUDHARI, A. L., KANITKAR, R. G. (Sardar Patel Univ., Dept. Phys., Vidyanagar, 388120 India): Thermal behaviour of natural stilbite crystals. *Thermochim. Acta* **58** (1982) 79
- K Aidanov, V. I., NUROMSKII, A. B. (M. I. Kalinin Polytech. Inst., Leningrad, 195251 USSR): Thermal conductivity of $Pb_{1-x}In_xTe$. *Sov. Phys. Semicond.* transl. *Fiz. Tekh. Polupr.* **16** (1982) 357
- KAMEL, M. R. (Natl. Res. Ctr., Refractories and Bldg. Mat. Lab., Cairo, Egypt): Thermochemical alterations on heating hardened high-lime magnesiochrome refractory cements. *Thermochim. Acta* **58** (1982) 1
- KARAKHANOV, R. A., KARZHAVINA, N. P., BREZHNEV, L. Y. (N. D. Zelinskii Organ. Chem. Inst., Moscow, USSR): Some thermal transformation characteristics of dihydro-sylvan. *Bull. Acad. Sci. USSR Div. Chem. Sci.* transl. *Izv. Akad. Nauk SSSR Ser. Khim.* **31** (1982) 191
- KARPOV, V. G., KLINGER, M. I., IGNATIEV, F. N. (M. I. Kalinin Polytech. Inst., Leningrad, 195251 USSR): Atomic tunneling states and low-temperature anomalies of thermal properties in amorphous materials. *Solid State Commun.* **44** (1982) 333
- KATIME, I., CESTEROS, L. C., OCHOA, J. R. (Univ. Pais Vasco, Fac. Ciencias, Dept. Quim. Fis., Propiedades Termodinam. Macromolec. Disoluc. Grp., Bilbao, Spain): Kinetics of acenaphthylene bulk polymerization by DTA. *Thermochim. Acta* **59** (1982) 25
- KATIME, I., PENAFIEL, J., CESTEROS, L. C., VEGUILLAS, J. (Univ. Pais Vasco, Fac. Ciencias, Dept. Quim. Fis., Termodinam. Macromolec. Disoluc. Grp., Bilbao, Spain): DTA determination of bulk kinetics polymerization of N-vinylcarbazole in the solid state. *Thermochim. Acta* **59** (1982) 199
- KAUSHIK, N. K., CHHATWAL, G. R., SHARMA, A. K. (Univ. Delhi, Dept. Chem., Delhi, 11007 India): Bis-N(*p*-etoxyphenyl)di-thiocarbamate complexes of Cu(II), Zn(II), Cd(II), Sn(II), Sb(IV), Ni(II) and Pd(II). *Thermochim. Acta* **58** (1982) 231
- KELONG, H.: Application of thermal analysis to the determination of isomorphism in carbonate minerals. *Geochimica* (1982) 310
- KESTIN, J., RO, S. T., NAGASAKA, Y. (Brown Univ., Providence., R. J., 02912 USA): The thermal conductivity of mixtures of methane with carbon dioxide. *Ber. Bunsen Ges. Phys. Chem.* **86** (1982) 945
- KHILLA, M. A., HANAFI, Z. M., MOHAMED, A. K. (Natl. Res. Ctr., Cairo, Egypt): Physico-chemical properties of chromium trioxide and its suboxides. *Thermochim. Acta* **59** (1982) 139
- KICHEV, G. K., PETROV, Z. Z., ALKHANAK, H. M. (Bulgarian Acad. Sci., Inst. Biol. and Immunol. Reprod. and Dev. Organisms, BU-1112 Sofia, Bulgaria): Thermal stability of diluted bull semen protein complexes. *Dokl. Bolg. Akad. Nauk* **35** (1982) 513
- KIJIMA, T. (Natl. Inst. Res. Inorgan. Mat. Sakura, Ibaraki 305 Japan): Formation and thermal decomposition of pyridine inter-

- calates of α and γ -zirconium phosphates. *Thermochim. Acta* **59** (1982) 95
- KIMIZUKA, N., TAKAYAMA, E. (Natl. Inst. Res. Inorgan. Mat., 1-1 Namiki, Sakura, Ibaraki, 305 Japan): Survey of the phase formation in the $\text{Yb}_2\text{O}_3\text{-Ga}_2\text{O}_3\text{-MO}$ and $\text{Yb}_2\text{O}_3\text{-Cr}_2\text{O}_3\text{-MO}$ systems in air at high temperatures (M: Co, Ni, Cu and Zn). *J. Solid State Chem.* **43** (1982) 278
- KIMURA, F., BENSON, G. C. (Natl. Res. Council Canada, Div. Chem., Ottawa, Ontario, K1A 0R5 Canada): Excess enthalpies of binary mixtures of 2-ethyl-1-butanol with hexane isomers. *Fluid Phase Equilibria* **9** (1982) 99
- KISHORE, K., MOHANDAS, K. (Indian Inst. Sci., Dept. Inorgan. and Phys. Chem., Bangalore, 560012 Karnataka, India): Laboratory test methods for the evaluation of flammability of polymers. *J. Macromol. Sci. A* **18** (1982) 379
- KISTAIAH, P., MURTHY, K. S., RAO, K. V. K. (Osmania Univ., Coll. Sci., Dept. Phys., Hyderabad 500007 Andhra Pradesh, India): Temperature dependence of the lattice parameters and the thermal expansion of CdCr_2X_4 (X \equiv S, Se). *J. Less-Common Metals* **86** (1982) 175
- KLIMENKO, E. V. (Acad. Sci. UkSSR, Inst. Phys., Kiev, UkSSR): Coadsorption of O and Cs on the Nb(110) plane: work function and thermal stability of Cs films. *Ukr. Fiz. Teh.* **27** (1982) 1087 (in Russian)
- KLOSE, W., SCHWARZ, K. (Schering Ag., Forsch. Lab., Müllerstr. 170-178, D-1000 Berlin 65): Non-steroidal inflammation inhibitor. 13. Bis(4-methoxyphenyl)-2-arylthio-pyrimidine. *J. Heterocycl. Chem.* **19** (1982) 1165
- KNIGHT, G. J., WRIGHT, W. W. (Royal Aircraft Estab., Dept. Mat., Farnborough GU14 6TD, Hants, England): Thermal degradation of some fluorine-containing elastomers. *Polym. Degrad. Stabil.* **4** (1982) 465
- KONDO, Y., ITTOH, M., KUSABAYASHI, S. (Osaka Univ., Fac. Engn., Dept. Appl. Chem., Suita Osaka, 565 Japan): Reaction of ethyl iodide with bromide ion. Kinetics, transfer enthalpies of anions, and extended Brønsted relationship in acetonitrile + methanol and NN-dimethylacetamide + methanol mixtures. *J. Chem. Soc. Faraday Trans. I.* **78** (1982) 2798
- KOSARUKINA, E. A., ZHOGIN, D. Y., KOLESOV, V. P., KURAMSHINA, G. M., PENTIN, Y. A., IZMESTEV, I. V., DANILOV, A. V. (M. V. Lomonosov State Univ., Moscow, 117234 USSR): Thermal capacity in the 8-300 K range, thermodynamic functions and conformation isomerism of 1,2-dibrom-tetra-fluoroethene. *Zh. Fiz. Khim.* **56** (1982) 1892 (in Russian)
- KOUROV, N. I., TSIQVOKIN, Y. N., PODGORNYYKH, S. M. VOLKENSHTEIN, N. V. (Acad. Sci. USSR, Ural Sci. Ctr., Inst. Met. Phys., Sverdlovsk, USSR): Specific heat of alloys with interacting magnetic order parameters. *Zh. Eksp. Teoret. Fiz.* **83** (1982) 662 (in Russian)
- KOVARIK, P., VALKO, L., GATIAL, A. (Slovak Tech. Univ., Dept. Phys. Chem., CS-81237 Bratislava, Czechoslovakia): On thermal dehydrochlorination of model compounds for poly(vinyl chloride). V. Frequency factor calculations. *Chem. Zvesti* **36** (1982) 611
- KRAVTSOVA, O. A., FADEEVA, V. I., TROSHKINA, V. A. (M. V. Lomonosov State Univ., Dept. Gen. Chem., Moscow, 117234 USSR): A calorimetric and X-ray diffraction study of ordering process in the FeAl alloy. *Vestn. Mosk. Univ.* **23** (1982) 471 (in Russian)
- KROKOSZINSKI, H. J., SANTANDREA, C., GMELIN, E., BARNER, K. (Univ. Göttingen, Inst. Phys., 4, D-3400 Göttingen, GFR): Specific heat anomaly connected with a high-spin-low-spin transition in metallic $\text{MnAs}_{1-x}\text{P}_x$. *Phys. Status Solidi B* **113** (1982) 185
- KUCHAŘ, M., REJHOLEC, V., BRUNOVÁ, J., MATUŠOVÁ, O., NĚMEČEK, O., CEPELÁKOVÁ, H. (Res. Inst. Pharm. and Biochem., Dept. Microanalyt., CS-13060 Prague, 3 Czechoslovakia): Benzyloxyaryl-aliphatic acids: synthesis and quantitative relations between structure and antiinflammatory activity. *Collect. Czech. Chem. Commun.* **47** (1982) 2514

- KUDZIN, A. Y., MOISEENKO, V. N., SADOVSKAYA, L. Y. (Acad. Sci. UkSSR, Inst. Phys., Kiev, UkSSR): Low temperature phase transition in strontium tellurite. *Fiz. Tverd. Tela* **24** (1982) 2837 (in Russian)
- KURAMSHIN, E. M., GUMEROVA, V. K., ZLOTSKII, S. S., RAKHMANKULOV, D. L. (Ufa Petr. Inst., Dept. Gen. and Analyt. Chem., Ufa USSR): Thermal dissociation of 2 methyl-1,3-dioxolan hydroperoxide. *Izv. Vyssh. Uch. Zav.* **25** (1982) 1044 (in Russian)
- LANGEVIN, Y., DURAUD, J. P. (Lab. René Bernas, F-91406 Orsay, France): Thermal stability and chemical reactivity of defects produced in silicates by high energy heavy ions. *Radiat. Eff.* **65** (1982) 139
- LARSON, J. W., Mc MAHON, T. B. (c/o T. B. Mc Mahon, Univ. New Braunschweig, Dept. Chem., Fredericton NB E38 6E2 Canada): Formation, thermochemistry, and relative stabilities of proton-bound dimers of oxygen *n*-donor bases from ion cyclotron resonance solvent-exchange equilibria measurements. *J. Am. Chem. Soc.* **104** (1982) 6255
- LAU, SUK-FAI, PATHAK, J., WUNDERLICH, B. (c/o B. Wunderlich, Rensselaer Polytech. Inst., Dept. Chem., Troy, N. Y., 12181 USA): Study of phase separation in blends of polystyrene and poly(α -styrene) in the glass transition region using quantitative thermal analysis. *Macromolecules* **15** (1982) 1278
- LAURIE, D., PERKINS, P. G. (Univ. Strathclyde, Dept. Pure and Appl. Chem., Glasgow, G1 1XL Scotland): Direct calculation of the heats of formation of some boron hydrides. *Inorg. Chim. Acta* **63** (1982) 53
- LAWLESS, W. N., CLARK, C. F., ARENZ, R. W. (Ceramphys. Inc., Westerville, Ohio, 43081 USA): Method for measuring specific heats in intense magnetic fields at low temperatures using capacitance thermometry. *Rev. Sci. Instr.* **53** (1982) 1647
- LAWLESS, W. N., LAWLESS, T. D. (Ceramphys. Inc. Westerville, Ohio, 43081 USA): Specific heat studies of small KDP crystals at low temperatures. *Ferroelectrics* **45** (1982) 149
- LEAIST, D. G., MURRAY, J. J., POST, M. L., DAVIDSON, D. W. (Univ. Western, Ontario, Dept. Chem., London, Ontario, NGA 587 Canada): Enthalpies of decomposition and heat capacities of ethylene oxide and tetrahydrofuran hydrates. *J. Phys. Chem.* **86** (1982) 4175
- LEDBETTER, H. M. (NBS, Div. Fracture and Deformat., Boulder, Colo., 80303 USA): Temperature behaviour of Young's moduli of forty engineering alloys. *Cryogenics* **22** (1982) 653
- LEE, T. C. (Univ. Calif. Riverside, Inst. Geophys. and Planetary Phys., Riverside, Calif., 82521 USA): Estimation of formation temperature and thermal property from dissipation of heat generated by drilling. *Geophys.* **47** (1982) 1577
- LETCHER, T. M., SPITERI, W. L., SCOONES, B. W. (Rhodes Univ., Dept. Chem., Grahamstown, 6140 South Africa): Excess enthalpies of decahydronaphthalene in cycloalkanes and in *n*-alkanes at two temperatures. *J. Solut. Chem.* **11** (1982) 423
- LIAN, Y. N., CHEN, A. T., SUURKUUSK, J., WADSÖ, I. (Univ. Lund, Ctr. Chem., Thermochem. Lab., S-22007 Lund 7 Sweden): Polyol-water interactions as reflected by aqueous heat capacity values. *Acta Chem. Scand.* **36** (1982) 735
- LINARES-SOLANO, A., REINOSO, F. R., SALINAS-MARTINEZ DE LECEN, C., MAHAJAN, O. P., WALKER, P. L. (Univ. Granada, Dept. Inorgan. Chem., Granada, Spain): Platinum catalysts supported on graphitized carbon black. I. Characterization of the platinum by titrations and differential calorimetry. *Carbon* **20** (1982) 177
- LINDAU, J., HANNES, R., DORFLER, H. D. (Martin Luther Univ., Wissensch. Bereich Phys. Chem., Sekt. Chem., DDR-4020 Halle, GDR): Calorimetric studies and texture observations of thallium(I) salts of alicyclic and aromatic carbonic acids. *Z. Phys. Chem.* **263** (1982) 993
- LOBBIA, G. G., VITALI, G., RUFFINI, R. (Univ. Camerino, Ist. Chim., I-62032 Camerino, Italy): A statistical analysis of the liquid-solid equilibrium temperatures in

- binary dotriacontane + ester systems. *Thermochim. Acta* 59 (1982) 205
- LOMAKIN, S. M., ASEVA, R. M., SHASHKOVA, V. T., KEFELI, T. Y., ZAIKOV, G. Y. (Acad. Sci. USSR Inst. Chem. Phys., Moscow, V-71 USSR): Study of kinetics and thermodynamics of thermal degradation of network polymers of *n*-alkylene-glycol dimethacrylic esters. *Vysokomol. Soedin. A* 24 (1982) 2078 (in Russian)
- LOPONEN, M. T., DYNES, R. C., NARAYANAMURTI, V., GARNO, J. P. (Bell Tel. Labs. Inc., Murray Hill, N. J. 07974 USA): The time dependent specific heat of dielectric glasses. *Physica B + C* 110 (1982) 1873
- LOURENCO, J. A. (Bell Tel. Labs. Inc., Murray Hill, N. J., 07974 USA): The effect of LPE growth atmosphere on thermal decomposition of (100)S-INP substrates. *J. Cryst. Growth* 59 (1982) 563
- LUKYANOVA, O. I., NOVOZHILOVA, O. G., METSKJARISHVILI, T. T. (M. V. Lomonosov State Univ., Dept. Colloid Chem., Moscow, 117234 USSR): A calorimetric investigation of the surface phase formation from the supersaturated $\text{CaSO}_4 \cdot 2 \text{H}_2\text{O}$ solutions. *Vestn. Mosk. Univ.* 23 (1982) 476 (in Russian)
- LUSPIN, Y., CHABIN, M., MONCUIT, C. (Univ. Orleans, Etudes Phys. Mat. Lab., F-45046 Orleans, France): Thermal analysis and Brillouin scattering in $\text{CaPd}(\text{CN})_4 \cdot 5 \text{H}_2\text{O}$. Possibility of a phase transition near 70°C. *Solid State Commun.* 44 (1982) 71
- LVOV, S. N., ZAREMBO, V. I. (Lensovet Technol. Inst., Leningrad, USSR): Heat capacity of ions of electrolites dissolved in water under high parameters of state. *Geokhimiya* (1982) 1307
- MAEDA, M., ARITA, Y. (Natl. Res. Inst. Met., Tsukuba, Labs., 1-2-1 Sengen, Sakura, Ibaraki, 305 Japan): Electrical properties and their thermal stability for silicon nitride films prepared by plasma-enhanced deposition. *J. Appl. Phys.* 53 (1982) 6852
- MAITI, S., RAY, A. (Indian Inst. Technol., Ctr. Mat. Sci., Div. Polymer. Kharagpur, 721302 W Bengal, India): Processable heat-resistant polymers. VII. Synthesis and characterization of polyamideimide from *N*-(*p*-carboxyphenyl) trimellitimide and *p,p'*-di(aminocyclohexyl) methane. *J. Appl. Polym. Sci.* 27 (1982) 4345
- MALHOTRA, S. L., MINH, L., BLANCHARD, L. P. (Xerox Res. Ctr. Canada Ltd, Mississauga, Ontario, L5L 1J9 Canada): Thermal decomposition and glass transition temperature of poly(isobutylene). *J. Macromol. Sci. Chem. A* 18 (1982) 455
- MALM, B. J. (Univ. Helsinki, Dept. Wood and Polymer Chem., SF-00170 Helsinki, 17 Finland): Substituted and branched polychalcones. 3. Thermal properties of the polymers. *Angew. Makromol. Chem.* 107 (1982) 143
- MARCHETTI, A., LEVITA, G., LUPINACCI, D. (Selenia Spa, Dept. Electroopt., Via Castelli Romani, 2 Pomezia, Italy): Calorimetric study of ring substituted poly(vinylbenzoates) and poly(phenylacrylates). *Chim. Ind.* 64 (1982) 483
- MAR'IN, A. P., FEOFILOVA, Y. P., GENIN, Y. V., SHLYAPNIKOV, Y. A., PISAREVSKAYA, I. V. (Acad. Sci. USSR, Inst. Chem. Phys., Moscow, V-71 USSR): Influence of crystallinity on sorptional and thermal properties of chitine and chitozane. *Vysokomol. Soedin. A* 24 (1982) 658 (in Russian)
- MARTINIE, B., BRUN, B., REPELLIN, M., QUINSON, J. F. (Inst. Natl. Sci. Appl. Lyon, Genie Elect. and Ferroelect. Lab., F-69621 Villeurbanne, France): Etude des transitions de phase liquide \rightleftharpoons solide \rightleftharpoons solide d'un cristal ionique finement divisé dans in matériau poreux. Cas du nitrate d'argent. *Thermochim. Acta* 59 (1982) 175
- MASHIROV, Y. G., YADRINTSEV, V. B.: Thermal behaviour of thorium tellurite. *Sov. Radiochem. transl. Radiokhim.* 24 (1982) 215
- MASLOSH, V. A., BUSHUEVA, N. K., SOKOLOVA, J. M., POPOV, A. F. (Rubezhnoe Machinery Inst., Dept. Macromolec. Cpds. and Phys. Chem. Technol., Rubezhnoe, UkSSR): Synthesis of brom-containing oligoethers and its application for the production of hard combustible poly-

- urethane foams. *Izv. Vyssh. Uch. Zav.* 25 (1982) 988 (in Russian)
- MATTOX, D. M., SMITH, H. D., WILCOX, W. R., SUBRAMANIAN, R. S. (Westinghouse Elect. Corp., Ctr. Res. and Dev., Pittsburgh, Pa., 15235 USA): Thermal-gradient-induced migration of bubbles in molten glass. *J. Am. Ceram. Soc.* 65 (1982) 437
- MAZER, N. A., OLAFSSON, G. (Univ. Lund, Div. Phys. Chem. 1, S-22007 Lund 7 Sweden): Calorimetric studies of micelle formation and micellar growth in sodium dodecyl sulfate solutions. *J. Phys. Chem.* 86 (1982) 4584
- MAZONARECHEDERRA, J. M., CHAVES, M. S., ARRANZ, F. BARRALESRIENDA, J. M. (CSIC, Inst. Plast and Caucho, Juan Cierva, 3 Madrid, Spain): Kinetics of thermal degradation of polyvinylacetate. Rate constants for the acetic acid stripping reaction. *An. Quim. A* 78 (1982) 189
- McEWEN, I., TAYLOR, R. (c/o R. Taylor, Univ. Sussex, Sch. Molec. Sci., Brighton, BN1 9QJ E Sussex, England): The mechanism of thermal eliminations. 12. Relative rates of pyrolysis of ethyl, isopropyl, *t*-butyl, and *n*-butyl vinyl ethers: rate spread as an index of elimination mechanisms. *J. Chem. Soc. Perkin Trans. II* (1982) 1179
- MELCHIOR, E., LUTHER, H. (Man Ag., Postfach 500620, D-8000 München, GFR): Measurement of true specific heats of bituminous coals of different rank, and of a high-temperature coke, in the temperature range 30–350°C. *Fuel* 61 (1982) 1071
- MELLOTTÉE, H., VOVELLE, C. (CNRS, Ctr. Rech. Chim. Combust. and Hautes Temp., 1C Ave Rech. Sci., F-45045 Orleans, France): Pyrolyse du polyacrylonitrile. I. Etude par thermogravimétrie et analyse des gaz dégradés. *Eur. Polym. J.* 18 (1982) 999
- MIKHAILIN, B. V., VOROBEV, A. F., VASILEV, V. A. (D. I. Mendeleev Chem. Technol. Inst., Moscow, USSR): Thermal capacity and density of cesium and copper bromide aqueous solutions at 298–15 K. *Zh. Fiz. Khim.* 56 (1982) 1937 (in Russian)
- MODGIL, S. K., VIRK, H. S. (Guru Nanak Dev. Univ., Dept. Phys., Anritsar, 143005 Punjab, India): Thermal stability of fission tracks in sodalime microslide glass. *Int. J. Appl. Radiat. Isotop.* 33 (1982) 779
- MONAENKOVA, A. S., UMYAROVA, R. S., BUZNIK, T. L., VOROBEV, A. F. (M. V. Lomonosov State Univ., Moscow, 117234 USSR): Enthalpy of gadolinium, terbium and dysprosium chloride solutions in water. *Zh. Fiz. Khim.* 56 (1982) 2333 (in Russian)
- MOORE, J. P., FINCH, C. B. (Oak Ridge Natl. Lab., Div. Met. and Ceram., Oak Ridge, Tenn., 37830 USA): Thermal conductivity of Mn₂SiO₄ in the [100] direction from 80 to 400 K. *J. Am. Ceram. Soc.* 65 (1982) C-184
- MORGANT, G., LEGENDRE, B., SOULEAU, C. (c/o B. Legendre, Univ. Paris, 11 Fac. Pharm., Chim. Minérale Lab., 2 F-92290 Chateau, Molabry, France): Heat capacity of TlSe and Tl₂Se in the solid and liquid states. *Ann. Chim.* 7 (1982) 301
- MORI, H., SATOH, T., FUJITA, T., OHTSUKA, T. (Tohoku Univ., Fac. Sci., Dept. Phys., Sendai, Miyagi, 980 Japan): Magnetic and thermal properties of PrNi₂. *J. Low Temp. Phys.* 49 (1982) 397
- MORISAKI, S. (Res. Inst. Ind. Safety, Kiyose, 204 Japan): Adiabatic thermal decomposition of organic peroxide. *Nippon Kagaku Kaishi, J. Chem. Soc. Jap. Chem. Industr. Chem.* (1982) 1773
- MOROZOV, A. I., SOLOVKINA, O. A., EVDOKIMOV, V. I. (N. S. Kurnakov Gen. and Inorgan. Chem. Inst., Moscow, USSR): KAl₂Cl₇ compounds and their thermic stability. *Zh. Neorg. Khim.* 27 (1982) 2075
- MUCHOVÁ, J., MACKO, J., BYSTRICKÝ, L., BÁTORA, V. (Res. Inst. Agrochem. Technol., CS-83603 Bratislava, Czechoslovakia): Thermal decomposition of the diammonium salt of ethylene-bis(dithiocarbamic acid). *Chem. Zvesti* 36 (1982) 523
- MUKHIN, S. I. (Moscow Steel and Alloys Inst., Moscow, USSR): Low-temperature electric conductivity of quasi uni-dimensional Hg₃–Delta AsF₆ (alchemist gold). *Zh. Eksp. Teoret. Fiz.* 83 (1982) 634 (in Russian)
- MUSCAT, J. P. (City Univ. London, Dept. Math., London, EC 1V OHB, England): Hydrogen heats of solution in Co, Ni, Cu, Rh, Pd and Ag. *J. Phys. C* 15 (1982) 5551

- NADKARNI, G. S., SHIRODKAR, V. S., SIMMONS, J. G. (Elpro Int. Ltd, Div. Res. and Dev., Poona 411033 India): Temperature dependence of thin metal (MoO_3) metal capacitors. *Thin Solid Films* 94 (1982) 101
- NAITO, K., INABA, H., TAKAHASHI, S. (Nagoya Univ., Fac. Engr., Dept. Nucl. Engr., Chikusa ku, Nagoya, Aichi, 464 Japan): Phase transitions in U_{308-21} . Heat capacity measurements. *J. Nucl. Mater.* 110 (1982) 317
- NAUMANN, R. J. (NASA, George C. Marshall Space Flight Ctr., Space Sci. Lab., Huntsville, Ala., 35812 USA): An analytical approach to thermal modeling of Bridgman-type crystal growth. 1. One-dimensional analysis. *J. Cryst. Growth* 58 (1982) 554
- NAUMANN, R. J. (NASA, George C. Marshall Space Flight Ctr., Space Sci. Lab., Huntsville, Ala., 35812 USA): An analytical approach to thermal modeling of Bridgman-type crystal growth. 2. 2-dimensional analysis. *J. Cryst. Growth* 58 (1982) 569
- NAZRAN, A. S., WARKENTIN, J. (c/o J. Warkentin, McMaster Univ., Dept. Chem., Hamilton, Ontario, L8S 4M1 Canada): Concerted homolysis in thermal decomposition of peresters from α -hydroperoxydiazenes. *J. Am. Chem. Soc.* 104 (1982) 6405
- NEDKOV, E., KRESTEVA, M., MIHAILOV, M., TODOROVA, U. (Bulgarian Acad. Sci., Centr. Lab. Polymers, BU-1113 Sofia, Bulgaria): DSC melting analyses of preliminary thermal-treated superhigh-molecular-weight poly(ethylene oxide). *J. Macromol. Sci. B* 21 (1982) 371
- NEKRASOV, I. J., KONIUSHOK, A. A. (Acad. Sci. USSR, Inst. Exptl. Mineral. Chernogolovka, USSR): The Au-Fe-Sb-S system under hydrothermal conditions at 300-600°C. *Dokl. Akad. Nauk SSSR* 265 (1982) 180 (in Russian).
- NEUMAIER, K., WIPF, H., CANNELLI, G., CANTELLI, R. (Bayer Acad. Wissensch., Zent. Inst. Tieftemperaturforsch., D-8046 Garching, GFR): Hydrogen-induced glasslike specific heat anomaly in superconducting crystalline $\text{NbTi}_{0.06}$. *Phys. Rev. Lett.* 49 (1982) 1423
- NICHOLAS, A. M. D., ARNOLD, D. R. (c/o D. R. Arnold, Dalhousie Univ., Dept. Chem., Halifax, NS B3 M 4J3 Canada): Thermochemical parameters for organic radicals and radical ions. 1. The estimation of the pK_2 of radical cations based on thermochemical calculations. *Can. J. Chem.* 60 (1982) 2165
- NOVIKOVA, L. V., OVCHINNIKOV, Y. V., TEPLOV, B. F.: Thermo-optical method of the determination of temperatures of physical transitions of crystallizable plasticizers. *Vysokomol. Soedin. A* 24 (1982) 2459 (in Russian)
- NYBERG, G. A., CRAIGHEAD, H. G., BUHRMAN, R. A. (Cornell Univ., Ctr. Mat. Sci., Ithaca, N. Y., 14853 USA): Surface roughness and thermal stability of graded cermet photothermal absorber coatings with very high absorptivities. *Thin Solid Films* 96 (1982) 185
- OETTING, F. L., HOLLEY, C. E. (Rockwell Int. Corp., POB 464 Golden, Colo., 80401 USA): The specific heat capacity of biotite. *J. Chem. Thermodyn.* 14 (1982) 1029
- OHTANI, H., NAGAYA, T., SUGIMURA, Y., TSUGE, S. (Nagoya Univ., Fac. Engr., Dept. Synthet. Chem., Nagoya, Aichi, 464 Japan): Studies on thermal degradation of aliphatic polyamides by pyrolysis-glass capillary gas chromatography. *J. Anal. Appl. Pyrol.* 4 (1982) 117
- OKADA, Y. (Electrotech. Lab., Sakura, Ibaraki, 305 Japan): A high temperature attachment for precise measurement of lattice parameters by Bond's method between room temperature and 1500 K. *J. Phys. E* 15 (1982) 1060
- OKU, S., MORI, H., IKEDA, M. (Nippon Telegraph and Tel. Publ. Corp., Musashino Elect. Commun. Lab., Musashino, Tokyo, 180 Japan): Temperature dependence of low absorption loss in silica glass measured by high temperature laser calorimetry. *Jap. J. Appl. Phys.* 21 (1982) 1387
- OLEINIKOV, P. P., KOCHELOVA, T. N., RASTRUSIN, Y. B.: Electrical and thermal conductivities of Ni-Mo alloys. *High Temp. transl. Teplofiz. Vysok. Temp.* 20 (1982) 54
- ORBON, S. J., PLAZEK, D. J. (Westinghouse Elect. Corp., Div. Adv. Reactors, POB 158 Madison, Pa., 15663 USA): Some evidence against the existence of the liquid-liquid

- transition. IV. The temperature dependence of shear viscosity. *J. Polym. Sci. Polym. Phys. Ed.* **20** (1982) 1575
- OSTAPKEVICH, N. A., BARSUKOV, I. I., MELLER, M. A., SAVELEVA, S. V. (Leningrad Pharmaceut. Chem. Res. Inst., Leningrad, USSR): Mathematical methods of the processing of curve calorimetric titration with the use of electronic digital computers. *Zh. Fiz. Khim.* **56** (1982) 2163 (in Russian)
- OTT, J. B., GOATES, J. R., WOOLLEY, E. M., PRIEST, J. G. (Univ. Oslo, Dept. Chem., Provo, Utah, 84602 USA): (Solid + liquid) phase equilibria and enthalpy changes in (water + 2,2-dimethyl-1,3 propanediol). *J. Chem. Thermodyn.* **14** (1982) 1077
- OTTO, M., LERCHNER, J. (Karl Marx Univ., Sect. Chem., DDR-7010 Leipzig, GDR): Comparison of spectrophotometric, calorimetric and amperometric monitoring for catalytic determination of copper. *Z. Chem.* **22** (1982) 389
- OVER, H. H., KNOTEK, O., LUGSCHEIDER, E. (KFA Jülich GmbH, Inst. Reaktorwerkstoffe, D-5170 Jülich, 1 GFR): Elastic properties of silicon single crystals in dependence on temperature and dislocation density. *Z. Metallk.* **73** (1982) 552
- PARENT, Y. (Univ. Lille, 1 Chem. Minérale Lab., 1 F-59655 Villeneuve, d'Ascq, France): Synthesis, thermal stability, Raman spectroscopy of lithium and cesium Bi and trimetallic imidodisulfates. Comparison with the other alkaline byproducts. *Bull. Soc. Chim. I.* (1982) 284
- PASTUREL, A., HICTER, P. (Ecole Natl. Super. Electrochim. and Electromet. Grenoble, Thermodynam. and Phys. Chim. Met. Lab., PP 44, F-38401 St. Martin Heres, France): On the heats of formation of transition metal-p-metal alloys. *J. Less-Common Metals* **86** (1982) 181
- PATNAIK, S. K., MAHARANA, P. K. (Berhampur Univ., Dept. Chem., Nucl. Chem. Sect., Berhampur, 760007 Orissa, India): Thermal decomposition of irradiated potassium periodate. *Radiochem. Radioanal. Lett.* **53** (1982) 367
- PAVLISKO, J. A., HUANG, S. J., BENICEWICZ, B. C. (Res. Triangle Inst., Triangle Pk, N. C., 27709 USA): Polymers containing hydrogen bonding rings. Synthesis and thermal properties of poly(enamineketones). *J. Polym. Sci. Polym. Chem. Ed.* **20** (1982) 3079
- PAWLAK, Z., BATES, R. G. (Univ. Florida, Dept. Chem., Gainesville, Fla., 32611 USA): Calorimetric studies of hydrogen-bond formation in propylene carbonate. I. Some hydride-bis-phenolates at 298.15 K. *J. Chem. Thermodyn.* **14** (1982) 1035
- PAWLAK, Z., MUKHERJEE, L. M., BATES, R. G. (Univ. Florida, Dept. Chem., Gainesville, Fla., 32611 USA): Calorimetric studies of hydrogen-bond formation in propylene carbonate. II. Some cationic complexes at 298.15 K. *J. Chem. Thermodyn.* **14** (1982) 1041
- PELOURSON, A., GONNARD, P., TROCCAZ, M. (Inst. Natl. Sci. Appl. Lyon, Génie Elect. and Ferroelect. Lab., Bâtiment, 504 F-69621 Villeurbanne, France): Etude calorimétrique et dilatométrique sous pression des transitions de phase de $Pb(Zr_{0.965}Ti_{0.035})O_3$ dope. *J. Solid State Chem.* **43** (1982) 285
- PERKINS, D., ENSENE, E. J., MARCOTTY, L. A. (Univ. N. Dakota, Dept. Geol., Grand Forks, N. D., 58201 USA): Thermometry and barometry of some amphibelite-granulite facies rocks from the Otter Lake area, southern Quebec. *Can. J. Earth Sci.* **19** (1982) 1759
- PHILO, R. P., RUSSELL, N. J., GILBERT, T. D., FRIEDRICH, J. M. (CSIRO, Div. Fossil Fuels, POB 136, N Ryde, NSW 2113 Australia): Characterization of Victorian soft brown coal wood by microscopic techniques and Curie-point pyrolysis combined with gas chromatography-mass spectrometry. *J. Anal. Appl. Pyrol.* **4** (1982) 143
- PINTOS, M., BRAVO, R., PAZ ANDRADE, M. I., PEREZ VILLAR, V. (Univ. Santiago de Compostela, Fac. Quim., Dept. Fis. Fundamental, Santiago de Compostela, Spain): Excess enthalpies of (*n*-alcohol + dipropyl-ether), (*n*-alcohol + 1,2-diethoxyethane), and (*n*-alcohol + 2-ethoxyethanol) at 298.15 K. *J. Chem. Thermodyn.* **14** (1982) 951

- PYATENKO, A. T., GUSAROV, A. V., GOROKHOV, L. N. (Acad. Sci. USSR, Inst. High Temp., Moscow, V-71 USSR): Enthalpy determinations of UF-8 and UF-4 ions by the ionic-molecular equilibria method. *Zh. Fiz. Khim.* **56** (1982) 1906 (in Russian)
- RAGHAVACHARI, K., HADDON, R. C., STARNES, W. H. (Bell Tel. Labs. Inc., Murray Hill, N. J., 07974 USA): Primary event in the thermal dehydrochlorination of pristine poly(vinyl chloride): intermediacy of a cyclic chloronium ion. *J. Am. Chem. Soc.* **104** (1982) 5054
- RAHMAN, A., STAVELEY, L. A. K., BELLITO, C., DAY, P. (c/o L. A. K. Staveley, Univ. Oxford, Inorgan. Chem. Lab., Oxford OX1 3QR England): Heat capacity of the two-dimensional ferromagnet bis(mononmethylammonium) tetrachlorochromate(II) from 10 to 302 K. *J. Chem. Soc. Faraday Trans. II.* **78** (1982) 1895
- RAMAN, S., MURTY, N. S. N., ROY, K. S., RAO, V. V., RANGARAJAN, G. (Indian Inst. Technol. Dept. Elect. Engn., Madras 600036 Tamil Nadu, India): A microcomputer-controlled vacuum adiabatic calorimeter for the temperature range 4.2–300 K. *Pramāna* **19** (1982) 151
- RAYCHAUDHURI, A. K., POHL, R. O. (Max Planck Inst. Festkörperforsch., Heisenberg, Str. 1, D-7000 Stuttgart, 80 GFR): Thermal conductivity of neutron-irradiated silica. *Solid State Commun.* **44** (1982) 711
- RAZUVAEV, G. A., BASOVA, G. V., D'YACHKOVSKAYA, O. S., DODONOV, V. A., KRASNODUBSKAYA, S. V. (Acad. Sci. USSR, Inst. Chem., Gorki, USSR): Thermal decomposition of trimethylsilyl tert-butyl persuccinate. *Bull. Acad. Sci. USSR Div. Chem. Sci.* transl. *Izv. Akad. Nauk SSSR Khim.* **30** (1981) 2333
- REICH, L., STIVALA, S. S. (Stevens Inst. Technol., Dept. Chem. and Chem. Engn., Hoboken, N. J., 07030 USA): Graphical analysis of non-isothermal TG data for mechanism. *Thermochim. Acta* **59** (1982) 247
- REIS, J. C. R. (Univ. Lisboa, Fac. Ciências, Ctr. Electroquím. and Conet., Inst. Nucl. Invest. Cient., P-1294 Lisboa, Portugal): Theory of partial molar properties. Defining isochoric thermal capacity and isentropic compression at constant temperature and pressure, and introducing partial molar properties at constant temperature and molar volume, at constant molar entropy and pressure and at constant molar entropy and molar volume. *J. Chem. Soc. Faraday Trans. II.* **78** (1982) 1595
- RISBY, T. H., YERGEY, J. A., SCOCCA, J. J. (Johns Hopkins Univ., Sch. Hyg. and Publ. HLTH, Dept. Environm. HLTH Sci., Div. Environm. Chem., Baltimore, M. D., 21205 USA): Linear programmed thermal degradation mass spectrometry of polystyrene and poly(vinyl chloride). *Anal. Chem.* **54** (1982) 2228
- ROBERTS, R. B., TAINSH, R. J., WHITE, G. K. (CSIRO, Div. Appl. Phys., Sydney, NSW 2070 Australia): Thermal properties of Zerodur at low temperature. *Cryogenics* **22** (1982) 566
- RODER, H. M. (NBS, Natl. Engn. Lab., Div. Thermophys. Properties, Boulder, Colo., 80303 USA): The thermal conductivity of oxygen. *J. Res. Nat. Bur. Stand.* **87** (1982) 279
- ROGER, D. J., JANZ, G. J. (c/o G. J. Janz, Rensselaer Polytech. Inst., Cogswell Lab., Troy, N. Y., 12181 USA): Melting crystallization and premelting properties of NaNO₃–KNO₃. Enthalpies and heat capacities. *J. Chem. Eng. Data* **27** (1982) 424
- ROUX-DESGRANGES, G., ROUX, A. H., GROLIER, J. P. E., VIALLAND, A. (Univ. Clermont Ferrand, 1. Thermodynam. and Cinet. Chim. Lab., F-63170 Aubière, France): Role of alcohol in microemulsions as determined from volume and heat capacity data for the water–sodium dodecylsulfate-*n*-butanol system at 25°C. *J. Solut. Chem.* **11** (1982) 357
- ROZENBERG, A. S., TITOV, L. V., GAVRILOVA, L. A. (Acad. Sci. USSR, Inst. Chem. Phys., Chernogolovka, USSR): Thermal decomposition of tetraethylammonium borohydride. *Kinet Catal.* transl. *Kinet. Katal.* **23** (1982) 31
- RUBIN, L. G., BRANDT, B. L., SAMPLE, H. H. (MIT, Francis Bitter Natl. Magnet. Lab.,

- SHARMA, U., CHANDRA, N. (Dav. Post Grad. Coll., Dept. Chem., Dehra Dun, India): Synthetics of some metal chelates of L-lysine monohydrochloride. *Thermochim. Acta* **59** (1982) 115
- SHAUB, W. M. (NBS, Div. Chem. Kinet., Washington, D. C., 20234 USA): Estimated thermodynamic functions for some chlorinated benzenes, phenols and dioxim. *Thermochim. Acta* **58** (1982) 11
- SHELGAEV, V. N., SHABAEV, A. S., MIHITAEV, A. K. (Kabardino Balkar State Univ., Inst. Macromolec. Cpds. Nalchik, USSR): Thermal degradation of some poly(arylate-arylene sulfonoxides). *Vysokomol. Soedin. A* **24** (1982) 2315 (in Russian)
- SHELUDYAKOV, V. D., DMITRIEVA, A. B., TUMANOV, V. Y., BOCHKAREV, V. N., KIRILIN, A. D., CHERNYSHEV, E. A.: Synthesis and transformation of O-silylurethanes thermolysis of the trimethylsilyl ether of methylcarbaminic acid. *Zh. Obshch. Khim.* **52** (1982) 2142 (in Russian)
- SHIM, S. C., KIM, S. S. (Korea Adv. Inst. Sci. and Technol., Dept. Chem., POB 150 Chengyangni, Sedul, 131 South Korea): Photochemistry and thermochemistry of picolyl chlorides. *Bull. Kor. Chem. Soc.* **3** (1982) 110
- SHORMANOV, V. A., PYATACHKOV, A. A., KRESTOV, G. A. (Ivanovo Chem. Technol. Inst., Dept. Gen. Chem. Technol., Ivanovo, USSR): Enthalpy transfer of nickel(II) ions and hydrogen from water in aqueous-dioxane mixtures. *Izv. Vyssh. Uch. Zav.* **25** (1982) 1085 (in Russian)
- SHRIDHAR, D. R., SASTRY, C. V. R., LAL, B., SINGH, P. P., RAO, C. S., JUNNARKAR, A. Y. (Indian Drugs and Pharmaceut. Ltd, Res. Ctr., Div. Pharmacol., Hyderabad, 500037 India): Antiinflammatory agents. 6. Synthesis and antiinflammatory activity of some new 4(6,8-substituted-2,4-1,4-benzoxazin-2-one-3-yl) phenylalkanoic acid esters. *Indian J. Chem. B* **71** (1982) 602
- SINGH, B. P., BHARDWAJ, V. K., SINGH, B. R., GHASH, R. (c/o B. R. Singh, Sahu Jain Coll., Dept. Chem., Najibabad, 246763 India): Thermodynamic study of the interaction of rare earths with N-arylvioluric acids. *Thermochim. Acta* **59** (1982) 157
- SINGH, J., SINGH, N. K. (Banaras Hindu Univ., Dept. Phys., Varanasi, 221005 Uttar Pradesh, India): Spectroscopic and thermal studies on Zn(II), Cd(II) and Hg(II) complexes of 2-amino-5-phenyl 1,3,4-thiadiazole. *Indian J. Chem. A* **21** (1982) 536
- SIROTA, N. N., ANTIUKHOV, A. M., NOVIKOV, V. V., SIDOROV, A. A. (I. G. Petrovskii Teachers Inst., Bryansk, USSR): Temperature dependence of the heat capacity and characteristic thermodynamic functions of the solid solutions of $(\text{GaAs})_x(\text{InP})_{1-x}$ in the temperature range of 5–300 K. *Dokl. Akad. Nauk SSSR* **266** (1982) 105
- SIROTA, N. N., ANTYUKHOV, A. M., NOVIKOV, V. V., SIDOROV, A. A. (I. G. Petrovskii Teachers Inst., Bryansk, USSR): Heat capacity, Gibbs free energy, enthalpy and entropy of solid solutions $(\text{GaAs})_x(\text{InP})_{1-x}$. *Zh. Fiz. Khim.* **56** (1982) 2348
- SIROTINA, R. A., SAVCHENKOVA, A. P., SEMENENKO, K. N. (M. V. Lomonosov State Univ., Fac. Chem., Moscow, 117234 USSR): Determination of enthalpy standards formation of some stable hydrides. *Zh. Fiz. Khim.* **56** (1982) 2308 (in Russian)
- SKOKAN, E. V., SOROKIN, I. D., SIDOROV, L. N., NIKITIN, M. I. (M. V. Lomonosov State Univ., Dept. Chem., Moscow, 117234 USSR): Mass spectrometric determination of the enthalpies of dissociation of gaseous complex fluorides into neutral and charged particles. VI. Enthalpy of formation of ZrF_5 . *Int. J. Mass. Spectrom. Ion Phys.* **43** (1982) 309
- SLACK, G. A., HUSEBY, J. C. (GE, Corp. Res. and Dev., Phys. Chem. Lab., Ceram. Branch, Schenectady, N. Y., 12301 USA): Thermal Grüneisen parameters of CdAl_2O_4 , $\beta\text{-Si}_3\text{N}_4$ and other phenocite-type compounds. *J. Appl. Phys.* **53** (1982) 6817
- SMITH, B. D., MUTHU, C. I., DEWAN, A., GLERLACH, M. (Washington Univ., Thermodynam. Res. Lab., St Louis, Mo., 63130 USA): Critical evaluation of vapor-liquid equilibrium, heat of mixing, and change of

- Cambridge, Mass., 02139 USA): Cryogenic thermometry: a review of recent progress. II. *Cryogenics* **22** (1982) 491
- RYABUKHIN, A. G. (Kurgan Machinery Inst., Kurgan, USSR): Calculation of enthalpy hydration and standard enthalpy formation in aqueous cation solutions with electron structure of inertial gases. *Zh. Fiz. Khim.* **56** (1982) 2285 (in Russian)
- SAIDO, K., KUROKI, T., IKEMURA, T., KIRISAWA, M. (Nhon Univ., Coll. Sci. and Engn., Dept. Pharm. and Ind. Chem., Tokyo, 101 Japan): Thermal decomposition of bis(2-ethyloxy) phthalate and dioethyl phthalate. *Nippon Kagaku Kaishi, J. Chem. Soc. Jap., Chem. Ind. Chem.* (1982) 1212
- SALAS PEREGRIN, J. M., VALENZUELA CALAHORRO, C., GIRELA VILCHEZ, F. Thermal studies on lithium, sodium, potassium and ammonium monomethyl violurates. *Thermochim. Acta* **58** (1982) 61
- SARASWAT, K. C., SINGH, H. (Stanford Univ., Integrated Circuit Lab., Stanford, Calif., 94305 USA): Thermal oxidation of heavily phosphorus-doped thin films of polycrystalline silicon. *J. Electrochem. Soc.* **19** (1982) 2321
- SASAMOTO, T., ITAH, M., SATA, T. (Tokyo Natl. Tech. Coll. Hachioji, 193 Japan): Mass-spectrometric measurements of enthalpy and entropy changes for the mixed dimer reaction: $\text{Na}_2\text{Cl}_2(\text{g}) + \text{K}_2\text{Cl}_2(\text{g}) = 2 \text{NaKCl}_2(\text{g})$. *Bull. Chem. Soc. Jap.* **55** (1982) 3643
- SATO, S., IKEDA, R., NAKAMURA, D. (Nagoya Univ., Fac. Sci., Dept. Chem., Nagoya, Aichi, 464 Japan): Molecular motions and phase transitions in $[(\text{CH}_3)_4]_2\text{MBr}_6$ (M: Pt, Te, Sn). A proton magnetic relaxation, differential thermal analysis, and powder X-ray diffraction study. *Ber. Bunsen Ges. Phys. Chem.* **86** (1982) 936
- SAWHNEY, S. S., BANSAL, A. K., DANGWAL, D. N. (Dav. Postgrad Coll., Dept. Chem., Dehra Dun 248001 India): Thermogravimetric analysis and kinetics of the non-isothermal decomposition of molecular complexes of 8-hydroxyquinoline (oxine) with potassium dichromate, potassium chromate and potassium permanganate. *Thermochim. Acta* **59** (1982) 243
- SAZANOV, I. N., SHIBAEV, L. A., ZHUKOVA, T. I., DAUENGAUER, S. A., STEPANOV, N. G., BULINA, T. M., KOTON, M. M. (Acad. Sci. USSR, Inst. Macromolec. Cpds, Leningrad, USSR): Mass-spectrometric thermal analysis of complexes of polyamic acids with aprotic polar solvents. *Dokl. Akad. Nauk SSSR* **265** (1982) 917 (in Russian)
- SCHMID, R. L., FELSCH, J. (Univ. Constance, GFR): Thermal decomposition of $\text{Cu}(\text{II})(\text{C}_4\text{H}_4\text{O}_6) \cdot 3 \text{H}_2\text{O}$ and $\text{Co}(\text{II})(\text{C}_4\text{H}_4\text{O}_6) \cdot 2.5 \text{H}_2\text{O}$. Determination of mechanism by means of simultaneous thermal analysis and mass spectrometry. *Thermochim. Acta* **59** (1982) 105
- SCHWARTZ, G. P., GRIFFITHS, J. E., GUALTIERI, G. J. (Bell Tel. Labs. Inc., Murray Hill, N. J., 07974 USA): Thermal oxidation and native oxide-substrate reactions on InAs and $\text{In}_x\text{Ga}_{1-x}\text{As}$. *Thin Solid Films* **94** (1982) 213
- SELIM, S. A., AMIN, A., ROUXHET, P. G. (An Shams Univ., Fac. Sci., Dept. Chem., Cairo, Egypt): Effect of autoclaving on zinc oxide in the presence of sulphate ions. *Thermochim. Acta* **58** (1982) 211
- SERBINOV, A. I. (Acad. Sci. USSR, Inst. Chem. Phys., Moscow, V-71 USSR): Effect of hydrogen bond on the thermal decomposition of hydrogen peroxide. *Dokl. Akad. Nauk SSSR* **264** (1982) 1170 (in Russian)
- SETA, K., NAITO, K. (Natl. Res. Lab. Metrol., 1-1-4 Umezono, Nihari Ibaraki, 305 Japan): Calorimetric study of the phase transition in NbO_2 . *J. Chem. Thermodyn.* **14** (1982) 921
- SETA, K., NAITO, K. (Natl. Res. Lab. Metrol., 1-1-4 Umezono, Nihari Ibaraki, 305 Japan): Calorimetric study of the phase transition in doped NbO_2 . *J. Chem. Thermodyn.* **14** (1982) 937
- SHARMA, B. K. (Reg. Coll. Educ., Dept. Phys., Bhubaneswar, 751007 India): Evaluation of interchain heat capacity ratio and ultrasonic absorption in polymers from the lattice Grüneisen parameter. *J. Phys. D* **15** (1982) 1735

- mixing data. General procedures. *J. Phys. Chem. Ref. Data* 11 (1982) 941
- SOLOMATINA, N. A., SOLOVEV, S. N., VOROB'EV, A. F. (D. I. Mendeleev Chem. Technol. Inst., Moscow, USSR): Enthalpy of sodium chloride solutions in normal propanol-water mixtures. *Zh. Fiz. Khim.* 56 (1982) 2151 (in Russian)
- SOLOMONOV, B. N., NOVIKOV, V. B., GORBACHUK, V. V., KONOVALOV, A. I. (V. I. Lenin State Univ., Kazan, USSR): Estimation of the specific interaction enthalpy by calorimetric data. *Dokl. Akad. Nauk SSSR* 265 (1982) 1441 (in Russian)
- SOLOVEV, S. N., SOLOMATINA, N. A., VOROB'EV, A. F. (D. I. Mendeleev Chem. Technol. Inst., Moscow, USSR): Enthalpy of a solution of neodymium chloride in 1-propanol-water mixtures. *Zh. Obshch. Khim.* 52 (1982) 1949 (in Russian)
- SOMMERS, C., RAY, D. K. (Univ. Paris, 11 Ctr. Orsay, Phys. Solides Lab., F-91405 Orsay, France): Abinitio calculation of the heat of formation in the metallic transition metal monoxides. *Solid State Commun.* 44 (1982) 339
- SOUSA, J. B., PINTO, R. P., AMADO, M. M., BRAGA, M. E., SAKURAI, J. (Univ. Porto, Dept. Phys., Porto, Portugal): Critical behaviour of transport and thermal properties in $GdAl_2$ intermetallic compound. *J. Magn. Mater.* 28 (1982) 29
- SPILLER, G. D. T. (Univ. Sussex, Sch. Math. and Phys. Sci., Brighton, BN1 9QH, E Sussex, England): Time-dependent melting and superheating of lead crystallites. *Phil. Mag.* 46 (1982) 535
- SPINOLO, G., BERUTO, D. (Univ. Pavia, Ist. Chim. Fis. and Elettrochim., CNR, Ctr. Sudi Termodinam., I-27100 Pavia, Italy): Thermodynamic analysis of the thermal decomposition of dolomite. *J. Chem. Soc. Faraday Trans. I.* 78 (1982) 2631
- SPITERI, W. L., LETCHER, T. M. (Univ. Witwatersrand, Dept. Chem., Johannesburg, 2001 South Africa): The excess enthalpies of cyclooctane + *n*-alkanes. *Thermochim. Acta* 59 (1982) 73
- SPITERI, W. L., LETCHER, T. M. (Univ. Witwatersrand, Dept. Chem., Johannesburg, 2001 South Africa): The excess enthalpies of cycloheptane + *n*-alkane. *J. Chem. Thermodyn.* 14 (1982) 1047
- STANIENDA, A. (Univ. München, Fachbereich Tiermed., Inst. Pharmacol. Toxikol. and Pharm., D-8000 München, 22 GFR): Die Elektronenaffinität von Methylenblau. Ein Vergleich polarographisch, kalorimetrisch und spektroskopisch ermittelter Werte. *Electrochim. Acta* 27 (1982) 1379
- STARIKOVA, N. A., MEDVED, Z. N., MAYATSKII, V. A., GERASIMOV, V. D. (All Union Synthet. Resin. Res. Inst., Vladimir, USSR): Calorimetric study of aromatic copolyamides. *Vysokomol. Soedin. A* 24 (1982) 709 (in Russian)
- STEBBINS, J. F., WEILL, D. F., CARMICHAEL, I. S. E., MORET, L. K. (c/o I. S. E. Carmichael, Univ. Calif., Berkeley, Dept. Geol. and Geophys., Berkeley, Calif., 94720 USA): High temperature heat contents and heat capacities of liquids and glasses in the systems $NaAlSi_3O_8$ - $CaAl_2Si_2O_8$. *Contrib. Mineral. Petrol.* 80 (1982) 276
- STOLYAROVA, T. A. (Acad. Sci. USSR, Inst. Exptl. Mineral, Chernogolovka, USSR): Enthalpy of formation of Co_2A_5 and $NiAs_2$. *Geokhimiya* (1982) 1211 (in Russian)
- STRETSOV, S. V., BLINICHEV, V. N., SHLYAKHTOV, V. G., RYSKOV, O. V. (Ivanovo Chem. Technol. Inst., Chem. Prod. Machine and Appar., Ivanovo, USSR): Method of heat calculation of desublimators with inhibited fluidized layers. *Izv. Vyssh. Uch. Zav.* 25 (1982) 1141 (in Russian)
- STUVE, J. M. (US Bur., Mines, Albany Res. Ctr., Albany, Oreg., 97321 USA): Low-temperature heat capacities of sodium hexatitanate. *J. Chem. Eng. Data* 27 (1982) 391
- SUKHAREVSKII, B. J., BOIKO, F. A., BYKOV, A. M., VITEBSKII, I. M., GANENKO, V. E. (Acad. Sci. UkSSR, Inst. Engr. Phys., Donetsk, UkSSR): Specific-heat anomaly of $Cu_{0.96}Zn_{0.04}SiF_6 \cdot 6H_2O$ near the lability limit. *Dokl. Akad. Nauk SSSR* 266 (1982) 93 (in Russian)
- SUKHAREVSKY, B. Y., BIDNY, S. Y., BYKOV, A. M., GANENKO, V. E. (Acad. Sci. UkSSR, Inst. Engr. Phys., Donetsk, UkSSR): The effect of temperature variation rate on

- phase transitions in $\text{Cu}_{0.9}\text{Zn}_{0.1}\text{SiF}_6 \cdot 6\text{H}_2\text{O}$. *Ukr. Fiz. Zh.* **27** (1982) 1418 (in Russian)
- SUURKOUSK, J., WADSÖ, I. (Univ. Lund, Ctr. Chem., Thermochem. Lab., S-22007 Lund, 7 Sweden): A multichannel microcalorimetry system. *Chem. Ser.* **20** (1982) 155
- TAKAHASHI, K., AOKI, A. (Kinki Univ., Fac. Sci. and Technol., Dept. Chem., Higashosaka, Osaka, 577 Japan): The calorimetric determination of fluorescence quantum yield. *Bunseki Kagaku E* **31** (1982) 488 (in Japanese)
- TAKAHASHI, Y., NAKAMURA, J. I., SMITH, J. F. (Inst. Phys. and Chem. Res., 2-1 Hirosawa, Wako, Saitama, 351 Japan): Laser-flash calorimetry. III. Heat capacity of vanadium from 80 to 1000 K. *J. Chem. Thermodyn.* **14** (1982) 977
- TAMURA, H., OGAWA, K., TAKEUCHI, A., YAMADA, S. (s/o K. Ogawa, Osaka Univ., Coll. Gen. Educ., Toyonaka, Osaka, 560 Japan): High temperature form of bis(N-isopropyl-5,6-benzosalicylideneaminato)copper(II)- $\text{C}_{28}\text{H}_{28}\text{O}_2\text{N}_2\text{Cu}$. *Cryst. Struct. Commun.* **11** (1982) 707
- TANAKA, M., AKIMITSU, J., INADA, Y., KIMIZUKA, N., SHINDO, I., SIRATORI, K. (Ochanamizu Univ., Fac. Sci., Bunkyo ku, Tokyo 112 Japan): Conductivity and specific heat anomalies at the low temperature transition in the stoichiometric YFe_{204} . *Solid State Commun.* **44** (1982) 687
- TANAKA, M., YASUDA, H., TANAKA, J. (Nagoya Univ., Fac. Sci., Dept. Chem., Chikusa ku, Nagoya, Aichi, 464 Japan): Thermal cis-trans isomerization of $(\text{CH})_x$ and $(\text{CD})_x$. *Bull. Chem. Soc. Jap.* **55** (1982) 3639
- TARKHNISVILI, L. A., KVAVADZE, K. A., NADAREISHVILI, M. M. (Acad. Sci. GeSSR, Inst. Phys., Tbilisi, GeSSR): Investigation of concentration dependence of the low temperature heat capacity of KCl with OH-molecular impurity. *Phys. Status Solidi B* **113** (1982) K27
- TASKER, I. R., WOOD, R. H. (Univ. Delaware, Dept. Chem., Newark, Del., 1971, USA): Enthalpies of dilution of aqueous solutions of amides and alcohols. *J. Solut. Chem.* **11** (1982) 295
- TASKER, I. R., WOOD, R. H. (c/o R. H. Wood, Univ. Delaware, Dept. Chem., Newark, Del., 19711 USA): Enthalpies of dilution of aqueous solutions of cyclohexanol, inositol, and mannitol. *J. Phys. Chem.* **86** (1982) 4040
- TASKINEN, P. (Helsinki Univ. Technol., Inst. Proc. Met., SF-02150 Espoo, 15 Finland): Thermodynamic studies on arsenic-oxygen and selenium-oxygen interactions in molten copper. *Thermochim. Acta* **59** (1982) 193
- TEN BRINKE, G., KARASZ, F. E. (Univ. Massachusetts, Dept. Polymer Sci. and Engrn., Amherst, Mass., 01003 USA): Scaling theory and enthalpy of mixing for binary fluids. *J. Chem. Phys.* **77** (1982) 5249
- THOEN, J., MARYNISSEN, H., VAN DAEL, W. (Katholieke Univ. Leuven, Molek. Fys. Lab., B-3030 Leuven, Belgium): Temperature dependence of the enthalpy and the heat capacity of the liquid-crystal octylcyano-biphenyl. *Phys. Rev. A* **26** (1982) 2886
- THORNTON, J. A., LAMB, J. L. (Teuc. Co., 1631 Edoardo Ave, Santa Monica, Calif., 90404 USA): Thermal stability studies of sputter-deposited multilayer selective absorber coatings. *Thin Solid Films* **96** (1982) 175
- TOH, H. K., FUNT, B. L. (Univ. Sci. Malaysia, Sch. Appl. Sci., Penang, Malaysia): Investigation of thermal degradation scanning calorimetry. *J. Appl. Polym. Sci.* **27** (1982) 4171
- TSUGE, H., YONESE, M. (Daiichi Seiyaku Co. Ltd, Res. Inst., Sumida ku, Tokyo, 130 Japan): Thermodynamic properties of aqueous solutions of chondroitinsulfate. Transfer enthalpies from water to aqueous urea solution of tetraalkyl ammonium chondroitin-4-sulfates. *Nippon Kagaku Kaishi, J. Chem. Soc. Jap. Chem. Ind. Chem.* (1982) 1583
- TURCHANIN, A. G., BABENKO, S. A., BILYK, I. I. (Kramatorsk Ind. Inst., Kramatorsk, UKSSR): Enthalpy, thermal capacity and entropy of niobium cubic carbonitrides in the 298–1500 K. *Zh. Fiz. Khim.* **56** (1982) 1897 (in Russian)
- UDUPA, M. R. (Indian Inst. Technol., Dept. Chem., Madras, 600036 Tamil Nadu, India): Mass spectral and thermal decomposition

- studies of piperzinium diperchlorate. *Thermochim. Acta* 59 (1982) 121
- UDUPA, M. R. (Indian Inst. Technol., Dept. Chem., Madras, 600036 Tamil Nadu, India): Solid state reaction between magnesium sulphate and α -alumina. *Thermochim. Acta* 59 (1982) 239
- UDUPA, M. R., NAGARAJA, K. S. (Indian Inst. Technol., Dept. Chem., Madras, 600036 Tamil Nadu, India): Mass spectral and thermogravimetric investigations of molybdenum oxinates. *Thermochim. Acta* 58 (1982) 117
- UGAI, Y. A., MITTOVA, L. Y., ANOKHIN, V. Z., LOBOVA, V. A., KOROLEVA, O. V. (Voronezh State Univ., Voronezh, USSR): Change of the silicon thermal oxidation kinetics during phosphorus ionic implantation into the base. *Zh. Fiz. Khim.* 56 (1982) 1917 (in Russian)
- VANDERZEE, C. R. (Univ. Nebraska, Dept. Chem., Lincoln, Nebr., 68588 USA): Thermodynamic properties of solutions of a hydrolyzing electrolyte: relative partial molar enthalpies and heat capacities, solvent activities, osmotic coefficients, and solute activity coefficients of aqueous sodium carbonate. *J. Chem. Thermodyn.* 14 (1982) 1051
- VÁRHEGYI, G. (Hungarian Acad. Sci., Inorgan. Chem. Res. Lab., H-1502 Budapest, Hungary): The effects of imperfect temperature programming on the kinetic evaluation of thermoanalytical curves. 1. A simple mathematical example. *Thermochim. Acta* 59 (1982) 31
- VÁRHEGYI, G. (Hungarian Acad. Sci., Inorgan. Chem. Res. Lab., H-1502 Budapest, Hungary): The effects of imperfect temperature programming on the kinetic evaluation of thermoanalytical curves. 2. Concave and convex curvatures on the actual temperature-time functions. *Thermochim. Acta* 59 (1982) 43
- VASYUNINA, G. V., PUGINA, M. I., MACHYULIS, A. N. (Acad. Sci. LiSSR, Inst. Power Engn. Physicotech. Problem, Vilnius, LiSSR): On thermal oxidation of polyvinyl alcohol modified by boric acid. *Vysokomol. Soedin. B* 24 (1982) 763 (in Russian)
- VIJAYAKUMAR, C. T., FINK, J. K. (Montan-univ. Leoben, Inst. Chem. and Phys. Technol. Kunststoffe, A-8700 Leoben, Austria): Pyrolysis studies of aromatic polyesters. *Thermochim. Acta* 59 (1982) 51
- VOROBEV, A. F., YAKOVLEV, P. N. (D. I. Mendeleev Chem. Technol. Inst., Moscow, USSR): Thermal capacity of dimethylformamide water and hexamethylphosphorus triamide-water mixtures. *Zh. Fiz. Khim.* 36 (1983) 1933 (in Russian)
- WANI, B. R., RAO, U. R. K., VENKATESWARLU, K. S., GOKHALE, A. S. (Bhabha Atom. Res. Ctr., Div. Chem., Bombay, 400085 India): Thermal behaviour of $(\text{NH}_4)_2\text{VO}_2\text{F}_4$ and $\text{Na}(\text{NH}_4)_2\text{VO}_2\text{F}_4$. *Thermochim. Acta* 58 (1982) 87
- WHITE, A. J., FILISKO, F. E. (Univ. Michigan, Macromolec. Res. Ctr. Dept. Mat. and Met. Engn., Ann Arbor, Mich., 48104 USA): Isothermal enthalpy studies of poly(methyl methacrylate) stereoisomers and their blends. *J. Appl. Phys.* 53 (1982) 6563
- WIBERG, K. B., WENDOLOSKI, J. J. (Yale Univ., Dept. Chem., New Haven, Conn., 06511 USA): Enthalpies of formation of fused cyclobutane derivatives. *J. Am. Chem. Soc.* 104 (1982) 5679
- WILLIAMS, R. K., GRAVES, R. S., HEBBLE, T. L., McELROY, D. L., MOORE, J. P. (Oak Ridge Natl. Lab. Div. Met. and Ceram., Oak Ridge, Tenn., 37830 USA): Phonon and electron components of the thermal conductivity of tantalum at intermediate temperatures. *Phys. Rev. B* 26 (1982) 2932
- WODARZIK, U. F. (Tech. Univ. Berlin, Inst. Theoret. Phys., D-1000 Berlin, 12 GFR): On relativistic heat conduction. *Phys. Lett. A* 91 (1982) 279
- WOLF, M., TERUKOV, E. I., REICHEL, W., OPPERMANN, H. (Acad. Sci. GDR, Zent. Inst. Festkörperphys. and Werkstofforsch., DDR-8027 Dresden, GDR): Influence of ^{18}O substitution on the high temperature phase transition of Cr-doped V_2O_3 and its relation to low-temperature phase transition. *Phys. Status Solidi A* 72 (1982) 655
- WOOD, R. H., QUINT, J. R. A. (Univ. Delaware, Dept. Chem., Newark, Del., 19711 USA): A relation between the critical properties of aqueous salt solutions and the heat capacity of the solutions near the critical

- point using a single-fluid corresponding-states theory. *J. Chem. Thermodyn.* **14** (1982) 1069
- WOOLF, L. D., JOHNSTON, D. C., MOOK, H. A., KOEHLER, W. C., MAPLE, M. B., FISK, Z. (Exxon Res. and Engr. Co., Corp. Res. Labs., Linden, N. J. 07036 USA): Interpretation of specific heat and spontaneous magnetization anomalies at the re-entrant superconducting-ferromagnetic transition in $(\text{HOO} \cdot 6 \text{ERO} \cdot 4)\text{RH4B4}$. *Physica B + C* **110** (1982) 2045
- YAMAMOTO, Y., BABA, N., TAJIMA, S. (Tokyo Metropolitan Univ., Fac. Technol., Setagaya ku, Tokyo, 158, Japan): Thermochemical simulation for the anodic conversion of electrolyte anions incorporated in the oxide during anodization of aluminium. *Nippon Kagaku Kaishi, J. Chem. Soc. Jap. Chem. Ind. Chem.* (1982) 1129 (in Japanese)
- YOSHINAGA, K., KITO, T., OHKUBO, K. (Kyushu Inst. Technol., Dept. Mat. Engr., Tobata ku, Kitakyushu, 804 Japan): Relationship between activation enthalpies and entropies of the enantiomer-differentiating dehydrogenation of racemic 1-phenylethanol by rhodium(I)-chiral phosphine complex. *Nippon Kagaku Kaishi, J. Chem. Soc. Jap. Chem. Industr. Chem.* (1982) 1838
- YUSHMANOV, P. N. (I. V. Kurchatov Atom. Energy Inst., Moscow, USSR): Heat conductivity due to banana orbit drift in a magnetic field with ripples. *Nucl. Fusion* **22** (1982) 1199
- ZAMORA, F. (Univ. Pais Vasco Alza, Fac. Ciencias Quim., San Sebastian, Spain): Degradation of polyethylene by a nonisothermal method using thermogravimetry. *J. Polym. Sci. Polym. Lett. Ed.* **20** (1982) 539
- ZARKHINA, T. S., ZARKHIN, L. S., ZELENETSKII, A. N., KARMILOVA, L. V., PRUT, E. V. (Acad. Sci. USSR, Inst. Chem. Phys., Moscow, V-71 USSR): Mechanism of thermal degradation of network polymers on the basis of diepoxides and aromatic and aliphatic amines. *Vysokomol. Soedin. A* **24** (1982) 2429 (in Russian)
- ZAITSEV, G. O. (Moscow Correspondence Teachers Inst., Moscow, USSR): Relation between the specific heat of electrons and effective mass in the theory of a Fermi-fluid at finite temperatures. *Zh. Eksp. Teoret. Fiz.* **83** (1982) 601 (in Russian)
- ZAITSEVA, G. S., LIVANTSOVA, L. I., ORLOVA, N. A., BAUKOV, Y. I., LUTSENKO, I. F. (M. V. Lomonosov State Univ., Moscow, 117234 USSR): O-silyl-substituted and O-germyl-substituted ethoxyethylcarbinols. Thermal decomposition and isomerization in alpha-element-substituted ethylacrylates. *Zh. Obshch. Khim.* **52** (1982) 2076 (in Russian)
- ZELENY, M., BALIK, K. (Charles Univ., Dept. Met. Phys., CS-12116 Praha, 2 Czechoslovakia): On thermal conductivity of pyrolytic graphite. *Czech. J. Phys.* **32** (1982) 1179
- ZHURAVLEV, M. V., BURMAKOV, A. I., BLOSHCHITSA, F. A., SASS, V. P., SOKOLOV, S. V. (P. N. Lebedev Phys. Inst., Moscow, USSR): Thermal decomposition of 2,2-difluoropropionylperoxide in hydrocarbon solvents. *Zh. Org. Khim.* **18** (1982) 1825 (in Russian)
- ZIMMERMANN, H., BEHNISCH, J. (Acad. Sci. GDR, Inst. Polymer. Chem., Tetow, GDR): Thermogravimetric investigation on the kinetics of thermal degradation of polyoxymethylenes. *Thermochim. Acta* **59** (1982) 1