

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Journal of Wood Chemistry and Technology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713597282>

Subject Index to Volume 18

To cite this Article (1998) 'Subject Index to Volume 18', *Journal of Wood Chemistry and Technology*, 18: 4, 495 — 499

To link to this Article: DOI: 10.1080/02773819809349595

URL: <http://dx.doi.org/10.1080/02773819809349595>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

SUBJECT INDEX TO VOLUME 18

A

- Abaca fiber, physicochemical and structural characterization of alkali lignins from, 313-331
- Alkali delignification, for fractionation of wheat straw, 171-191
- Alkali lignins, from abaca fiber, 313-331
- Alkaline degradation, of 1,5-anhydro-4-*O*- β -D-glucopyranosyl-2,3,4-tri-*O*-methyl-D-glucitol, 107-127
- 1,5-Anhydro-4-*O*- β -D-glucopyranosyl-2,3,4-tri-*O*-methyl-D-glucitol, alkaline degradation of, 107-127

B

- Balsam fir, chemical differences from jack pine and black spruce, 427-438
- Black spruce, chemical differences from jack pine and balsam fir, 427-438
- Bleached pulp, X-ray photoelectron spectroscopy study of carbon-chlorine bonds in, 417-426
- Bleaching of pulp, during the peracetic acid treatment, the formation of gaseous products and its relation to, 267-288

- Brightening, of ozone delignified softwood kraft pulp, 83-105
- Brightness reversion, of mechanical pulps, 289-297

C

- Carbohydrates, compositional analysis in lignocellulosics by HPAEC/PAD, 235-252
- Carbon-chlorine bonds, X-ray photoelectron spectroscopy study in bleached pulp, 417-426
- Cellulose degradation, of conventional and ethanol-assisted ozonation, 129-157
- Chemical differences of wood extracts, for jack pine, black spruce, and balsam fir from eastern Canada, 427-438
- Chlorine dioxide delignification, formation of radical species during, 159-170
- Chromated copper arsenate fixation, oxidation of wood components during, 53-67
- Compositional variation, of wood extractives from *Eucalyptus globulus* during seasoning, 439-446

Cork

- reproduction, from *Quercus suber*, chemical characterization of, 447–469
- suberin, feruloyl esters of ω -hydroxyacids in, 207–217

D

Dairy Forage Research Center, lignin analysis method, 219–233

Degradation

- alkaline, of 1,5-anhydro-4-*O*- β -D-glucopyranosyl-2,3,4-tri-*O*-methyl-D-glucitol, 107–127
- cellulose, of conventional and ethanol-assisted ozonation, 129–157
- chlorine dioxide, formation of radical species during, 159–170

Delignification

- alkali, for fractionation of wheat straw, 171–191
- with distilled peracetic acid, the role of transition metal species in, 253–266
- initial, of conventional and ethanol-assisted ozonation, 129–157
- lacasse/*N*-hydroxybenzotriazole, of kraft pulp, 403–416
- of wheat straw, kinetics in soda and kraft pulping, 69–82

E

Ethanol-assisted ozonation, initial delignification and cellulose degradation of, 129–157

Eucalyptus globulus wood extractives, compositional variation during seasoning, 439–446

Eucalyptus grandis wood chips, one-stage peroxyformic acid pulping of, 333–365

F

Feruloyl esters, of ω -hydroxyacids in cork suberin, 207–217

Fourier transform Raman spectroscopy

- for determination of wood basic density, 367–379
- for nondestructive determination of hemicellulosic neutral sugar composition in native wood, 27–41

of lignin syringyl/guaiacyl monomeric composition in native wood, 43–51

Fractionation, of wheat straw by steam-explosion pretreatment and alkali degradation, 171–191

G

Gaseous products, formation and relation to pulp bleaching during the peracetic acid treatment, 267–288

H

Hemicellulosic neutral sugar, non-destructive determination of composition in native wood by Fourier transform Raman spectroscopy, 27–41

High pH anion-exchange chromatography with pulsed amperometric detection (HPAEC/PAD), for compositional carbohydrate analysis of lignocellulosics, 235–252

HPAEC/PAD. *See* High pH anion-exchange chromatography with pulsed amperometric detection

ω -Hydroxyacids, in cork suberin, feruloyl esters of, 207–217

Hydroxylation patterns, of condensed tannins, effects on their metal-chelating capacity, 193–205

J

Jack pine wood extracts, chemical differences from black spruce and balsam fir, 427–438

K

Kraft pulp

lacasse/*N*-hydroxybenzotriazole delignification of, 403–416

ozone delignified, a kinetic model for peracetic acid brightening of, 83–105

Kraft pulping, kinetics of wheat straw delignification in, 69–82

L

Lacasse/*N*-hydroxybenzotriazole delignification, of kraft pulp, 403–416

Lignin syringyl/guaiacyl monomeric composition, nondestructive determination in native wood by Fourier transform Raman spectroscopy, 43–51

Lignins

alkali, from abaca fiber, 313–331

analysis by NMR, 219–233

effect on the mechanical properties of rubberwood-polypropylene composites, 471–490

Lignocellulosic materials

HPAEC/PAD compositional carbohydrate analysis of, 235–252

treated with maleated polypropylenes, X-ray photoelectron spectroscopy of, 1–26

M

Maleated polypropylenes, X-ray photoelectron spectroscopy of lignocellulosic materials treated with, 1–26

Mechanical properties, of rubberwood-polypropylene composites, the effect of lignin and surface activation on, 471–490

Mechanical pulps

brightness reversion of, 289–297

implications of the assignment of the photoyellowing-related 1675 cm^{-1} Raman/infrared band to *p*-quinones to the mechanism of color reversion in, 381–402

Metal-chelating capacity, of condensed tannins, effects of the hydroxylation patterns and degrees of polymerization on, 193–205

N

- NMR. *See* Nuclear magnetic resonance
- Nondestructive determination, by
 Fourier transform Raman spectroscopy
 of hemicellulosic neutral sugar composition in native wood by Fourier transform Raman spectroscopy, 27–41
 of lignin syringyl/guaiacyl monomeric composition in native wood, 43–51
- Nuclear magnetic resonance (NMR), for lignin analysis, 219–233

O

- Octenyl succinic anhydride, for chemical modification of Scots pine, 299–311
- Oxidation, of wood components during chromated copper arsenate fixation, 53–67
- Ozonation, conventional and ethanol assisted, initial delignification and cellulose degradation of, 129–157
- Ozone delignified kraft pulp, a kinetic model for peracetic acid brightening of, 83–105

P

- Peracetic acid
 distilled, the role of transition metal species in delignification with, 253–266

- a kinetic model for brightening of an ozone delignified softwood kraft pulp by, 83–105
- treatment, the formation of gaseous products and its relation to pulp bleaching during, 267–288
- Peroxyformic acid pulping, of *Eucalyptus grandis* wood chips and sugar cane bagasse in one stage, 333–365
- Photoreversion fiber topochemistry, 289–297
- Photoyellowing-related 1675 cm^{-1} Raman/infrared band, implications of assignment to *p*-quinones for the mechanism of color reversion in mechanical pulps, 381–402
- Polymerization degree, of condensed tannins, effects on their metal-chelating capacity, 193–205
- Polypropylenes
 in composites with rubberwood, the effect of lignin and surface activation on the mechanical properties of, 471–490
 maleated, X-ray photoelectron spectroscopy of lignocellulosic materials treated with, 1–26
- Pulping
 peroxyformic acid, of *Eucalyptus grandis* wood chips and sugar cane bagasse in one stage, 333–365
 soda and kraft, kinetics of wheat straw delignification in, 69–82

Q

- Quercus suber*, chemical characterization of reproduction cork from, 447–469

p-Quinones, implications to the mechanism of color reversion in mechanical pulps of the assignment of the photoyellowing-related 1675 cm⁻¹ Raman/infrared band to, 381–402

R

Radical species, formation during chlorine dioxide delignification, 159–170

Reproduction cork, from *Quercus suber*, chemical characterization of, 447–469

Rubberwood-polypropylene composites, the effect of lignin and surface activation on the mechanical properties of, 471–490

S

Scots pine, chemical modification with succinic anhydride or octenyl succinic anhydride, 299–311

Seasoning, variation in the composition of wood extractives from *Eucalyptus globulus* during, 439–446

Soda pulping, kinetics of wheat straw delignification in, 69–82

Steam-explosion pretreatment, for fractionation of wheat straw, 171–191

Suberin, of cork, feruloyl esters of ω -hydroxyacids in, 207–217

Succinic anhydride, for chemical modification of Scots pine, 299–311

Sugar cane bagasse, one-stage peroxyformic acid pulping of, 333–365

Sugar composition, hemicellulosic, nondestructive determination in native wood by Fourier transform Raman spectroscopy, 27–41

Surface activation, effect on the mechanical properties of rubberwood-polypropylene composites, 471–490

T

Tannins, condensed, effects of the hydroxylation patterns and degrees of polymerization on their metal-chelating capacity, 193–205

Transition metal species, role in delignification with distilled peracetic acid, 253–266

W

Wheat straw
fractionation by steam-explosion pretreatment and alkali delignification, 171–191
kinetics of delignification in soda and kraft pulping, 69–82

Wood basic density, determination by Fourier transform Raman spectroscopy, 367–379

X

X-ray photoelectron spectroscopy of lignocellulosic materials treated with maleated polypropylenes, 1–26
for study of carbon-chlorine bonds in bleached pulp, 417–426