This article was downloaded by:


On: 25 January 2011

Access details: Access Details: Free Access

Publisher Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-

41 Mortimer Street, London W1T 3JH, UK



Journal of Wood Chemistry and Technology

Publication details, including instructions for authors and subscription information: http://www.informaworld.com/smpp/title~content=t713597282

Subject Index to Volume 19

To cite this Article (1999) 'Subject Index to Volume 19', Journal of Wood Chemistry and Technology, 19: 4, 411 - 414 To link to this Article: DOI: 10.1080/02773819909349620

URL: http://dx.doi.org/10.1080/02773819909349620

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

SUBJECT INDEX TO VOLUME 19

A

Acetosolv pulping, of *Eucalyptus* wood, 225–246

Adhesives, phenol-formaldehyde, differential scanning calorimetry of, 265–286

Alkaline pulping conditions, reactivity of lignin diphenylmethane model dimers under, 1-12

В

Black spruce, chemistry and pulping feasibility of compression wood in, 13–25

Bleaching, oxygen-alkali, reaction selectivity of active oxygen species in, 187–202

Bleaching medium, influence on caustic extraction efficiency, 307–321

Brightening, by hydrogen peroxide, effect of zeolite on, 79–98 Brightness

of Douglas fir heartwood derived thermomechanical pulps, the effects of treatment with the white-rot fungus *Trametes* versicolor and Laccase enzymes on, 61-78 reversion in mechanical pulps, 27–41, 43–60

of thermomechanical pulp, effect of colored metallic extractive complexes on, 213-223

C

Caustic extraction efficiency, the influence of bleaching medium on, 307-321

Cellulose, extraction and characterization from oil palm trunk and empty fruit bunch fibers, 167–185

Cellulose matrix, photoinduced degradation of lignin on, 43-60

Chromophores, elimination from secondary fiber of wood mechanical pulp, 79-98

Colored metallic extractive complexes, formation and effect on the brightness of thermomechanical pulp, 213–223

Compression wood, chemistry and pulping feasibility in black spruce, 13-25

Corn stalks, ozonation of lignin-rich solid fractions from, 115–137

D

Differential scanning calorimetry, of phenol-formaldehyde adhesives, 265–286

N,N-Dimethylformamide/lithium chloride homogeneous solution, esterification of hemicelluloses from poplar chips in, 287–306

Diphenylmethane model dimers, reactivity under alkaline pulping conditions, 1-12

Dosage, effect on the refining properties of unbleached softwood kraft pulp, 203–212

Douglas fir heartwood derived thermomechanical pulps, the effects of treatment with the white-rot fungus *Trametes versicolor* and Laccase enzymes on the brightness of, 61–78

E

Epoxides, reaction with wood, 247–264

Esterification, of hemicelluloses from poplar chips in homogeneous solution of *N*,*N*-dimethylformamide/lithium chloride, 287–306

Eucalyptus wood, acetosolv pulping of, 225–246

F

Formaldehyde, structures and reactivities of acetosolv pine lignins with, 357–378 Fourier transform Raman and infrared spectroscopy, for detection of pinosylvins in solid wood of Scots pine, 139–150

Fungally pretreated wood samples, mathematical models for describing organosolv pulping kinetics of, 99-114

Η

Hemicelluloses

extraction and characterization from oil palm trunk and empty fruit bunch fibers, 167–185

from poplar chips, esterification in homogeneous solution of N,Ndimethylformamide/lithium chloride, 287-306

High-yield pulps, photostabilization by thiosulfinates, 27-41

Hydrogen peroxide

bleaching, improvement for chemical pulps by stabilization of manganese, 323–334

brightening, effect of zeolite on, 79–98

Hydroxymethylation, of sugarcane lignin, principal component analysis of, 151-165

L

Laccase enzyme treatment, effects on the brightness of Douglas fir heartwood derived thermomechanical pulps, 61-78

Lignin diphenylmethane model dimers, reactivity under alkaline pulping conditions, 1-12 Lignin-rich solid fractions, from corn stalks, ozonation of, 115-137 Lignins

acetosolv pine, structures and reactivities with formaldehyde, 357-378

from oil palm trunk and empty fruit bunch fibers, fractional isolation and structural characterization of, 335-356

photoinduced degradation on cellulose matrix, 43-60

polarographically active structural fragments of, 379-407

of sugarcane, principal component analysis of the hydroxymethylation of, 151-165

M

Manganese, stabilization for improved peroxide bleaching of chemical pulps, 323–334

Mathematical models, for describing organosolv pulping kinetics of fungally pretreated wood samples, 99–114

Monomeric model compounds, 379–407

0

Oil palm trunk and empty fruit bunch fibers extraction and characterization of hemicelluloses and cellulose from, 167-185 fractional isolation and structural characterization of lignins from, 335-356 Organosolv pulping kinetics, of fungally pretreated wood samples, mathematical models for description of, 99–114 Oxygen-alkali bleaching, reaction selectivity of active oxygen

species in, 187–202
Ozonation, of lignin-rich solid fractions from corn stalks, 115–137

P

Phenol-formaldehyde adhesives, differential scanning calorimetry of, 265-286 Photoinduced degradation, of lignin on cellulose matrix, 43-60 Photostabilization, of high-yield pulps by thiosulfinates, 27–41 Pinosylvins, detection in solid wood of Scots pine using Fourier transform Raman and infrared spectroscopy, 139-150 Polarographically active structural fragments, of lignin, 379-407 Poplar chip hemicelluloses, esterification in homogeneous solutions of N,N-dimethylformamide/lithium chloride, 287-306 Principal component analysis, of the hydroxymethylation of sugarcane lignin, 151-165

Pulps

chemical, improved peroxide bleaching by stabilization of manganese, 323–334 mechanical

brightness reversion in, 27-41, 43-60

elimination of chromophores from secondary fiber of, 79–98

[Pulps continued]

thermomechanical

Douglas fir heartwood derived, 61-78

effect of colored metallic extractive complexes on the brightness of, 213-223

unbleached softwood kraft, effect of xylanase and dosage on the refining properties of, 203–212

R

Reaction selectivity, of active oxygen species in oxygen-alkali bleaching, 187–202

Refining properties, of unbleached softwood kraft pulp, effect of xylanase and dosage on, 203-212

S

Scots pine solid wood, Fourier transform Raman and infrared spectroscopy for detection of pinosylvins in, 139–150

Secondary fiber, of wood mechanical pulp, elimination of chromophores from, 79–98

Sugarcane lignin, principal component analysis of the hydroxymethylation of, 151-165 T

Thiosulfinates, for photostabilization of high-yield pulps, 27-41

U

Unbleached softwood kraft pulp, effect of xylanase and dosage on the refining properties of, 203-212

W

White-rot fungus *Trametes versicolor* treatment, effects on the brightness of Douglas fir heartwood derived thermomechanical pulps, 61–78

X

Xylanase, effect on the refining properties of unbleached softwood kraft pulp, 203-212

Z

Zeolite, effect on hydrogen peroxide brightening, 79–98