

**Asymmetric Benzoin Condensation Catalyzed by Chiral Rotaxanes Tethering a Thiazolium Salt Moiety via the Cooperation of the Component: Can Rotaxane Be an Effective Reaction Field?** [*J. Am. Chem. Soc.* **2004**, *126*, 3438–3439]. Yuya Tachibana, Nobuhiro Kihara, and Toshikazu Takata\*

Page 3438: Crown ether used for the synthesis of compound **1** was prepared according to the procedures reported in the following literature, which should have appeared in the references:

Cantrill, S. J.; Fyfe, M. C. T.; Heiss, A. M.; Stoddart, J. F.; White, A. J. P.; Williams, D. J. *Chem. Commun.* **1999**, 1251.

Ishow, E.; Credi, A.; Balzani, V.; Spadola, F.; Mandolini, L. *Chem. Eur. J.* **1999**, *5*, 984.

Lingenfelter, D. S.; Helgeson, R. C.; Cram, D. J. *J. Org. Chem.* **1981**, *46*, 393.

Kyba, E. P.; Gokel, G. W.; de Jong, F.; Koga, K.; Sousa, J. R.; Siegel, M. G.; Kaplan, L.; Sogah, G. D. Y.; Cram, D. J. *J. Org. Chem.* **1977**, *42*, 4173.

JA0408202

10.1021/ja0408202

Published on Web 09/17/2004