

Larry W. Gavin, project engineer, EMI Corporation, 3166 Des Plaines Ave., Des Plaines, IL 60018.

John E. Green, chemist, D.V. Bacon, Inc., 730 Barataria Blvd., Marrero, LA 70072.

Wanda K. Heithaus, technician, Durkee Foods Research, 16651 Sprague Road, Strongsville, OH 44136.

James A. Hellyer, section head, The Procter & Gamble Company, 11530 Reed Hartman Highway, Cincinnati, OH 45241.

John W. Hunnell, Ass't, V.P., technical services, Riviana Foods, Inc., 1702 Taylor St., Houston, TX 77007.

Kinichi Kawamura, senior chemist, Best Foods Div., of CPC International Inc., 1120 Commerce Ave., Union, NJ 07083.

Frans X. Kicken, research associate, Hunt Wesson Foods Inc., 1645 W. Valencia Dr., Fullerton, CA 92634.

Alim Low, mechanical engineer, Edible Oil Products (M) Bhd., Batu 24, Air Hitam Road, Kulai, Tohore, Malaysia.

Sergio Noe, managing director, Ballestra Chimica S.p.A., 21/17 Fantoli, 20138 Milano, Italy.

Saw Lip Peng, general manager, Golden Agricultural Oils SDN BHD, 171, 173 Mak Mandin Industrial Estate, Butterworth, Penang, Malaysia.

Bhupendra M. Shah, lab-tech, Best Food Research & Eng. Center, 1120 Commerce Ave., Union, NJ 07083.

Diew L. Tan, postgraduate student, Strathclyde University, Glasgow, United Kingdom.

Jose A. Vasconcellos-Rosado, graduate student, University of California, Dept. of Nutrition and Food Sciences, Tucson, AZ 85721.

Balakrishna Venugopal, chief nutritionist - toxicologist, Swift and Co., Res. & Dev. Center, 1919 Swift Dr., Oakbrook, IL 60521.

Seong Wong, commissioning engineer, Alfa Laval Far East SDN BHD, P.O. Box 2062 Lots 4-22-4-29, 4th Floor Wisma Central, Jalan Ampang, Kuala Lumpur, Malaysia.

the latest in Lipids

APRIL

Cholesterol Esterification in Pig Ovarian Follicular Fluid
Effect of Cyclopropene Acids on Liver and Hepatoma Monoenes
Intestinal Cholesterol Uptake: Kinetic and Thermodynamic Aspects
Epoxyhydroperoxyoctadecenoic Acids from Hydroperoxylinoleic
Covalent Binding of Peroxidized Cardiolipin to Albumin
Inhibition of In Vitro Metabolism of 22,25-Dideoxyecdysone
Effect of Phospholipase D on FSR Function
Dihydrosphingomyelin-Cholesterol Bilayer Permeability
Cyclopropene Fatty Acids of Selected Seed Oils
Preen Gland Secretions of Ciconiiform Birds
Mass Fragmentographic Determination of Docosenoic Acid
 $\Delta 9$ Desaturase in Mouse Liver and Hepatoma SS1K
Occurrence of Dolichol in Human Tissues
Effects of Storage Conditions on Rat Brain Lipids
Glycosyltransferase Stimulation by D- and L-Lysolecithins
Rapeseed Oil and Cardiac Mitochondrial Phospholipids
Pentane from Lipid Peroxidation during Ethanol Toxicity
Prostaglandin Metabolism by Human Testis

FINTUBE STORAGE TANK HEATERS



For Heavy Fuel Oil

and other viscous fluids such as asphalt, sodium hydroxide solutions, molasses, polymer solutions, and sulfur.

Both horizontal and vertical construction.


Standard construction, low cost, fast delivery.

Richard M. Armstrong Co.
Box 566-J
West Chester,
Pennsylvania 19380

Chemtec B.V.
Box 52-J
Soestdijk
Holland

Chemtec B.V.
Box 3-J, Willowyard Rd.
Beith, Ayrshire,
Scotland

Chemtec Pte. Ltd.
Box 9-J, Gul Ave.
Jurong Town
Singapore 22




EQUIPMENT FOR EDIBLE AND INDUSTRIAL OILS AND FATS

**SOLVENT EXTRACTION - REFINING -
DEODORISATION - BLEACHING -
FAT SPLITTING - FATTY ACID
DISTILLATION - PHYSICAL REFINING -
FRACTIONATION - HARDENING**

FRATELLI
GIANAZZA ITALIA
MILANO LEGNANO

FRATELLI GIANAZZA S.P.A.
20025 LEGNANO (ITALIA) V.LE CADORNA 78/84
TEL. 0331/546381 - TELEX 37096 GIANFRA



TURNEX

Continuous plants for the solvent extraction of oil from seeds.

VERTA

Filters for the filtration of oil by means of stainless steel wire weave filter cloths and the recovery of the residual oil by means of steam.

ROTOFILTERMETIC

Plants to recover oil from spent bleaching earths by solvent.

DOVERT CS

High vacuum continuous deodoriser with 50% heat recovery.

DOVERT T

Timerized high vacuum deodoriser, continuous working with automatic change-over of feedstock. Special feature with heat recovery by request.

CONTIPERCOL

High pressure continuous fat splitting plant. 97-99% splitting degree without catalyst.

V 70

Continuous fatty acid distillation plant. Topping of low boiling components. Constant saponification value of the distillate. 2-5% ffa in residues.

GLYCEROL PLANTS

Purification and single or multistage evaporation plants to produce 80% or 88% crude glycerol.

Distillation and bleaching plants to produce Nobel and pure glycerol. High vacuum system with deodorising section.

