

INDEX OF SUBJECTS, 1943.

A.

Acetaldehyde, condensation products of, 42.
Acetalcohol, polymerisation of, 445.
Acetanilide, 2:3:5:6-tetrachloro-*N*-nitro-, 372.
Acetic acid, 4-bromo-, 4-chloro-, and 4-iodo-naphthyl esters, 469.
Acetic acid, chloro-, sodium salt, elimination of chlorine from, 517.
 cyano-, dissociation constant of, 516.
 halogeno-, derivatives, salts, hydrolysis of, Brönsted catalysis relation in, 521.
Acetoacetic acid, ethyl ester, diphenylhydrazone, 660.
Aceto-1-naphthalide, 4-bromo-, nitration of, 321.
 2:4-dichloro-6-nitro-, 392.
 N-nitroso-, 285.
Aceto-2-naphthalide, 3-nitro-, 636.
Acetone diphenylhydrazone, 660.
 reaction of, with benzhydrol in sunlight, 276.
 as-substituted derivatives, action on, of phosphorus pentachloride, 68.
N-**Acetonylglycine**, *N*-benzenesulphonyl derivative, and its 2:4-dinitrophenylhydrazone, 377.
Acetophenone, *p*-chloro-, phenylhydrazone, 67.
Aceto-*m*-toluidide-6-sulphonamide, and bromo-, 78.
Aceto-*m*-toluidide-6-sulphonanilamide, 78.
2-Acetyldiphenylamine, 4-nitro-3'- and -4'-amino-, acetyl derivatives, 346.
Acetylmandelamidoethanesulphonic acid, sodium salt, 5.
Acetyl-*r*-mandelic acid, solubility of, in water, 231.
2-Acetyl-4'-methyl-diphenylamine, 4-nitro-, 347.
α-**Acetyltetronic acid**, 242.
Acetylsulphonic acid, oxidation of, 523.
Acids, monobasic, dissociation constants of, 511, 513.
 dissociation constants of, in mixed solvents, 270.
 long-chain, containing quaternary carbon atoms, 615.
 reactions of, and their derivatives, in Friedel-Crafts synthesis, 425.
Acridine, derivatives, preparation and therapeutic properties of, 344.
Acridine, 5-amino-, acetyl derivative, 457.
 3:5-diamino-, 4-hydroxy-, and 3-nitro-5-amino-, hydrochloride, 461.
Acridines, preparation and therapeutic properties of, 5.
Acridines, amino-, antiseptic power and properties of, 454, 458.
 nature of amino-group in, 454, 458.
 partition coefficients and surface activities of, 651.
Acridine-7-carboxylic acid, 2-amino-, 458.
Acridone-7-carboxylic acid, 7-nitro-, 458.
α-**Acyltetronic acids**, synthesis of, 241.
Address, presidential, 194.
Adenine, synthesis of, 386.
Adrenaline, oxidation of, 48.
Alcohols, catalytic dehydrogenation of, to aldehydes, 282.
Aldehydes, formation of, from alcohols, 282.
 preparation of, from acids with titanium dioxide as catalyst, 84.
 αβ-unsaturated, absorption spectra of, and of their oximes and semicarbazones, 566.
Alkaloids from *Senecio*, 452.
Alkyl bromides, constitution and physical properties of, 636.
 chlorides, constitution and physical properties of, 636.
 cyanides, parachors of, 148.
 halides, parachors of, 152.
 reaction of, with hydroxylic solvents, 255.
 iodides, constitution and physical properties of, 636.
 sulphates, physical contents of, 23.
 sulphides, physical constants of, 16, 22.
 disulphides, physical constants of, 16.
β-**Alkylation** by Grignard reagents, 501.
3-Alkylchromones, preparation of, 434.

9-Alkylpurines, synthesis of, 383, 386.
N-**Allylglycine**, *N*-benzene- and -toluene-sulphonyl derivatives, 376.
Aluminium chloride, action of, on aromatic bromo-compounds, 525.
 on phenols, 527.
Amalgams. See Mercury alloys.
Amidines, reactions of, with malonic acid derivatives, 388.
 sulphonyl derivatives of, 101.
4'-Aminodinitrobenzene, 2-cyano-, 3.
Amines, diazotised, action of cuprous oxide on, 86.
Amino-acids, basic anhydrides of, 39.
Ammonia, compounds of, with metallic salts, 104.
8-*n*-Amyl- γ -aminopropylamino-6-methoxyquinoline, 8- ϵ -amino-, and its salts, 564.
n-**Amyloxybenzoic acid**, 432.
Analysis, organic, micro-, 313.
 qualitative semi-micro-, 72.
Androstendiones, stereoisomeric, 491.
cis-**4⁵-Androstene-3:4-diol-17-one**, 138.
4⁵-Androsten-3(β)ol-17-one, 4-hydroxy-, acetyl derivative, 138.
Anilides, halogenation of, 430.
Aniline, 2:3:5:6-tetrachloro-, and 2:3:5:6-tetrachloro-4-nitro-, and their derivatives, 233.
 2:3:5:6-tetrachloro-4-nitro-, amination of, 576.
 2:3:5:6-tetrachloro-*N*-mono- and -*N*:4-*di*-nitro-, 373.
 p-iodo-, compound of, with *s*-trinitrobenzene, 153.
Anilinoacridines, 461.
4-Anilinoanthraquinone-2-sulphonic acid, 1-amino-, *p*-toluidine salt, 46.
1-Anilinoanthraquinone-3-sulphonic acid, sodium and *p*-toluidine salts, 46.
1-Anilino-4-*p*-toluidinoanthraquinone, 47.
4-Anilino-1-*p*-toluidinoanthraquinone-2-sulphonic acid, sodium and *p*-toluidine salts, 47.
2- β -Anilinovinylidihydro-1:3-thiazine methiodide, and its acetyl derivative, 247.
1-Anilino-4-*m*-4'-xylidinoanthraquinone, 47.
4-Anilino-1-*m*-4'-xylidinoanthraquinone-2-sulphonic acid, sodium and *p*-toluidine salts, 47.
Anions, basic, reactivity of, 517.
o-**Anisidine**, 3:4:6-*tri*- and 3:4:5:6-*tetra*-chloro-, 3:4:6-*trichloro*-5-amino-, -5-bromo-, and -5-nitro-, and their derivatives, 236.
o-**Anisidines**, polyhalogeno-, and their derivatives, 235.
Anisole, 3:4:6-*trichloro*-2:5-*diamino*-, and its derivatives, and 3:4:6-*trichloro*-2-nitro-, 236.
 2:3:5:6-*tetrachloro*-4-amino-, and -4-nitro-, and their derivatives, 234.
β-***p*-Anisylbutyrophenone**, γ -nitro-, 593.
α-***p*-Anisyl-1^α-propylene**, β -bromo-, and α - and β -chloro-, 611.
1-*p*-Anisylprop-1-yne, 611.
Annual General Meeting, 170.
Anthranil, reaction of, with maleic anhydride, 654.
Anthranoyl-lycoctonine, 141.
Anthraquinone-2-sulphonic acid, 1:4-*diamino*-, sodium salt, 47.
 4-bromo-1-amino-, *p*-toluidine salt, 47.
Antimalarials, new, 555, 557, 561.
d(-)-**Arabinose**, 2:4-dinitrophenylhydrazone, 628.
Aromatic compounds, halogenation of, 276, 279.
Aryl nuclei, union of, 441.
1-Aryl-3:3-dimethyltriazens, reactions with, 441.
Azoimide, decomposition of, and its reaction with substituted benzoic acids, 421.

B.

Bacteria, growth of, physical chemistry of, 208, 213, 219.
 inhibition of, by metabolite analogues, 322.

- Bacterium lactis aerogenes*, growth of, in various media, 208, 213, 219.
rate of, 219.
- Balance sheets, 176, 182.
- Barium bromide, ammines and deuterammines of, 118.
- Bases, aromatic, nuclear alkylation of, 14.
- Benzdioxin, substituted derivatives, action of alkalis on, 319.
- Benzene, 1:2:4:5-tetrachloro-, derivatives of, 233, 372, 576.
dichlorotriamino-derivatives, 3:5-dichloro-1-nitro-2:6-diamino-, and its diacetyl derivative, and 3:5-dichloro-1-nitro-2:4:6-triamino-, 576.
2:3:5:6-tetrachloro-1:4-diamino-, and its derivatives, 234.
2:3:5:6-tetrachloronitro-, amination of, 576.
s-trinitro-, compound of, with *p*-iodoaniline, 153.
compounds of, with unsaturated ketones, 462.
- Benzeneazo-2'-hydroxy-3'-naphthanilide, 2:3:5-trichloro-4-bromo-6-hydroxy- and -4-nitro-6-hydroxy-, 237.
2:3:5:6-tetrachloro-4-nitro-, 234.
- 1-Benzeneazo-2-naphthol, 4-bromo-, 4-chloro-, and 4-iodo-, 469.
2:3:5:6-tetrachloro-, 2:3:5:6-tetrachloro-4-amino-, 2:3:5:6-tetrachloro-4-hydroxy-, and 2:3:5:6-tetrachloro-4-nitro-, 234.
- Benzeneazophenols, 3:4-*m*- and 4:2-*p*-dinitro-, 380.
- 5-Benzeneazopyrimidine, 4:6-diamino-, 387.
- Benzene-2-diazo-1-oxide, 3:4:6-trichloro-, and 3:4:6-trichloro-5-nitro-, 237.
- Benzene-4-diazo-1-oxide, 2:3:5:6-tetrachloro-, 235.
- Benzenediazolphonic acids, isomeric, potassium salts, structure of, 470.
- Benzenesulphonamide, *p*-hydroxylamino-, complex formation and rearrangement of, 656.
- α -Benzenesulphonamido-*n*-butyric acid, γ -amino- α -*p*-amino-, 40.
- α -Benzenesulphonamido-*n*-hexoic acid, ϵ -amino- α -*p*-amino-, 40.
- 8- γ -Benzenesulphonamidopropylamino-6-methoxyquinoline, 8- γ -*p*-amino-, γ -*p*-acetyl derivative, 559.
- Benzenesulphonylacetimino-ether, 4-nitro-, 103.
- N*-Benzenesulphonyl-*N*-allylalanine, 378.
- N*-Benzenesulphonyl-*N*-allylaminoacetic acid, *N*-*m*-nitro-, ethyl ester, 378.
- Benzenesulphonyl- α -aminopropionic acid, ethyl ester, 378.
- N*-Benzenesulphonylbenzamidine, 4-amino-, and its acetyl derivative, and 4-nitro-, 103.
- Benzenesulphonylbenzimidine-ether, 4-amino-, and 4-nitro-, and their derivatives, 103.
- N*-Benzenesulphonyl-glycine, *N*-*m*-nitro-, and its ethyl ester, 378.
- N*-Benzenesulphonyl-*o*-phenylbenzimidine-ether, *N*-*p*-nitro-, 103.
- Benzhydrol, reaction of, with acetone in sunlight, 276.
- Benzocyclooctatetraenes, 326.
- Benzoic acid, dissociation constants of, 271.
- Benzoquinone, tautomerism of, in systems with *p*-nitrosophenol, 89.
- Benzo-*m*-toluidide-6-sulphonamide, 79.
- β -Benzoyl- α -(*p*-acetamidophenyl)propionitrile, 593.
- β -Benzoyl- $\alpha\alpha$ -dimethyl-*n*-butyric acid, and its methyl ester, 428.
- β -Benzoyl- $\alpha\alpha$ -dimethylpropionic acid, and its derivatives, 428.
- β -Benzoyl- $\alpha\beta$ -dimethylpropionic acid. See β -Benzoyl- α -methyl-*n*-butyric acid.
- β -Benzoyl- $\beta\beta$ -dimethylpropionic acid, and its methyl ester, 429.
- O*-Benzoyl-*r*-mandelic acid, 228.
solubility of, in water, 231.
- α -Benzoyl- α -2-methoxy-4-methylbenzoylacetone, 435.
- β -Benzoyl- α -methyl-*n*-butyric acid, and its derivatives, 428.
- Benzoylphenacylamine, 317.
- β -Benzoyl- $\alpha\alpha\beta$ -trimethylpropionic acid. See β -Benzoyl- $\alpha\alpha$ -dimethyl-*n*-butyric acid.
- Benzpinacol, formation of, from benzhydrol, 276.
- Benzpyrene, determination of, 312.
- Benzyl alcohol, dehydrogenation of, 284.
- Benzyl alcohol, *o*-hydroxy-, 475.
- 8- γ -Benzylaminopropylamino-6-methoxyquinoline, and its salts, 563.
- α -Benzyl- Δ^a -butylene, α -chloro-, 69.
- 3-Benzyl-2:7-dimethylchromone, 435.
- α -Benzylethylene, α -chloro- α -*p*-nitro-, 70.
- Benzylideneaminoacridines, 460.
- Benzylidene-*p*-anisylideneacetone, compounds of, with *s*-trinitrobenzene, 463.
- 5-Benzyl-12-methyl-1:2:3:4:12:13-hexahydroxanthren, 5-*o*-hydroxy-, 476.
- m*-Benzylloxybenzoic acid, and *p*'-bromo-, *p*'-chloro-, and *p*'-fluoro-, 432.
- α -Benzyl- Δ^a -propylene, α -chloro-, 69.
- Benzylsuccinic acid, 3-chloro-, and its anhydride, 12.
- 3:7-Bis(acetamido)-5-*p*-acetamidostyrylacridine, 347.
- Bis-(4:4'-acetoxycholesteryl) sulphite, 139.
- 8-Bis- γ -aminopropylamino-6-methoxyquinoline trihydrochloride, 556.
- Bis-(8- γ -chloropropylamino-6-methoxy-5-quinolyl) sulphide, and its hydrochloride, 562.
- Bis-(8- γ -diethylaminopropylamino-6-methoxy-5-quinolyl) sulphide, and its hydrochloride, 562.
- Bis-2-(3-ethylidihydro-1:3-thiazine)trimethincyanine iodide, 249.
- Bis-2-(3-ethylperinaphtha-1:3-thiazine)trimethincyanine iodide, 489.
- 3:3'-Bishydroxymethylbenzophenone, 5:5'-dinitro-2:2'-dihydroxy-, and its phenylhydrazone, 321.
- [(Bis-2-(3-hydroxy-1-methylquinoxaline)]trimethincyanine acetate, 396.
- $\gamma\delta$ -Bis-4-hydroxyphenylhexane- $\gamma\delta$ -diol, and its derivatives, 611.
- $\gamma\gamma$ -Bis-4-hydroxyphenylhexan- δ -one, and its dibenzoate, 612.
- [2-Bis-(3-keto-1:4-dimethyldihydroquinoxaline)]trimethincyanine sulphate, 396.
- Bis-3-(2-keto-1-methyl-1:2-dihydroquinoxaliny)l)methane, 400.
- [Bis-2-(3-keto-4-phenyl-1-methyldihydroquinoxaline)]trimethincyanine sulphate, 397.
- Bis-2-(3-methyldihydro-1:3-thiazine)trimethincyanine iodide, 249.
- Bis-2-(3-methylperinaphtha-1:3-thiazine)pentamethincyanine iodide, 489.
- Bis-2-(3-methylperinaphtha-1:3-thiazine)trimethincyanine iodide and methyl sulphate, 489.
- s*-Bis- α -4-pyridylphenylurea, 413.
- ($\alpha\beta$ -Bis-*p*-tolylethylamino)vinylbenzene, *p*-chloro-, 67.
- Biuret, properties of, 603.
- Boron hydrides, structure of, 250.
- Brass, determination in, of lead, volumetrically, 41.
- Bromination, aromatic, kinetics of, 276.
- Butaldehyde, condensation of, with 3-methylpent-2-en-4-*yn*e, 265.
- n*-Butoxybenzoic acid, 432.
- Butyl alcohol, dehydration of, 283.
- n*-Butyl bromide, reaction of, with hydroxylic solvents, 255.
- iso*Butylaminoacetic acid, *N*- β -chloro-, ethyl ester, *N*-*p*-toluenesulphonyl derivative, 377.
- 5-Butylaminoacridine hydrochloride, 654.
- 8-*n*-Butyl- γ -aminopropylamino-6-methoxyquinoline, 8- δ -amino-, and its salts, 564.
- 8- γ -Butylaminopropylamino-6-methoxyquinolines, and their salts, 563.
- β -(*p*-*tert*-Butylbenzoyl)propionic acid, semicarbazone, 145.
- N*-*iso*Butylglycine, *N*- β -hydroxy-, 378.
- β -*tert*-Butylnaphthalene, 144.
- Butylnaphthalenes, and their derivatives, 144.
- 2-*tert*-Butyl-1:4-naphthaquinone, and its derivatives, 145.
- γ -(*p*-*tert*-Butylphenyl)butyramide, 145.
- 4-*tert*-Butylphthalic acid, and its anhydride, 145.
- 4-*tert*-Butylpyridylbenzene, 2- and 3-amino-, and 2- and 3-nitro-, and their picrates, 412.
- n*-Butyric acid, γ -cyano-, preparation of, and its dissociation constant, 516.
dl-erythro- $\alpha\beta$ -dihydroxy-, esters, 467.
- Bromo-compounds, aromatic, action of aluminium chloride on, 525.

C.

- Calcium halides, ammines and deuterammines of, 118.
- Cannabis indica*, 286.
- Carbazole, 9-amino-, picrate, 660.
- 2-*o*-Carboxybenzoyl-1:2:3:4-tetrahydrophthalazine, and its sodium salt, 658.
- 3-*O*-Carbethoxy-6-acetoxy- Δ^a -cholesten-3-ol, 440.
- 3-*O*-Carbethoxy-4-acetoxycholesterol, 440.

- 3-*O*-Carbethoxy-4-benzoyloxycholesterol, 440.
 2- β -Carbethoxyethyl- Δ^1 -cyclohexene-1-cyanoacetic acid, ethyl ester, 502.
 3-*O*-Carbethoxy-4-hydroxycholesterol, 440.
 2-Carbethoxy-3-(2'-keto-1'-methylidihydro-3'-quinoxalyl)indole, 400.
 2-Carbethoxy-3-(3'-methyl-2'-quinoxalyl)indole, 400.
 Carbocyanines containing *perinaphtha*-1:3-thiazine nucleus, 487.
 3-*O*-Carbomethoxy-4-acetoxycholesterol, 439.
 3-*O*-Carbomethoxy-4-benzoyloxycholesterol, 439.
 3-*O*-Carbomethoxy-4-hydroxycholesterol, 439.
 2-Carbomethoxy-6-hydroxy-2:5-dimethyldecalin-2-acetic acid, methyl ester, 496.
 α -2-Carbomethoxy-6-hydroxy-2:5-dimethyltetralin-1-acetic acid, 496.
 α -2-Carbomethoxy-6-methoxy-2:5-dimethyltetralin-1- β -propionic acid, methyl ester, 496.
 1-*o*-Carbomethoxyphenyl-3:3-dimethyltriazene, 443.
 Carbonyl compounds, spectra of, absorption, and of their derivatives, 565.
 8- ω -Carboxydecylamino-6-methoxyquinoline, and its derivatives, 559.
 2-Carboxy-4:6-dimethoxynaphthalene-1-acetic acid, 501.
 α -2-Carboxy-6-hydroxy-2:5-dimethyltetralin-1-acetic acid, methyl ester, 496.
 2-Carboxy-6-methoxy-2:5-dimethyltetralin-1-acetic acids, and their derivatives, 494.
 1-Carboxymethylene-6-methoxy-2:5-dimethyltetralin-2-carboxylic acid, derivatives of, 494.
 1-*o*-Carboxyphenyl-3:3-dimethyltriazene, 443.
 Carrageen moss, polysaccharides of, 51.
 Catalysis, Brønsted relation in, of hydrolysis of halogenoacetates, 521.
 Catalysts, titanium dioxide, 84.
 Catalytic reduction by formic acid with copper or nickel, 281.
Cetraria islandica. See Iceland moss.
 Chlorination, aromatic, kinetics of, 279.
 Cholestane, 5-chloro-3:6-*di*hydroxy-, 3-acetyl-6-benzoyl derivative, 614.
 Δ^5 -Cholestene, 4-chloro-3-hydroxy- and 3:4-*di*hydroxy-, derivatives of, 138.
cis- Δ^5 -Cholestene-3:4-diol, esters, acyl migrations in, 437.
 Δ^5 -Cholesten-3-ol, 4-hydroxy-, derivatives of, 137.
 Δ^5 -Cholesten-4-ol, 3-hydroxy-, derivatives of, 138.
 Δ^4 -Cholestenone, 602.
 β -Cholesterol oxide, and its derivatives, 613.
Chondrus crispus. See Carrageen moss.
 Chromatography, 297, 303.
 Cinnolines, 447.
 Citral, condensation of, with 3-methylpent-2-en-4-yne, 265.
 Coal, carbonisation product of, 578.
 Cobalt bases, interchange of hydrogen in, with deuterium oxide, 361.
 Coke, properties of, 578.
 Compounds, molecular, structure of, 153, 435.
 Constitution, molecular volume and, 146.
 physical properties and, 16, 636.
 Copper, catalytic reduction by formic acid with, 281.
 Cuprous oxide, action of, on diazotised amines, 86.
 sulphate, amines and deuterammines of, 118.
 Copper organic compounds:—
 Cuprous cyanide, 79.
p-Cresol, 2:5- and 2:6-*di*bromo-, and 3-chloro-2:5-*di*bromo-, 526, 527.
 Cresols, nitrosation of, and their methyl ethers, 221.
m-Cresol-6-sulphonamide, 79.
 Crotonaldehyde, acetylenic glycol from, and its rearrangement, 268.
 condensation of, with 1-hexyne, 264.
 with 3-methylpent-2-en-4-yne, 265.
 oxygen absorption by, in presence of catalysts, 463.
 Crotonic acid, crotyl ester, 467.
 Crotyl-3:5-*di*nitrophenylurethane, 467.
 Cyanines, quinoxaline, 394, 397.
 Cyano-acids, dissociation constants of, 513.
 Cyanoferrates. See Hydroferrocyanic acid, salts.
 Cyanogen:—
 Hydrocyanic acid, cuprous salt, 79.
- D.
- Deca-2:8-dien-5-yn-4:7-diol, 269.
 Deca-3:7-dien-5-yn-2:9-diol, and its derivatives, 269.
 Decane-2:9-diol, and its derivatives, 269.
 Decane-2:9-dione, and its dioxime, 269.
 Dec-2-en-5-yn-4-ol, and its derivatives, 264, 265.
 Dec-3-en-5-yn-2-ol, and its derivatives, 265.
 8-Decyl- ω -aminodecylamino-6-methoxyquinoline, 8- ω -amino-, and its meconate, 558.
 8-Decylamino-6-methoxyquinoline, 8- ω -amino-, *dihydrochloride*, 558.
 8- ω -cyano-, 560.
 8-Decyl- γ -aminopropylamino-6-methoxyquinoline, 8- ω -amino-, and its meconate, 559.
 8-Decylaminoquinoline, 8- ω -cyano-, 560.
 β -*n*-Decyl- β -*n*-dodecylpropionic acid, 618.
 1-*n*-Decylcyclohexane-1-cyanoacetic acid, ethyl ester, 502.
 3-Decyltridecanol, 619.
 3-Decyl- Δ^2 -tridecenoic acid, ethyl ester, 619.
 3-Decyltridecoic acid, ethyl ester, 619.
 3-Decyltridecylmalonic acid, ethyl ester, 619.
 Delatine, and its hydrochloride, 140.
 Delpheline, and its salts, 140.
Delphinium elatum, alkaloids of, 139.
 2:2-Dialkylcyclohexanones, derivatives, preparation of, 661.
trans-4:4'-Diamidino- $\alpha\beta$ -dimethylstilbene, *dihydrochloride*, 101.
 4:4'-Diamidino- $\beta\gamma$ -diphenylbutane, and its *dihydrochloride*, 101.
cis-4:4'-Diamidinostilbene, 4.
 4:4'-Diamidinotolane, *dihydrochloride*, 3.
 1:4-Dianilinoanthraquinone-2-sulphonic acid, sodium and *p*-toluidine salts, 46.
 $\alpha\delta$ -Di-*p*-anisyl- $\beta\gamma$ -dimethyl- $\Delta^{\alpha\gamma}$ -butadiene, 611.
 $\alpha\delta$ -Di-*p*-anisyl- $\beta\gamma$ -dimethylbutane, 611.
 2:2'-Di-*p*-anisyl-4:4'-diphenylazadipyrromethine, 593.
 $\gamma\delta$ -Di-*p*-anisylhexane- $\gamma\delta$ -diol, 611.
 Dianisylideneacetone, compounds of, with *s*-trinitrobenzene, 463.
 3:3'-(Di-*p*-anisylideneamino)-2:2':4:4'-tetraphenyl-*meso-p*-anisylidipyrromethine, 598.
 2:3-Di-*p*-anisylquinoxaline, 612.
 1:1'-Dianthraquinonyl, 4:4'-*di*amino-, and 2:2'-*di*bromo-4:4'-*di*amino-, 47.
 2:2'-Dianthraquinonyl-1:1'-dicarboxylic acid, and *dinitro*-, and their esters, 32.
 1:1'-Dianthraquinonyl-3:3'-disulphonic acid, 4:4'-*di*amino-, sodium and *p*-toluidine salts, 47.
 2:4-Diarylpyrroles, 590, 596, 598.
 7:16-Diazanaphthacene, derivatives of, 658.
p-Diazine *di-N*-oxides, 324.
 1-Diazoanthraquinone-2-sulphonic acid, salts, action of bases on, 45.
 Diazo-compounds, decomposition of, in neutral solution, 379.
 Diazonaphthols, preparation of, 321.
 resonance structure of, 468.
 1-Diazophenylaminoanthraquinone-2-sulphonic acid, aniline salt, 46.
 Dibenzanthrone, *dinitro*-, 31.
 $\alpha\alpha'$ -Di(benzenesulphonamido)isopropyl alcohol, *di-p*-amino-, and its diacetyl derivative, 608.
 Dibenzenesulphonanilide, *di*-4-nitro-, 103.
 Dibenzoylphenacylamine, 317.
 Dibenzylideneacetone, compounds of, with *s*-trinitrobenzene, 463.
 3:3'-Dibenzylideneamino-2:2':4:4'-tetraphenyl-*meso*-phenyl-dipyrromethine, 598.
 Dicinnamylideneacetone, compounds of, with *s*-trinitrobenzene, 463.
 Dieneöströl, and its derivatives, 609.
 4:4'-Diethoxydiphenylamine, 65.
 Di-(*p*-ethoxyphenyl)benzylcarbinol, 394.
 2:4-Diethylacetophenone, 6-hydroxy-, *di*bromo-derivative, 274.
 3:4-Diethylacetophenone, 6-hydroxy-, bromo-derivative, 274.
 8- β -Diethylaminoethylamino-6-methoxyquinoline, 5-chloro-, 556.
 8- γ -Diethylaminopropylamino-6-methoxyquinoline, and its salts, 564.
 8- ω -Diethylaminoundecylamino-6-methoxyquinoline, 5-chloro-, hydrochloride, 559.

- NN'*-Diethylethylenediamine, *NN'*-*di*- β -amino-, preparation of, 609.
- 2:6-Di- α -furylpyrimidine, 4-amino-5-cyano-, 390.
- Dihydromyrcene, 476.
- Dihydromyrcene, *mono*- and *di*-chloro-, 296.
- α - and β -Dihydrotutin, 143.
- 2':3'-Diketo-4:6-dimethoxy-1:2-cyclopentenonaphthalene, 501.
- 3':6'-Diketo-2:5-dimethyldecahydro-1:2-cyclopentenonaphthalene-*x*- α , 497.
- 2':3'-Diketo-4-methoxy-1:2-cyclopentenonaphthalene, 499.
- 4:7-Diketo-*m*-methoxyphenylheptonic acid, 499.
- 6:17-Diketo-6:8:15:17-tetrahydro-7:16-diazanaphthacene, and 1-amino-, and its benzoyl derivative, and 1-nitro-, 658.
- 4:6-Dimethoxy-5:6:7:8-tetrahydro-1:2-cyclopentenonaphthalene-3'-acetic acid, 499.
- Dimethyl ether. See Methyl ether.
- 5:7-Dimethylacridine, 3-amino-, and its derivatives, and 3-nitro-, 347.
- $\alpha\gamma$ -Dimethylallyl alcohols, optically-active, 348.
- $\alpha\gamma$ -Dimethylallyl chloride, preparation and reactions of, 349.
- phenylurethane, 351.
- 5-Dimethylaminoacridine hydrochloride, 461.
- β -(*p*-Dimethylaminophenyl)butyrophenone, γ -nitro-, and its oxime, 593.
- 5-*p*-Dimethylaminostyrylacridine methochloride, 7.
- ψ -2-*p*-Dimethylaminostyryl-1- γ -aminopropylquinolinium bromide hydrobromide, 6-amino-, 560.
- 2-*p*-Dimethylaminostyrylperinaphtha-1:3-thiazine, and its derivatives, 491.
- ψ -2-*p*-Dimethylaminostyryl-1- γ -phthalimidopropylquinolinium bromide, 6-amino-, acetyl derivative, 560.
- Dimethylbutylcarbinol phenylurethane, 263.
- α -(2:2-Dimethylchromanyl-3)-(2:3-dimethylchromanyl-2)-ethane, 476.
- 2:7-Dimethylchromone, 434.
- Dimethylcyanoacetic acid, preparation of, and its dissociation constant, 516.
- 2:5-Dimethyldecahydrocyclopentenonaphthalene, 3':6'-*di*-hydroxy-, 497.
- 2:4-Dimethyl-*N*-ethylaniline, 65.
- 2:7-Dimethyl-3-ethylchromone, 434.
- 7:12-Dimethyl-1:2:3:4:12:13-hexahydroxanthene, 476.
- 2:2-Dimethyl-3-(γ -methyl- Δ^{γ} -pentenyl)chroman, 476.
- 3:6-Dimethyl-2-morpholone, *N*-benzenesulphonyl derivative, 378.
- 6:6-Dimethyl-2-morpholone, *N*-benzene- and -toluene-sulphonyl derivatives, 377.
- 2:4-Dimethyl-1-naphthol, and its picrate, 168.
- 3:5-Dimethylphenyl ethers, 4-chloro-, and 4-chloro-2-nitro-, 445.
- 2:7-Dimethyl-3-*n*-propylchromone, 434.
- 6:9-Dimethylpurine, 2-hydroxy-, 385.
- 2':6'-Dimethylpyridylquinolines, 416.
- 2:6-Dimethylpyrimidine, 4-amino-5-cyano-, 389.
- 2:3-Dimethylquinoxaline, Diels-Alder synthesis with, 654.
- $\alpha\beta$ -Dimethylstilbene, 4:4'-*di*bromo- and -*dicyano*-, 100.
- 1:3-Dioxanyl-5-*isobutenyl* ketone, 30.
- $\alpha\gamma$ -Diphenylacetoacetic acid, α -2:4-*dinitro*-, ethyl ester, 69.
- Diphenylalkanes, bromination of, 1, 99.
- Diphenylamine-2'-aldehyde, 2-nitro-, 460.
- Diphenylamine-2:4'-dicarboxylic acid, 5-nitro-, 458.
- Di-(β -phenylamino- α -*p*-chlorophenylvinyl) ether, and its diacetyl derivative, 65.
- NN*-Di-(β -phenylamino- α -*p*-chlorophenylvinyl)aniline, 66.
- NN*-Di-(β -phenylamino- α -phenylvinyl)aniline, 64.
- NN'*-Diphenylbenzamidine, *p*-nitrobenzenesulphonate, 103.
- $\beta\gamma$ -Diphenyl-*n*-butane, bromination of, 99.
- $\beta\gamma$ -Diphenyl-*n*-butane, *di*-, *tri*-, and *tetra*-bromo-, and *dicyano*-derivatives, 100.
- 3:4-Diphenylcinnoline, 450.
- 2:2'-Diphenyl-4:4'-*di*-(*p*-acetamidophenyl)azadipyrromethine, 593.
- 2:2'-Diphenyl-4:4'-*di*-*p*-anisylazadipyrromethine, 593.
- 2:2'-Diphenyl-4:4'-*di*-(*p*-dimethylaminophenyl)azadipyrromethine, and its dimethiodide, 593.
- 2:2'-Diphenyl-4:4'-*di*-(*m*-hydroxyphenyl)azadipyrromethine, 593.
- 2:2'-Diphenyl-4:4'-*di*-(3:4-methylenedioxyphenyl)azadipyrromethine, 593.
- 2:2'-Diphenyl-4:4'-*di*-(*m*-nitrophenyl)azadipyrromethine, 592.
- Diphenylene, 326.
- $\alpha\beta$ -Diphenylethane, bromination of, 1.
- $\alpha\beta$ -Diphenylethane, *di*- and *tetra*-bromo-derivatives, and $\alpha\beta$ -*di*bromo-4:4'-*dicyano*-, 2.
- 2:3-Diphenyl-6- α -pyridylquinoxaline, 405.
- 2:6-Diphenylpyrimidine, 4-amino-5-cyano-, 390.
- 2:4-Diphenylpyrrole, 3-amino-, and its benzoyl derivative, 598.
- 5-amino-, and its acetyl derivative, and 5-nitroso-, and its salts, 594.
- 2:4-Diphenylpyrrole-5-aldehyde, and its derivatives, 597.
- 2:4-Diphenylpyrrole-5-carbinol, 597.
- 8-Di- γ -phthalimidopropylamino-6-methoxyquinoline, and its hydrobromide, 556.
- p*-Dipyridylbenzene, 406.
- 1:3-Dipyridylbenzene, 4-nitro-, 406.
- Dipyridylquinolines, 404.
- 6:8-Dipyridylquinolines, 406.
- Dissociation constants, of acids in mixed solvents, 270.
- of monobasic acids, 511, 513.
- Di-*p*-toluenesulphon-1-naphthalide, 6-nitro-, 391.
- NN'*-Ditoluene-*p*-sulphonyl-1:4-naphthylenediamine, 636.
- NN*-Di-(β -*p*-tolylamino- α -phenylvinyl)-*p*-toluidine, 64.
- Docosahexaenoic acid, methyl ester, autoxidation of, 124, 546.
- Dodecyl alcohol, dehydrogenation of, 284.
- 5-Dodecylaminoacridine, hydrochloride, 654.
- n*-Dodecylxybenzoic acid, 432.

E.

- Earths, rare, metals, alloys of, with mercury, 8, 531.
- detection of, in scheelite, 577.
- yttrium group, oxalates of, 40.
- Elaidic acid, oxidation of, and of its methyl ester by hydrogen peroxide in acetic acid, 37.
- Electrolytic oxidation, studies in, 90.
- Electronic mobility, effect of substitution on, 380.
- 1-Ethoxy-2:2':4'-*di*nitrophenylnaphthalene, 3-hydroxy-, and its acetyl derivative, 69.
- β -Ethoxy- α -*p*-nitrophenyl- Δ^{α} -propylene, 70.
- 3-Ethoxytoluene-6-sulphonic acid, and 2- and 4-*mono*- and 2:4-*di*-nitro-, and their derivatives, 168.
- 4-Ethoxy-*m*-toluic acid, and 5-nitro-, 320.
- Ethyl chloride, heat of adsorption of, on sugar charcoal, 351.
- hydrogen sulphate, β -amino-, 4.
- 8- γ -Ethylaminopropylamino-6-methoxyquinoline, and its salts, 562.
- 8-Ethyl- γ -aminopropylamino-6-methoxyquinoline, 8- β' -amino-, and its salts, 563.
- 8- β -hydroxy-, and its salts, 564.
- Ethylaniline, 2:4-*dinitro*- β -amino-, and its hydrochloride, 556.
- N*-Ethylaniline, *p*-chloro-, and its *p*-toluenesulphonyl derivative, 65.
- [2-(3-Ethylbenzoxazole)][2-(3-ethylperinaphtha-1:3-thiazine)] trimethincyanine iodide, 491.
- [2-(3-Ethylbenzoxazole)][2-(3-methylperinaphtha-1:3-thiazine)] trimethincyanine iodide, 490.
- o*-Ethylbenzyl bromide, *o*- β -bromo-, syntheses with, 547, 550.
- Ethyl-*n*-decyl-*n*-dodecylacetic acid, and its amide, 618.
- [2-(3-Ethylidihydro-1:3-thiazine)][2-(5-chloro-3-ethylbenzthiazole)]methincyanine iodide, 248.
- [2-(3-Ethylidihydro-1:3-thiazine)][2-(3-ethyl-4:5-benzbenzthiazole)]methincyanine iodide, 247.
- [2-(3-Ethylidihydro-1:3-thiazine)][2-(3-ethyl-6:7-benzbenzthiazole)]methincyanine iodide, 247.
- [2-(3-Ethylidihydro-1:3-thiazine)][2-(3-ethylbenzoxazole)]methincyanine iodide, 247.
- [2-(3-Ethylidihydro-1:3-thiazine)][2-(3-ethylbenzselenzazole)]methincyanine iodide, 248.
- [2-(3-Ethylidihydro-1:3-thiazine)][2-(3-ethylbenzthiazole)]methincyanine iodide, 247.
- [2-(3-Ethylidihydro-1:3-thiazine)][2-(1-ethylquinoline)]methincyanine iodide, 248.
- [2-(3-Ethylidihydro-1:3-thiazine)][4-(1-ethylquinoline)]methincyanine iodide, 248.
- 8-Ethylmethyl- γ -aminopropylamino-6-methoxyquinoline, 8- β -hydroxy-, and its salts, 565.
- 5-Ethyl-*oct*-5-en-7-yn-4-ol, and its α -naphthylurethane, 263.
- 4-Ethylphenol, bromo-, and *di*bromo-, and their *p*-nitrobenzoates, 526.

[2-(1-Ethylquinoxaline)][2-(1-ethylbenzthiazole)]trimethincyanine iodide, 2-3-hydroxy-, 396.
 5:2-(3'-Ethyltetrahydro-1:3'-thiazyl)-3-ethylrhodanine, 249.
 2-Ethylthiodihydro-1:3-thiazine, and its derivatives, 246.
N-Ethyl-*p*-toluidine, and its *p*-toluenesulphonyl derivative, 65.
 Ethynylcarbinols, isomerisation of, 261.
 Europium, determination of, in samarium, 533.
 isolation of, 531.

F.

Ferrous chloride. See under Iron.
 Fish oils, acids of, and their esters, autoxidation of, 122.
 Formaldehyde, electrolytic oxidation of, 90.
 Formic acid, catalytic reduction by, under pressure, 84, 281.
 Formo-1-naphthalide, 6-nitro-, 391.
 Friedel-Crafts reaction, reactions of acid derivatives, effect of alkylation on, 425.
 Fries rearrangement, 79, 273.
 8- γ -Furfurylaminopropylamino-6-methoxyquinoline, and its salts, 563.
 Furfurylidene-6-chloro-4-methoxy-3-methylacetophenone, 500.
 Furfurylidene-3-methoxyacetophenone, and its 2:4-dinitrophenylhydrazone, 499.
 α -(β -2-Furylacrylyl)tetronic acid, 242.
 β -(α -Furyl)- β -aminomethylenemalononitrile, 390.
 7- α -Furylpyrimidine, 4:6-*di*hydroxy-, 389.

G.

Gabriel's blue, constitution of, 598.
 Gallium, 74, 76.
 separation of, from germanite by electrolysis, 74.
 Gallium perchlorate, and its compounds, 76.
 Germanium, separation of, from germanite by electrolysis, 74.
 4-Glycosidaminopyrimidines, 571.
 Grignard reagents, β -alkylation of cationoid systems by, 501.
 8- ω -Guanyldecylamino-6-methoxyquinoline, 560.
 8- ω -Guanyldecylaminoquinoline, and its hydrochloride, 560.
 8- γ -Guanylpropylaminoquinoline, and its hydrochloride, 560.

H.

Halogenation, aromatic, kinetics of, 276, 279.
 Hederagenin, identity of, with melanthigenin, 70.
 Hemicelluloses of Iceland moss, 54.
 5-Heptylaminoacridine, hydrochloride, 654.
 8- γ -*n*-Heptylaminopropylamino-6-methoxyquinoline, and its salts, 563.
n-Heptyloxybenzoic acid, 432.
n-Heptyl-*n*-tetradecylacetic acid, 618.
 Heterocyclic compounds, containing nitrogen, 658.
 synthesis of, 316.
 5-Hexadecylaminoacridine hydrochloride, 654.
trans-Hexahydrophthaloyl chloride, 517.
 Hexamethylbenzene, molecular compounds of, with picryl chloride, 435.
*cyclo*Hexane, 1:2-*dicyano*-, 517.
*cyclo*Hexane-2-carboxylic acid, 1-chloro-1-cyano-, ethyl ester, 517.
*trans-cyclo*Hexane-2-carboxylic acid, 1-cyano-, 517.
*cyclo*Hexanone-2-carboxylic acid, ethyl ester, cyanohydrin, 516.
 Hexaureagallium perchlorate, 77.
*cyclo*Hexene-2-carboxylic acid, 1-cyano-, ethyl ester, 516.
 Hex-3-en-5-yn-2-ol, and its derivatives, 263.
n- and *iso*-Hexoestrols, interconversion of, 232.
 5-*cyclo*Hexylaminoacridine hydrochloride, 654.
 8- γ -*cyclo*Hexylaminopropylamino-6-methoxyquinoline, and its hydrogen oxalate, 563.
*cyclo*Hexylcyanoacetic acid, preparation of, and its dissociation constant, 516.
n-Hexyloxybenzoic acid, 432.
 1-Hexyne, condensation of, with crotonaldehyde, 264.
dl-Homopiperidone, *dl*-3-amino-, and its derivatives, 39.
 Hydrazoic acid. See Azoimide.
 Hydrocarbons, aromatic, chlorination of, 279.
 Hydrocyanic acid. See under Cyanogen.
 Hydroferrocyanic acid, potassium and sodium salts, colour variation in, 223.

Hydrogen isotopes, exchange of, with complex salts, 361, 367.
 Hydrocrototoxinin, bromo-, 51.
 structure of, 143.
 Hydrotutin, bromo-, structure of, 143.
 Hydroxyalkylamino-acids, 373.

I.

Iceland moss, polysaccharides of, 54.
 Imino-ethers, sulphonyl derivatives of, 101.
 Indene, derivatives, 71.
 Indium, vapour pressure of, 141.
 Indole, 5-hydroxy-, 49.
 Indoles, formation of, from phenacylarylamines, 58.
 Indole-2-carboxylic acid, 5-hydroxy-, and its 5-benzyl derivative, and their methyl esters, 49.
 Iodinine, structure of, 322.
 Iron:—
 Ferrous chloride, amines and deuterammines of, 118.

K.

3'-Keto-4-acetoxy-5-methoxy-1:2-*cyclopentenonaphthalene*, 499.
 3'-Keto-4-acetoxy-1:2-*cyclopentenonaphthalene*, and its derivatives, 498.
 Ketoacetylursolic acid, and its ethyl ester, 524.
 2-Keto-3-benzyl-1:2-dihydroquinoxaline, 397.
 3-Ketobutanol, 29.
 1-Keto-7-*tert*.-butyl-1:2:3:4-tetrahydronaphthalene, and its semicarbazone, 145.
 2-Keto-9:10-dimethyldecalin, and its semicarbazone, 502.
 2-Keto-1:3-dimethyl-1:2-dihydroquinoxaline, 396.
 [(2-(3-Keto-1:4-dimethyldihydroquinoxaline))[(4-dimethylamino-phenyl)]dimethincyanine, and its methosulphate, 396.
 [(2-(3-Keto-1:4-dimethyldihydroquinoxaline))[(2-(1:3:3-trimethylindoline)]trimethincyanine chloride, 396.
 3'-Keto-6-hydroxy-2:5-dimethyl-1:2:3:4-tetrahydro-1:2-*cyclopentenonaphthalene*- α , 496.
 3'-Keto-6-methoxy-2:5-dimethyl-1:2:3:4-tetrahydro-1:2-*cyclopentenonaphthalene*-2'-carboxylic acid, methyl ester, 496.
 4-Keto-6-methoxy-1:2:3:4-tetrahydro-2-naphthoic acid, and 3-bromo-, 12.
cis-2-Keto-9-methyldecalin, and its derivatives, 502.
 [(2-(3-Keto-1-methyl-3:4-dihydroquinoxaline))[(2-(1-methylquinoline)]trimethincyanine iodide, 396.
 2-Keto-1-methyl-1:2-dihydroquinoxaline-3-pyruvic acid, and its ethyl ester, and its derivatives, 400.
 [(2-(3-Keto-1-methyl-3:4-dihydroquinoxaline))[(2-(1:3:3-trimethylindoline)]trimethincyanine iodide, 396.
 3-(2-Keto-1-methyldihydroquinoxalanyl)-3-(2-ketodihydroquinoxalanyl)methane, 400.
 3-(2-Keto-1-methyldihydroquinoxalyl)-3-(2-ketodihydroquinoxalyl)methane hydrochloride, 401.
 3-(2-Keto-1-methyldihydroquinoxalyl)-3-(2-keto-1-phenyldihydroquinoxalyl)methane, and its hydrochloride, 400.
 [(2-(3-Keto-4-methyl-1-ethyldihydroquinoxaline))[(2-(1-ethylbenzthiazole)]trimethincyanine iodide, 397.
 4-Keto-6-methyl-1:2:3:4-tetrahydro-2-naphthoic acid, and 3-bromo-, 12.
 Ketones, condensation of, with phenols, 486.
 unsaturated, compounds of, with *s*-trinitrobenzene, 462.
 $\alpha\beta$ -unsaturated, absorption spectra of, and of their oximes and semicarbazones, 567.
 2-Keto-1-phenyl-3-benzyl-1:2-dihydroquinoxaline, 397.
 2-Keto-1-phenyldihydroquinoxaline-3-pyruvic acid, and its ethyl ester, 400.
 3-(2-Keto-1-phenyldihydroquinoxalyl)-3-(2-ketodihydroquinoxalyl)methane, 400.
 2-Keto-1-phenyl-3-methyl-1:2-dihydroquinoxaline, 397.
 [(2-(3-Keto-4-phenyl-1-methyldihydroquinoxaline))[(4-dimethylaminophenyl)]dimethincyanine, and its chloride, 397.
 [(2-(3-Keto-4-phenyl-1-methyl-3:4-dihydroquinoxaline))[(2-(1-methylbenzthiazole)]trimethincyanine chloride, 397.
 [(2-(3-Keto-4-phenyl-1-methyl-3:4-dihydroquinoxaline))[(2-(1-methylquinoline)]trimethincyanine sulphate, 397.
 [(2-(3-Keto-4-phenyl-1-methyl-3:4-dihydroquinoxaline))[(2-(1:3:3-trimethylindoline)]trimethincyanine chloride, 397.

- 4-Keto-1-phenyl-1:2:3:4-tetrahydro-2-naphthoic acid, 3-bromo-, 13.
 4-Keto-1:2:3:4-tetrahydro-2-naphthoic acid, 3-bromo-, 7-chloro-, and 7-chloro-3-bromo-, 12.

L.

- Lauric aldehyde, preparation of, 86.
 Lead, bivalent, co-ordination number of, 661.
 Lead nitrate, compound of, with thiourea, 661.
 Lead determination :—
 determination of, in brass, volumetrically, 41.
 Lectures, delivered before the Chemical Society, 328, 629.
 Linolenic acid, ethyl ester, 546.
 Lithium halides, ammines and deuterammines of, 118.
 Livingside Lecture, 328.
 Lutidylquinolines, and their picrates, 415.
 Lycoctonine, 141.

M.

- Magnetochemistry, 328.
 Maleic anhydride, reaction of, with anthranil, 654.
 Malondiamidine dihydrochloride, 575.
 Malondi-iminoether dihydrochloride, 575.
 Malonic acid, derivatives of, reactions of, with amidines, 388.
 Mandelic acid, and its derivatives, physical constants of active and racemic forms of, 227.
 effect of heat on, 249.
r and *l*-Mandelic acids, solubilities of, in water, 231.
 Manganous chloride, ammines and deuterammines of, 118.
 4-*l*-Mannosidamino-2-methylthiopyrimidine, 6-amino-, and its acetyl derivatives, 573.
 Melanthigenin, constitution of, 70.
 Mercury alloys with rare-earth metals, 8, 531.
 Mesitylenesulphonamidoacetic acid, ethyl ester, 377.
N-Mesitylenesulphonyl-*N*- β -methylallylglycine, 377.
 Mesitylsulphonylalanine, and its ethyl ester, 378.
 Metals of the aluminium group, analysis of, 72.
 Metal ammines, dissociation pressures of, 104.
 Metallic salts, compounds of, with ammonia and trideuterammonia, dissociation pressures of, 104.
 Methacrylic acid, synthesis of, and its ethylene and *n*-hexyl esters, 238.
 Methenylbisicyanoacetic acid, ethyl ester, 390.
 5-Methoxy-4-acetamidobenzeneazo- β -naphthol, 2:3:6-trichloro-, 237.
 4-Methoxyacetophenone, 2-bromo-, semicarbazone, 526.
 7-Methoxyacridine, 2-chloro-5-amino-, 654.
 6-Methoxybenzeneazo-2'-hydroxy-3'-naphthanilide, 2:3:5-trichloro-4-nitro-, 237.
 4-Methoxybenzeneazo- β -naphthol, 2:3:5:6-tetrachloro-, 234.
 6-Methoxybenzeneazo- β -naphthol, 2:3:5-trichloro-, 2:3:4:5-tetrachloro-, 2:3:5-trichloro-4-bromo- and -6-hydroxy-, 236.
 6-Methoxy-*p*-benzoquinone, 2:3:5-trichloro-, 236.
 4-Methoxybenzylsuccinic acid, and its anhydride, 12.
 6-Methoxy-2:4-bis(trichloromethyl)-1:3-benzdioxin, 5:7-dichloro-, 320.
 6-Methoxy-2:4-bis(dichloromethylene)-1:3-benzdioxin, 5:7-dichloro-, 320.
 6-Methoxy-2-carbomethoxy-2:5-dimethyltetralin-1-acetic acid, 1-hydroxy-, methyl ester, 494.
 4-Methoxy-7:8-dihydro-1:2-cyclopentenonaphthalene-3'-acetic acid, 500.
 6-Methoxy-3:5-dimethyl-3:4-dihydronaphthalene-1-acetic acid, 495.
 2-Methoxy-1:5-dimethylnaphthalene, 493.
 6-Methoxy-2:5-dimethyltetralin-1-acetic acid, 496.
 6-Methoxy-2:5-dimethyl-1-tetralone, and its 2:4-dinitrophenylhydrazone, 494.
 6-Methoxy-2:5-dimethyl-1-tetralone-2-carboxylic acid, methyl ester, 494.
 4-Methoxy-2'-hydroxy-3'-naphthanilide, 2:3:5:6-tetrachloro-, 235.
 4-Methoxy-3-methylacetophenone, 6-chloro-, 500.
 4-Methoxy-2-methylbenzeneazo- β -naphthol, 223.
 4-Methoxy-2-methylbenzeneazodiazaminocarbonamide, 223.
 2-Methoxy-4-methylbenzoylacetone, 434.
 α -2-Methoxy-4-methylbenzoyl-*n*-amylacetone, 435.

- α -2-Methoxy-4-methylbenzoyl-*n*-benzylacetone, 435.
 α -2-Methoxy-4-methylbenzoyl-*n*-butylacetone, 435.
 α -2-Methoxy-4-methylbenzoyl-*n*-ethylacetone, 434.
 α -2-Methoxy-4-methylbenzoyl-*n*-methylacetone, 434.
 α -2-Methoxy-4-methylbenzoyl-*n*-propylacetone, 434.
 4-Methoxy-3-methyldiazoaminobenzene, 4'-nitro-, 223.
 4-Methoxy-3-methylhydrazobenzene-*N*-diazocarbonamide, 223.
 4-Methoxy-1-methyl-2-naphthoic acid, methyl ester, 13.
 6-Methoxy-5-methyltetralin, 493.
 6-Methoxy-5-methyl-1-tetralone, and its 2:4-dinitrophenylhydrazone, 493.
 6-Methoxy-5-methyl-1-tetralone-2-carboxylic acid, methyl ester, and its 2:4-dinitrophenylhydrazone, 494.
 6-Methoxy-5-methyl-1-tetralone-2-glyoxylic acid, methyl ester, 493.
 6-Methoxy-2-naphthoic acid, 4-hydroxy-, 12.
 6-Methoxy-*N*-nitroaniline, 2:3:5-trichloro-4-nitro-, 236.
 4-Methoxy-1:2-cyclopentadienonaphthalene-3'-acetic acid, 499.
 4-Methoxy-1:2-cyclopentenonaphthalene-3'-acetic acid, 499.
 α -(β -*p*-Methoxyphenylacrylyl)tetronic acid, 242.
 3-*m*-Methoxyphenyl- Δ^2 -cyclopenten-1-one-2-acetic acid, 499.
 Methoxyphenylpyridines, and amino-, and nitro-, and their derivatives, 410.
 5-Methoxy-*p*pyridine, β -2-nitro-, 411.
 Methoxy-*p*pyridylquinolines, and their picrates, 410.
 6-Methoxy-3- α -pyridylquinoline, 5-amino-, and 5-nitro-, 411.
 6-Methoxyquinoline, 5-amino-, 410.
 5-(6'-Methoxyquinolyl-8'- γ -aminopropylamino)-7-methoxyacridine, and its dihydrochloride, 556.
 Methoxyquinolyl-2:5-dimethylpyrrole-3:4-dicarboxylic acids, ethyl esters, 420.
 1-6'-Methoxy-8'-quinolyl-2:5-pyrrole, 420.
 4'-Methoxy-2-styryl-3-benzyl-7-methylchromone, 435.
 4'-Methoxy-2-styryl-3:7-dimethylchromone, 434.
 4'-Methoxy-2-styryl-7-methylchromone, 434.
 4'-Methoxy-2-styryl-7-methyl-3-ethylchromone, 434.
 2-(6'-Methoxy-*m*-tolyl)furane-5- β -propionic acid, 2-4'-chloro-, 500.
 Methyl alcohol, action of, on *m*-toluidine hydrochloride, 14.
 Methyl ether, free energy of, from equilibrium with methyl alcohol, 589.
 10-Methylacridane, 5-amino-5-hydroxy-, and 5-imino-, 460.
 5-Methylacridine metho-*p*-toluenesulphonate, 6.
 5-Methylacridine, 3-*mono*- and 3:7-*di*-amino-, and 3-nitro-7-amino-, and their derivatives, 346.
 5-Methylacridines, 344.
 10-Methylacridinium bromides, amino-, 460.
 2-Methyladenine, and its picrate, 385.
N- β -Methylallylglycine, *N*-benzene- and -toluene-sulphonyl derivatives, 377.
 5-Methylaminoacridine, 461.
 4-Methylaminoanthraquinone-2-sulphonic acid, 1-amino-, sodium salt, 47.
 4-Methylamino-2-methylthiopyrimidine, 6-amino-, 385.
 8- γ -Methylaminopropylamino-6-methoxyquinoline, and its salts, 562.
 4-Methylamino-5-thioformamido-2-hydroxy-6-methylpyrimidine, 385.
 4-Methylamino-5-thioformamido-2-methylthiopyrimidine, 6-amino-, 385.
 2-Methyl-3-*n*-amylquinoxaline, and its *di-N*-oxide, 325.
 Methylaniline, 2:3:5:6-tetrachloro-*N*-*mono*- and -*N*:4-*di*-nitro-, 373.
 β -(*N*-Methylanilino)anethole, 611.
 [2-(1-Methylbenzthiazole)][2-(3-keto-1:4-dimethyl-3:4-dihydroquinoxaline)]methincyanine iodide, 399.
 [2-(1-Methylbenzthiazole)][2-(1-phenyl-3-methylquinoxaline)]methincyanine iodide, 399.
 6-Methyl-2:4-bis(trichloromethyl)-1:3-benzdioxin, 8-amino- and 7- and 8-nitro-, 320.
 6-Methyl-2:4-bis(dichloromethylene)-1:3-benzdioxin, 8-amino-, and 7-nitro-, 320.
 4-Methylbenzylsuccinic acid, and its anhydride, 12.
 6-Methylcarvomenthone, 502.
 Methylchloroarsine, preparation of, 549.
 2-Methyl-5-*n*-decylpentadecic acid, 618.
 Methyl-*n*-decyl-*n*-dodecylacetic acid, and its amide, 617.
 β -Methyl- β -*n*-decyl- β -*n*-dodecylpropionic acid, and its amide and methyl ester, 618.
 2-Methyldiazoaminobenzene, 4'-nitro-4-hydroxy-, 223.

Methyl-*n*-heptylacetic acid, and its amide, 618.
 2-Methylidihydro-1:3-thiazine, and its derivatives, 247.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(6-acetamido-3-ethylbenzthiazole)]methincyanine iodide, 248.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(6-chloro-3-ethylbenzthiazole)]methincyanine iodide, 248.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(3-ethyl-6:7-benzbenzoxazole)]methincyanine iodide, 247.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(3-ethylbenzoxazole)]trimethincyanine iodide, 249.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(3-ethylbenzelenazole)]methincyanine iodide, 248.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(3-ethylbenzthiazole)]methincyanine iodide, 248.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(3-ethylbenzthiazole)]trimethincyanine iodide, 249.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(1-ethylquinoline)]methincyanine iodide, 248.
 [2-(3-Methylidihydro-1:3-thiazine)][4-(1-ethylquinoline)]methincyanine iodide, 248.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(3-methyl-4:5-benzbenzthiazole)]methincyanine iodide, 247.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(3-methyl-6:7-benzbenzthiazole)]methincyanine iodide, 247.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(3-methylbenzthiazole)]methincyanine iodide, 247.
 [2-(3-Methylidihydro-1:3-thiazine)][2-(1-methylquinoline)]methincyanine iodide, 248.
 [2-(3-Methylidihydro-1:3-thiazine)][4-(1-methylquinoline)]methincyanine iodide, 248.
 3-Methyl-2-*n*-dodecyl-lauric acid, 618.
 4-Methyl-3-*n*-dodecyltridecoic acid, 618.
 Methyleneacetic acid, amino-, ethyl ester, 390.
 β-3:4-Methylenedioxyphenylisopropylamine, preparation of, 15.
 Methyl-*n*-heptyl-*n*-tetradecylacetic acid, 618.
 12-Methyl-1:2:3:4:12:13-hexahydroxanthene, 475.
 1-Methylcyclohexane-1-acetamide, 502.
 1-Methylcyclohexane-1-cyanoacetic acid, ethyl ester, 502.
 1-Methylcyclohexene, 475.
 chlorination of, 296.
 2-Methylhex-3-en-5-yn-2-ol, and its phenylurethane, 263.
 3-Methylhex-3-en-5-yn-2-ol, and its *α*-naphthylurethane, 263.
 1-Methylindole, 5:6-dihydroxy-, and 2-iodo-5:6-dihydroxy-, diacetyl derivatives, 48.
 Methyl-lycaconitine, and its hydriodide, 140.
 Methyl β-methylgalactosides, 53.
 6-Methyl-2-morpholine, *N*-benzene- and -toluene-sulphonyl derivatives, 376.
 2-Methylperinaphtha-1:3-thiazine, and its derivatives, 489.
 1-Methyl-2-naphthoic acid, 4-hydroxy-, and its derivatives, 13.
 6-Methyl-2-naphthoic acid, 4-hydroxy-, 12.
 7-Methylnona-2:7-dien-5-yn-4-ol, and its *α*-naphthylurethane, 267.
 7-Methylnona-3:7-dien-5-yn-2-ol, and its *α*-naphthylurethane, 267.
 7-Methylnonan-2-ol, and its 3:5-dinitrobenzoate, 267.
 7-Methylnonan-4-ol, and its 3:5-dinitrobenzoate, 267.
 7-Methylnonan-2-one, and its derivatives, 267.
 7-Methylnonan-4-one, and its phenylsemicarbazone, 267.
 7-Methylnon-7-en-5-yn-4-ol, and its derivatives, 267.
 Methyl-*n*-nonyl-*n*-dodecylcarbinol, 618.
 3-Methylpent-2-en-4-yne, condensation of, with butaldehyde, citral, and crotonaldehyde, 265.
 ψ-2-Methyl-1-γ-phthalimidopropylquinolinium bromide, 6-amino-, acetyl derivative, 560.
 8-γ-Methylpropylaminopropylamino-6-methoxyquinoline, and its salts, 564.
 2-Methylpyrimidine, 4:6-diamino-, 4:5:6-triamino-, 5-thioformyl derivative, 4:6-dichloro-, and 4-chloro-6-amino-, 385.
 4:5-diamino-6-hydroxy-, 5-thioformyl derivative, 384.
 2-(3-Methyl-4-quinazolonyl)-3-(2-ketodihydroquinazolonyl)methane, 400.
 2-(3-Methyl-4-quinazolonyl)-3-(2-keto-1-methylidihydroquinazolonyl)methane, 400.
 2-(3-Methyl-4-quinazolonyl)-3-(2-keto-1-phenyldihydroquinazolonyl)methane, 400.
 3-Methyl-4-quinazolonyl-2-pyruvic acid, ethyl ester, and its phenylhydrazone, 400.
 2-Methylquinoxaline *di-N*-oxide, 324.

[2-(1-Methylquinoxaline)][(4-dimethylaminophenyl)]dimethincyanine iodide, 2:3-hydroxy-, 396.
 [2-(1-Methylquinoxaline)][2-(1-methylbenzoxazole)]trimethincyanine iodide, 2:3-hydroxy-, 396.
l-Methylsuccinylanthranilic acid, 141.
 2-Methyl-1:2:3:4-tetrahydroisoarsinoline, and its derivatives, 549.
 5:2'-(3'-Methyltetrahydrothiazolyl)ethylidene-3-ethylrhodanine, 249.
 5:2'-(3'-Methyltetrahydro-1':3'-thiazyl)ethylidene-3-ethylrhodanine, 249.
 5-Methyltetralin, 6-hydroxy-, 493.
 Methylthiazylquinolines, 419.
 Methylthioadenine, 385.
 2-Methylthiodihydro-1:3-thiazine, and its methiodide, 246.
 2-Methylthio-9-methyladenine, 385.
 2-Methylthio-9-methylpurine, 6-hydroxy-, 386.
 2-Methylthiopyrimidine, 4:6-diamino-, acetyl derivative and picrate, 573.
 4:5:6-triamino-, and its 5-thioformyl derivatives, 385.
 Methyl vinyl ketone, polymerisation and preparation of, 25.
 Moss, carrageen. See Carrageen moss.
 Iceland. See Iceland moss.
 Moulds, metabolites from, behaviour of, at dropping mercury cathodes, 133.

N.

Naphthalene, 1:3:5:7-tetraamino-, and tetranitro-derivatives, 33.
 1-bromo-2- and 4-iodo-6-nitro-, 1-bromo-6- and 7-nitro-, 1:2- and 1:4-dibromo-6-nitro-, 1-chloro-6-nitro-, and 1-iodo-6-nitro-, 392.
 dinitro-derivatives, monoreduction of, 318.
 1:3-dinitro-, preparation of, 433.
 1:6-dinitro-, preparation of, 86.
 2:3-dinitro-, preparation of, 635.
 Naphthalene-1-azo-β-naphthol, 6-nitro-, 392.
 Naphthalene-1:2-diazo-oxide, 4-chloro-, 4-iodo-, and 4-nitro-, 322.
 3'-Naphthanilide, 2:3:5:6-tetrachloro-2'-hydroxy-, and 2:3:5:6-tetrachloro-4-nitro-2'-hydroxy-, 234.
 2-Naphthoic acid, 7-chloro-4-hydroxy-, 12.
 4-halogeno-derivatives, and 4-nitro-, 468.
 α-Naphthol, methylation of, nuclear, 168.
 2-Naphthyl methyl ethers, 4-bromo-, 4-chloro-, and 4-iodo-, 469.
 1-Naphthylamine, 2:4-dibromo-6-nitro-, 2:4-dichloro-6-nitro-, 4-iodo-6-nitro-, 2:6- and 4:6-dinitro-, and 2:4:6-trinitro-, 393.
 6-nitro-, diazo-coupling, halogenation, mercuration, and nitration of, 391.
 4-mercuriacetate, 393.
 picrate, 391.
 2:3-dinitro-, 635.
 2:4-dinitro-, preparation of, 433.
 2-Naphthylamine, 3-nitro-, and its picrate, 636.
 1-β-Naphthyl-3:3-dimethyltriazene, 444.
 1:4-Naphthylenediamine, 2:3-dinitro-, preparation of, 636.
 6-Naphthyl-1-maleamic acid, 6-nitro-, 391.
 Nickel, catalytic reduction by formic acid with, 281.
 Nickel chloride, amines and deuterammines of, 118.
Nigella saliva, melanthigenin from, 70.
 Ninhydrin, properties of, 72.
 Nitric acid. See under Nitrogen.
 Nitrogen compounds, optically-active, tervalent, preparation of, 659.
 Nitric acid, transport numbers of, in water, 647.
 Nitrogen organic compounds, heterocyclic, 658.
n-Nonyloxybenzoic acid, 432.
 Nor-α-amyradienonyl acetate, 524.

O.

Obituary Notices :-
 Randal Thomas Mowbray Rawdon Berkeley, Earl of Berkeley, 503.
 John William Blagden, 334.
 Alfred Archibald Boon, 507.

- Sir Bryce Chudleigh Burt, Kt., 200.
 Francis William Clifford, 201.
 Samuel Felix Duffton, 508.
 Frank William Harbord, 202.
 Arthur Harden, 334.
 Matthew Hunter, 43.
 Alfred Hutchinson, 340.
 Ivan Douglas Lamb, 202.
 Grace Cumming Leitch, 341.
 Herbert Marsden, 341.
 Joseph William Mellor, 341.
 Colin Richard Morrison-Jones, 343.
 Walter Odling, 43.
 Harold Gordon Rule, 509.
 Frank Sturdy Sinnatt, 203.
 Raymond Taylor, 510.
 Reece Henry Vallance, 44.
 William John Young, 44.
- n*-Octyloxybenzoic acid**, 432.
Oleic acid, methyl ester, hydroperoxide and peroxide, 119.
 oxidation of, and of its methyl ester by hydrogen peroxide in acetic acid, 37.
Organic compounds, analysis of, micro-, 313.
 molecular, formation and structure of, 462.
 spectra of, absorption, in solution, effect of molecular environment on, 565.
Oxalic acid, dysprosium, erbium, ytterbium, and yttrium salts, 40.
Oxaloacetic acid, ethyl ester, diphenylhydrazone, 660.
9:10-Oxidostearic acids, stereochemistry of, 204.
- P.**
- Palladium bases**, interchange of hydrogen in, with deuterium oxide, 367.
Parachors of organic compounds, 146.
Phenacylaniline, and *p*-chloro-, and their derivatives, 63.
Phenacylarylamines, indole formation from, 58.
Phenacyl-*N*-isobutylaniline, *p*-chloro-, 65.
Phenacyl-2:4-dimethylaniline, *p*-chloro-, 63.
Phenacyl-*N*-ethylaniline, and its salts, 65.
Phenacyl-*N*-ethylaniline, *p*-chloro-, and its salts, and *p*:*p'*-dichloro-, 65.
Phenacyl-*N*-ethyl-*p*-toluidine, 65.
Phenacyl-*N*-ethyl-*p*-toluidine, *p*-chloro-, and its salts, 65.
Phenacyl-*N*-methylaniline, *p*-chloro-, 65.
Phenacyl-*p*-toluidine, *p*-chloro-, 63.
5:6:9':10'-Phenanthraphenazine, 1:2:4-trichloro-, dichloro-amino-derivatives, and 1:2:4-trichloro-3-amino-, 576.
Phenol, reaction of, with aluminium chloride, 527.
 spectrum of, absorption, ultra-violet, 380.
Phenol, 2:3:5:6-tetrachloro-4-nitro-, and its acetate, 235.
 3-fluoro-4-nitroso-, spectrum of, absorption, 89.
p-nitroso-, tautomerism of, in systems with benzoquinone, 89.
Phenols, condensation of, with ketones, 486.
 nitrosation of, 221.
 reaction of, with aluminium chloride, 527.
m-substituted, spectra of, absorption, ultra-violet, 380.
Phenyl benzyl ethers, *m*-chloro-, dichloro-, and *m*-fluoro-, 432.
 esters, reaction of, with phosphorus pentoxide, 79.
 ethers, halogenation of, 430.
 selenide, physical constants of, 22.
 sulphide, physical constants of, 22.
***N*- γ -Phenoxypropyl- β -aminoethylaniline**, 2:4-dinitro-, and its hydrochloride, 556.
Phenylacetamidethanesulphonic acid, sodium salt, 5.
Phenylacetic acid, *p*-nitro-, anhydride, 69.
Phenylacetylmaleic acid, *p*-nitro-, ethyl ester, and its sodium derivative, 69.
 α -Phenyl- β -5-acridylethanol, α -nitro-derivatives, 6.
 α -(β -Phenylacrylyl)tetronic acid, 242.
 α -Phenylallylene, α -*p*-nitro-, 70.
a:2:4-dinitro-, 70.
Phenyl-2-aminophenylallylcarbinol, and its derivatives, 451.
 α -Phenyl- α -(2-aminophenyl)- β -benzylethylene, 451.
 α -Phenyl- α -(2-aminophenyl)- β -(1'-naphthyl)ethylenes, 449.
Phenyl-2-aminophenyl- β -phenylethylcarbinol, and its *N*-acetyl derivative, 450.
 α -Phenyl- Δ^a -amylene, β -chloro-, 69.
Phenylanisylpyrroles, 594.
2-Phenyl-4-*p*-anisylpyrrole-5-aldehyde, and its oxime, 597.
Phenylanisylpyrrolines, and their picrates, and 5-nitroso-, 594.
Phenylbenzyl-2-aminophenylcarbinol, 450.
2-Phenyl-3-benzylcinnoline, 451.
Phenylbromoacetic acid, sodium salt, hydrolysis of, 80.
 α -Phenyl- Δ^a -butylene, β -chloro-, 69.
2-Phenyl-1-isobutylindole, 2-*p*-chloro-, and 2-*p*-chloro-3-nitroso-, 68.
 3-*p*-chloro-, 66.
 β -Phenylbutyrophenone, γ -nitro-, oxime, 595.
 γ -nitro- β -*m*-hydroxy-, 593.
 γ -nitro- β -*m*-nitro-, 592.
9-Phenylcarbazole, 1- and 9-2'-amino-, and 1- and 3-nitro-, 661.
Phenylchloroacetic acid, sodium salt, hydrolysis of, 80.
2-Phenyl-2-*p*-chlorophenacyl-1:2:3:4-tetrahydroisoarsinolinium salts, optically active, 554.
***dl*-2-Phenyl-2-*p*-chloro-1:2:3:4-tetrahydroisoarsinolinium** bromide and iodide, preparation and resolution of, 550.
2-Phenylchrysene, 450.
2-Phenyl-3:4:6:7-dibenzo-1:5-naphthyridine, and its picrate, 318.
 β -Phenyl- $\alpha\alpha$ -di-(*p*-ethoxyphenyl)ethylene, and β -bromo-, 394.
 β -Phenyl- $\alpha\alpha$ -dimethyl-*n*-butyric acid, and its methyl ester, 429.
 γ -Phenyl- $\alpha\alpha$ -dimethyl- $\Delta\beta$ -butyrolactone, 428.
2-Phenyl-5:7-dimethylindole picrate, 64.
4-Phenyl-2:6-dimethylpyridine, 4-*p*-amino-, 416.
4-Phenyl-2:6-dimethylpyridine-3:5-dicarboxylic acid, 4-*p*-amino-, and 4-*p*-nitro-, ethyl esters, 416.
1-Phenyl-3:3-dimethyltriazene, and 1-*m*- and -*p*-nitro-, 443.
1-Phenyl-3:3-dimethyltriazene-3':4'-dicarboxyimide, 444.
1-Phenyl-3:3-dimethyltriazene-3':4'-dicarboxylic acid, methyl ester, 444.
 α -Phenyl- $\alpha\beta$ -diphenylethylenes, α -2-amino-, 450.
 α -Phenyl- β -(2:4-diphenyl-5-pyrrolyl)ethylene, *a*:2:4-dinitro-, 597.
1:9-Phenylene-carbazole, 660.
***m*- β -Phenylethoxybenzoic acid**, 432.
2-Phenyl-1-ethylindole, 2-*p*-chloro-, 2-*p*-chloro-3-nitroso-, and 3-nitroso-, 67.
3-Phenyl-1-ethylindole, and 3-*p*-chloro-, 66.
Phenyl-*N*-ethylnitrosoamine, *p*-chloro-, 67.
 α -Phenyl- β -(2-furyl)ethylenes, α -nitroamino-, and their *N*-acetyl derivatives, 451.
 β -Phenylhexophenone, γ -nitro-, 595.
 β -Phenyl-*p*-methoxybutyrophenone, γ -nitro-, 593.
2-Phenyl-5-methyl-1-ethylindole, and 2-*p*-chloro-, 67.
3-Phenyl-5-methyl-1-ethylindole, and 3-*p*-chloro-, and their picrates, 66.
2-Phenyl-5-methylindole, 2-*p*-chloro-, and chloronitroso-, 64.
3-Phenyl-1-methylindole, 3-*p*-chloro-, and its picrate, 66.
1-Phenyl-3-methylquinoxaline-2-aldoxime chloride, 400.
2-Phenyl-naphthalene, 1:3-dihydroxy-2:2':4'-dinitro-, 69.
4-Phenyl-3-(1'-naphthyl)cinnoline, 450.
 α -Phenyl- β -5-(3-nitroacridyl)ethanol, α -*o*- and -*m*-nitro-, 347.
 β -Phenylpropionamidoethanesulphonic acid, sodium salt, 5.
 α -(β -Phenylpropionyl)tetronic acid, 242.
***m*- γ -Phenyl-*n*-propoxybenzoic acid**, 432.
8- β -Phenylisopropyl- γ -aminopropylamino-6-methoxyquinoline, and its salts, 563.
 α -Phenyl- Δ^a -propylene, β -chloro- α -*p*-nitro-, and - α :2:4-dinitro-, 70.
2-Phenyl-1-*n*-propylindole, 2-*p*-chloro-, and 2-*p*-chloro-3-nitroso-, 68.
Phenylpyridines, *o*-amino-, and their benzoyl derivatives, and their picrates, 317.
 α -Phenylpyridine, α -3-amino- and α -3-nitro-4-hydroxy-, 412.
 3:4-diamino-, and 3-nitro-4-amino-, and its acetyl derivative, 405.
 β -Phenylpyridine, 3:4-diamino-, and 3-nitro-4-amino-, and its acetyl derivative, 413.
 γ -Phenylpyridine, 3-hydroxy-, 411.
2-Phenyl-6-pyridylquinoline-4-carboxylic acids, 412.
Phenylpyruvic acid, 2-nitro-5-hydroxy-, benzyl derivative, and its phenylhydrazone, 49.
5-Phenylquinoline, and its picrate, 444.
Phenylquinolines, amino-, and their derivatives, 317.
2-Phenylquinoline-4-carboxylic acid, 3-amino-, benzoyl derivative, 318.

- 2-Phenyl-1:2:3:4-tetrahydroisoarsinoline**, and its derivatives, 549.
2-Phenyl-1:2:3:4-tetrahydroisophosphinoline, and its methiodide, 550.
 β -Phenyl- $\alpha\alpha\beta\beta$ -tetramethylpropionic acid. See β -Phenyl- $\alpha\alpha\beta$ -trimethyl-*n*-butyric acid.
 β -Phenyl- $\alpha\alpha\beta$ -trimethyl-*n*-butyric acid, and its derivatives, 428, 429.
 γ -Phenyl- $\alpha\alpha\beta$ -trimethylbutyrolactone, 428.
 γ -Phenyl- $\alpha\alpha\beta$ -trimethyl- $\Delta\beta$ -butyrolactone, 428.
 β -Phenyl- $\alpha\alpha\beta$ -trimethylpropionic acid. See β -Phenyl- $\alpha\alpha$ -dimethyl-*n*-butyric acid.
 α -(3-Phenylvaleryl)tetrone acid, 242.
Phosphorus pentachloride, action of, on *as*-substituted acetones, 68.
pentoxide, reaction of, with phenyl esters, 79.
Photochemical reactions, 275, 276.
Phthalaz-1:4-dione, 6-chloro-, 659.
8- ω -Phthalimidodecylamino-6-methoxyquinoline, and its hydrochloride, 558.
8- β -Phthalimidoethyl-6-methoxyquinoline, 555.
8- γ -Phthalimidopropylamino-6-methoxyquinoline, preparation of, 557.
5- γ -Phthalimidopropylamino-(*N*-6'-methoxy-8'-quinolyl)-7-methoxyacridine, 2-chloro-, 556.
8- γ -Phthalimidopropyl- γ -aminopropylamino-6-methoxyquinoline dihydrobromide, 556.
4-Phthalo-3-amino-*p*-anisidide, 411.
Phthalo- ω -bromodecylimide, 558.
Phthalo- γ -(γ -bromopropylamino)propylimide hydrobromide, 556.
4-Phthalo-3-nitro-*p*-anisidide, 411.
Phthalo- γ -(γ -phenoxypropylamino)propylimide hydrobromide, 555.
Phthioic acid, constitution and-synthesis of, 615.
Physical properties, constitution and, 16, 636.
Picryl halides, molecular compounds of, with hexamethylbenzene, 435.
6-Piperonylidene-2:2-dimethylcyclohexanone, 662.
6-Piperonylidene-2-methyl-2-ethylcyclohexanone, 662.
6-Piperonylidene-2-methylcyclohexanone, 662.
Platinum bases, interchange of hydrogen in, with deuterium oxide, 367.
Polarography, 133.
Polyene series, 261, 264, 265, 268.
Polyisoprenes, 289, 472.
 autoxidation in, 119, 122, 125, 356, 541.
Polymethylbenzoylnaphthoic acids, 239.
Polysulphanilamides, 606.
Potassium organic compounds :—
 Potassium ferrocyanide, commercial, colour variation in, 223.
Propane, α -amino- γ -hydroxy-, and its α -acetyl derivative, 247.
Propenylethynylcarbinol, isomerisation of, 261.
Propionic acid, α -amino-, ethyl ester, *p*-toluenesulphonyl derivative, 378.
 β -cyano-, preparation of, and its dissociation constant, 516.
Propionyl-*r*-mandelic acid, solubility of, in water, 231.
***O*-Propionyl-*r*- and -*l*-mandelic acids**, 228.
Propiophenone, *p*-hydroxy-, benzoyl derivative, 612.
***iso*Propoxybenzoic acid**, 432.
Propylalanine, β -hydroxy-, 378.
Propylamine, β -hydroxy-, derivatives of, 377.
8-Propylamino-6-methoxyquinoline, 8- γ -amino-, meconate, 557.
 8- γ -chloro- and 8- γ -hydroxy-, 561, 562.
8- γ -Propylaminopropylamino-6-methoxyquinolines, and their salts, 562.
8-Propyl- γ -aminopropylamino-6-methoxyquinoline, 8- γ -amino-, trihydrochloride, 556.
 8- γ' -amino-, and its salts, 564.
8-Propylaminoquinoline, 8- γ -cyano-, 560.
***N*-Propylglycine**, *N*- β -*di*bromo-, derivatives of, 378.
***dl*-*N*-Propylglycine**, *N*- β -hydroxy-, and its *N*-*p*-toluenesulphonyl derivative, 376.
Pschorr reaction, effect of substitution on, 447.
Purine nucleosides, synthesis of, 383, 571, 574.
4-Pyridylacetanilides, 413.
Pyridylacridines, 417.
Pyridylacridones, 418.
8-Pyridyl-5-*tert*-butylquinoline, 412.
4-Pyridyldiphenylamine, and its picrate, 418.
Pyridyldiphenylamine-2'-carboxylic acids, 418.
6- β -Pyridyl-2:3-diphenylquinoxaline, 413.
2-Pyridylnaphthalenes, and their picrates, 444.
4-Pyridylphthalimides, 444.
6- α -Pyridyl-8- α (β and γ)-pyridylquinoline, 405.
6-Pyridylquinaldines, 412.
Pyridylquinolines, and their derivatives, 401.
5- α -Pyridylquinoline, 8-hydroxy-, 412.
6- α -Pyridylquinoline, 8-amino-, and 8-nitro-, 405.
6- β -Pyridylquinoxaline, 413.
Pyrimidine, 4:6-*di*amino-, preparation of, and 4:6-*di*chloro-, 574.
 4:5:6-*tri*amino-, and its 5-thioformyl derivative, 387.
 4-amino-5-cyano-, and its picrate, 387.
 4:6-*di*hydroxy-, 389.
***l*-Pyrrolidone**, 3-amino-, and its derivatives, 40.
Pyruvic acid, and its methyl ester, diphenylenehydrazones of, 660.

Q.

- Quinoline**, 5-chloro-, picrate, 444.
Quinoline series therapeutic agents of, 401, 404, 406, 413, 417, 419.
Quinolinealdehydes, 415.
Quinolineamidines, and their salts, 420.
Quinolinecarboxyhydrazides, and their *p*-toluenesulphonyl derivatives, 415.
Quinolinecarboxylic acids, ethyl esters, and their toluenesulphonyl derivatives, 415.
Quinolinethioamides, 419.
4-Quinolyl-2:6-dimethyldihydropyridine-3:5-dicarboxylic acids, ethyl esters, 414.
4-Quinolyl-2:6-dimethylpyridine-3:5-dicarboxylic acids, ethyl esters, 415.
1-3'-Quinolyl-2:5-dimethylpyrrole, 420.
1-Quinolyl-2:5-dimethylpyrrole-3:4-dicarboxylic acids, ethyl esters, 420.
1-(5'-Quinolyl)-3:3-dimethyltriazene, 444.
Quinones, polarography of, 133.
Quinoxaline *di*-*N*-oxide, 324.
Quinoxaline cyanines, 394, 397.

R.

- R. 63**, constitution of, 555.
 preparation of, and its salts, 557.
Racemates, stability of, 227.
Reactions, kinetic theory of, in solution, 629.
Report of the Council, 171.
Resins, synthetic, formaldehyde-phenol, combination of, with olefines and with rubber, 472.
Resinols, triterpene, 523.
Resorcinol, spectrum of, absorption, ultra-violet, 381.
***d*-Ribobenzimidazole**, 628.
Rosmarinicine, and its methiodide, 453.
Rosmarinine, 452.
Rubber, 289, 472.
 autoxidation of, 546.
 oxidation of, in presence of acetic acid or its anhydride, 356.
 peroxidation of, 125.

S.

- Saccharin**, 5-amino-, acetyl derivative, 78.
2-Salicylideneaminoacridine, 460.
Saligeninodihydropyrene, 476.
Saligenino-rubber, 476.
Salts, complex, interchange of hydrogen isotopes with, 361, 367.
Scheelite, rare earths in, 577.
Senecic acid, 454.
Senecio, alkaloids from, 452.
Sitosterol, oxidation of, 599.
Sodium iodide, ammine and deuterammine of, 118.
Sodium organic compounds :—
 Sodium ferrocyanide, commercial, colour variation in, 223.

Solvents, hydroxylic, reaction of, with alkyl halides, 255.
 Spasmolytics, 401.
 Spectra, absorption, of organic compounds in solution, effect of molecular environment on, 565.
 Squalene, autoxidation of, 546.
 Starch, amylolysis of, 619.
 Stearic acid, 9:10-*di*hydroxy-derivatives, configuration of, 37, 204.
 Stereochemistry of labile compounds, 194.
 Steroids, acyl migration in, 135.
 Sterols, synthesis of substances related to, 491, 497.
 Sterol group, 599, 602.
 acyl migrations in, 437.
 Stilbene, derivatives, preparation of, 1, 99.
 Stilbene, *di*- and *tri*-bromo-derivatives, bromo-*mono*- and *di*-cyano-derivatives, 3.
 5-Styrylacridines, 5, 344.
 5-Styrylacridine, 5-amino-derivatives and their derivatives, and 5-nitro-derivatives, 6.
 3:5-*p*-*di*-amino- and -nitro-, 3:7:5-*p*-tri-amino-, and their derivatives, 347.
 α -(β -Styrylacrylyl)tetronic acid, 242.
 5-Styryl-7-methylacridine, 3:5-*p*-amino- and -nitro-, and their derivatives, 347.
 2-Styryl-7-methyl-3-*n*-amylchromone, 4-nitro-, 435.
 2-Styryl-7-methyl-3-*n*-butylchromone, 4'-nitro-, 435.
 2-Styryl-7-methyl-3-*n*-propylchromone, 4'-nitro-, 434.
 Sulphur, physical constants of, 17.
 Sulphur dioxide, heat of adsorption of, on sugar charcoal, 351.
 Sulphur organic compounds:—
 Sulphuric acids, esters, alkyl-oxygen fission in, 446.
 Surfaces, fresh, properties of, 535.
 Surface tension, measurement of, by vibrating-jet method, 535.

T.

Taurine, synthesis of, 4.
 1:2:3:4-Tetrahydroisoarsinoline, 2-chloro-, 550.
 Tetrahydrocannabinol, derivatives of, 286.
 α -(β -2-Tetrahydrofurylpropionyl)tetronic acid, 242.
 1:2:3:4-Tetrahydrophenazine *di*-*N*-oxide, 325.
 1:9-(2':3':4':5'-Tetrahydrophenylene)carbazole, and its derivatives, 659.
 5:6:7:8-Tetramethyl-1:2-benzanthraquinone, 241.
 2-(2':3':4':5'-Tetramethylbenzoyl)-1-naphthoic acid, 240.
 3:3:3':3'-Tetramethylbis-1:1'-*spiro*hydrindene, 4:5:6:4':5':6' and 5:6:7:5':6':7'-*hexahydroxy*-, hexa-acetyl derivatives, 486, 487.
 2:2:3:3-Tetramethyl- α -hydrindone, and nitro-, 429.
 2:2:5':4''-Tetramethyl-3':4':5':6'-tetrahydrodibenzopyran, 6''-hydroxy-, 6''-*O*-dichlorophosphoryl derivative, 286.
 Tetramminopalladous chloride, interchange of hydrogen in, with deuterium oxide, 367.
 Tetramminoplatinous chloride, interchange of hydrogen in, with deuterium oxide, 367.
 2:2':4:4'-Tetra-*p*-anisylazadipyromethine, 593.
 Tetra(benzenesulphonamidoethyl)ethylenediamine, *tetra-p*-amino-, and its tetra-acetyl derivative, 609.
 Tetra(benzenesulphonamidomethyl)methane, *tetra-p*-amino-, and its tetra-acetyl derivative, 608.
 2:2':4:4'-Tetraphenylazadipyromethine, and its metallic complexes, 592, 597.
 Tetraphenylene, and its bromo- and *tetra*nitro-derivatives, 326.
 2:2':4:4'-Tetraphenyl-*meso*-phenyldipyromethine, and its copper complex, 597.
 2:2':4:4'-Tetraphenyl-*meso*-phenyldipyromethine, 3:3-*di*amino-, dibenzoyl derivative, 599.
 Tetronic acid, α -amino-, acetyl derivative, 242.
 Therapeutics, quinoline series, 401, 404, 406, 413, 417, 419.
 Thiazinocyanines, 243, 487.
 8-2'-Thiazylquinoline, 420.
 Thiobenzophenone, photo-oxidation of, 275.
 2-Thio-3-ethyltetrahydro-1:3-thiazine, 247.
 Thioketones, photo-oxidation of, in sunlight, 275.
 2-Thio-3-methyltetrahydro-1:3-thiazine, 247.
 2-Thiotetrahydro-1:3-thiazine, 246.
 Thiourea, compound of, with lead nitrate, 661.
 Tilden Lecture, 629.
 Tolane, 4:4'-*dicyano*-, 3.
 Toluene, 2-nitro-5-hydroxy-, 5-benzyl derivative, 49.

6-*p*-Tolueneazo-2:4-bis(dichloromethylene)-1:3-benzodioxin, 321.
 4-*p*-Tolueneazonaphthalene-1-azoresorcinol, 6-nitro-, 393.
 4-*p*-Tolueneazo-1-naphthylamine, 6-nitro-, and its acetyl derivative, 393.
 2-Toluenesulphon-2-naphthalide, 1-bromo-6-nitro-, 392.
 6-nitro-, 391.
 2:4:6-*trinitro*-, 393.
m-Toluidine hydrochloride, action of methyl alcohol on, 14.
m-Toluidine-6-sulphonamide, and *mono*- and *di*-bromo-, 78.
o-Tolyl carbonate, 500.
 ethers, 4-nitro-, 432.
 methyl ether, 5-nitroso-, 223.
m-Tolyl methyl ether, 6-nitroso-, 223.
 β -*p*-Tolyl- $\alpha\beta\beta$ -tetramethylpropionic acid. See β -*p*-Tolyl- $\alpha\alpha\beta$ -trimethyl-*n*-butyric acid.
 β -*p*-Tolyl- $\alpha\alpha\beta$ -trimethyl-*n*-butyric acid, 428.
 4-Triacetyl-*d*-xylosidamino-2-methylthiopyrimidine, 6-amino-, acetyl derivative, 573.
 Trialkyl orthophosphates, physical constants of, 23.
 Tri-(β -benzenesulphonamidoethyl)amine, *tri*- β -*p*-amino-, and its triacetyl derivative, 608.
 $\alpha\beta\gamma$ -Tri(benzenesulphonamido)propane, $\alpha\beta\gamma$ -*tri-p*-amino-, and its triacetyl derivative, 608.
 Trideuterammonia, compounds of, with metallic salts, 104.
 Triketohydrindene, 71.
 Trimethin[2-(3-ethylidihydrobenzoxazole)][2-(*perinaphtha*-1:3-thiazines)], 490.
 Trimethin[2-(3-ethylidihydrobenzothiazole)][2-(*perinaphtha*-1:3-thiazines)], 490.
 Trimethin[2-(3-ethylidihydrobenzoxazole)][2-(*perinaphtha*-1:3-thiazine)], and its hydrochloride, 490.
 Trimethin[2-(3-ethylidihydrobenzothiazole)][2-*perinaphtha*-1:3-thiazine)], 490.
 Trimethylbenzoyl-2-methylnaphthalenes, 240.
 Trimethylbenzoylnaphthoic acids, and their derivatives, 240.
 2:3:7-Trimethylchromone, 434.
 2:6:11-Trimethyl-*n*-tridecane, 267.
 2:2:5'-Trimethyl-3':4':5':6'-tetrahydrodibenzopyran, 6'':4''-*di*-hydroxy-, alkyl derivatives, 286.
 2:2':4-Triphenyl-4'-*p*-anisylazadipyromethine, 595.
 2:2':4-Triphenyl-4'-*p*-anisylidipyromethine, 597.
 Triterpene group, 477.
 Triterpene resinols. See under Resinols.
 Triuret, properties of, 603.
 Tutin, and its acetyl derivative, and α - and β -bromo-, 50.
 hydrogenation of, 143.

U.

sec.-Undecyl-*n*-dodecylmalonic acid, ethyl ester, 618.
 Unsaturation, tests for, in polycyclic hydroaromatic compounds, 482.
 Urea, properties of, 603.

V.

Velocity of reaction in solution, 629.
 Volume, molecular, constitution and, 146.

W

Widman-Stoermer reaction, effect of substitution on, 447.

X.

4-*d*-Xylosidamino-2-methylpyrimidine, 6-amino-, 573.
 4-*d*-Xylosidamino-2-methylthiopyrimidine, 6-amino-, and its 6-acetyl derivative, 572.

Y.

Yeast ribonucleic acid, constitution of, 625.
 Ytterbium, separation of, 8.

Z.

Zinc bromide, activity coefficient of, 157.
 chloride, activity coefficient of, 157.
 iodide, activity coefficient of, 157.