

JOURNAL OF THE CHEMICAL SOCIETY

ERRATA

• From bottom.

Vol. 1939, page 1664, line 9*. For 1936 read 1926.

Vol. 1945, page 774, line 14. For $q_1 = q/z(1 + bp)$ read $q_1 = q/(1 + bp)$.

Vol. 1945, page 774, line 16*. For $q_1 = q/44(1 + 0.038p)$ read $q_1 = q/(1 + 0.038p)$.


Vol. 1946, page 748, line 43. For $C_{24}H_{32}O_5$ read $C_{24}H_{32}O_2$.

Vol. 1948, page 1672, line 6*. For R. H. Holland read R. A. Holland.

Vol. 1949, page 711, line 1*. For 4-Keto-1:1-dimethylpiperidinium read 4-Keto-1:1-diethylpiperidinium.

Vol. 1949, page 1038, line 13. For 2-o-carboxybenzoylindonoglyoxaline read 2-o-carboxybenzoyl-indenoglyoxaline.

Vol. 1949, page 1065. Formula (VII.) should read



Vol. 1949, page 1279, line 18*. Formula (VI.) should read $[NHMe_2^+ \cdot C_6H_4 \cdot CH_2 \cdot CH_2 \cdot C_6H_4 \cdot NHMe_2^+] \bar{Br}_2$.

Vol. 1949, page 1883, line 2*. For nitroamines read nitroamides.

Vol. 1949, page 1916, line 2*. For Chada read Chadha.

Vol. 1949, page 2439, page 31*. For 4-phenyltetrahydrothiazine read tetrahydrothiazine.

Vol. 1949, page 2587, line 2*. For 1-phenyl-1:2:3:4-tetrahydroisoquinone read 1-phenyl-1:2:3:4-tetrahydroisoquinoline.

Vol. 1949, page 2825, Table I. For β -naphthyl-2-chloroethylamine read N- β -naphthyl-N-methyl-N-2-chloroethylamine.

Vol. 1949, page 2895, line 17. For Hallerman read Hellerman.

Vol. 1949, page 2998, line 35*. For iodate read periodate.

Vol. 1949, page 2999, line 9. For 0.1 ml. read 0.1 mol.

Errata

-
- Vol. 1949, page 3038, line 6*. For (I; R = Me, R = H) read (I; R = Me, R' = H).
-
- Vol. 1949, page 3039, line 25. For (VII; R = CHO, R' = Me) read (VII; R = Me, R' = CHO).
-
- Vol. 1949, page 3277, lines 34 and 38. For 1 : 2 : 3-Trimethoxy-5-methylnaphthalene read 1 : 2 : 3-Trimethoxy-8-methylnaphthalene.
-
- Vol. 1949, page 3349, line 20. For heptanone read heptenone.
-
- Vol. 1949, page S233, line 21. Before and acetic anhydride (10 c.c.) add sodium iodide (1 g.).
-
- Vol. 1949, page S244, line 2*. For 2969 read 2696.
-
- Vol. 1949, page S299, line 22. For molarity read molality.
-
- Vol. 1949, page S299, line 17*. For molarities read molalities.
-
- Vol. 1949, page S300, line 5* (twice). For Molarities read Molalities.
-
- Vol. 1949, page S301, line 12 (twice). For Molarities read Molalities.
-
- Vol. 1949, page S301, line 16*. For Molarity read Molality.
-
- Vol. 1949, page S318, line 27. For 5·325 read 5·34.
-
- Vol. 1949, page S321, line 22. For 5·325 read 5·34.
-
- Vol. 1949, page S373, last line of footnote. For duration read durations.
-
- Vol. 1950, page 23, line 15*. For -48° read $+48^\circ$.
-
- Vol. 1950, page 25, line 24*. For -48° read $+48^\circ$.
-
- Vol. 1950, page 60, line 10. Formula (1) should read
$$\frac{\int \psi(\mathbf{E}_{2a}) H(E_r^+) \psi(\mathbf{E}_a^+) dr}{E(\mathbf{E}_{2a}) - E(\mathbf{E}_a^+)}$$
-
- Vol. 1950, page 136, line 4*. Before 50% insert *p*-nitrobenzaldehyde in.
-
- Vol. 1950, page 138, line 21. For 0·55 g. read 0·055 g.
-
- Vol. 1950, page 173, line 2*. For Mrs. read Mr.
-
- Vol. 1950, page 210, line 25. For 160° read 147° .
-
- Vol. 1950, page 310, line 19. For $d^{249.5}$ read $d^{24.95}$.

Errata

Vol. 1950, page 382, line 13. For 10^{20} read 10^{12} and for $\epsilon = 1.31 \times 10^{20}r$ read $\epsilon = 1.31 \times 10^{12}r$.

Vol. 1950, page 382, line 20. For $\epsilon_{\text{calc.}}^{(1)} = 1.31 \times 10^{20}r$. $\epsilon_{\text{calc.}}^{(2)} = 1.74 \times 10^{20}n$ for polyenes and polycyclic hydrocarbons, $\epsilon_{\text{calc.}}^{(2)} = 1.74 \times 10^{20}(n + 1)$ for diphenylpolyenes. read $\epsilon_{\text{calc.}}^{(1)} = 1.31 \times 10^{12}r$. $\epsilon_{\text{calc.}}^{(2)} = 1.74 \times 10^4n$ for polyenes and polycyclic hydrocarbons, $\epsilon_{\text{calc.}}^{(2)} = 1.74 \times 10^4(n + 1)$ for diphenylpolyenes.

Vol. 1950, page 483, line 6. After (4300), insert 4565,.

Vol. 1950, page 484, line 10*. After 4350, insert 4630,.

Vol. 1950, page 559, line 4*. For CCl_4 $\frac{\text{---}}{\text{---}}$ $\frac{\text{---}}{\text{---}}$ $\frac{\text{---}}{\text{---}}$
read CCl_4 $\frac{1}{1}$ $\frac{1}{1}$ $\frac{1}{1}$ $\frac{1}{1}$ $\frac{1}{1}$

Vol. 1950, page 698, line 8. For $\text{C}_{30}\text{H}_{50}\text{O}$ read $\text{C}_{30}\text{H}_{48}\text{O}$.

Vol. 1950, page 746, line 4. For cycloHexanocycloheptene-2'-acetic acid read cycloHexanocycloheptane-2'-acetic acid.

Vol. 1950, page 779, equation at the bottom of the page. For SH^- read SH^+ .

Vol. 1950, page 824, legend to Fig. 1. For B, the same $+7.8 \times 10^{-4}\text{N-KOH}$; C, the same $+0.025\text{N-KOH}$ read C, the same $+1.6 \times 10^{-4}\text{N-KOH}$; B, the same $+0.025\text{N-KOH}$.

Vol. 1950, page 826, legend to Fig. 4. For B read C; for C read B.

Vol. 1950, page 885, line 4*. For usual read unusual.

Vol. 1950, page 1030, line 17. For 1 m-mol. read 0.81 m-mol.

Vol. 1950, page 1030, line 23. For 67% read 82%.

Vol. 1950, page 1030, line 24. For 73% read 89%.

Vol. 1950, page 1030, line 28. For $\epsilon_{\text{mol.}} = 8000$ read $\epsilon_{\text{mol.}} = 9800$.

Vol. 1950, page 1275, line 28. For followed by (4) and (5), read followed by (5) and (6).

Vol. 1950, page 1394, line 19. After experiments add (carried out at 200°, 250°, 300°, and 330°, respectively).

Vol. 1950, page 1402, line 3*. For as above read unity.

Vol. 1950, page 1403, line 2. For $E_1 = \text{AB}$; $E_2 = \text{DE}$ read $x E_1 = \text{AB}$; $x E_2 = \text{DE}$.

Vol. 1950, page 1482, line 8. For 1 : 6-compound read 1 : 5-compound.

Vol. 1950, page 1484, line 22*. For m. p. 295° read m. p. 274°.

Errata

-
- Vol. 1950, page 1484, line 21*. For m. p. 274° read m. p. 295°.
-
- Vol. 1950, page 1725, lines 36* and 29*. For 2'-pyridyl read 3'-pyridyl.
-
- Vol. 1950, page 1781, line 3*. For preceding paper read *J.*, 1950, 1519.
-
- Vol. 1950, page 1798, line 5*. After minutes add and the solution was acidified to pH6.
-
- Vol. 1950, page 1799, line 11. For α -benzamido- β -(2-acetoxy-3-methoxyphenyl)cinnamic acid read α -benzamido- β -(2-acetoxy-3-methoxyphenyl)acrylic acid.
-
- Vol. 1950, page 1951—52. The paragraph on p. 1951, lines 28*—16* [“ β -p-Chlorophenyl)cysteine . . . to dryness”] should be interchanged with p. 1952, lines 28*—26* [“p-Acetoxybenzaldehyde . . . acetic acid”].
-
- Vol. 1950, page 1951, line 5*. For (IV; R = AcO, R' = NHEt₂) read (IV; R = H, R' = p-AcO·C₆H₄).
-
- Vol. 1950, page 1953, line 13*. Delete ether.
-
- Vol. 1950, page 1953, line 8*. For “2-mercapto-4-carbethoxymethylaminomethylthiazolin-5-one read 2-mercapto-4-carbethoxymethylaminomethylenethiazolin-5-one.
-
- Vol. 1950, page 1954, line 6. For 2-Mercapto-4-(1'-carbomethoxypropylaminomethylene)thiazolin-5-one read 2-Mercapto-4-(1'-carbomethoxyethylaminomethylene)thiazolin-5-one.
-
- Vol. 1950, page 1954, line 13. For 2-Mercapto-4-(1'-carboxy-2'-benzylthio-2':2'-dimethylpropylaminomethyl)thiazolin-5-one read 2-Mercapto-4-(1'-carboxy-2'-benzylthio-2'-methylpropylaminomethylene)thiazolin-5-one.
-
- Vol. 1950, page 2011, line 21*. For 1710 read 2710.
-
- Vol. 1950, page 2077, line 44. For (0.2 g.) read (1.2 g.).
-
- Vol. 1950, page 2142, Table I, column 3. Below p-NH₂·SO₂·C₆H₄·CH₂Cl add p-NH₂·SO₂·C₆H₄·NH₂·HCl. Column headed “c.c.” interchange 35 and 85.
-
- Vol. 1950, page 2147, equation (4). For $(\nu_n/\nu_0)^4$ read (ν_n/ν_0) .
-
- Vol. 1950, page 2223, title of paper. For α -Keto adipic Acid read β -Keto adipic Acid.
-
- Vol. 1950, page 2304, diagram. The directions of the horizontal arrows on the bottom line of the diagram should be interchanged.
-
- Vol. 1950, page 2719, formula (X.). For $\overset{|}{C}MeR''$ read $\overset{|}{C}Me_2R''$.
-
- Vol. 1950, page 2744, line 3. For acetaldehyde read phenylacetaldehyde.
-
- Vol. 1950, page 2862, Table II. An asterisk (*) should follow the Roman numeral (III).