

# JOURNAL OF THE CHEMICAL SOCIETY

## ERRATA

Vol. 1947, page 313, line 38. *For b. p. 148—150°/22 mm. read b. p. 148—150°.*

---

Vol. 1953, page 236, line 7\*. *For m. p. 134—185° read 134—135°.*

---

Vol. 1953, page 1900, formula (III). *For :COPh read :CHPh.*

---

Vol. 1954, page 1686, lines 33 and 34. The analytical results *should read* (Found: C, 67.5; H, 5.9; N, 4.1.  $C_{20}H_{21}O_5N$  requires C, 67.6; H, 6.0; N, 4.0%).

---

Vol. 1955, page 383. The arrows between formulæ (X) and (XII) should be reversed.

---

Vol. 1955, page 1700, line 17\*. *For 2·16 read 1·83. For 1·98 read 1·30.*

---

Vol. 1955, page 2480, summary, line 4. *For 1k0, 0kl, and 1k\bar{l} read 1k0, 0k1, and 1k\bar{1}.*

---

Vol. 1955, page 2481, line 11. *For while 0kl and 1k\bar{l} were read while 0k1 and 1k\bar{1} were.*

---

Vol. 1955, page 4023, Table 2. *For 0·90 read 0·090. For 0·82 read 0·082.*

---

Vol. 1955, page 4024, 2nd line above Table 4. *For 1·120M-sodium hydroxide read 1·120M-potassium hydroxide.*

---

Vol. 1956, page 4, line 30. *For  $C_2H_{188}O_4$  read  $C_{26}H_{18}O_4$ .*

---

Vol. 1956, page 212, line 8. *For  $\log_{10} p$  (mm. Hg) =  $7.035 - 1278/(t^\circ C + 219.3^\circ)$  read  $\log_{10} p$  (mm. Hg) =  $7.145 - 1329/(t^\circ C + 224.0^\circ)$ .*

---

Vol. 1956, page 249, line 3\*. *For C, 60.5 read C, 66.5.*

---

Vol. 1956, page 249, line 4\*. *For C, 66.5 read C, 60.5.*

---

Vol. 1956, page 361, line 3\*. *For R = H read R' = H.*

---

Vol. 1956, page 531, formula (VI A). There should be a single bond between the central oxygen atom and the nearest position on the left-hand benzene ring.

---

Vol. 1956, page 672. Equation (3) *should read*  $K^{-1} = 4\pi N\rho(2q_1)^3 \int_{2q_1/q}^{2q_1/a} e^y y^{-4} dy$ .

---

Vol. 1956, page 700, formula (XIII). The thiophen ring should be completed.

---

Vol. 1956, page 893, formulæ. In the right-hand ring of the 3-isomer NH *should read* NH<sub>2</sub>.

---

Vol. 1956, page 967. Second table *should read*:

$SiHCl_3$ (mmoles)	$C_2F_4$ (mmoles)	Mole ratio $SiHCl_3 : C_2F_4$	$CHF_2 \cdot CF_2 \cdot SiCl_3$ Wt. (g.)	Yield (%)	$H \cdot [CF_2 \cdot CF_2]_n \cdot SiCl_3$ (g.)
82.5	68.5	1.2	5.4	34	4.8
110	"	1.6	7.1	44	4.0
220	"	3.2	9.8	61	3.1
275	"	4.0	10.1	63	3.0

\* From bottom of main text.

*Errata.*

---

Vol. 1956, page 1097, line 7. *For monomethylhydroxylamine read monopropylhydroxylamine.*

---

Vol. 1956, page 1150, line 6. *For 1-acetoxymethyl-2-oxocyclopentanecarboxylate read 1-acetoxy-methyl-2-oxocyclohexanecarboxylate.*

---

Vol. 1956, page 1302, line 7. *For  $-[\text{H}^+]$  read  $+\text{[OH}^-]$  and for  $+\text{[H}^+]$  read  $-[\text{OH}^-]$ .*

---

Vol. 1956, page 1554, line 35. *For 96% read 86%.*

---

Vol. 1956, page 1559, last line of text. *For  $\text{A}_{1g} \longrightarrow \text{B}_{2u}$  read  $\text{A}_{1g} \longrightarrow \text{B}_{1u}$ .*

---

Vol. 1956, page 1818, line 6\*. *For all but the two cases read all but two cases.*

---

Vol. 1956, page 1818, line 1\*. *For cyclopropane read cyclopropene.*

---

Vol. 1956, page 1819, line 16. *For w/v read w/w.*

---

Vol. 1956, page 1819, line 15\*. *For  $\text{C}=\text{C}$  read  $\text{C}=\text{O}$ .*

---

Vol. 1956, page 1848. On the arrow leading from (XIV) to (XV) *for Na read NaI.*

---

Vol. 1956, page 1970, line 2\*. *For  $\psi_2 = \sqrt{\frac{1}{2}}(\phi_1 - \phi_3)$ ,  $\psi_3 = \sqrt{\frac{1}{2}}(\phi_2 - \phi_4)$   
read  $\psi_2 = \frac{1}{2}(\phi_1 + \phi_2 - \phi_3 - \phi_4)$   
 $\psi_3 = \frac{1}{2}(\phi_2 + \phi_3 - \phi_4 - \phi_1)$*

---

Vol. 1956, page 1971, figure. The four-membered ring should be rotated through  $45^\circ$  about the  $z$  axis in the direction  $x$  to  $y$ .

---

Vol. 1956, page 2000, lines 1—2 under formulæ. *For 2 : 4-diamino-1'-*n*-propyl(2' : 3'-6 : 7)pteridine read 2 : 4-diamino-1'-*n*-propylindolo(2' : 3'-6 : 7)pteridine.*

---

Vol. 1956, page 2004, Table 2, heading. *For et read at.*

---

Vol. 1956, page 2168. *In Table 4, the five entries 5 : 6 enol should all read 1 : 6 enol.*

---

Vol. 1956, page 2210, Table 4, last column. The last three entries should read *l, m, n*, respectively.

---

Vol. 1956, page 2701, title. *For Akhookh read Akhnookh.*

---

Vol. 1956, page 3311. *For Part III.<sup>1</sup> read Part III.\* Footnotes should read : \* Part II, J., 1956, 2131.  
<sup>1</sup> Albert, Brown, and Wood, J., 1956, 2066.*

---

Vol. 1956, page 3311, summary, lines 4 and 5. *For 5-amino-4-methylpyrimidines read 5-amino-4-methylaminopyrimidines.*

---

Vol. 1956, page 3366, Table 3. *Column headings should read : Cols. 4—6 E = amount (mmoles) of solute absorbed.\* Cols. 7—9 G = wt. (g.) of  $\text{H}_2\text{O}$  absorbed.\**

---

Vol. 1956, 3370, Fig. 8. The labels *A* and *C* should be interchanged.

---

Vol. 1956, page 3476, figure. The molecular extinction coefficients corresponding to the tie-stubs on the left of the figure should read (from top to bottom) : 50,000, 10,000, 5,000, 1,000, 500, 100 (*i.e.* each stub should be numbered).

---

Vol. 1956, page 3661, Fig. 4. Right-hand scale should read  $\log \epsilon$  (*curves J and K*).

\* From bottom of main text.

*Errata.*

---

Vol. 1956, page 3949, Fig. 2. The ordinate should read  $1/\chi_M$ .

---

Vol. 1956, page 3950, Fig. 3. The ordinate should read  $1/\chi_M$ .

---

Vol. 1956, page 4597, line 15. *For m. p. 161—169° read m. p. 168—169°.*

---

Vol. 1956, page 4598, line 7\*. *For C, 15·8 read C, 45·8.*

---

Vol. 1956, page 4641, Fig. 2(b). The captions for the full and broken line should be interchanged.

---

Vol. 1956, page 4678, line 2\*. *For hydrolysis product read product of hydrolysis at room temperature.*

\* From bottom of main text.