

COMMUNICATIONS TO PROCEEDINGS: INDEX OF SUBJECTS, 1958.

The following index relates to Scientific Communications published in *Proceedings of the Chemical Society*, 1958.

A

- Acetylenes**, vinyl-, formation of, from copper acetylides, 303.
Acraldehydes, β -chloro-, general synthesis of, 227.
Acrylonitrile, polymerisation of, by sodiodiethylmalonic ester, 170.
Ajaconine: an intramolecular Cannizzaro-type reaction and location of the undefined oxygen [atom], 280.
Ajaconine, structure of, 305.
Alkaloids, aporphine, nuclear magnetic resonance spectra of, 306.
Alkoxides as initiators of anionic polymerisation of vinyl monomers, 255.
Aporphine alkaloids, nuclear magnetic resonance spectra of, 306.
Aromatic compounds, general method for preparing tricarbonylchromium derivatives of, 152.
Aspergillus niger, ion-exchange chromatography of extract of, 8.
Aurantiogliocladin, biosynthesis of, 343.

B

- Bauerenol**, a new triterpene alcohol, 342.
Benzocyclobutene, a new synthesis of, 283.
Benzo[a]heptalene, 5:6:7:8:9:10:11:12-octahydro-1:2:3-trimethoxy-, synthesis of, 114.
Benzonitrile, gas-phase halogenation of: a novel substitution pattern, 258.
Benzophenones, 2':4-dihydroxy-, substituted, oxidation of, by alkaline potassium ferricyanide, 195.
Bombyx mori, dimethylamine as the supposed sex-attractant of, 53.
Boron:
 Ammonium tetrachloroborates, 304.
But-2-yne, complex with iron carbonyl hydride, structure of, 233.

C

- Catalysis** by hydrogen halides in the gas phase, 80.
Catechin, relative configuration, 236.
*epi*Catechin, relative configuration, 236.
Charcoals, heats of wetting of, in different liquids, 83.
Chlorination, electrophilic aromatic, new mechanism for, 300.
Cholesterol, crystalline, oxidation of, 194.
Chromans and related compounds, conformation, 167.
Chromatography, gas, 2:4:7-trinitrofluorenone as a stationary phase in, 151.
Chromium:
 Tricarbonylchromium derivatives of aromatic compounds, general method of preparation of, 152.
Cobalt, complexes of, with 2:2'-dipyridyl, 169.
Coenzyme Q, biosynthesis of, 343.
Conduction, in anhydrous phosphoric acid, proton-switch as a mechanism for, 352.
Conformations of piperidine, morpholine, and triethylamine, 82.
Copper acetylides, formation of vinylacetylenes from, 303.
Copper perchlorate, volatile, 344.
 Copper(II), a diamagnetic binuclear compound of, 259.

- Crotonic acids**, substituted, and esters, determination of geometric configuration of, by nuclear magnetic resonance, 303.
Cucurbitacin D. See Elatericin A, 220.
Cucurbitacins, skeletal structure of, 301.
Cyclisation, enzymic, of squalene to lanosterol, rearrangement of methyl groups in, 112.

D

- trans*-Decal-2-one, DL-6 β -hydroxy-5:5:9 β -trimethyl-, prep., 231.
Decal-3-one, 6 β -acetoxy-5:5:9-trimethyl-, prep., 351.
Diamagnetism in a quasi-tetrahedral nickel(II) complex, 168.
Dimethylamine, the supposed sex-attractant of the silkworm moth (*Bombyx mori*), 53.
2:2'-Dipyridyl, complexes with cobalt, rhodium, and iridium, 169.
Directing effect, remote, of a group, 225.
*cyclo*Dodecane, structure of molecule of, 348.

E

- Elatericin A**, degradation product of, 220.
Ethers, hydrogenolysis of, 17.
Evolidine, structure, 198.

F

- Ferrocene**, direct synthesis of derivatives of, from fulvenes, 289.
Flavans, hydrogenolysis of, 7.
Fluorenone, 2:4:7-trinitro-, as a stationary phase in gas chromatography, 151.
Fulvenes, direct synthesis of ferrocene derivatives from, 289.

G

- Gibberellic acid**, biosynthesis of, 192.
 structure of, 221.
Glirosein, biosynthesis of, 343.
Glutaconic acid, *trans*- β -methyl-, pure, isolation of, with the aid of nuclear magnetic resonance, 196.
Glycerol 1-(dihydrogen phosphate), 3-3'-indolyl-, prep., 285.
Glyoxaline, significance of a hydrogen-isotope effect in the orientation of electrophilic substitution in, 256.
Glyoxaline, amino-, unambiguous synthesis of nucleosides of, 193.
Grignard reaction, benzyl-type, *ortho*-substitution in, 149.

H

- Halogenation**, gas-phase, of benzonitrile: a novel substitution pattern, 258.
Heats of wetting, of charcoals in different liquids, 83.
cyclo-Heptatriene, complexes with metals, 152.
Hexabenzocoronene, prep., 150.

*cyclo*Hexadienones, photochemical cleavage of, 197.
Hindrance in the transition state, isotope effect as a measure of, 52.
Homochromans, conformation of, 284.
Hydrogen atoms, abstraction of, from bridgehead positions by methyl radicals, 347.
 equivalent, use of nuclear magnetic resonance spectra of hydrogen in ^{13}CH groups to determine spin-spin coupling constants between, 118.
Hydrogen chloride, solubility of, in organic compounds containing oxygen, 200.
 halides, catalysis by, in the gas phase, 80.
Hydrogen-isotope effect, significance of, in the orientation of electrophilic substitution in glyoxaline, 256.
Hyperconjugation and methyl affinities, 226.

I

Ing and Manske reaction, a limitation of, 191.
Iridium, complexes of, with 2:2'-dipyridyl, 169.
Iron carbonyl hydride, complex with but-2-yne, structure of, 233.
 nitrate-complexes, volatility of, 51.
 Ferric chloride as a radical scavenger in the radiolysis of organic compounds, 54.
 Potassium ferricyanide, alkaline, oxidation of substituted 2:4'-dihydroxybenzophenones by, 195.
cis-trans-Isomers, nuclear magnetic resonance and stereochemistry of, 196.
Isotope effect as a measure of transition-state hindrance, 52.

L

Lanosterol, rearrangement of methyl groups in enzymic cyclisation of squalene to, 112.
Lumisterol, stereochemistry of, 7.

M

Macrolide antibiotic, a new type of, 148.
Mercurials, perfluoroalkyl, interaction with potassium halides, 231.
Mercury:
 Divinylmercury as a reagent for preparing vinyl derivatives of elements of Groups III and V, 116.
Mesitylene, disproportionation of, by methanesulphonic acid, 286.
Methyl affinities, and hyperconjugation, 226.
 radicals, abstraction of hydrogen atoms from bridgehead positions by, 347.
Morpholine, conformation of, 82.

N

Naphthalenes, hexahydro-, hydrogenation of, 345.
Nickel, complex with tris-(2-aminoethyl)amine, structure of, 346.
 Nickel(II) complex, quasi-tetrahedral, diamagnetism in, 168.
Nitrate-iron complexes, volatility of, 51.
Nuclear magnetic resonance, and the stereochemistry of *cis-trans*-isomers, 196.
Nucleosides, of aminoglyoxaline and purine, unambiguous synthesis of, 193.

O

Oestrone, stereoselective total synthesis of, 114.
Organic compounds, containing oxygen, solubility of hydrogen chloride in, 200.
Ozone, dithioacetals, 170.
Oximes, reinterpretation of novel reactions of, 286.

P

Patulin, biogenesis of, 222.
Phosphoric acid, anhydrous, proton-switch as a mechanism for conduction in, 352.
Photochemical reactions, proximity effect in, 302.
Piperidine, conformation of, 82.
Polarisability of bonds, longitudinal, relationship to molecular dimensions, 283.
Polymerisation, anionic, of vinyl monomers, alkoxides as initiators for, 255.
Polymerisation, cationic, a new class of catalyst for, 117.
5 α -Pregnan-20-one, 20-diazo-, thermal decomp., 349.
Proton, hydration of, 236.
Proton magnetic resonance in thiourea, 53.
Proximity effect in photochemical reactions, 302.
Purine nucleosides, unambiguous synthesis of, 193.
Pyridine-3:5-dicarboxylate, dihydro-1:2:6-trimethyl-, diethyl ester, structure, 282.
Pyrocalciferol, stereochemistry of, 7.
Pyrrrole, formation of a derivative of, from pyridine under the influence of degassed Raney nickel, 150.

R

Radicals, ferric chloride as a scavenger for, in the radiolysis of organic compounds, 54.
Radiolysis of organic compounds, ferric chloride as a radical scavenger in, 54.
Raney nickel, degassed, formation of a pyrrole derivative from pyrrole by, 150.
Rhodium, complexes of, with 2:2'-dipyridyl, 169.
Rings, *cis-* and *trans*-condensed systems of, high-resolution hydrogen resonance spectra of, 230.
Rosenonolactone, biosynthesis of, 223; biogenesis of, 224.
Rubriogliocladin, biosynthesis of, 343.

S

ψ -Santonin, absolute configuration, 147.
Sex-attractant of *Bombyx mori*, 53.
Silkworm moth (*Bombyx mori*), dimethylamine as the supposed sex-attractant of, 53.
Sodiomalonic ester as an anionic catalyst, 170.
Solvent shifts, anomalous, in high-resolution nuclear magnetic resonance spectra, 115.
Spectra, high-resolution hydrogen resonance, of *cis-* and *trans*-condensed ring systems, 230.
Spectra, high-resolution nuclear magnetic resonance, anomalous solvent shifts in, 115.
Spectra, nuclear magnetic resonance, of hydrogen in ^{13}CH groups, use of, to determine spin-spin coupling constants between equivalent hydrogen atoms, 118.
Spin-spin coupling constants, between equivalent hydrogen atoms, use of nuclear magnetic resonance spectra of hydrogen in ^{13}CH groups to determine, 118.
Squalene, rearrangement of methyl groups in enzymic cyclisation of, to lanosterol, 112.
Stereochemistry of *cis-trans*-isomers, and nuclear magnetic resonance, 196.
Stereochemistry of lumisterol and calciferol, 7.
Steroids, determination of side-chains in, by gas-liquid chromatography, 234.
Styrene, polymerisation by sulphuric acid, 228.
Substitution, electrophilic, significance of a hydrogen-isotope effect in the orientation of, in glyoxaline, 256.
ortho-Substitution, of the benzyl-type Grignard reagent, 149.
Superheating, of liquids, a new technique for observing, 199.

T

Taxine-I, the major alkaloid from *Taxus baccata* L., 9.
Taxus baccata L., taxine-I, the major alkaloid of, 9.
Terpenes, hydrogenation of hexahydronaphthalenes as a step in synthesis of, 345.
Thiol groups, method for protection of, 257.

Thiourea, proton magnetic resonance in, 53.
Thymidine, synthesis of, 81.
Toxiferine-I, studies on, 287.
Transition state, isotope effect as a measure of hindrance in, 52.
Tricothecium roseum Link, biosynthesis of rosenono-lactone, a diterpenoid metabolite of, 223, 224.
Triethylamine, conformation of, 82.
Triethylamine, 2:2':2''-triamino-, nickel complex, structure, 346
Triterpene alcohol, new, baurenol, 342.

U

Ubiquinone, biosynthesis of, 343.

V

Valencies, low, stabilisation of, 169.
Vinyl derivatives, of elements of Groups III and V, divinyl-mercury as a reagent for preparation of, 116.
Violacein, prep., 232.
Volatility of anhydrous nitrate-iron complexes, 51.

Y

Yew. See *Taxus baccata* L., 9.